


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Inventory	20.256 s	1	0	1	0	7	5	1	1

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	<u>Inventory</u>	T002_Create the New Purchase with valid inputs


TAG		Scenario			Feature				
Name	Т	P	F	S	T	P	F	S	
@all	1	0	1	0	1	0	1	0	
@regression	1	0	1	0	1	0	1	0	
@Inventory	1	0	1	0	1	0	1	0	
@Inventory02	1	0	1	0	1	0	1	0	
@sanity	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>Inventory</u>	1	0	1	0	20.256 s


SCENARIOS SUMMARY -- 6




#		Scenario Name	T	P	F	S	Duration
1	Inventory	T002_Create the New Purchase with valid inputs	7	5	1	1	20.248 s

DETAILED SECTION -- 7 --

Inventory



T002_Create the New Purchase with valid inputs



#	Step / Hook Details	Status	Duration
1	Given Admin logged in with valid credentials	PASSED	0.464 s
2	When Al-Arabia overall dashboard should display	PASSED	11.877 s
3	And Admin or user clicks the Inventory module	PASSED	0.356 s
4	And Admin or user clicks the New Purchase button	PASSED	0.138 s
5	And Admin or user enters the all mandatory fields of New Purchase	PASSED	1.886 s
6	And Admin or user clicks the Add Purchase button	FAILED	0.035 s
	org.openqa.selenium.InvalidSelectorException: invalid selector from javascript error: {"status":32,"value":"An invalid or illegal selector was specified"} (Session info: chrome=126.0.6478.114) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.0-117-generic', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bc7f957d00ea52c894bf7b2f15cef95c, findElement {value=, using=id}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.114, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e, userDataDir: /tmp/.org.chromium Chromium}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:34441}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:34441/devtoo, se:cdpVersion: 126.0.6478.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bc7f957d00ea52c894bf7b2f15cef95c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy38.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pageobjects.Inventorypage.Add_purchase_button(Inventorypage.java:154)		
	at Stepdefinitions.Inventory.Admin_or_user_clicks_the_Add_Purchase_button(Inventory.java:46)		
	at ?.Admin or user clicks the Add Purchase button(file:///home/coducer/Al_Arabia_PhaseII/Al_Arabia_Project/src/test/resources/Features/		
	07_Inventory.feature:18)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Testhooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	T002_Create the New Purchase with valid inputs		
	A final section was a section of the		
	Makes I facilities See Note 1. See 1		
	1007 10007 1007 10007		
	100 100		
	Total Control		
	balan with both (I) therefore and		
7	Then Particular Purchase gets created successfully with either "LOADING" or "Success Purchase created"	SKIPPED	0.000 s