Early topics in computer game development

While there are exceptions, most computer games require

things to be visually represented, some still and some moving, in a 2D or 3D world SPRITES

and billboards and meshes and textures and colours and occlusion and perspective and haze and lighting and animation and screen refresh rate

collisions of moving things with other things

COLLISION DETECTION and COLLISION RESPONSE and spatial organisation and geometric calculations and physics and refresh

http://csimoodle.ucd.ie/moodle/course/view.php?id=362 COMP30540 Game Development

Sprites - in 2D, 2.5D, 3D

- Sprite: a 2-dimensional image or animation, generally with transparent parts
- overlaid onto other screen info, floating above it without altering it
 though the term may also be applied to a background
- · originally in hardware, like fixed-image screen cursors: limited number & variety
- now, with 3D graphics, applies to flat images superimposed on 3D screens
- transparency may involve special colour codes, or additional bit masks
- takes some time: double buffering often necessary to avoid flicker & tear



http://csimoodle.ucd.ie/moodle/course/view.php?id=362 COMP30540 Game Development

Sprites now

- · Modern devices (smartphones, tablets, consoles) have no sprite hardware
 - They rely instead on their powerful 3D graphics hardware
 - For 2D games they disable perspective calculations,
 - then simulate sprites with textures on rectangular shapes
- Nevertheless Sprites are still used:
 - in tools aimed at Indy developers
 - therefore in Indy games easy and effective intro to game development
 - also in some big title games on small devices
 - saves memory, so allows more content/music/effects/gameplay
 - and for effects really hard to model in 3D
 - fire, smoke, rain, sand, .
 - \blacksquare also for "1 Up", "50 points" and similar short-lived messages or pickups

http://csimoodle.ucd.ie/moodle/course/view.php?id=362 COMP30540 Game Development

Obtaining (possibly animated) sprites

Animated sprites obtainable in several ways (while pixel art is ok for one-off, it is very expensive for animation purpose) (animated sprites are often looping)

- · filmed performance
- "rotoscoping" animation by artist of filmed performance by actors
- "claymation" where live actors cannot be useful (eg Wallace & Grommit)
- pre-rendered Computer-Generated Imagery (CGI)
 - where a dynamic (maybe 3D) scene can be generated
 but not generated fast enough for use in game
- but not generated fast enough for use in game
- ripping from other sources (movies, marketplaces, games, image databases, \dots)

http://csimoodle.ucd.ie/moodle/course/view.php?id=362 COMP30540 Game Developmen

Acceptance of prites

Since a sprite is flat and is always seen face-on, it may seem odd in a 3D scene.

It may seem not so odd if

- what it depicts is a 3D object, unobscured and with proper perspective, or
- it rotates or changes or vanishes too quickly to be closely observed, or
- it appears almost the same from many angles (sphere is the extreme), or
 it appears so distant that perspective effects would not change it noticeably, or
- the viewer happily accepts it as totally artificial (eg "1-Up"), or
- the viewer accepts it would look the same from different directions (eg grass)


http://csimoodle.ucd.ie/moodle/course/view.php?id=362 COMP30540 Game Development


Bill boarding


Billboarding is a technique that exploits the face-forward property of sprites


- Useful eg to create a glow or a halo around another image
- 3D rendering engines can process "3D sprites" faster than general 3D objects
- 3D polyhedral models cannot cheaply & realistically handle fire etc effects
- In 3D, Billboards may be oriented as if from a point, or just turn about an axis
- The same principles can be used to make an object (e.g. a head) appear to turn to face some other object in a 3D scene, not just the camera.

http://csimoodle.ucd.ie/moodle/course/view.php?id=362 COMP30540 Game Development









Moving Sprites

Sprites may move across the game screen for a variety of reasons:

- · they represent player character
- they represent projectiles, vehicles, other "tangible" game objects
 they display messages "1 Up" or "100 points" or "Kapow!"
- they represent scenic elements (like clouds)

In some cases it is desirable to detect collisions and then respond to collisions

http://csimoodle.ucd.ie/moodle/course/view.php?id=362 COMP30540 Game Development