



# ReaClassical

Open Source Classical Music Editing Tools

**v23.03**

Tested on REAPER v6.73

This guide is released under the GNU Free Documentation License v1.3  
See <https://www.gnu.org/licenses/fdl-1.3-standalone.html>

## Preliminaries

First up, it is important to note that if you already own REAPER then the world of classical editing including source-destination editing (aka 3-and-4-point editing), crossfade editing and more are available at no extra cost to you via freely available Lua scripts. There's no need to spend any of your hard-earned money on a classical-based app that is essentially a modified REAPER install. Neither do you need Sequoia, Pyramix or SaDiE in order to make editing precise and efficient. As a classical engineer myself, I can say with certainty that what I am about to share with you covers all my recording, editing and mastering needs. Your mileage may vary and I'd love to hear from you if there are functions you feel are missing. There's an easy install option below as well a step-by-step manual approach.

## What you need

### Just The Scripts?

Import my index.xml into ReaPack and search for 'ReaClassical'. Note that this does *not* give you the full benefits of ReaClassical which include a custom theme (for properly hiding tracks groups), default template set for correct number of frames and resampling quality, keyboard shortcuts, custom toolbar etc. However, it's an easy way to start if you are already familiar with ReaPack and SWS and want to check out source-destination editing etc.

### Easy Complete Portable Installation (recommended)

1. Follow the installation instructions here. In short, if you are on Linux, use this script, on MacOS, this script, or on Windows, this executable to take care of completely setting up ReaClassical from scratch (including the downloading REAPER and setting up as a portable install). Simply run where you would like the folder to be created.
2. Start REAPER
3. Sync ReaPack to get the very latest ReaClassical scripts

Skip to reading about classical workflows on page 4...

## Resource Folder Installation for Existing REAPER Install (also recommended)

1. If you are satisfied with ReaClassical and wish to replace your existing REAPER settings, download the Resource Folder Base, unzip and replace your current resource path (after making a backup). Add the appropriate ReaPack and SWS userplugins by downloading from my UserPlugins Github subfolder, unzipping and adding to the UserPlugins subfolder inside the new resource path. Restart REAPER and you will have the full ReaClassical experience.

## Manual Installation (ideally for research only or if you already have a heavily-customized REAPER setup and wish to add ReaClassical)

- REAPER (obviously)
- SWS Extension, ReaPack
- ReaClassical metapackage
- Classical RPP template<sup>1</sup>, customized stock theme, key map file & keyboard shortcut guide from my Github repository<sup>2</sup>
- Optional: custom toolbar and icon set from my Github repository

So, the first thing is to install REAPER from <https://www.reaper.fm/download.php>. I'll let you figure that out yourself. Next, install SWS Extension and ReaPack from <https://www.sws-extension.org/> and <https://reapack.com/> respectively into the UserPlugins subfolder inside the REAPER resource path. Once that's done, start/restart REAPER. You'll then want to download the following from inside of ReaPack (scripts I consider optional are in *italics*):

- ReaClassical  
(by importing my index.xml into ReaPack then searching for 'ReaClassical')
- ReaClassical PDF Guide (search ReaPack for 'pdf')
- Various ReaClassical JSFX plugins (search ReaPack for 'RCPlugs')
- *JS reascript API (juliansader)*
- *Various\_functions (MPL)*
- *Generate CUE from project markers (MPL)*
- *RCInflator (Oxford)*

Now, you need to choose one of the key map files from the manual install archive (I recommend the complete one if you want the full experience!). It's worth stating here in the main text my warning about backing up your own REAPER configuration before importing mine in case you want to get back to where you were.

## ReaClassical Custom Toolbar

In order to install the toolbar, place the ReaClassical.ReaperMenu in MenuSets (inside your REAPER resource path). Next unzip the icons in Data/toolbar\_icons (again, inside your resource path).

In REAPER, right-click on an empty part of the main toolbar and select toolbar 1 (either open or float it). Select Import/Export in the top right corner and select the ReaClassical.ReaperMenu file. You should then see menu items and associated icons! See figure 1.



Figure 1: ReaClassical custom toolbar

<sup>1</sup>This is entirely optional, but it might save you a little time. In this document I go through step-by-step how to set up in any case.

<sup>2</sup><https://github.com/chmaha/ReaClassical> N.B. Before proceeding, I recommend doing a backup of your current key map. When importing my key map into your installation of REAPER some of your shortcuts will no doubt be overwritten.



Figure 2: “Ripple editing per-track”, “Item edit grouping” and “move envelope points with media items” engaged...

From left to right, we have: Whole project view (‘), Create (or Sync) Source Groups (F8), Classical Take Record Toggle (F9), Duplicate Folder (\), Prepare Takes (T), Toggle for choosing 3-point edit behaviour (F3), Destination IN and OUT markers (1, 2), Source IN and OUT markers (3, 4), Delete S-D markers (Ctrl+Delete), S-D Edit (5), Delete With Ripple (Backspace), Delete Leaving Silence (Ctrl+Backspace), the Fade Editor View (F) and, finally, Lock Source Groups (K).

## Things to do after installing

### Main arrange window

- UNCHECK Auto-crossfade, grid lines (optional), snap<sup>3</sup> buttons
- CHECK Ripple editing per-track (as opposed to ripple edit all tracks), Item edit grouping, move envelope points with media items. See figure 2

### Preferences

Some of these options are essential for the scripts to work as expected. Others are just recommended.

#### Project > Media Item Defaults

- ENABLE Overlap and crossfade items when splitting, length: 0:00.010
- ENABLE Overlap and crossfade media when finalizing razor edits

#### Appearance > Peaks/Waveforms

- UNCHECK Draw faint peaks in folder tracks

#### Appearance > Fades/Crossfades

- ENABLE When editing crossfades with the mouse, use crossfade editor theme colours

#### Appearance > Media Item Positioning

- CHANGE Offset by...percent of item height to 100<sup>4</sup>
- CHECK Draw as opaque

### Editing Behaviour

- SET Locked item ripple editing behaviour to “Locked items are unaffected by ripple”<sup>5</sup>

<sup>3</sup>We will prepare some snap settings later for adding CD markers but for now we don’t want dragging etc to be constrained.

<sup>4</sup>In REAPER versions prior to 6.54, these options don’t exist. Instead, under *Appearances*, you need to change *Maximum number of lanes, when showing overlapping items* to 2

<sup>5</sup>Technically not necessary as it is now checked and set at the start of ripple-capable functions.



Figure 3: Setting mute overlay mode

## Editing Behaviour > Mouse Modifiers

- CHANGE Razor edit area left drag default to “Move areas, disabling ripple edit”

## Project Settings

- CHANGE Video > Frame rate to 75<sup>6</sup>
- CHANGE Render resample mode to r8brain free (highest quality, fast)

## Theme Tweak

- Using the “Theme development: Show theme tweak/configuration window” action, search for “mute” and change the alpha blend to 0.00. See figure 3.

At this point it might be a good idea to Save as default project settings as well as make a classical template (if you didn’t download mine) so that you don’t have to do this setup more than once.

# Classical Workflows

## Creating Folder tracks

### Horizontal Recording/Editing

For horizontal recording and editing, create a single folder with your various channels (main pair, aux pair, spots etc) using the *ReaClassical\_Create Folder* script (F7). you don’t have to do any more setup because essentially you already have one mixer set for all the various takes. With vertical recording/editing we need to be a bit more creative.

### Vertical Recording/Editing

A typical scenario: You have vertically recorded, or vertically prepared, multiple takes of a concerto movement with 10 channels. You realize half-way through editing that you want the soloist’s microphone to be brought up in volume a little and also panned slightly more to the right to match the position in the main stereo pair. Under normal circumstances moving one pan knob or fader would only affect that one channel. The ideal situation would be that changing a value on one channel would affect every other take in the same way, making comparing source material uniform in volume and panning.

<sup>6</sup>The number of frames per second for red-book CDs.

For vertical recording and editing, start with an empty project and run *ReaClassical\_Create source groups (vertical)* script. It will prompt you to enter how many tracks you'd like per folder. Then it creates all the source groups. Easy! You can also choose to manually create a single folder and afterwards run the same script. This time it just creates the additional source groups. The script creates 6 source groups based off the destination/master folder, links the volume, panning, polarity, mute, automation trim and hides everything in the mixer save for the first folder group. In other words, you can simultaneously control volume, panning, polarity and automation across all takes. It also sets up media item and razor editing grouped by folder. If you need more than the 6 source groups, simply create them on the fly with the *duplicate folder (no items)* script.

Routing and FX: If you want to make any changes to routing or FX, apply them to the first folder (the destination) and then simply run the *ReaClassical\_Create source groups (vertical)* script again and it will automatically sync the source group routing and FX to the destination. All items and edits will remain untouched.

## Recording

I don't have too much to say here other than suggest that you follow the various guides already out there on the internet. Hopefully you are already familiar with how to set up your equipment<sup>7</sup>, set audio device settings, record arm and the like. If not, take some time now as it will really pay off in the long run. Some quick tips: record into 24-bit WAV files (the default) and aim for -12dB or so peaks<sup>8</sup> versus trying to get as close to 0dB as you can. Document your takes either using the built-in REAPER project notes or SWS Notes which can be attached to items, tracks, markers etc. I personally prefer item notes on the main microphone pair. It's a very useful tool to have docked at the bottom of the screen.

I set *SWS/AW: Toggle auto group newly recorded items* as a global startup action to save time especially if using a vertical take system. It's probably quite obvious but toggling on this action automatically groups tracks that are recorded at the same time.

I include a "duplicate folder (no items)" script (via backslash shortcut) for a quick way to add more empty folders (and their children) from your first recording set (in case you enjoy vertical take management (see below under Editing). My personal preference is to either to just run the recorder for the whole session or stop and start for each new take but continuing in a linear fashion along the timeline. However, if you want to record takes vertically in preparation for editing that way, I've included a handy "classical take record" script that also works perfectly in horizontal mode too. Position your play cursor, click on a folder track then press the shortcut (F9) to record and press the same again to stop. Click on the next folder down to quickly record another take at the same point in the timeline! Note that the tracks shown in the mixer are filtered based on which tracks are currently recording.

I always make some dedicated time post-recording to get a lay of the land, tidy up the digital notes I took during the session and perform a backup on an external drive as soon as possible.<sup>9</sup>

## Editing

### Marking the edits

This is best done using a physical, photocopied<sup>10</sup> score by the conductor or lead musician. I advocate for a "T" system<sup>11</sup> where a large T is inserted into the score at the intended edit point. Either side of the T stem, and under the crossbar, the outgoing and incoming take numbers are written. A wavy crossbar indicates some leeway for where the edit point can be placed. Further notes can be attached underneath the T such as directions for tightening the gap etc. See figure 4.

---

<sup>7</sup>For live concerts (i.e. critical one take), I actually prefer to use a SoundDevices MixPre II unit.

<sup>8</sup>You can record a lot lower and still be above the 16-bit noise floor but this isn't the document to go into it in detail.

<sup>9</sup>Note that with REAPER it is also possible to record to a second drive as an invisible backup while on location.

<sup>10</sup>Or printed public domain score where possible.

<sup>11</sup>As described by Frank Lockwood at <https://www.lockwoodars.com/>



Figure 4: Identifying edit locations on a score

## Introduction to the various editing workflows

Here we talk about the meat and potatoes of the classical editing workflows. Workflows (plural) because I have included different approaches to suit as many tastes as possible within the confines of the REAPER application. I will explain each in detail after this brief introduction. I personally have always enjoyed doing my S/D editing within the one project window but if you use Paweł Łyżwa's (ply) scripts you shuttle back and forth between two project tabs: one for your source material and one for your destination material. In the single-window workflow you have multiple ways of proceeding. First you have all your takes lined up in a row horizontally and you place your source in and out markers, destination in and out markers then press a keyboard shortcut to achieve your 3 or 4-point edit. The second way is to set up your takes vertically and then either use the same marker system to make your edits or use razor edits (my preferred method when working vertically). Whichever option you choose, you will then end up in the crossfade editor view which uses a custom two-lane view with classical crossfade script to make precise edits really easy in REAPER. I don't often use the fade editor dialog that comes with REAPER even though I make it appear as part of the script.

## Preparing your recorded takes for classical editing

Whichever method you end up choosing you need to prepare your takes in an appropriate way. I strongly recommend using folder tracks for everything (especially given the vertical workflows rely on the presence of such folders). The folder track itself should hold the first of the audio files which for me is invariably the main microphone pair (stereo). If you recorded mono L & R for your main pair (for example via a portable recorder such as a SoundDevices or Zoom unit), instead place all your tracks as children leaving the folder track itself empty.

Whether working horizontally or vertically, you can use the *Prepare Takes* script. It is intelligent enough to figure out which workflow you are using. Just press the shortcut (my own preference is T)<sup>12</sup>. Super simple! Every set of items comprising a take has changed colour, is now grouped, folder tracks are grouped (or re-grouped) for razor editing and imported/recorded take names removed. See figure 5. For horizontally laid-out takes, each complete take is coloured with a different random colour. For vertically laid-out takes, each folder's items are given a different random colour. This way, however you work, it's easy to see where edits have come from. If you imported or recorded all your files in child tracks, the script will additionally copy all items from each first child track into the folder track and mute them to act as a visual guide track. You will receive a pop-up message if this is the case.

<sup>12</sup>From now on, you can assume that all shortcuts mentioned are all the ones included in my key map.



Figure 5: Five takes of a single movement (with tracks comprised of main pair, aux pair, vocal spot and cello spot) given random colours and grouped



Figure 6: Prepared vertical takes of a single piece after running the *Prepare Takes* script

When child tracks are hidden via the D and E shortcuts, this gives the engineer the ability to edit multi-microphone recordings as if they were a simple stereo (or mono) track (see below).

That's it! So, with that introduction and preparation done, let's dive into each option in more detail.

## Single-window S/D editing (horizontal)

As mentioned earlier, this is my own favourite method. You set your in-out points using special coloured labelled markers I created with shortcuts 1 and 2 (Destination) and 3 and 4 (Source). See figure 8. Simply press the shortcut 5 to make the 3 or 4-point edit. You'll also notice that because you prepared the various takes with colours (and grouping), it is really easy to see which takes compose your final edited tracks. It's worth pointing out that my S/D and classical crossfade scripts place the default short 10ms crossfade immediately before the entry and exit points of the pasted audio. In practice this means that if you visually set a marker (or edit cursor in the case of the classical crossfade function) immediately before a transient, said transient will sound post-crossfade which is what we generally desire. Often, given this important detail, I don't even need to visit the crossfade editor view.

## A note on listening to takes

For horizontal editing, you should use the usual transport shortcuts (spacebar to start and stop playback, for example). For vertical editing, it is highly recommended to use the Audition (A) script to quickly solo only the folder (or track) you are interested in hearing. Note that similar to the *Classical Take Record* function, the tracks shown in the mixer are filtered based on what is being auditioned.




Figure 7: The same project with hidden (super-collapsed) child tracks.




Figure 8: The source and destination markers in action



```

no_meter_rec1b1 1
tcp_heights 0 25 50 64 ; supercollapsed, collapsed, small(norearm), recarm size
tcp_folderindent 0

```

Figure 9: Supercollapsed value should be set to 0 in rtconfig.txt

## Single-window S/D editing (vertical)

You will have already prepared the audio as discussed above for vertical editing. In this setup, you will use the same source-destination shortcuts as for the single-window horizontal takes workflow (1, 2, 3, 4) and the same *ReaClassical\_S-D Edit* script (5). Make sure you have the source folder selected as you are creating the source IN and OUT markers. This adds the folder number as a prefix to the source marker labels. The various functions will then use this label to know which folder to copy from. This is really useful if you undo the edit in order to tweak the markers by dragging them. It doesn't matter if you select other folders/tracks. In the event you use two different folders for the source IN and OUT markers, the functions will prefer the source IN label.

The downside to this workflow is that the source and destination markers can get in each other's way visually if the takes aren't somewhat staggered but the process still works as expected.

## Using Folder tracks and hidden children

Using the shortcuts D (display children) and E (ensconce children) you can work with multi-microphone recordings with ease. See figure 7. Please note that this involves setting tcp\_height supercollapsed value to 0 in rtconfig.txt inside the theme zip. See figure 9. For information on how to unpack the theme see <https://youtu.be/4MD5IcVG14I?t=347>.

For your convenience, on my repository I include the default REAPER v6 theme but with this change as well as the mute overlay alpha set to 0.00 (Classical.ReaperThemeZip).

Because the tracks supercollapse state is set to 0 height versus actually hiding them via the track manager, the S/D scripts continue to work as expected (because they rely on selecting the rest of the items in the group). There is also a function to duplicate folders (and their child tracks) for either recording new takes or organizing your editing environment post-recording.

Reminder: In order for this to visually look appealing, please uncheck "Draw faint peaks in folder tracks" under Appearance > Peaks/Waveforms.

## 3-point edits (Insert and Replace)

You can complete 3-point editing either using "insert" or "replace" methods with just the destination IN marker set (and both source markers!). "Insert" 3-point edits ripple pastes the source material at the destination IN marker and "Replace" 3-point edits replaces the destination material with the length of the material between the two source markers. As usual, short equal-power crossfades are created at all edit points.

To choose between "insert" or "replace" 3-point edits, toggle the *ReaClassical\_3-point edit replace.lua* script to ON for "replace" and OFF "insert". Even better: use the custom classical toolbar as described above or F3 shortcut.

## Insert with Timestretching

Using the *ReaClassical\_Insert with timestretching* script (F4), you can complete a 4-point edit where the material between the source markers is timestretched to fit the length of time between the destination markers. This is really useful when the source material has to fit the destination span exactly, for example when working with visual cues. The timestretch algorithm used will be the one set in REAPER project settings.

## Assembly Line Editing with a 3-point edit

Sometimes you don't necessarily have a best overall take and it is desirable to build the perfect performance linearly, section by section, measure by measure. In this case, use a 3-point edit (probably set to "insert"). A standard 3-point insert edit will happen and the destination IN marker will jump to the end of the pasted item, ready for the next edit. This means that in order to compile further sections, you now only need to set the source markers.

## Delete With Ripple / Delete Leaving Silence

While perhaps not used as often as 3- and 4-point edits, I have created two scripts for deletion of material. Delete & Ripple (Backspace) will delete the material between source IN and OUT markers and ripple material to the right backwards with a short crossfade. Delete Silence (Ctrl+Backspace) will also delete but maintain the silence without rippling backwards.

## Single-window S/D editing (vertical using razor edits)

Because of the potential for visual overlap of markers, I much prefer the REAPER razor edit functionality for vertical take work. It works a lot like the process shown in this Pyramix video:

<https://www.youtube.com/watch?v=wQXwnvITQCQ>

While Pyramix also has additional source-destination marker workflows, I couldn't help but feel that for professional ensembles that manage a high degree of tempo regularity between takes, this method can be extremely efficient. This isn't the document to introduce REAPER razor edits as there are plenty of resources online if you do a simple search but here we are only concerning ourselves with creation of the razor area across all our pairs and spot mics (REAPER's default shortcut is the rather uninspiring Alt+Right drag) but thankfully it can become the default editing mode by running the action Swap arrange view... or selecting it under Preferences > Editing Behaviour > Mouse Modifiers > Context: Arrange View (phew!). It's probably worth having a shortcut set up, to be honest.

## Enhanced razor editing with hidden children (see "Using Folder tracks and hidden children" above)

For a perfect classical razor editing experience, v22.12.4+ uses REAPER's native media/razor track grouping feature (requires REAPER v6.72+).

NOTE: As of REAPER v6.57, you can maintain the ripple-per-track mode and set the mouse modifier for moving razor areas to "move areas, disabling ripple edit". Hopefully you set this up already as part of the "Things to do after installing" section. See figure 11. This way your existing edits ahead of the razor drag will be unaffected by any lateral movement.

OK, so now you have your area selected, simply left drag to move it on top of your destination track(s). You can control drag if you prefer to just copy. Notice that if you set up razor edit preferences as I recommended above, the finalized edits will include crossfades either side and trim material that was previously underneath. It's a carbon copy of the above Pyramix workflow. See figure 10.

Now that you've made your precise edits using S/D workflow or razor editing (no worries if it's a bit rough!), it's time to turn back on the ripple-per-track mode and check things through with a good listen and the help of the crossfade editor view.



Figure 10: Razor editing with vertically aligned takes using "hidden" child tracks in the sources



Figure 11: Mouse modifier for "Move areas, disabling ripple edit"

## Crossfade Editor Mode (F)

While REAPER includes an excellent crossfade editor, it does not reach the same levels as the ones in specialist classical DAWs such as Sequoia and Pyramix. This is mainly due to the inability to see the continued waveforms of the items beyond the crossfade they enter and likewise the previous waveforms of the items that exit the crossfade<sup>13</sup>. The ability to visually align transients and then position the crossfade just before it is absolutely critical (and fun when you have the tools to do it!). So, beyond the standard REAPER crossfade editor what have I provided? Select the left-hand item of a fade, Press F and you are moved into crossfade editor mode. Here, the first track is given full vertical zoom, the two-lanes for overlapping items is enabled and the fade editor toolbox appears (I personally position it to hover over the middle of my mixer. Note also that you are automatically centred on the crossfade and can use the mouse wheel to zoom in and out. Press F again and you exit that mode. If for some reason you accidentally close just the fade toolbox etc I provide two shortcuts to help get you back to the correct view (F5 and F6 which toggles the zoomed-in first track and two-lane view, respectively. If you just press the shortcut you are supposed to (F), you won't have any issues.

So, now you are in the crossfade editor mode, ensuring both items are selected<sup>14</sup> (crossfaded or otherwise), press Z to automatically extend the waveform view of each item. Essentially, it increases the overlap so you can spot and align the transient you want. My own preferred method of getting the perfect crossfade is to locate the transient I want on the left item, place the edit cursor just before it, then drag my right item so that the two transients align. Then I press X (classical crossfade) and I'm done! The crossfade happens at the location of the edit cursor (well, just before it as explained above). See figure 12. I love this method so much that I don't miss Sequoia or Pyramix any more. Here it is in ordered list form:

1. Increase overlap (by Z shortcut or manually dragging out edges of each item)
2. Find transient in left item that you want be edit point
3. Place edit cursor just before it
4. Drag right item to align transients (this automatically ripples all items, markers and regions)
5. Press X (classical crossfade)

In reality, this process can be just a few seconds to achieve the perfect edit. In the unlikely event you need to undo, either use the standard Ctrl+Z combination or simply extend the overlapping item edges again then create a new classical crossfade.

NOTE: You can also forego the Z shortcut and just manually drag out the item edges as much as you like. Given we grouped the tracks as part of the preparation, you'll notice when you drag one edge it drags every other track in the group too.

There are a couple of benefits of having the fade editor dialog in view. You can shuttle between crossfades using the next and previous buttons. You can also tweak the fade using the knobs if you prefer. *Center*, *Start*, *End* and *Length* knobs are particularly useful here to maintain symmetry. Be aware that the *Contents* knobs will not ripple markers. While you could use the auditioning tools in the dialog, I have created something I find quicker and more useful.

## Auditioning Crossfades

While the two items involved in the crossfade are selected, try the following:

1. Hover over left item / press A to solo audition the left item from mouse cursor to end of item
2. Hover over right item / press A to solo audition the right item from start of item to mouse cursor
3. Hover in blank space on left item side / press A to solo audition the crossfade from mouse cursor to mirrored position on the other side of the crossfade

---

<sup>13</sup>If that made no sense and because a picture is worth a thousand words see: <https://tinyurl.com/2nh7sxp>. While not the best quality image, you can see the greyed out (non-sounding) waveforms either side of the crossfade.

<sup>14</sup>Essential for the script to function properly.





Figure 12: Part of the crossfade window showing two overlapping items, transients aligned, with the edit cursor at the desired crossfade location just before pressing X shortcut

4. Hover in blank space on right item side / press A to solo audition the crossfade from mirrored position other side to the mouse cursor



As you'll see, the playback stops using a special marker with `!016` as the label which is executed as a "stop" command. It is deleted automatically after playback ends. If you try to run the script another time before it has finished, just select "new instance" if you get a pop-up box. You can stack instances and on completion of the latest run, all instances are removed. Better to experience than describe but it works well. You'll also see that the edit cursor returns to the middle of the crossfade to aid in mouse scroll zooming keeping the crossfade centred. The "mirrored position" takes into consideration the overlap of the items so you can have a complicated set of fades and still get an exact mirrored stopping point.

## Other Editing Tips

In my key map, I include all sorts of useful shortcuts to use during editing. As mentioned above, in vertical editing workflows, the Audition (via shortcut A) is brilliant for listening to various takes before applying a razor or S/D edit. I can shuttle between items with Q and W, shuttle between markers with , and . (the same keys with < and > on them on my UK keyboard), S for splitting a long recorded session into takes, ‘ (back tick) for zooming out to the whole project both horizontally and vertically etc. There are plenty more for the mastering end of things so I encourage you to explore. There’s no rocket science but simply reasonable single-key shortcuts for scripts and actions that are already in REAPER, SWS, or available via ReaPack. See Appendix C on page 19.

It is worth noting that all regular markers and regions are ripple edited appropriately when using my source-destination editing functions and crossfade editor. I have also introduced the *ReaClassical\_Lock Toggle* script (K) which temporarily locks all source groups and engages ripple-all-tracks mode to enable you to drag destination items and simultaneously ripple markers and regions in the regular arrange view. This allows vertical source groups to retain their independence yet still give ripple-all-tracks behaviour which is useful for destination album track spacing etc.

## Mastering

This has the potential to be a long section but I don’t want it to detract from the main event: the S/D or razor editing workflows. A few pointers are in order though. In order to have CD markers that snap to CD frames, now is a great time to enable snapping (to frame) if adding manually. I automatically add the CD/DDP markers and regions via Y shortcut (track and region names are pulled from item take names, markers/regions auto-snap to CD frames, initial 2-second pre-gap, silent roll out and album metadata also added!) . It is ‘smart’ in the sense that if there’s no take name, no marker or region will be created. In other words, press F2 with an item selected to enter track names where markers/regions need to be created. It’s perfect for classical releases where a crossfaded item is likely an internal source-destination edit versus a new track. So it’s now very quick to export a DDP set, a hi-res WAV/CUE via the MPL script (shortcut C) (included in the ReaClassical resource folders, no need to use a time selection) or a BIN/CUE pair (either select ‘regions define tracks’ and render the whole project or select "use only # markers" and render by time selection if you don’t want the first pregap as actual silence at the start of track 1). And then, of course, you can now quickly generate separate files via rendering all project regions or selected regions using a wildcard formula such as *\$regionnumber - \$region*. For those who insist on the absolute best resampling the world has to offer, export your WAV+CUE at highest resolution at 32-bit float and use a program like Saracon or FinalCD to get down to 44.1k/16-bit before generating the rest of your files in EZ CD Audio Converter (Windows), Fre:ac (all platforms) or similar<sup>15</sup>. Alternatively, you can bring a long converted 44.1/32-bit float WAV back into a cloned project not forgetting to change the sample rate of the project to match. A lot of engineers use standard TPDF dither but you can always bring your favourite 3rd-party plugin to the party (as long as it is the final plugin on your master chain and your master fader remains at unity).

I used to use the MPL function to export CUE files so I could use an external resampler (such as Saracon, RX, SoX etc) to get to 44.1/16-bit for published files and then create my DDP via a 3rd-party tool such as the DDP Mastering Tools by Andreas Ruge<sup>16</sup>. Now that r8brain free has been introduced as the best quality resampler available in REAPER (I highly recommend double-checking that it is selected when resampling at render time) I feel I can do everything, including DDP<sup>17</sup> creation, without leaving my favourite DAW.

You will hopefully notice I have included various shortcuts for manually creating regions (single or multiple) from items and time selection. Also worth noting is that you can still do some (or all!) of your source-destination editing with your track markers in place as the S/D markers have IDs far higher than any classical CD would have and are automatically deleted after a successful edit. As long as you have your ripple-per-track mode engaged, all your existing marker placements and carefully crafted edits will remain intact.

---

<sup>15</sup>I’ve heard it’s best to generate all your lossy files from the 44.1/16-bit in order to maintain some quality control over the process.

<sup>16</sup><http://ddp.andreasruge.de/>

<sup>17</sup>At least in 2022, people, me included, still seem to find value in having a physical classical disc to hand with accompanying booklet and beautiful artwork.



Figure 13: RCInflator in all its generic JSFX glory

Not necessarily obvious to new REAPER users are the special =START and =END markers (make your markers in the usual way and label them accordingly) that constrain the length of the project. Rather than rely on extended silence at the end of items or time selections, the =END marker is a great way to ensure you have the exact amount of lead-out you want at the end of the disc. Positioning both special markers is a great way to generate files for multi-disc releases without having to rely on multiple projects.

In terms of loudness, I personally aim for about -18 LUFS Integrated for my classical albums though it can be as high as -16 LUFS and as low as -20 LUFS. The new loudness JSFX meter in REAPER along with the normalization of loudness and true-peak limiting in the render dialog are priceless. It's another reason I couldn't go back to the big classical DAWs at this point.

Under prerequisites, I included the optional RCInflator<sup>18</sup> (See figure 13) which is a clone of the Sonnox Inflator that I had a hand in bringing into this world with its current capabilities of being able to null test, almost perfectly, against the Sonnox version<sup>19</sup>. I have a soft spot for it on a master but, again, there are plenty of guides on how best to use it in production.

## Closing thoughts

I hope you enjoy the ability to do serious classical editing on REAPER and that my efforts go some way to making things better, easier and more efficient. If you find any oddities with the scripts, please add your thoughts to the dedicated thread on the forums and/or create an issue or start a discussion on my Github repository located at <https://github.com/chmaha/ReaClassical>. I'm very happy to hear about potential improvements/additions.

## Thanks

I am appreciative of the collective contributions of the REAPER community with regards the early source-destination actions (Pelleke, in particular), to Bachstudies for his original one-window S/D edit function, "classical" crossfade and other associated classical "helpers", MPL, X-Raym, BirdBird, RCJacH, Sai'ke, Meo-Ada Mespotine, cfillion and many more. Finally, many thanks to Justin and Schwa for such an amazingly versatile DAW.

<sup>18</sup>I was the OP on the thread <https://forum.cockos.com/showthread.php?t=256286> as well as producing various files to aid in the nulling of the two plugins. I also matched the default values and ranges to those of the Sonnox but otherwise had no hand in the actual coding of the plugin.

<sup>19</sup>To the tune of differences down at -144dB or something similar.

## Appendix A: Video Tutorial Resources

Coming soon...



## Appendix B: Recommended cross-platform free mastering-grade plugins for classical work

First stop: Reaplug, with particular mention of *ReaLimit* which I consider one of the best free transparent limiter available. You could easily mix and master a whole album using only these fine plugins. Others include:

EQ:

- **RCEQ** (ReaClassical EQ, available in ReaPack via my repository). Uses DSP from airwindows ‘Baxandall’ and Stillwell’s RBJ Highpass/Lowpass Filters for broad-strokes EQing.
- **ReEQ** <https://forum.cockos.com/showthread.php?t=213501>. An amazing Fabfilter Pro-Q clone for detailed EQ work. Also comes with ReSpectrum which is an excellent analyzer.

Compression:

- **RCComp** (ReaClassical compressor, available in my repository). Uses DSP from Express Bus Compressor by Stillwell. Default settings and ranges tuned to classical music with auto release. Use as an insert.
- **RCParallelK** (ReaClassical parallel ‘Katz’ compressor, available in my repository). Also uses DSP from Express Bus Compressor by Stillwell to recreate the Bob Katz ‘transparent’ parallel compression settings. There’s only a make-up gain slider as everything else is baked in (-50dB threshold, 2.5:1 ratio, 1ms attack, peak detection mode). Use on a compressor bus and adjust gain slider to taste (with the compressor signal somewhere between -15dB and -5dB lower than dry signal according to Katz).

Limiter:

- **RCLimiter** (ReaClassical limiter, available in my repository). Uses DSP from Smooth Limiter by Geraint Luff. Defaults are tuned to classical music with true-peak and lookahead functionality. Adjust lookahead and release to taste.

Reverb:

- **Convolution:** Convology XT (also runs perfectly at time of writing via yabridge on Linux) coupled with the Smplicity Bricasti M7 impulses. There are other free convolution plugins to use but, whatever the plugin choice, the Bricasti impulses in true stereo are fantastic and sound almost identical to the presets of the well-regarded Liquidsonics Seventh Heaven Professional.
- **Algorithmic:** For free and open source options try my RCVerb or Enover which uses zita-rev1 DSP. For paid options, ValhallaDSP Room and Vintage Verb, Fabfilter Pro-R, Voxengo Sobor, Acon Digital Verberate 2 and Sonible smart:reverb are all excellent non-iLok options for classical music and work seamlessly via yabridge on Linux. Note that the Liquidsonics offerings do not require a physical iLok so can also be used on Linux via yabridge and iLok Cloud activation if you are feeling brave.

Restoration:

- **Bertom Denoiser Classic** <https://www.bertomaudio.com/>. **Denoiser Pro** (\$25) allows for individual per-band thresholds and includes an adaptive mode.
- **RCDeEss** (ReaClassical de-esser, available in my repository). Uses DSP from airwindows DeEss.

Utilities:

- **RCGain** (ReaClassical gain plugin, available in my repository). Uses DSP from airwindows PurestGain. Useful before or after plugins in lieu of a native channel trim knob.
- **JS Loudness Meter Peak/RMS/LUFS** (Cockos) (included with REAPER).
- **RCDither** (ReaClassical dither plugin, available in my repository). Uses DSP from airwindows Not-Just-Another-Dither (Monitoring version). This just might be the world’s finest dither. There’s a dropdown to select between 16-bit and 24-bit. See also Six-Dither Sid (6 dithers in one!), Twilight, Nintendo and Stan all using some form of airwindows wordlength reducer. There’s also WTFDither (Wipe-The-Floor!) which is a standard triangular dither. You can never have too many high-quality dither options and they are all available in my ReaPack repo.

## Other free Mastering-grade Plugins

- **Orpheus** (ReaClassical analog console emulation, available in my repository as six plugins). Uses DSP from airwindows Console8. Basically, put the channel ones on every regular channel, the Sub|Aux pair on any aux sends or submixes, and the Bus pair on your final stereo bus. Add any and all plugins in between the pair and gainstage as you would on an analog console. Follow the golden rules: 1) All Channels and AUX must route to a Submix, 2) All submixes must route to the final stereo bus, and 3) Gainstage using Orpheus Out faders (and other gain controls inside the pair) keeping REAPER faders at unity. The point, I think, is to build up a chain of pairs so that the analog goodness accumulates (much like with a real analog console). It is also more complicated to explain than do in practice. You could also do it once and save as a template.
- **MagicFairyDust** (ReaClassical analog console flavour and drive, available in my repository). Uses DSP from airwindows Channel9. Essentially you get three types of analog console that resemble Neve, API and SSL consoles with a saturation drive to give you more of the analog feel. If using Orpheus in your setup, place after the final Bus Out plugin.
- **Lyra** (ReaClassical ‘glue’ compressor, available in my repository). Uses DSP from airwindows Butter-Comp2. It’s an ultra-smooth four-interleaved-compressors-in-one / loudness range (LRA) reducer. I think it’s one of the best ‘glue’ compressors for the final stereo bus for soundtracks and other "hybrid" classical sounds.
- **Magnétique** (ReaClassical tape emulation, available in my repository). Uses DSP from airwindows ToTape6. Add an instance to every audio channel or just to the final stereo bus for a more subtle effect. Flutter is set to 0 by default for mastering purposes.
- **Sillons** (ReaClassical vinyl emulation, available in my repository). Uses DSP from airwindows ToVinyl4. Perhaps useful for hearing how your master would sound on Vinyl or perhaps as a post-production effect.
- **ELSA: Extremely Light Saturation Applier** (ReaClassical saturator, available in my repository). Uses DSP from airwindows PurestDrive. Extremely subtle even at 100% with saturation down 20dB from the original signal. A pleasing side effect of the plugin is to nicely round high frequency input from microphones. In addition to subtle saturation, you could therefore also try this before reaching for your usual low-pass filter.

## Appendix C: ReaClassical Keyboard Shortcuts

### Navigation

Home	Project Start
End	Project End
`	Whole Project View
Q	Previous Item edge
W	Next Item edge
,	Previous Marker
.	Next Marker
TAB	Move to item peak value (SWS)

### Folder & Source Group Preparation

F7	Create Folder (prompts for number of tracks)
F8	Create Source Groups (vertical)(from scratch or from existing folder) / Sync Routing/FX
\	Duplicate Folder (no items)

### Recording & Take Management

F9	Classical Take Record
T	Prepare Takes

### Editing

A	Audition (folder or track) at mouse position
D	Display child tracks
E	Ensnice (hide) child tracks
S	Split item
J	Join (glue) item
G	Group items
U	Ungroup items
I	Swap marquee and razor edit modifiers
F	Open ReaClassical Fade Editor
X	Create a classical crossfade
Z	Edit existing crossfade across two lanes (when in ReaClassical Fade Editor view)
K	Lock Toggle
V	Toggle per-track ripple editing

### S-D Editing

1	Add Destination IN marker
2	Add Destination OUT marker (without does 3-point edit)

3	Add Source IN marker
4	Add Source OUT marker
5	Make S/D Edit
ctrl+Del	Delete all S-D Markers
bksp	Delete with ripple (between 2 source markers)
ctrl+bksp	Delete Leaving Silence (between 2 source markers)
F3	3-point Insert/Replace toggle
F4	Insert with time-stretching (All 4 S-D markers)

## Mastering

Y	Automatically generate DDP markers from items
M	Add Marker
N	Add/Edit Marker...
L	Marker List (SWS)
;	Regions from items (SWS)
,	Region from items
#	Region from selection
/	Selection to item(s)
C	Generate CUE from project CD markers
R	Render

## Miscellaneous

H	Open ReaClassical help system (currently the PDF guide)
O	Options (Preferences)
P	Project Settings
B	Batch file converter
Ctrl+U	Check for REAPER updates (using REAPER update utility lua)

## Appendix D: Descriptions of ReaClassical Scripts (in a quasi-workflow order) COMING SOON...

### **Create Folder (F7)**

Description:

Notes:

### **Create Source Groups (vertical) (F8)**

Description:

Notes:

### **Classical Take Record (F9)**

Description:

Notes:

### **Duplicate Folder (no items) (\)**

Description:

Notes:

### **Audition (A)**

Description:

Notes:

### **Whole Project View (‘)**

Description:

Notes:

### **Prepare Takes (T)**

Description:

Notes:

### **Source-Destination Markers (1, 2, 3, 4)**

Description:

Notes:

### **3-point insert/replace (F3)**

Description:

Notes:

### **S-D Edit (5)**

Description:

Notes:

### **Insert with Timestretching (F4)**

Description:

Notes:

### **Delete with Ripple (Backspace)**

Description:

Notes:

### **Delete Leaving Silence (Ctrl + Backspace)**

Description:

Notes:

**Delete all S-D Markers (Ctrl + Del)**

Description:

Notes:

**Classical Crossfade Editor (F)**

Description:

Notes:

**Edit Classical Crossfade (Z)**

Description:

Notes:

**Classical Crossfade (X)**

Description:

Notes:

**Create CD Markers (Y)**

Description:

Notes:

**Lock Toggle (K)**

Description:

Notes: