

# MATH425 Lecture 2

Chris Camano: ccamano@sfsu.edu

1/27/2022

## 1 The field

A field  $\mathbb{F}$  is a set containing at least two distinct elements, an additive identity or  $\{0\}$ . And a multiplicative Identity  $\{1\}$ , and the elements of the set that satisfy the following properties

## 2 Properties of a Field

Commutativity:  $\alpha + \beta = \beta + \alpha \quad \forall \alpha, \beta \in \mathbb{F}$

Associativity:  $\alpha + (\beta + \lambda) = (\alpha + \beta) + \lambda \quad (\alpha\beta)\lambda = \alpha(\beta\lambda) \quad \forall \alpha, \beta, \lambda \in \mathbb{F}$

Identities:  $\lambda + 0 = \lambda$  and  $\lambda(1) = \lambda \quad \forall \lambda \in \mathbb{F}$

Additive inverse:  $\forall \alpha \in \mathbb{F} \exists \beta \in \mathbb{F}$  such that  $\alpha + \beta = 0$

Multiplicative inverse:  $\forall \alpha \in \mathbb{F}$  with  $\alpha \neq 0, \exists \beta \in \mathbb{F}$  such that  $\alpha\beta = 1$

Distributive property  $\lambda(\alpha + \beta) = \lambda\alpha + \lambda\beta \quad \forall \lambda, \alpha, \beta \in \mathbb{F}$

### Examples of Fields

$\mathbb{R}$  set of real numbers

GF(2): Galois field of order 2. finite field: integers modulo 2 =  $\{0, 1\}$

### Characteristics of GF2

Since GF2 has two elements it forms a 2 dimensions matrix for addition with zeros on the principal diagonal and 1s on the other indices.

$$\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$$

Multiplication for GF(2) also forms a 2x2 matrix as again, there are only two elements.

$$\begin{bmatrix} 0 & 0 \\ 0 & 1 \end{bmatrix}$$

In GF(2) you take the modulus of anything larger than 2 because the set is constrained to two elements.

## 3 Re-Introduction to Complex Numbers

The complex plane is a field that consists of the set of complex numbers.

$$\mathbb{C} = \{a + bi, a, b \in \mathbb{R}\}$$

Where  $i = \sqrt{-1}$ .

In python  $j$  is used in place of  $i$  as a fragment of applications in electrical engineering.

$$z = a + bi = \text{Re}(z) + i\text{Im}(z)$$

$$\text{Re}(z)=a, \text{Im}(z)=b$$