Advanced Engineering Mathematics Systems of Differential Equations by Dennis G. Zill Problems

Chris Doble

June 2023

${\bf Contents}$

10	Syst	ems of	L	in	ea	r	D	ifi	eı	re	n	ti	al	. 1	Ξc	qυ	ıa	ti	OI	ns	3							2
	10.1	Theory	of	L	in	ea	rS	$\mathbf{s}_{\mathbf{y}}$	st	er	ns	;				-												2
		10.1.1																										2
		10.1.3																										2
		10.1.5																										2
		10.1.7																										2
		10.1.9																										2
		10.1.11																										2
		10.1.13																										3
		10.1.17																										3
		10.1.19																										3
		10.1.21																										3
		10.1.23																										4
	10.2	Homogo	ene	e01	ıs	Li	ne	ea	r	Зу	st	e	m	S														4
		10.2.1																										4
		10.2.3																										4
		10.2.5																										4
		10.2.7																										4
		10.2.13																										4
		10.2.15																										5
		10.2.21																										5
		10.2.23																										5
		10.2.25																										5
		10.2.31																										5
		10.2.33																										6
		10.2.35																										6
		10.2.37																										6
		10.2.39																										7
		10.2.47																										7
		10 2 49																										7

10 Systems of Linear Differential Equations

10.1 Theory of Linear Systems

10.1.1

$$\mathbf{X}' = \begin{pmatrix} 3 & -5 \\ 4 & 8 \end{pmatrix} \mathbf{X}$$

10.1.3

$$\mathbf{X}' = \begin{pmatrix} -3 & 4 & -9\\ 6 & -1 & 0\\ 10 & 4 & 3 \end{pmatrix} \mathbf{X}$$

10.1.5

$$\mathbf{X}' = \begin{pmatrix} 1 & -1 & 1 \\ 2 & 1 & -1 \\ 1 & 1 & 1 \end{pmatrix} \mathbf{X} + \begin{pmatrix} t - 1 \\ -3t^2 \\ t^2 - t + 2 \end{pmatrix}$$

10.1.7

$$\frac{dx}{dt} = 4x + 2y + e^t$$
$$\frac{dy}{dt} = -x + 3y - e^t$$

10.1.9

$$\frac{dx}{dt} = x - y + 2z + e^{-t} - 3t$$

$$\frac{dy}{dt} = 3x - 4y + z + 2e^{-t} + t$$

$$\frac{dz}{dt} = -2x + 5y + 6z + 2e^{-t} - t$$

10.1.11

$$3(e^{-5t}) - 4(2e^{-5t}) = -5e^{-5t}$$

$$= \frac{dx}{dt}$$

$$4(e^{-5t}) - 7(2e^{-5t}) = -10e^{-5t}$$

$$= \frac{dy}{dt}$$

10.1.13

$$-(-e^{-3t/2}) + \frac{1}{4}(2e^{-3t/2}) = \frac{3}{2}e^{-3t/2}$$
$$= \frac{dx}{dt}$$
$$(-e^{-3t/2}) - (2e^{-3t/2}) = -3e^{-3t/2}$$
$$= \frac{dy}{dt}$$

10.1.17

$$W(\mathbf{X}_1, \mathbf{X}_2) = \begin{vmatrix} e^{-2t} & e^{-6t} \\ e^{-2t} & -e^{-6t} \end{vmatrix}$$
$$= -e^{-8t} - e^{-8t}$$
$$= -2e^{-8t}$$
$$\neq 0 \text{ for } t \in (-\infty, \infty)$$

Yes, they form a fundamental set.

10.1.19

$$W(\mathbf{X}_1, \mathbf{X}_2, \mathbf{X}_3) = \begin{vmatrix} 1+t & 1 & 3+2t \\ -2+2t & -2 & -6+4t \\ 4+2t & 4 & 12+4t \end{vmatrix}$$
$$= 0$$

No, they don't form a fundamental set.

10.1.21

$$x = 2t + 5$$

$$y = -t + 1$$

$$\frac{dx}{dt} = (2t + 5) + 4(-t + 1) + 2t - 7$$

$$= 2$$

$$\frac{dy}{dt} = 3(2t + 5) + 2(-t + 1) - 4t - 18$$

$$= -1$$

10.1.23

$$x = e^{t} + te^{t}$$

$$x' = 2e^{t} + te^{t}$$

$$y = e^{t} - te^{t}$$

$$y' = -te^{t}$$

$$\frac{dx}{dt} = 2(e^{t} + te^{t}) + (e^{t} - te^{t}) - e^{t}$$

$$= 2e^{t} + te^{t}$$

$$\frac{dy}{dt} = 3(e^{t} + te^{t}) + 4(e^{t} - te^{t}) - 7e^{t}$$

$$= -te^{t}$$

10.2 Homogeneous Linear Systems

10.2.1

$$\mathbf{X} = c_1 \begin{pmatrix} 1 \\ 2 \end{pmatrix} e^{5t} + c_2 \begin{pmatrix} -1 \\ 1 \end{pmatrix} e^{-t}$$

10.2.3

$$\mathbf{X} = c_1 \begin{pmatrix} 2 \\ 1 \end{pmatrix} e^{-3t} + c_2 \begin{pmatrix} \frac{2}{5} \\ 1 \end{pmatrix} e^t$$

10.2.5

$$\mathbf{X} = c_1 \begin{pmatrix} 1 \\ 4 \end{pmatrix} e^{-10t} + c_2 \begin{pmatrix} 5 \\ 2 \end{pmatrix} e^{8t}$$

10.2.7

$$\mathbf{X} = c_1 \begin{pmatrix} 2 \\ 3 \\ 1 \end{pmatrix} e^{2t} + c_2 \begin{pmatrix} 1 \\ 0 \\ 2 \end{pmatrix} e^{-t} + c_3 \begin{pmatrix} 1 \\ 0 \\ 0 \end{pmatrix} e^t$$

$$\mathbf{X} = 2 \begin{pmatrix} 0 \\ 1 \end{pmatrix} e^{-t/2} + 3 \begin{pmatrix} 1 \\ 1 \end{pmatrix} e^{t/2}$$

10.2.15

(a)

$$\begin{aligned} \frac{dx_1}{dt} &= -\frac{3}{100}x_1 + \frac{1}{100}x_2\\ \frac{dx_2}{dt} &= \frac{2}{100}x_1 - \frac{2}{100}x_2\\ \left(\frac{\frac{dx_1}{dt}}{\frac{dt}{dt}}\right) &= \left(\frac{-\frac{3}{100}}{\frac{1}{100}} - \frac{1}{\frac{100}{100}}\right) \begin{pmatrix} x_1\\ x_2 \end{pmatrix} \end{aligned}$$

(b) $\begin{pmatrix} x_1 \\ x_2 \end{pmatrix} = -\frac{35}{3} \begin{pmatrix} -1 \\ 1 \end{pmatrix} e^{-t/25} + \frac{50}{3} \begin{pmatrix} \frac{1}{2} \\ 1 \end{pmatrix} e^{-t/100}$

10.2.21

$$\mathbf{X} = c_1 \begin{pmatrix} 1 \\ 3 \end{pmatrix} + c_2 \left[\begin{pmatrix} 1 \\ 3 \end{pmatrix} t + \begin{pmatrix} 0 \\ -1 \end{pmatrix} \right]$$

10.2.23

$$\mathbf{X} = c_1 \begin{pmatrix} 1 \\ 1 \end{pmatrix} e^{2t} + c_2 \left[\begin{pmatrix} 1 \\ 1 \end{pmatrix} t + \begin{pmatrix} 0 \\ \frac{1}{3} \end{pmatrix} \right] e^{2t}$$

10.2.25

$$\mathbf{X} = c_1 \begin{pmatrix} 1 \\ 0 \\ 1 \end{pmatrix} e^{2t} + c_2 \begin{pmatrix} 1 \\ 1 \\ 0 \end{pmatrix} e^{2t} + c_3 \begin{pmatrix} 1 \\ 1 \\ 1 \end{pmatrix} e^{t}$$

$$\mathbf{X} = -\frac{1}{2} \begin{pmatrix} 2 \\ 1 \end{pmatrix} e^{4t} + 13 \left[\begin{pmatrix} 2 \\ 1 \end{pmatrix} t + \begin{pmatrix} 0 \\ \frac{1}{2} \end{pmatrix} \right] e^{4t}$$

10.2.33

$$\mathbf{K}_1 = \begin{pmatrix} 1\\0\\0\\0\\0 \end{pmatrix}$$

$$\mathbf{K}_1 = \begin{pmatrix} 0\\0\\0\\1\\0 \end{pmatrix}$$

$$\mathbf{K}_3 = \begin{pmatrix} 0\\0\\1\\0\\0 \end{pmatrix}$$

10.2.35

$$\mathbf{X} = c_1 \begin{pmatrix} 1 \\ 2 - i \end{pmatrix} e^{(4+i)t} + c_2 \begin{pmatrix} 1 \\ 2 + i \end{pmatrix} e^{(4-i)t}$$

$$= c_1 \left[\begin{pmatrix} 1 \\ 2 \end{pmatrix} \cos t - \begin{pmatrix} 0 \\ -1 \end{pmatrix} \sin t \right] e^{4t} + c_2 \left[\begin{pmatrix} 0 \\ -1 \end{pmatrix} \cos t + \begin{pmatrix} 1 \\ 2 \end{pmatrix} \sin t \right] e^{4t}$$

$$= c_1 \begin{pmatrix} \cos t \\ 2 \cos t + \sin t \end{pmatrix} e^{4t} + c_2 \begin{pmatrix} \sin t \\ 2 \sin t - \cos t \end{pmatrix} e^{4t}$$

$$\mathbf{X} = c_1 \begin{pmatrix} 1 \\ -1+i \end{pmatrix} e^{(4+i)t} + c_2 \begin{pmatrix} 1 \\ -1-i \end{pmatrix} e^{(4-i)t}$$

$$= c_1 \left[\begin{pmatrix} 1 \\ -1 \end{pmatrix} \cos t - \begin{pmatrix} 0 \\ 1 \end{pmatrix} \sin t \right] e^{4t} + c_2 \left[\begin{pmatrix} 0 \\ 1 \end{pmatrix} \cos t + \begin{pmatrix} 1 \\ -1 \end{pmatrix} \sin t \right] e^{4t}$$

$$= c_1 \begin{pmatrix} \cos t \\ -\cos t - \sin t \end{pmatrix} e^{4t} + c_2 \begin{pmatrix} \sin t \\ \cos t - \sin t \end{pmatrix} e^{4t}$$

10.2.39

$$\mathbf{X} = c_1 \begin{pmatrix} 5 \\ 4 - 3i \end{pmatrix} e^{3i} + c_2 \begin{pmatrix} 5 \\ 4 + 3i \end{pmatrix} e^{-3i}$$

$$= c_1 \left[\begin{pmatrix} 5 \\ 4 \end{pmatrix} \cos 3t - \begin{pmatrix} 0 \\ -3 \end{pmatrix} \sin 3t \right] + c_2 \left[\begin{pmatrix} 0 \\ -3 \end{pmatrix} \cos 3t + \begin{pmatrix} 5 \\ 4 \end{pmatrix} \sin 3t \right]$$

$$= c_1 \begin{pmatrix} 5 \cos 3t \\ 4 \cos 3t + 3 \sin 3t \end{pmatrix} + c_2 \begin{pmatrix} 5 \sin 3t \\ 4 \sin 3t - 3 \cos 3t \end{pmatrix}$$

10.2.47

$$\mathbf{X} = c_{1} \begin{pmatrix} 25 \\ -7 \\ 6 \end{pmatrix} e^{t} + c_{2} \begin{pmatrix} 1+5i \\ 1 \\ 1 \end{pmatrix} e^{5it} + c_{3} \begin{pmatrix} 1-5i \\ 1 \\ 1 \end{pmatrix} e^{-5it}$$

$$= c_{1} \begin{pmatrix} 25 \\ -7 \\ 6 \end{pmatrix} e^{t} + c_{2} \begin{bmatrix} \begin{pmatrix} 1 \\ 1 \\ 1 \end{pmatrix} \cos 5t - \begin{pmatrix} 5 \\ 0 \\ 0 \end{pmatrix} \sin 5t \end{bmatrix}$$

$$+ c_{3} \begin{bmatrix} \begin{pmatrix} 5 \\ 0 \\ 0 \end{pmatrix} \cos 5t + \begin{pmatrix} 1 \\ 1 \\ 1 \end{pmatrix} \sin 5t \end{bmatrix}$$

$$= c_{1} \begin{pmatrix} 25 \\ -7 \\ 6 \end{pmatrix} e^{t} + c_{2} \begin{pmatrix} \cos 5t - 5 \sin 5t \\ \cos 5t \\ \cos 5t \end{pmatrix} + c_{3} \begin{pmatrix} 5 \cos 5t + \sin 5t \\ \sin 5t \\ \sin 5t \end{pmatrix}$$

$$= - \begin{pmatrix} 25 \\ -7 \\ 6 \end{pmatrix} e^{t} - \begin{pmatrix} \cos 5t - 5 \sin 5t \\ \cos 5t \\ \cos 5t \end{pmatrix} + 6 \begin{pmatrix} 5 \cos 5t + \sin 5t \\ \sin 5t \\ \sin 5t \end{pmatrix}$$

(a)
$$\begin{pmatrix} x_1' \\ x_2' \\ x_3' \end{pmatrix} = \begin{pmatrix} -\frac{1}{20} & 0 & \frac{1}{10} \\ \frac{1}{20} & -\frac{1}{20} & 0 \\ 0 & \frac{1}{20} & -\frac{1}{10} \end{pmatrix} \begin{pmatrix} x_1 \\ x_2 \\ x_3 \end{pmatrix}$$

$$\mathbf{X} = c_{1} \begin{pmatrix} 2 \\ 2 \\ 1 \end{pmatrix} + c_{2} \begin{pmatrix} -1 - i \\ i \\ 1 \end{pmatrix} e^{\left(-\frac{1}{10} + \frac{1}{20}i\right)t} + c_{3} \begin{pmatrix} -1 + i \\ -i \\ 1 \end{pmatrix} e^{\left(-\frac{1}{10} - \frac{1}{20}i\right)t}$$

$$= c_{1} \begin{pmatrix} 2 \\ 2 \\ 1 \end{pmatrix} + c_{2} \begin{bmatrix} \begin{pmatrix} -1 \\ 0 \\ 1 \end{pmatrix} \cos \frac{1}{20}t - \begin{pmatrix} -1 \\ 1 \\ 0 \end{pmatrix} \sin \frac{1}{20}t \end{bmatrix} e^{-t/10}$$

$$+ c_{3} \begin{bmatrix} \begin{pmatrix} -1 \\ 1 \\ 0 \end{pmatrix} \cos \frac{1}{20}t + \begin{pmatrix} -1 \\ 0 \\ 1 \end{pmatrix} \sin \frac{1}{20}t \end{bmatrix} e^{-t/10}$$

$$= c_{1} \begin{pmatrix} 2 \\ 2 \\ 1 \end{pmatrix} + c_{2} \begin{pmatrix} \sin \frac{t}{20} - \cos \frac{t}{20} \\ -\sin \frac{t}{20} \\ \cos \frac{t}{20} \end{pmatrix} e^{-t/10}$$

$$+ c_{3} \begin{pmatrix} -\cos \frac{t}{20} - \sin \frac{t}{20} \\ \cos \frac{t}{20} \end{pmatrix} e^{-t/10}$$

$$= 11 \begin{pmatrix} 2 \\ 2 \\ 1 \end{pmatrix} - 6 \begin{pmatrix} \sin \frac{t}{20} - \cos \frac{t}{20} \\ -\sin \frac{t}{20} \\ \cos \frac{t}{20} \end{pmatrix} e^{-t/10}$$

$$- 2 \begin{pmatrix} -\cos \frac{t}{20} - \sin \frac{t}{20} \\ \cos \frac{t}{20} \end{pmatrix} e^{-t/10}$$

$$= -2 \begin{pmatrix} -\cos \frac{t}{20} - \sin \frac{t}{20} \\ \cos \frac{t}{20} \end{pmatrix} e^{-t/10}$$