# 12.1 IB Math - Unit 5: Integration Bronx Early College Academy

Christopher J. Huson PhD

4 January 2019

BECA / Dr. Huson / 12.1 IB Math - Unit 5 Integration
5.1 Drui: Antiderivatives. Friday 4 January
5.2 Drui: Indefinite Integral. Monday 7 January
5.3 Drui: Deltamath Integration Tuesday 8 January
5.4 Drui: Boundary conditions. Wednesday 9 January
5.5 Drui: Deltamath Integration Thursday 10 January
5.6 Drui: Compositions of linear functions. Friday 11 January
5.7 Drui: Compositions of linear functions. Monday 14 January
5.8 Drui: Deltamath Integration Tuesday 15 January
5.9 Drui: Integration - position problems. Wednesday 16 January
5.10 Drui: Definite integrals and area. Thursday 17 January
5.11 Definite integrals and area. Friday 18 January
5.12 Deltamath: definite integrals and area. Tuesday 29 January
5.13 Integration by substitution. Wednesday 30 January
Cold-day 6-1 P1 Tangents A spiral review. Thursday 31 January
5.14 Deltamath: Area between two curves. Friday 1 February
5.15 Area between two curves. Monday 4 February
5.16 Test review. Wednesday 6 February
5.17 Unit test: Integration. Thursday 7 February
5.18 Calculus overview review. Friday 8 February

## GQ: How do we find the antiderivative of a function?

CCSS: F.IF.B.6 Calculate & interpret rate of change

5.1 Friday 4 January

# Do Now. Find $\frac{dy}{dx}$

- 1. Given  $y = x^3 + x^2 + 17$ .
- 2. Given  $y = \frac{1}{4}x^4 + \frac{1}{2}x^2 + 9 \frac{1}{x}$ .
- 3. If  $\frac{\mathrm{d}y}{\mathrm{d}x} = 3x^2 + x$ , find y.
- 4. Skills check #1 p. 290

Problem sets from January 2,3; Sigma notation, p 290

Lesson: Antiderivatives pp. 291-2

Exam review

Homework: Exercises 9A p. 293; test corrections due Monday

GQ: How do we find the indefinite integral of a function?

CCSS: F.IF.B.6 Calculate & interpret rate of change

5.2 Monday 7 January

Do Now. Find the antiderivative, F(x), of each function, f(x), such that F'(x) = f(x)

- 1.  $f(x) = 4x^3 + 3x^2 + 1$ .
- 2.  $f(x) = x^4 + x^2 + 5$ .
- 3.  $f(x) = \sqrt{x}$

Test corrections due, review. (take home test tomorrow)

Lesson: Indefinite integral pp. 293-4

Homework: Exercises 9B p. 294

GQ: How do we integrate functions?

CCSS: F.IF.B.6 Calculate & interpret rate of change

5.3 Tuesday 8 January

Do Now. Handout-test review

Deltamath Integration practice (taking antiderivatives)

Homework: Deltamath project through Thursday

# GQ: How do we apply boundary conditions to an integral?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.4 Wednesday 9 January

## Do Now. Find each indefinite integral.

- 1.  $\int (3x^2 + 2x + 1) dx$ .
- 2.  $\int (x^4 + 6x^2 + 1) dx$ .
- 3.  $\int \sqrt{x} dx$ .
- $4. \int \frac{\pi}{4} \sqrt[3]{x^2} \, \mathrm{d}x$
- 5.  $\int x^{-1} dx$

Lesson: Finding the constant C given boundary conditions. pp. 295-6

Homework: Exercises 9C p. 296-7

GQ: How do we integrate functions?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.5 Thursday 10 January

Do Now. Handout-test review

Deltamath Integration practice (taking antiderivatives)

Homework: Complete Deltamath calculus project

GQ: How do we integrate compositions of linear functions?

CCSS: F.IF.B.6 Calculate & interpret rate of change

5.6 Friday 11 January

## Do Now. Derivatives and antiderivatives. (Use the chain rule)

- 1.  $f(x) = e^{3x}$ . Find f'(x).
- 2.  $f(x) = \ln(5x + 3)$ . Find f'(x).
- 3.  $f(x) = (2x 5)^3$ . Find f'(x).
- 4. Find  $\int 4(x^2 + x + 1) dx$ .
- 5.  $y' = 2x^3 1$  and y = 3 when x = 1. Find y in terms of x.
- 6. Given  $f'(x) = \sqrt[3]{x}$  and f(0) = 1, find f(x).

Lesson: Antiderivatives of form  $\int f(ax + b) dx$ . pp. 297-9

Homework: Exercises 9D, 9E (odds) p. 298, 300

# GQ: How do we integrate compositions of linear functions?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.7 Monday 14 January

## Do Now. Derivatives and antiderivatives. (Use the chain rule)

- 1.  $f(x) = e^{2x-3}$ . Find f'(x).
- 2.  $f(x) = \ln(4x)$ . Find f'(x).
- 3.  $f(x) = (3x + 2)^4$ . Find f'(x).
- 4. Find  $\int (5x^3 + x^2 + 1) dx$ .
- 5.  $y' = 2x^2 1$  and y = 3 when x = 3. Find y in terms of x.
- 6. Given  $f'(x) = \sqrt[3]{x^2}$  and f(1) = 1, find f(x).

Lesson: Antiderivatives of form  $\int f(ax + b) dx$ . pp. 297-9

Homework: Exercises 9D, 9E (evens) p. 298, 300

GQ: How do we integrate functions?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.8 Tuesday 15 January

Do Now. Straight to DeltaMath

Deltamath Integration practice (taking antiderivatives)

Homework: Complete Deltamath

# GQ: How do we use integration to solve for position?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.9 Wednesday 16 January

#### Do Now. Derivatives and antiderivatives.

- 1.  $f(x) = \sin x$ . Find f'(x).
- 2. Find  $\int \sin x \, dx$ .
- 3.  $s(t) = 4.9t^2$ . Find v(t) = s'(t) and a(t) = s''(t). What might these functions represent?
- 4. Given  $v(t) = \cos t$ , find  $s(t) = \int v(t) dt$ . Assume s(0) = 0.

Lesson: Position problems (handout)

Homework: Calculus problem set

## GQ: How do we calculate area with integration?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.10 Thursday 17 January

#### Do Now

- 1. Find  $\int (4x^3 3x + 1) dx$ .
- 2. Find  $\int e^{5x} dx$ .
- 3. Find  $\int \frac{1}{3x+1} dx$ .

Homework review #1, 5, 6 p. 302

Lesson: Reimann sums and the definite integral

Task: Example 8, page 304

Assessment: Calculator integration

Homework: Exercises 9H evens p. 308

# GQ: How do we calculate area with definite integrals?

CCSS: F.IF.B.6 Calculate & interpret rate of change

5.11 Friday 18 January

#### Do Now

- 1. Use a calculator to find  $\int_0^{\frac{\pi}{2}} \cos x \, dx$
- 2. Differentiate  $y = \sqrt{3x^3 x}$
- 3. Find  $\int (6x^2 2x 5) dx$ .
- 4. Differentiate  $y = (3x^2 5x)^5$
- 5. Find  $\int \frac{3}{x} dx$ .

Lesson: Properties of definite integrals p. 307 The fundamental theorem of calculus p. 309 Homework: Have a nice break!

# GQ: How do we calculate area with definite integrals?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.

5.12 Tuesday 29 January

### Do Now: 6-1 Calculus Tangent lines spiral review handout

- 1. Select and solve one of the problems: mild, medium, or spicy. (early finishers, do another)
- 2. As a class, check work
- 3. Record result in personal tracker

Lesson: Definite integrals Task: Deltamath practice

Homework: Exercises 9l p. 310-1

# GQ: How do we anti-differentiate using the chain rule?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.13 Wednesday 30 January

#### Do Now

- 1. Differentiate  $y = \sqrt[3]{5x^2 2x}$
- 2. Find  $\int (6x-2)^4(6) dx$ .
- 3. Differentiate  $y = (3x^2 5x)(\ln x)$
- 4. Use a calculator to find  $\int_{-1}^{1} \frac{1}{x+2} dx$
- 5. Find  $\int_{1}^{2} \frac{3}{x^2} dx$ . (check your result with a calculator)

Lesson: The substitution method of integration p. 300

Task: Practice Examples 7 p. 300 Homework: Exercises 9J p. 312-13

GQ: How do we find the tangent of a curve?

#### Do Now

1. 6-1 P1 Tangents A spiral review

Homework: 6-1 P1 Tangents B spiral review

GQ: How do we calculate the area between two curves?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.14 Friday 1 February

Do Now: 6-1 Calculus Tangents spiral review handout Early finishers - Take the derivative of each function

- $1. \ f(x) = \sin x^3$
- 2.  $g(x) = \sqrt{x^4 + 2}$
- 3.  $h(x) = \ln(x^2 + 1)$

Lesson: The area between two functions p. 313

Assessment: Example #13 p. 314

Homework: Exercises 9K p. 316

# GQ: How do we calculate the area between two curves?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.15 Monday 4 February

## Do Now: Integration practice

1. 
$$\int (x^2 + 2x + 7) dx$$
.

$$2. \int (\sin x + \frac{1}{x} - \sqrt{x}) \, \mathrm{d}x.$$

$$3. \int e^{3x-4} \, \mathrm{d}x.$$

4. 
$$\int \frac{3x^2 + 5}{(x^3 + 5x)^3} \, \mathrm{d}x$$

5. 
$$\int_0^2 2\sqrt{2x-x^2} \, \mathrm{d}x$$
 (use a calculator)

Homework review #9K p. 316 Lesson: Determining definite integrals' boundaries p. 317 Assessment: Example #14 p. 317 (test Thursday) Homework: Pre-test; 6-2 P1 Differentiation spiral review

GQ: How do we calculate the area between two curves?

CCSS: F.IF.B.6 Calculate & interpret the rate of change 5.16 Wednesday 6 February

## Do Now: Integration practice

1.  $\int_0^{\frac{\pi}{2}} \sin x \, dx$  (Do this without a calculator. Sketch the unit circle.)

6-2 P1-A Differentiation spiral review

Lesson: Pretest review (test tomorrow)

Homework: Study for exam.

6-2 P1-B Differentiation spiral review (Friday)

GQ: How do we calculate the area between two curves?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.17 Thursday 7 February

Unit test: Antidifferentiation, definite integrals, finding areas Homework: Exercises #9L 317

GQ: How do we calculate the area between two curves?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.18 Friday 8 February

Do Now: Integration practice

$$1. \int_0^{\frac{\pi}{2}} \sin x \, \mathrm{d}x$$

Homework review #9L p. 317

6-2 P1-B Differentiation spiral review

Lesson: Differentiation review, concavity

Homework: Integration practice; 6-2 P1-C Differentiation spiral

review

## GQ: How do we calculate a volume of rotation?

CCSS: F.IF.B.6 Calculate & interpret rate of change

5.15 Monday 11 February

Do Now: Sketch the functions  $f(x) = 10x + x^2 - 3x^3$  and  $g(x) = x^2 - 2x$ 

- 1. What are their intersections? (i.e. f(x) = g(x))
- 2. What is the definite integral representing the area between the curves?
- Using a calculator, what is the size of the area? (this may not be a trivial question)

Lesson: Integrating circle areas, modeling a solid p. 318


Assessment: Example #15 p. 319

Homework: Exercises 9L & 9M p. 317, 319

## The volume of a function rotated around the x-axis

Differentiate over x, but use the area of a disk defined by  $A=\pi r^2$ 

video



Credit: MATHalino.com - Pinoy Math Community Romel Verterra

## GQ: How do we calculate a volume of rotation?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.21 Wednesday 13 February

#### Do Now: Volumes of rotation

- 1. Medium:  $f(x) = -x^2 + 4$ .
  - 1.1 What is the range of f? The roots?
  - 1.2 Find f'(x).
  - 1.3 Find the volume generated when the curve of f for  $-2 \le x \le 2$  is revolved through  $2\pi$  about the x-axis.
- 2. Spicy:  $g(x) = \sin^3 x$ .
  - 2.1 What is the range of g?
  - 2.2 Find g'(x).
    - 2.3 Find the volume generated when the curve of g for  $0 \le x \le \frac{\pi}{2}$  is revolved through  $2\pi$  about the x-axis.

Lesson: Kinematics p. 321

Homework: Textbook exercises (9N p. 320) 9O p. 324-5 test corrections due Friday (before field trip)

GQ: How do we calculate a volume of rotation?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.22 Thursday 14 February

Do Now: Volumes review

1. Volumes review

Lesson: Integrating circle areas, modeling a solid p. 318

Homework: Problem set test corrections due tomorrow

# GQ: How do we calculate displacement from velocity?

CCSS: F.IF.B.6 Calculate & interpret the rate of change of a function

12.1

#### Do Now: Do the calculations below and read the handout

- Lance Armstrong's average speed in his six Tour de France victories from 1999-2004 was about 24 miles per hour.
   Assuming that he pedals at his average speed and takes no breaks, how long would it take him to ride 38 miles to the top of a 10,000 ft. volcano?
- 2. People who are not Lance Armstrong can travel at about 12 miles per hour on a bike. At that speed, how long would it take to reach the top of the volcano?

Lesson: Integrating velocity over time, displacement p. 321

Assessment: Example #18 p. 323

Homework: Exercises 9N & 9O p. 320, 324

# GQ: How do we calculate displacement from velocity?

CCSS: F.IF.B.6 Calculate & interpret the rate of change of a function

12.1

#### Do Now: continued, 38 mile ride in 10 hours

- 1. Using the velocity vs time graph from yesterday, integrate to show that the areas representing the distance covered by the three riders are equal  $(v \times t = d)$ .
- 2. Show that a rider accelerating according to  $v(t) = \frac{76}{100}t$  also arrives at (10, 38).

Lesson: Integrating velocity over time, displacement p. 321

Task: Review 9F, 9M, probability

Assessment: Example #18 p. 323 (take home test Thursday) Homework: Exercises 9P p. 326, any remaining problem sets

GQ: How do we calculate a volume of rotation?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.23 Monday 25 February

Do Now: Integration practice review

1. Review Exercises #1a, 1b, 1c, #2a p.327

Lesson: Gabriel's horn p. 331

Practice: medium complete #1,2 p. 327; spicy 3-7 p. 327

Homework: Complete exam-style problems pp. 327-8

GQ: How do we use integration to find the area under a function curve or a volume of rotation?

CCSS: F.IF.B.6 Calculate & interpret rate of change 5.24 Tuesday 26 February

Do Now: Integration practice review

- 1. Medium integrate the area under a function
- 2. Spicy integrate a volume of rotation

Homework problem set review

Lesson: Deltamath integration and differentiation review

Assessment: exam Friday

Homework: Complete Deltamath problem set

# GQ: How do we use integration?

CCSS: F.IF.B.6 Calculate & interpret the rate of change 5.25 Thursday 28 February

## Do Now: Integration practice

1.  $\int_0^{\frac{\pi}{2}} \cos x \, dx$  (Do this without a calculator. Sketch the unit circle.)

Lesson: Pretest review (test tomorrow)

Homework: Study for exam.

GQ: How do we use integration?

CCSS: F.IF.B.6 Calculate & interpret rate of change

5.26 Friday 1 March

Unit test: Antidifferentiation, definite integrals, volumes of rotation

Homework: Problem set handout