

## 9.5b Exam: Rigid motions, translation, reflection, rotation (No Calculator)

1. Slide  $\triangle ABC$  to the left four and up five. Label the image  $\triangle A'B'C'$ .




2. Apply the translation  $(x,y) \to (x-3,y+5)$  to the point P(-2,-5).

3. On the axes below, graph the point N(-3,2) and its image, N', after a reflection across the x-axis. Mark N' and write it down as a coordinate pair.




4. Identify the transformation that maps  $\triangle ABC$  onto its image  $\triangle A'B'C'$ .




- 5. State the translation that would map Q(4,3) onto Q'(-1,-3).
- 6. On the set of axes below,  $\triangle ABC \cong \triangle STU$ .

Describe the rigid motion that maps  $\triangle ABC$  onto  $\triangle STU$ .




7. Triangle A'B'C' is the image of triangle ABC after a translation of 2 units to the right and 3 units up. Is triangle ABC congruent to A'B'C'? Explain why.


8. Rotate  $\triangle JKL$  90° counterclockwise around the origin on the axes below, labeling the image  $\triangle J'K'L'$ .



9. Draw the line of reflection that would map  $\triangle ABC$  onto  $\triangle A'B'C'$ .




10. On the axes below, plot the point A(-4, -1) and its image, A', after the translation  $(x, y) \to (x + 6, y - 3)$ . Label the image as a coordinate pair.




11. The image of triangle ABC after a translation is  $\triangle A'B'C'$ . Is the area of the triangle greater, smaller, or the same after the translation? Justify your answer.


12. Determine and state the transformation mapping  $\triangle PQR$  onto  $\triangle STU$ .




13. State the translation that would map C(-4,0) onto C'(3,-3). (the use of the grid below is optional)



14. Two transformations have been applied to a triangle in the diagram below,  $\triangle ABC \rightarrow \triangle A'B'C' \rightarrow \triangle A''B''C''$ . Fully characterize each transformation.



- 15. What are the coordinates of the image of B(2,5) after a reflection across the x-axis?
  - (a) (-2,5)
  - (b) (5,2)
  - (c) (2, -5)
  - (d) (-5, -2)



16. Which of the following would map  $\triangle CAT \rightarrow \triangle C'A'T'$ ?

T F Reflected across the y-axis


T F Translated six to the left, down zero

T F Reflected across the y-axis, then slid to the left two


T F  $(x,y) \to (x-6,y+0)$ 

T F Rotated  $90^{\circ}$  counterclockwise around the origin


T F Reflected across the line x = -1




17. First reflect the trapezoid BECA across the x-axis, then move it down 1 and right 7. Label the images B'E'C'A' and B''E''C''A''.



18. Draw the line of reflection for quadrilaterals in the diagram below.



19. The quadrilateral ROCK undergoes rigid motions, shown below. Describe the sequence of transformations applied.




20. The quadrilateral MATH is mapped to M'A'T'H' by a rigid motion. What transformation a been applied?












21. What are the coordinates of the image of C(4,0) after a rotation of 90° counterclockwise around the origin?

(a) 
$$(4,4)$$


(b) 
$$(0,4)$$

(c) 
$$(-4,0)$$


(d) 
$$(0, -4)$$



22. Given  $\triangle WIN \cong \triangle W'I'N'$ . Describe the rigid motion mapping  $\triangle WIN \to \triangle W'I'N'$ .



23. Determine and state the sequence of transfromations applied to map BECA to B''E''C''A''.



24. Determine and state the transformation mapping  $\triangle NOP$  onto  $\triangle QRP$ .

