14 May 2018 Name:

Test corrections: Statistics, exponential, & polynomial functions

Do all problems. The numbers have changed.

- 1. In an arithmetic sequence, the first term is 5.3 and the second term is 3.7.
 - (a) Find the common difference.

[2]

(b) Find the tenth term. (use the formula)

[2]

(c) Find the sum of the first fifteen terms of the sequence. (use the formula)

[2]

2. Simplify the expression $\sqrt{x^6y^2}$.

[2]

3. Carlos puts \$12,500 into an investment account with interest compounded continuously. If the annual interest rate is 3.15% what is the balance after 7 years, to the nearest dollar.

[5]

14 May 2018

Name:

Test corrections: Statistics, exponential, & polynomial functions

- 4. Given the function $f(x) = -x^3 + 2x^2 + 5x 6$.
 - (a) Write down the y-intercept.

[1]

(b) Find the x-intercepts.


[2]

(c) Graph the function on the grid below, carefully passing through the correct intercepts.

[3]

(d) What is the maximum value of f(x) over the domain $0 \le x \le 5$, to three significant figures?

[2]



Test corrections: Statistics, exponential, & polynomial functions

- 5. The expression (x+a)(x-b) can not be written as
 - (a) x(x+a) b(x+a)
 - (b) $x^2 + ax bx ab$
 - (c) $x^2 + (a-b)x + ab$
 - (d) x(x-b) + a(x-b)

[2]

- 6. Consider a geometric sequence where the first term is 112 and the second term is 84.
 - (a) Find the common ratio, r.

[1]

(b) Find the seventh term.

[2]

(c) Find the least value of n such that the nth term of the sequence is less than 20.

[3]

Test corrections: Statistics, exponential, & polynomial functions

7. Algebraically determine the values of h and k to correctly complete the identity stated below.

$$2x^3 - 5x^2 + 5 = (x - 2)(2x^2 + hx + 2) + k$$

8. Three consecutive terms of a geometric sequence are x - 4, 6, and x + 5. Find the possible values of x.

Test corrections: Statistics, exponential, & polynomial functions

- 9. A bank account earns interest at a continuous interest rate of 1.04% per year. The initial deposit is \$175. Which function models the value of the balance? [2]
 - (a) $P(t) = 175 \cdot 1.01045^t$
 - (b) $P(t) = 175(1 + 0.03925)^t$
 - (c) $P(t) = 175 \cdot 1.03925^t$
 - (d) $P(t) = 175 \cdot e^{0.04t}$
- 10. Write $\sqrt[3]{a^5} \div a^{\frac{2}{3}}$ as an expression with positive, integer exponents.

11. The function $p(t) = 110e^{0.045t}$ models the population of a city, in millions, t years after 2010.

(a) Initially, as of 2010, what is the population in millions?

[1]

[3]

(b) What is the annual continuous rate, expressed as in percent, that the population increases?

[1]

(c) Find the population in 2015, rounded to the nearest million.

[2]

(d) In what year will the population be approximately 165 million?

[2]