

BECA / Huson / Algebra 2: Polynomials Jan 2023 Regents Name:
9 April 2024

Regents problems: Polynomials

1. Which expression is equivalent to $(x + 2)^2 - 5(x + 2) + 6$?
 - (a) $x(x + 1)$
 - (b) $(x - 3)(x + 2)$
 - (c) $(x - 4)(x + 3)$
 - (d) $(x - 6)(x + 1)$

2. The expression $\frac{x^4 - 5x^2 + 4x + 14}{x + 2}$ is equivalent to
 - (a) $x^3 - 2x^2 - x + 6 - \frac{2}{x + 2}$
 - (b) $x^3 - 5x + 4 - \frac{14}{x + 2}$
 - (c) $x^3 + 2x^2 - x + 2 + \frac{18}{x + 2}$
 - (d) $x^3 + 2x^2 - 9x + 22 - \frac{30}{x + 2}$

3. Given $x \neq -3$, which expression is equivalent to $\frac{2x^3 + 3x^2 - 4x + 5}{x + 3}$?
 - (a) $2x^3 + 9x^2 + 23x + 74$
 - (b) $2x^2 - 3x + 5 - \frac{10}{x + 3}$
 - (c) $2x^3 - 3x^2 + 5x - 10$
 - (d) $2x^3 + 9x + 23 + \frac{74}{x + 3}$


4. If $f(x) = 2x^4 - x^3 - 16x + 8$, then $f\left(\frac{1}{2}\right)$
 - (a) equals 0 and $2x + 1$ is a factor of $f(x)$
 - (b) equals 0 and $2x - 1$ is a factor of $f(x)$
 - (c) does not equal 0 and $2x + 1$ is not a factor of $f(x)$
 - (d) does not equal 0 and $2x - 1$ is a factor of $f(x)$

5. What is the solution set of the equation $\frac{x + 2}{x} + \frac{x}{3} = \frac{2x^2 + 6}{3x}$?

2

- (a) $\{-3\}$
- (b) $\{-3, 0\}$
- (c) $\{3\}$
- (d) $\{0, 3\}$

6. The graph of a quadratic function is shown below.



Then the graph of $x + y = 4$ is drawn on the same axes, one solution to this system is

- (a) (4, 0)
- (b) (1, 5)
- (c) (2, 2)
- (d) (3, 1)

7. How many real solutions exist for the system of equations below?

$$y = \frac{1}{4}x - 8$$

$$y = \frac{1}{2}x^2 + 2x$$

- (a) 1

BECA / Huson / Algebra 2: Polynomials Jan 2023 Regents Name:
9 April 2024

(b) 2

(c) 3

(d) 0

8. Which equation represents a polynomial identity?

(a) $x^3 + y^3 = (x + y)^3$

(b) $x^3 + y^3 = (x + y)(x^2 - xy + y^2)$

(c) $x^3 + y^3 = (x + y)(x^2 - xy - y^2)$

(d) $x^3 + y^3 = (x - y)(x^2 + xy + y^2)$

9. Given $f(x) = x^4 - x^3 - 6x^2$, for what values of x will $f(x) > 0$?

(a) $x < -2$, only

(b) $-2 < x$ or $x > 3$

(c) $-2 < x$ or $0 \leq x \leq 3$

(d) $x > 3$, only

10. Consider a cubic polynomial with the characteristics below.

- exactly one real root
- as $x \rightarrow \infty$, $f(x) \rightarrow -\infty$

Given $a > 0$ and $b > 0$, which equation represents a cubic polynomial with these characteristics?


(a) $f(x) = (x - a)(x^2 + b)$

(b) $f(x) = (a - x)(x^2 + b)$


(c) $f(x) = (a - x^2)(x^2 + b)$

(d) $f(x) = (x - a)(b - x^2)$

11. Which graph shows a quadratic function with two imaginary zeros?



12. In the quadratic formula, $b^2 - 4ac$ is called the discriminant. The function $f(x)$ has a discriminant value of 8, and $g(x)$ has a discriminant value of -16 . The quadratic graphs, $h(x)$ and $j(x)$, are shown below.



Which quadratic functions have imaginary roots?

- (a) $g(x)$ and $h(x)$
- (b) $g(x)$ and $j(x)$
- (c) $f(x)$ and $h(x)$
- (d) $f(x)$ and $j(x)$

BECA / Huson / Algebra 2: Polynomials Jan 2023 Regents Name:
9 April 2024

13. Algebraically determine the zeros of the function below.

$$r(x) = 3x^3 + 12x^2 - 3x - 12$$

14. Write the expression $A(x) \cdot B(x) - 3C(x)$ as a polynomial in standard form.

$$A(x) = x^3 + 2x - 1$$

$$B(x) = x^2 + 7$$

$$C(x) = x^4 - 5x$$

15. Over the set of integers, completely factor $x^4 - 5x^2 + 4$.