
6.13 Test Geometry


HSG.SRT.D.11

Find exact values or round decimal approximations to three significant figures.


- 1. As shown, right $\triangle ABC$ has $AC=8, BC=15, AB=17, m\angle C=90^{\circ}$. Express each trigonometric ratio as a fraction.
 - (a) $\sin A =$
 - (b) $\cos A =$
 - (c) $\tan A =$
 - (d) Find $m \angle A$.



- 2. Right triangle $\triangle ABC$ is shown with measures as marked.
 - (a) Write down $\sin A$.
 - (b) Find the length of side AC.



- (c) Find the angle measure of $\angle A$.
- 3. Right triangle ABC is shown with $AB=55,\ m\angle A=41^{\circ}.$ Find the value of BC=x.




Given formulas

Sine rule:
$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

Cosine rule:
$$c^2 = a^2 + b^2 - 2ab\cos C$$
, $\cos C = \frac{a^2 + b^2 - c^2}{2ab}$


Area of a triangle:
$$A = \frac{1}{2}ab\sin C$$

4. Find the area of the given triangle.



5. The following diagram shows triangle ABC, with $A\hat{B}C=42^{\circ},~A\hat{C}B=53^{\circ},$ and AC=112 cm.


Find AB. diagram not to scale




Name:

6. Triangle ABC is drawn with AC=10.5 cm, BC=11.0 cm, and $A\hat{B}C=47^{\circ}$. Find $B\hat{A}C$.

diagram not to scale




7. As shown in the diagram, triangle ABC has $A\hat{B}C=31^{\circ}, AB=88,$ and BC=103. Find AC.




8. The following diagram shows triangle PQR. (not to scale)

$$PQ=55$$
 meters, $QR=71$ m., and $PR=38$ m. Find $Q\hat{P}R.$



- 9. A ladder that is 6 meters long leans against a wall making an angle to the ground of 73°, as shown in the diagram. (not drawn to scale)
 - (a) Find the height of the top of the ladder above the ground.




(b) Find the distance of the bottom of the ladder to the base of the wall. 10. The following diagram shows a triangle ABC.

(diagram not to scale)

The area of the triangle ABC is 75 cm², AB = 15 cm, AC = x cm, and $B\hat{A}C = 55^{\circ}$.

(a) Find x.



- (b) Find BC.
- 11. The function $T(x) = A\sin(Bx) + D$ is used to model weather for a Caribean island with x the time in months.

