

Cloud Computing
oooooooooooo

SaaS
oooooooooooooooooooo

PaaS
oooooooooooo

Opportunities and Risks
oooooooooooooooooooo

Current Situation
oooooooooooooooooooo


3rd Slide Set Cloud Computing

Prof. Dr. Christian Baun

Frankfurt University of Applied Sciences
(1971–2014: Fachhochschule Frankfurt am Main)
Faculty of Computer Science and Engineering
christianbaun@fb2.fra-uas.de

Agenda for Today

- Classic/Traditional IT
- What is Cloud Computing? \implies Definition
- Why using Cloud Computing?
- Cloud vs. (own physical) Servers
 - Chances and Risks



„There is no cloud – it's just someone else's computer“ (Source: unknown)

- Organizational types of Cloud services
 - Public / Private / Hybrid Cloud services
- Categories of Cloud systems
 - HuaaS / SaaS / PaaS / FaaS / IaaS
- Additional concepts (HuaaS, Cloud print, Cloud gaming, Cloud operating systems – DaaS)

What is Cloud Computing?

Image source: Pro7



Classic/Traditional IT

- On-site operation of physical server hardware („on-premises“) e.g. for:
 - data storage (memory)
 - archiving software
 - running industry software
 - running network services (e.g. mail server / web server / ...)
 - financial accounting
 - Customer Relationship Management (CRM)



What is Cloud Computing?

Cloud Computing – Focal Points by Definition

„By using virtualized computing and storage resources and modern web technologies, Cloud Computing provides scalable, network-centric, abstracted IT infrastructures, platforms, and applications as on-demand services. These services are billed on a usage basis.“






- **Part 1:** Fundamental technologies – basis of Cloud Computing
 - **Virtualization** for shared and efficient resource utilization
 - **Web Services** (REST/SOAP) for communicating with the services
 - **Part 2:** Cloud services and their characteristics
 - **IaaS, PaaS, SaaS**
 - **scalable** ⇒ „elastic“
 - **network-centric** ⇒ services/resources are accessible over the internet
 - **abstracted** ⇒ independent of the concrete hardware
 - **on-demand** ⇒ prompt request completion
 - **pay as you go**



Fundamental Technologies – Virtualization

- Allows an abstract, logical perspective of physical resources
 - Servers, storage, networks
 - Isolates (hides) the physical hardware
 - With virtualization,...
 - ① the physical hardware can be used in a shared and transparent way
 - ② heterogeneous hardware resources can be combined to create a homogeneous resource pool




- Some advantages:
 - Server consolidation \Rightarrow cost reduction
 - Simplified (short-term) provisioning
 - Flexibility (different operating systems on the same hardware)

Fundamental Technologies – Web-Services

- Distributed systems often integrate heterogeneous resources
 - In theory, these resources can be worldwide distributed
 - Drawbacks of long distance connections compared to LANs
 - High response times
 - Low data transmission capacities
 - Potentially unreliable connections
 - Web services enable **weakly coupled, asynchronous** and **messages-based** communication, based on HTTP and XML
 - Most popular applications for web services:
 - Remote Procedure Calls
 - **SOAP** (originally defined as *Simple Object Access Protocol*)
 - **REST** (*REpresentational State Transfer*)

Web-Services – SOAP

- SOAP messages use the message format of the markup language XML
 - Usually, SOAP messages are stored in the body of a HTTP POST request and sent to an URL



```
<?xml version="1.0" encoding="UTF-8" ?>
<env:Envelope xmlns:env="http://www.w3.org/2001/09/soap-envelope">
  <env:Header>
    <n:alertcontrol xmlns:n="http://example.org/alertcontrol">
      <n:priority>1</n:priority>
      <n:expires>2001-06-22T14:00:00-05:00</n:expires>
    </n:alertcontrol>
  </env:Header>
  <env:Body>
    <m:alert xmlns:m="http://example.org/alert">
      <m:msg>Mary um 14 Uhr von der Schule abholen</m:msg>
    </m:alert>
  </env:Body>
</env:Envelope>
```

Source: Tanenbaum, van Steen. Verteilte Systeme. Pearson Studium (2008)

- The message sends a text to a web service
 - The message has a specific priority (1) and will be discarded, if it arrives after 2:00 pm at the web service

RESTful Web Services

- Requested via the **HTTP interface**
 - More simple way of interaction in contrast to SOAP (XML-based)
- **Stateless communication**
 - Each HTTP message contains all information to understand it
 - The server doesn't hold any status or session information about the client
 - Each request is an transaction, independent from other transactions
- 4 HTTP methods are enough to work with different **resources**

HTTP	CRUD Actions	SQL	Description
PUT/POST	Create	INSERT	Create or replace a resource
GET	Read/Retrieve	SELECT	Request a resource
PUT	Update	UPDATE	Modify a resource
DELETE	Delete/Destory	DELETE	Erase a resource

- Further useful HTTP methods:
 - HEAD – requests metadata about a resource
 - OPTIONS – requests, which methods are supported by a resource

Cloud Computing – Services

- Cloud computing is an umbrella term for different **services**
 - A service provider provides an IT service to one or more customers
 - Service provider = external provider or in-house department
 - Typical scenario: **Outsourcing** ⇒ Outsourcing of IT services
 - Functionality and quality of service should be defined by a **Service-Level-Agreement** (SLA)

How can Cloud services be distinguished in an **organizational** way?

Organizational Distinction of the Services

• Public Cloud

- Customer and provider belong to different organizations
 ⇒ **Outsourcing**
- (Almost) no costs for purchasing, operating and maintaining your own hardware
- Resources are immediately ready for use and (almost) unlimited available

• Private Cloud

- Customer and provider belong to the same organization
- Costs are similar to a non-Cloud-based architecture
- Based on classic/traditional IT

• Hybrid Cloud


- Public and private Clouds are used together
- Application examples
 - Manage load peaks with public Cloud services
 - Store backup data in public Clouds,

How can Cloud services be distinguished according to their **functionality**?

Functional Distinction of the Services – SaaS

- **Software as a Service (SaaS)**

- Provider runs web applications
 - **This also includes storage services** such as Dropbox, MEGA, iCloud, OneDrive,...
- Customers only need a browser
- Scalable solution
 - Also in terms of data storage
- Can be used from any place




Softwaredienste gibt es schon länger als den Begriff „Cloud Computing“

- (Free) solutions for building software services exist since more than 15 years
- Web server: Apache HTTP server, nginx,...
- Application server for web applications: Apache Tomcat (Java), JBoss (Java), Zope (Python)
- Scripting language for dynamic web pages: PHP, JavaScript (NodeJS)

Humans as a Service (HuaaS)

- Principle of crowdsourcing
- Human creativity is offered for low cost or donated from volunteers
- Interesting for...
 - Low-skilled jobs
 - Activities, which a computer cannot do, or requires an unreasonably high development time
- Possible applications are among others:
 - Image recognition
 - Personal Perspective (subjective) reviews for products
 - Translations
 - (Product) assignments to (product) categories
- Examples of public Cloud HuaaS
 - Investigation of the British expenses scandal by The Guardian in 2009
 - GutenPlag, VroniPlag
 - Marketplace for HuaaS: Amazon Mechanical Turk
- In the private Cloud area: HuaaS does not take place

Recommended literature to Crowdsourcing



- Christian Papsdorf. *Wie Surfen zu Arbeit wird*. Campus (2009)
 - Consumer Write reviews, develop ideas, create logos,...
 - These value-adding activities are of high economic significance
 - Companies use the internet culture (participation, engagement, self-realization,...) to let the users mostly work for free
 - Why do the consumers accept this and work for free?

Pril Competition



- There were material prizes to win
 - The two best designs should go on sale for a short time
 - Users of Facebook were able to vote their favorite
 - Huge feedback: > 30,000 proposals were submitted

- On April 1st 2011, Henkel launched a crowdsourcing campaign
 - Despite the date, it was no joke!
 - Everyone was able to create a new design proposal for the 600ml bottle at <http://mein.pril.de>

Pril Competition – Outcome

- Not all proposals matched Henkel's expectation



- After a short time, 2 proposals of Peter Breuer (a professional advertising copywriter) became favorites
- The *chicken* proposal was ranked 1st place with several thousand votes ahead 2nd place
- Reaction of Henkel: They changed the rules
 - Now, proposals needed to be previously evaluated and released by a jury
 - Only after the jury evaluation, the users were allowed to vote for the proposal
- Result: Wave of anger



Pril Competition – Manipulation of the Outcome



- Things got even worse
 - Henkel erased comments of angry users
 - Henkel massively reduced the number of votes of several designs
 - Henkel stated they just „cleaned up“ the results
- From this time, the affair went through the press
⇒ Bad public relations work

Source: Jörg Breithut. Virale Werbefallen – Pril schmeckt nach Hähnchen. 12.4.2011
<http://www.spiegel.de/netzwelt/web/0,1518,756532,00.html>

Things do not necessarily need to end like this...

Otto Competition

- Otto organized a „model contest“ in 2010
 - The winner with the most votes was planned to become the new face of the Facebook fan page

Werde das neue

Gesicht der OTTO Fanpage!



Suche sortieren nach Zufall Freunde finden

Stimme für deine Favoriten ab, indem du auf "Gefällt mir" klickst!



Brigitte
Koblenz

Gefällt mir 16 Tsd



Klara
Schweinfurt

Gefällt mir 11 Tsd


- Winner against 48,488 other participants: „Der Brigitte“ (Sascha Mörs)
 - A 22 years old business administration student from FH Koblenz
 - Otto was not unhappy about the result
 - Approximately 1.2 million votes were submitted
- ⇒ Great public relations work

Amazon's Mechanical Turk – Cloud Marketplace



- March 8th, 2006 – Sam Williams
- **Pennies for Web Jobs**

Speaking to a room filled with Internet developers at the O'Reilly Emerging Technology Conference in San Diego this week, Luis Felipe Cabrera, Amazon's vice president of software development, outlined a project to **harness human intelligence for tasks that computers can't handle well**, such as recognizing objects in images.



The backbone of the plan is a Web-services platform called Mechanical Turk. It uses an **auction-style system to farm out complex tasks – complex for a computer**, that is – such as **recognizing the difference between a human face and a nearby bush**, or **accurately transcribing an audio recording**. Cabrera likes to call the platform „*artificial artificial intelligence*“ – it's **computers asking humans to do tasks, rather than the other way around**.

...

Image source: Google image search

Source: <http://m.technologyreview.com/web/16519/>

Another Crowdsourcing Marketplace – Samasource

- <http://www.samasource.org>
- Founded in 2008
- Nonprofit project, which gives digital work to people in developing countries
 - *Workers* are in Haiti, India, Kenya, Pakistan, South Africa and Uganda
 - In these countries, school education includes for historical reasons a good basic education in the English language
 - But these countries don't have enough jobs
- Infrastructure is financed from donations
 - Donors are among others the Rockefeller Foundation and Google
- Wages of about \$300 are low from a European perspective, but in developing countries this is a desirable monthly income
- Example for a customer: Ask.com
 - Up to 50,000 requests from Ask.com are processed per month

Google Cloud Print

Image source: Google



- Provides printing via the Cloud
- Internet enabled devices such as netbooks, touchpads and mobile phones get more and more popular
- Connection of local printers is difficult
 - Printer drivers are missing
 - Some devices lack enough resources
 - Several operating systems (iOS, Android, Windows Phone, Blackberry...) exist
- Solution: Google Cloud Print (<https://developers.google.com/cloud-print/>)
- HP and Samsung offer compatible printers
 - Via an e-mail address, the devices can be identified and added as a Cloud printer inside Chrome OS
- The user sends his document to be print to the service, sets the printer settings and receives a feedback about the successful job execution

Google Cloud Print (2 Types of Printers)


Image source: Google

- **Google Cloud Print compatible network printer**

- The printer is registered at the Service
- Print jobs are sent to a service
- The service prepares the print job and forwards it to the printer

- **Legacy printer** (not compatible with Google Cloud Print)


- Locally attached printer (USB) or network printer
- A proxy is installed on a local PC
 - The proxy registers the printer and sends print jobs to the service
 - Prepared print jobs are sent via the proxy to the printer
- Drawback: The proxy computer must be switched on for printing



Cloud Gaming (1/6)

Image source: OnLive

- Cloud gaming services make high-end video games available on low-end devices (older PCs, TVs, mobile phones)
 - The video games run at the servers of the provider
 - The users' devices are only used to display the games
 - The video output is transmitted as a compressed video stream
 - User input is sent to the provider and processed there



Cloud Gaming (2/6)

Image source: computerlearnhow.com and gamelist.com

- Drawback: The required compression reduces the optical quality
- Problem: The network latency must be low because the user input is transmitted to a remote server and processed there
 - Period between the user input and results on the local display must be small in order not to disrupt the game flow
- Positive side effect for the providers: Pirate copies are impossible



Cloud Gaming (3/6) – Providers


Image source: Onlive and Gaikai



OnLive delivers top-tier video games on demand to your TV, PC, Mac® or tablet –whatever you have on hand. Sign in. Play. It's that simple.

- <http://www.onlive.com>
- Available in the U.S. between June 17th 2010 and April 30th 2015
- Requirements:
 - Network link with low latency and < 1000 km distance to the OnLive data center used
- The service itself is no longer available


- <http://www.gaikai.com>
- Available since February 27th 2011
- July 2012: Sony buys Gaikai for \$380 million
- Is used to stream PS3 games to the PS4 and PC
 ⇒ PlayStation Now
- The service itself is no longer available



Cloud Gaming (4/6) – Google Stadia

Image source: Google

- Available since November 19th 2019. <https://stadia.google.com>
- Supports (almost) all terminal devices with the Google Chrome browser



- Games run on Linux servers and are developed to run on Stadia
- A Customer, starting a game, gets a Linux instance with the build already available on it
- The Stadia controller sends input directly to the WiFi router
 - This avoids one additional hop

Quelle: <https://medium.com/@kevinp11/cloud-gaming-stadia-vs-nvidia-geforce-now-2789c4575826>

Cloud Gaming (5/6) – Google Stadia

Image source: Google



Resolution	Data usage
4K	Up to 20 GB/hr
1080p	Up to 12.6 GB/hr
720p	Up to 4.5 GB/hr


Stadia Streaming Tech: A Deep Dive (Google I/O'19)

<https://www.youtube.com/watch?v=9Htdhz60p1I>

Cloud Gaming (6/6) – Nvidia GeForce Now

Image source: Nvidia


- In development since 2013
- <https://www.nvidia.com/en-us/geforce-now/>
- Available since February 2020 for Windows, Mac OS and Android
- Is a streaming wrapper around Steam, Uplay, Epic,...
- A Customer, starting a game, gets a Windows server instance with Steam/Uplay/Epic/... and the game is launched there
- Requires 15 Mbps for 720p (60 fps) and 25 Mbps for 1080p (60 fps)



<https://medium.com/@kevinp11/cloud-gaming-stadia-vs-nvidia-geforce-now-2789c4575826>

Cloud Operating Systems

Image source: eyeOS blog (Public Domain)



- Web desktops are also called Cloud operating systems
- Most popular product: eyeOS

Last free software version: v2.5 (2011)
<https://en.wikipedia.org/wiki/EyeOS>
GNU Affero General Public License
<https://github.com/jonrandoem/eyeos>
Since 2014 a part of Telefónica

- The operating system, all installed applications and the user data are located on the servers of the provider
 - The users only need a browser and internet access
- The term Cloud operating system is misleading here
 - For using a Cloud operating system, a computer with a browser and therefore with an operating system too is required
 - The native operating system is not replaced
 - Only the applications and user data are outsourced

Cloud Cooking – the Future ?!

Image source: Heise Zeitschriften Verlag




Functional Distinction of the Services

- **Platform as a Service (PaaS)**

- Provider run scalable runtime environment(s)
- Customers run their own web applications in the infrastructure of the service provider

- **Infrastructure as a Service (IaaS)**


- Provider runs physical servers
- Customers run VMs with (almost) any operating systems and unmodified applications
 - Customers have administrator privileges in their VMs and define the firewall rules themselves



Platform Service Examples – App Engine



- Customers can run their own web applications, implemented in Python, Java, Go and PHP, in the Google infrastructure
- Automatically scales on Demand
- Applications can use various infrastructure and storage services



Platform Services (PaaS)

Image source: Google image search

- Examples of public Cloud PaaS




- Examples of private Cloud PaaS
 - AppScale and typhoonAE
- The GAE is the most popular platform service and the use is under some of quantity limitations (quotas) free of charge
- AppScale and typhoonAE are free re-implementations of GAE
 - Allow the construction of an GAE-compatible platform services
 - The existence of these solutions is a unique selling point of the GAE
- Google App Engine ⇒ slide set 5
- AppScale and typhoonAE ⇒ slide set 6

Function as a Service (FaaS)

Image Source: AWS

- Is a category of PaaS
- Customers can run their own functions in the infrastructure of the service provider
 - Typically the services support JavaScript (Node.js), Python and/or Java
- Functions may run inside multiple instances if required \Rightarrow they scale
- Functions are triggered by external requests or events
 - e.g. HTTP request, appearance/modification/erasing of an object inside a S3 bucket, reception of an Email, modification inside a DB table,...
- The backend is *invisible* for the customers \Rightarrow **serverless architecture/computing**
- Examples of public Cloud PaaS
 - AWS Lambda, Google Cloud Functions, MS Azure Functions, IBM Cloud Functions
- Examples of private Cloud PaaS
 - Apache OpenWhisk, OpenFaaS

Working with AWS Lambda




Infrastructure Service Example – Amazon Web Services

- Collection of public Cloud services
- Services of the AWS are among others



Elastic Compute Cloud (EC2)	⇒	Infrastructure service for virtual servers
Simple Storage Service (S3)	⇒	Storage service for web objects
Elastic Block Store (EBS)	⇒	Storage service for virtual storage volumes
Elastic Load Balancing (ELB)	⇒	Service for virtual load balancers
CloudWatch	⇒	Service for monitoring AWS resources
Auto Scaling	⇒	Service for scaling EC2 capacities

Take the Risk Factor out of Capacity Planning




Source: Amazon Web Services

- Application examples:
 - Implementation of virtual data centers
 - Building up an elastic infrastructure (e.g. for a startup)
 - Acquire resources within a short time

Infrastructure Service Example – Amazon S3

- Simple Storage Service (S3)
- Data is stored as **(web-)objects** (1 byte to 5 TB)
- Each object is assigned to a **bucket**
 - Buckets have unique names and contain no other buckets
⇒ Folders are impossible
- Objects are accessible online
 - `http://s3.amazonaws.com/bucket/objekt`
- Access to buckets and objects is done via REST or SOAP



- April 2013: 2 trillion objects stored in S3, 1.1 million requests per second

(<https://aws.amazon.com/de/blogs/aws/amazon-s3-two-trillion-objects-11-million-requests-second/>)

Infrastructure Services

Image source: Google image search

- Examples of public Cloud infrastructure services




- Examples of private Cloud infrastructure services
 - Eucalyptus, OpenNebula, OpenStack ad Nimbus
- Eucalyptus is a free software to build up AWS-compatible infrastructure services on Linux clusters
 - OpenNebula, OpenStack and Nimbus offer similar functionality
- Amazon Web Services ⇒ slide set 4
- Eucalyptus and OpenNebula ⇒ slide set 6

Performance Computing as a Service (HPCaaS)

- Belongs to the infrastructure services too
- For HPCaaS, the network latency between the virtual machines, and thus the physical location of the nodes is important
- Only few private Cloud solutions support the grouping of nodes
 - OpenNebula and CloudStack
- Some private Cloud solutions offer absolutely no localization of the virtual machines
 - Eucalyptus
- Public Cloud HPCaaS offerings exist
 - Cluster Compute Instances inside Amazon EC2
- HPCaaS is not suited for all HPC problems
 - It is suited just for trivial parallel problems

Functional Types of Clouds




Aversion to Cloud Computing?

- Some reasons for aversion to Cloud Computing:

- Hardware is sexy
- (As much as possible) own hardware is impressive on the open house day
- Difficult to describe feeling of insecurity
 - Storing own data outside the home, generates an *uneasy* feeling
- *On my hardware I am the boss*
- Administrators love their hardware
 - Despite all the work and frustration
 - Stockholm syndrome?!
- Loss of hardware = loss of power and influence?


WHERE THE HECK
IS MY DATA?
ITS THERE, UP
IN THE CLOUDS.



Someone must call a Doctor...



Why Cloud Computing? No Hardware...



Everything great, isn't it?

What Risks are Real?

- What is the availability of the data and services?
- Can data loss happen?
- Is data in Cloud services secure against unauthorized access?
- Can Cloud services be used to cause damages?
- Are the Cloud service providers trustworthy?

Risks of Cloud Computing (2009)

November 10th, 2009, 10:48 GMT · By [Lucian Constantin](#)

Botnet Command and Control Server Hosted on Google App Engine



[ENLARGE](#)

Security researchers have discovered a botnet that queried a rogue application hosted on Google's App Engine platform for commands. Its command and control server instructed infected [computers](#) to download and install a backdoor component.

The unusual piece of malware was discovered by researchers from network security [company](#) Arbor Networks, who tracked its connections to a Google App Engine application. "The app in question is being used to feed URLs to the zombies for them to download," Jose Nazario, manager of security research at Arbor, [explains](#).

The Google App Engine allows developers to run the Web applications on Google's infrastructure. Hosting an application that does not require more than 500 MB of storage space and five million page views per month is free. So far, the platform features a Java Runtime [Environment](#) and a Python interpreter.

Google has been notified of the abuse and has taken the rogue application offline. Researchers were not able to uncover much of the specific commands that this botnet C&C server was able to give as they did not obtain access to the code hosted on Google App Engine.

The only relevant malicious behavior they noticed was the command to download a file called aa.exe from a third-party URL. This file is actually an installer for a backdoor component known as PCClient.

Another URL of the application appears to have been used to count visits to it, which might indicate the number of infected computers comprising the botnet. The monthly count at the time when the app was analyzed was 587.

This is not the first C&C server to be hosted on a public [service](#). Several such sightings have been reported in recent months, beginning with a [Twitter feed](#) that was being used to relay commands to bots. Security researchers from Symantec later discovered a botnet that was [using a Google group](#) for a similar purpose.

Risks of Cloud Computing (2010)

06 April 2010, 12:46

« previous | next »

GhostNet 2.0 espionage network uses cloud services



Like



Tweet



+1



Espionage network [GhostNet](#), first identified about a year ago, is much larger and more sophisticated than previously assumed. This is according to a study entitled "[Shadows in the Cloud](#)", released today (Tuesday) by the Munk Centre for International Studies, the [Information Warfare Monitor](#), the [SecDev Group](#) and the [Shadowserver Foundation](#). GhostNet is essentially a botnet for distributing and controlling spyware.



In March 2009, whilst investigating a computer system belonging to the Tibetan government-in-exile in India, researchers at the Toronto-based Munk Centre for International Studies discovered the largest computer-controlled espionage network ever seen. The network, which they dubbed GhostNet, was controlled almost exclusively by computers located in China and had infiltrated 1,295 computers in 103 countries over a two year period.

Google's email service wipes entire email accounts of 150,000 Gmail users

- February 28th 2011

- <http://www.dailymail.co.uk/sciencetech/article-1361334/>

Googles-email-service-wipes-entire-accounts-150-000-Gmail-users.html

About 150,000 Gmail users have had their accounts deleted, including every email, application, contact and calendar information, Google confirmed today.

...

One frustrated user wrote: „I have lost ALL on my emails/folders etc from Gmail. Why would this happen? How can I restore everything?“

Another said: „All my account settings, email, labels, contacts etc has just disappeared.“

...

Back online? Google said it has already fixed the fault for some users and restored the missing data

„A firm believer in the concept of cloud computing, it never occurred to me that my Gmail account could one day disappear.“

...

Reliability of Cloud Services? (Similar Case)

Es war die schlimmste Erfahrung seines Berufslebens. „**Zwei Tage lang war unsere Firma komplett lahmgelegt**“, sagt Bernhard Bahners, Gründer und Prokurist des Internet-Start-ups Radio.de. „Sie können sich gar nicht vorstellen, was hier los war!“ Los war Folgendes: Niemand in der ganzen Firma konnte mehr auf irgendein internes Dokument zugreifen; Kunden wunderten sich, dass ihre E-Mails unbeantwortet blieben; **48 Stunden lang war die Firma ohne Daten und Büro-Software**. Dabei war an den beiden Standorten von Radio.de in Hamburg und Innsbruck technisch alles in Ordnung, die Computer liefen, die Datenleitungen funktionierten. Der Grund für den Totalausfall im vergangenen Dezember: ein **Fehler im Bezahlsystem von Google**.

Weil ein Rechnungsbetrag von wenigen Hundert Euro nicht abgebucht werden konnte, hatte der kalifornische Gigant der deutschen Firma kurzerhand den Zugang zu ihrer Büro-Software und den zugehörigen Unterlagen gesperrt. Ohne Vorwarnung. „Am liebsten hätte ich das Geld in einen Umschlag gepackt und persönlich hingetragen“, sagt Bahners. Aber er habe nicht einmal gewusst, wohin. Für mittelständische europäische Kunden ist die Google-Niederlassung in Dublin zuständig, **telefonisch erreichbar ist sie jedoch nicht**. Und jene Hilferufe, die der entsetzte Bahners per E-Mail schickte und ins Formular auf der Google-Website eintrug, blieben zunächst unerhört.

Source: Dirk Asendorpf, Die Zeit, 17. Februar 2011, S.39
<https://www.zeit.de/2011/08/Cloud-Computing>

- Such things should not happen!

Availability

- For S3, Amazon guarantees 99.9% availability per month

Availability	Downtime (HH:MM:SS)		
	per day	per month	per year
99.9%	00:01:26	00:43:49	08:45:56
99%	00:14:23	07:18:17	87:39:29

- If availability falls below that, the customer gets a refund
- <http://aws.amazon.com/s3-sla/>

Monthly Uptime Percentage	Service Credit Percentage
Equal to or greater than 99% but less than 99.9%	10%
less than 99%	25%

Will a refund help any further, if the service fails and thus the own data is not available (or gone)?

Amazon's US-Cloud Disturbed

 gizmodo.com/5794420/when-the-amazon-cloud-goes-down-your-favorite-internet-time-sucks-go-with-it

When the Amazon Cloud Goes Down, Your Favorite Internet Time Sucks Go With It



Adrian Covert

Filed to: AMAZON 4/21/11 12:06pm

Amazon's EC2 cloud storage service had some problems while we were all sleeping last night (Read: [IT CRASHED](#)), causing a few websites we've come to know and love to take a brief nap (Read: [THEY CRASHED](#)).

EC2 is Amazon's scalable data center, which lets companies pay for more server storage and bandwidth on the fly, as they need it, which is especially useful for young, rapidly



manage their own servers. But when things like this happen, resolving the problem isn't entirely [in their control](#). Affected in this whole mess are/were sites, apps and services such as Foursquare, Reddit, Cydia, Discovr and Scvngr.

No Explanation for the Failure of Amazon's Cloud Services

- 26.04.2011 14:14
- <http://www.golem.de/1104/83028.html>

Nach einem mehr als dreitägigen Ausfall sind die US-Cloud-Angebote von Amazon zwar wieder online - eine **Erklärung für die Defekte gibt es jedoch nicht**. Unter Onlineanbietern in den USA regt sich Unmut, einige Betreiber weisen zudem darauf hin, dass man sich **nicht allein auf Cloud-Dienste verlassen** dürfte.

Große Teile von Amazons Cloud-Angeboten mit dem Namen Amazon Web Services (AWS) sind über die Osterfeiertage in Nordamerika ausgefallen. Wie sich der Statusseite von AWS entnehmen lässt, begannen die Schwierigkeiten am 21. April 2011 und wurden erst am 24. April weitgehend behoben. Betroffen war den Statuseinträgen zufolge ein Rechenzentrum für den Dienst Elastic Compute Cloud (EC2) im US-Bundesstaat Virginia.

Aus diesen Einträgen geht jedoch nicht hervor, was die Probleme ausgelöst hat. Nur von Verbindungsproblemen zu den Webservers und den Datenbankservern untereinander ist die Rede. **Hunderte von Webseiten sollen dadurch offline gewesen sein...**

Permanent Loss of the Customer's Data

www.businessinsider.com/amazon-lost-data-2011-4

BUSINESS INSIDER Tech Finance Politics Strategy Life Entertainment

Amazon's Cloud Crash Disaster Permanently Destroyed Many Customers' Data

HENRY BLODGET APR. 28, 2011, 7:10 AM 94,707 75

Facebook 1.1k LinkedIn Share 308 Twitter Tweet 1,330 Google+ 9 Email + MORE

In addition to taking down the sites of dozens of high-profile companies for hours (and, in some cases, days), Amazon's [huge EC2 cloud services crash](#) permanently destroyed some data.

The data loss was apparently small relative to the total data stored, but anyone who runs a web site can immediately understand how terrifying a prospect any data loss is.

(And a small loss on a percentage basis for [Amazon](#), obviously, could be catastrophic for some companies).



Um...

Amazon explains its cloud disaster

By David Goldman, staff writer April 29, 2011: 2:05 PM ET

NEW YORK (CNNMoney) -- Amazon on Friday issued a detailed analysis and apology on last week's **massive crash** of its cloud service, an event that brought down dozens of websites.

The disruption to Amazon (**AMZN, Fortune 500**) Web Service's Elastic Compute Cloud, or EC2, limited customers' access to much of the information that was stored in the company's East Coast regional data centers. About 75 sites crashed because of the outage.

Until now, Amazon had stayed relatively silent about the cause. But after completing a post-mortem assessment of the mess, the company issued a **technically detailed, 5,700-word explanation** of what went wrong.

The event -- the first prolonged, widespread outage EC2 has suffered since launching five years ago -- was a technical perfect storm. A mistake made by Amazon's engineers triggered a cascade of other bugs and glitches.

"As with any complicated operational issue, this one was caused by several root causes interacting with one another," Amazon wrote.

On April 21, AWS tried to upgrade capacity in one storage section of its regional network in Northern Virginia. That section is called an "availability zone." There are multiple availability zones in each region, with information spread across several zones in order to protect against data loss or downtime.

The upgrade required some traffic to be rerouted. Instead of redirecting the traffic within its primary network, Amazon accidentally sent it to a backup network. That secondary network isn't designed to handle that massive traffic flood. It got overwhelmed and clogged up, cutting a bunch of storage nodes off from the network.

When Amazon fixed the traffic flow, a failsafe triggered: The storage volumes essentially freaked out and began searching for a place to back up their data. That kicked off a "re-mirroring storm," filling up all the available storage space. When storage volumes couldn't find any way to back themselves up, they got "stuck." At the problem's peak, about 13% of the availability zone's volumes were stuck.

But why did a problem in one availability zone ripple out to affect a whole region? That's precisely the kind of glitch Amazon's infrastructure is supposed to prevent.

Turns out EC2 had a few bugs. Amazon describes them in detail in its analysis, but the gist is that the master system that coordinates all communication within the region had design flaws. It got overwhelmed, suffered a "brown out," and turned an isolated problem into a widespread one.

Interestingly, those bugs and design flaws have always been in place -- but they wouldn't have been discovered if Amazon hadn't goofed up and set off a domino chain.

Amazon says that knowing about and repairing those weaknesses will make EC2 even stronger. The company has already made several fixes and adjustments, and plans to deploy additional ones over the next few weeks. The mistake presented "many opportunities to protect the service against any similar event reoccurring," Amazon said.

Of course, Amazon's customers aren't so thrilled to have been guinea pigs in this cloud-crash learning experience. Amazon offered a mea culpa, and said it would give all customers in the affected availability zone a credit for 10 days of free service.

"We want to apologize," the company said in a prepared statement. "We know how critical our services are to our customers' businesses and we will do everything we can to learn from this event and use it to drive improvement across our services." ■

Lessons learned

Do not use just a single availability zone for hosting critical services!

Summary of the Amazon EC2 and Amazon RDS Service Disruption in the US East Region

<https://aws.amazon.com/de/message/65648/>

Dropbox Security Bug Made Passwords Optional For Four Hours

- June 20th 2011
- <http://techcrunch.com/2011/06/20/dropbox-security-bug-made-passwords-optional-for-four-hours/>


This morning a post on Pastebin outlined a serious security issue that was spotted at Dropbox: for a brief period of time, the service allowed users to log into accounts using any password. In other words, you could log into someone's account simply by typing in their email address. Given that many people entrust Dropbox with important data (one of the service's selling points is its security), that's a really big deal.

We've now confirmed with Dropbox that the service did have this issue yesterday — Dropbox says that it began after a code push at 1:54 PM PDT and was fixed at 5:46 PM PDT (they had the fix live five minutes after they discovered it). So, in total, the bug was live for around four hours.

The question now is how many people were affected. The company will be announcing that „much less than 1 percent“ of users logged in during this time, and that all sessions have now been logged out as a security precaution. The team is now investigating if any accounts were improperly accessed, and says that anyone who was impacted will be notified.

...

If the Cloud goes down, your House goes down



June 2nd 2018

<http://www.zdnet.com/article/google-cloud-goes-down-taking-youtube-gmail-snapchat-and-others-with-it/>

A mysterious outage has hit Google Cloud... and thousands of sites have gone down as a result, including both Google and non-Google services.

Affected companies include... Snapchat, Vimeo, Shopify, Discord, Pokemon GO; but also... YouTube, Gmail, Google Search, G Suite, Hangouts, Google Drive, Google Docs, Google Nest...

<http://www.fastcompany.com/90358396/that-major-google-outage-meant-some-nest-users-couldnt-unlock-doors-or-use-the-ac>

... But an especially annoying side effect of Google Cloud's downtime was that Nest-branded smart home products for some users just failed to work. According to reports from Twitter, many people were unable to use their Nest thermostats, Nest smart locks, and Nest cameras during the downtime. This essentially meant that because of a cloud storage outage, people were prevented from getting inside their homes, using their AC, and monitoring their babies...



Image: Public Domain

U.S. Authorities are Allowed to Access Cloud Data in Europe

- June 28th 2011
- <http://www.zdnet.com/blog/igeneration/microsoft-admits-patriot-act-can-access-eu-based-cloud-data/11225>

Summary: Microsoft's U.K. head admitted today that no cloud data is safe from the Patriot Act, and the company can be forced to hand EU-stored data over to U.S. authorities.

LONDON, U.K. – At the Office 365 launch, Microsoft U.K.'s managing director Gordon Frazer, gave the first admission that cloud data, regardless of where it is in the world, is not protected against the Patriot Act Act.

After a year of researching the Patriot Act's breadth and ability to access data held within protected EU boundaries, Microsoft was the first cloud provider to openly admit it.

The question put forward: „Can Microsoft guarantee that EU-stored data, held in EU based datacenters, will not leave the European Economic Area under any circumstances – even under a request by the Patriot Act?“

Frazer explained that, as Microsoft is a U.S.-headquartered company, it has to comply with local laws (the United States, as well as any other location where one of its subsidiary companies is based).

Though he said that „customers would be informed wherever possible,“ he could not provide a guarantee that they would be informed – if a gagging order, injunction or U.S. National Security Letter permits it.

He said: „Microsoft cannot provide those guarantees. Neither can any other company.“

While it has been suspected for some time, this is the first time Microsoft, or any other company, has given this answer.

Any data which is housed, stored or processed by a company, which is a U.S. based company or is wholly owned by a U.S. parent company, is vulnerable to interception and inspection by U.S. authorities.

Microsoft previously opened up its Online Services Trust Center which explained in great detail how data was managed, handled and if necessary, handed over to the authorities.

Risks of Cloud Computing

- Main differences between the Cloud services:
 - Functionality
 - Availability / quality
 - Price
 - **Interface** ⇐ is often considered not important
- Risks of Cloud Computing:
 - Privacy and security
 - Solutions exist and not everything must be stored in the Cloud
 - Parental Computing
 - Contrast to personal computing
 - **Lock-in** (!!!)
 - Services and tools of the service providers only implement their own API

Risk of Lock-in

- If a customer decides to use a public Cloud service, he also decides to use a specific interface
- Potential issue: **Lock-in**
 - A dependency between the user and the provider of the service exists
- Scenarios: Price increases, provider bankruptcy, change of service offering (functionality), . . .
- A consequence of switching the provider is the **loss** of the infrastructure (**services**) and possibly even the **data**
 - Consequences for customers (especially companies) may be fatal
- If a customer uses a service for long term, he **invests** in this service
 - The own business model is focused on the service
 - Employees are trained
 - Services are *refined*

Impact of the Lock-in for Dropbox

- Web service, started in 2007
- Provides a network file system for the synchronization of files between different computers and users
- Stores the users' files inside S3 (**see latest news on slide ??**)



Where does Dropbox store everyone's data?

Once a file is added to your Dropbox, the file is then synced to Dropbox's secure online servers. All files stored online by Dropbox are encrypted and kept securely on Amazon's Simple Storage Service (S3) in multiple data centers located across the United States.

Source: <https://www.dropbox.com/help/7/en/>

- Business model: **Refine a Cloud service**

- What would be the impact on Dropbox, if S3 would double the price or close down?
- What would be the impact on the customers of Dropbox and S3?
- Is there anything which can be done against the risk of a lock-in?

Ways to avoid the Lock-in

- **Competitors**

- Offer public services with the same functionality and API
 - For S3: Google Cloud Storage, HP Cloud Object Storage (†2016), Connectria CS, Host Europe CS (†2014), Nirvanix (†2013), Dunkel Cloud Storage, Cloudian,...



- **(Free) implementations**

- Running private Cloud services with the same functionality and API
 - For S3: Eucalyptus Walrus, Nimbus Cumulus, OpenStack Swift, Riak CS, Minio



Competitors and (free) solutions with compatible interface open up a lot of opportunities

Karlsruhe Open Application for cLoud Administration

- Users interact directly with infrastructure and storage services

- Tools of providers normally only support few services
⇒ Services are mostly isolated solutions

- Wanted: **Marketplace portal** ⇒ KOALA

- Service, which integrates public and private services from different providers

- Developed for the Google App Engine

- Runs in a private context too

- Challenges during the development:


- Features of the (private) services
- Quality of documentation

Project: <https://github.com/christianbaun/koalacloud>

The KOALA Cloud Manager - Cloud Service Management the Easy Way. Christian Baun, Marcel Kunze, Viktor Mauch. Proceedings of the IEEE Cloud 2011 4th International Conference on Cloud Computing in Washington. ISBN:978-0-7695-4460-1

The KOALA Cloud Management Service - A Modern Approach for Cloud Infrastructure Management. Christian Baun, Marcel Kunze. Proceedings of the 1st International Workshop on Cloud Computing Platforms (CloudCP) that was part of the EuroSys 2011 in Salzburg. The Association for Computing Machinery (ACM). ISBN:978-1-4503-0727-7

Octopus Cloud Storage System



- Service, which connects S3-compatible storage service to a RAID 1
- Benefits:
 - Better availability of the data
 - Independence of individual providers
- Developed for the Google App Engine

- Copies files to the storage services and monitors the synchronicity via MD5 checksums
- Challenges of the development:
 - Behavior of services is not 100% identical



Project: <https://github.com/christianbaun/octopuscloud>

Octopus - A Redundant Array of Independent Services (RAIS). Christian Baun, Marcel Kunze, Denis Schwab, Tobias Kurze. Proceedings of the 3rd International Conference on Cloud Computing and Services Science (CLOSER 2013) in Aachen. SCITEPRESS. ISBN: 978-989-8565-52-5, P.321-328

And what does Dropbox? – They leave the Amazon Cloud

- *The Epic Story of Dropbox's Exodus From the Amazon Cloud Empire*

Cade Metz, March 14th, 2016

Source: <https://www.wired.com/2016/03/epic-story-dropbox-exodus-amazon-cloud-empire/>

Over the last two-and-a-half years, Dropbox built its own vast computer network and shifted its service onto a new breed of machines designed by its own engineers, all orchestrated by a software system built by its own programmers with a brand new programming language.

... some companies get so big, it actually makes sense to build their own network with their own custom tech and, yes, abandon the cloud. Amazon and Google and Microsoft can keep cloud prices low, thanks to economies of scale. But they aren't selling their services at cost. . . . , There is some margin somewhere." If you're big enough, you can save tremendous amounts of money by cutting out the cloud. . . Dropbox says it's now that big.

The irony is that in fleeing the cloud, Dropbox is showing why the cloud is so powerful. It too is building infrastructure so that others don't have to. It too is, well, a cloud company.

Transition IT into the Era of Industrialization

- Carr describes the changes in IT, caused by inexpensive and highly available Cloud services and compares this changes with the industrial revolution 100 years ago
- Change in the economy and society have been caused by always available electrical energy
- Energy production in large power plants was cheaper than building bigger water wheels to self produce the energy



- A power grid arose and the transport of energy over long distances became possible
- This allowed to build up factories everywhere and not only near rivers
- Incorporating a companies became simplified by inexpensive energy. In Cloud Computing, it is similar
- Until now, most companies and universities operate their IT services themselves
- The consolidation in large-scale computing and data centers is less expensive and will become standard in the long term
- New business segments arise
- The impact on the business models of current IT market leaders such as Microsoft, IBM and SAP is immense

U.S. government closes nearly half of their Data Centers

Interview of the NYT with Vivek Kundra, Chief Information Officer of the Obama administration

...The federal government is the largest buyer of information technology in the world, spending about \$80 billion a year. The Obama administration, in plans detailed Wednesday, is taking aim at some of that by closing 800 of its sprawling collection of 2,000 data centers. The savings, analysts say, will translate into billions of dollars a year and acres of freed-up real estate....

... the data center consolidation was part of a broader strategy to embrace more efficient, Internet-era computing. In particular, the government is shifting to cloud computing, in which users use online applications like e-mail remotely, over the Internet. These cloud services can be provided by the government to many agencies or by outside technology companies....

...But government officials say the federal agencies are moving faster than the initial plans, with a total of 195 closings now scheduled by the end of 2011. That would help lift the total to 373 data centers by the end of 2012.....

....,In an era of massive deficits, the federal government has to figure out ways to get more efficient. The data center consolidation is part of that process.“

,,The shift to modernized computer services has already started. For example, nearly 140,000 employees at the General Services Administration and Department of Agriculture have moved to cloud-based e-mail, Mr. Kundra said, saving about \$42 million a year. Google provides the cloud e-mail for the G.S.A, while a Microsoft cloud service is used by the Agriculture Department.

Industry reacts by offering specialized Services

A screenshot of a web browser window displaying a news article from gigaom.com. The title of the article is "Amazon targets U.S. government with GovCloud". The author is Derrick Harris, and the date is AUG. 16, 2011 - 2:38 PM PDT. Below the title, there is a summary text and a small image of the US Capitol building.

SUMMARY: *Amazon Web Services has rolled out a new region, called GovCloud, designed specifically for federal government workloads. The region is designed to meet the myriad regulations that government agencies must meet when deploying new infrastructure, which have proven a hindrance in terms government cloud adoption.*

A black and white photograph of the United States Capitol building, showing its iconic dome and neoclassical architecture against a cloudy sky.


Amazon Web Services has [rolled out a new offering](#), [called GovCloud](#), designed specifically to run federal government workloads. The AWS region is designed to meet the myriad regulations that government agencies must meet when deploying new infrastructure, which have proven something of a hindrance in terms of letting the government adopt cloud computing services. And the timing couldn't be better.

The [GovCloud site](#) explains that government agencies have had trouble processing and storing data in the cloud, which the government says can be accessible only by U.S. persons. But because AWS GovCloud "is physically and logically accessible by U.S. persons only, government agencies can now manage more heavily regulated data in AWS while remaining compliant with strict federal requirements." Of course, GovCloud will feature high-level security for all this data.

Is Cloud Computing still a Hype?

- Is Cloud Computing still a topic, which is helpful to apply for funding?
- Is Cloud Computing still a Hype?
 - Or is it an established and fully developed technology?
- 2 ways to check the „hype status“ of a technology
 - **Gartner Hype Cycle** for Emerging Technologies
 - **Google Trends** (<http://www.google.de/trends/>)


Gartner Hype Cycle



- Phases of public attention during the introduction of a new technology

Gartner Hype Cycle 2008


Figure 1. Hype Cycle for Emerging Technologies, 2008



Cloud Computing \implies trigger


Gartner Hype Cycle 2009

Figure 1. Hype Cycle for Emerging Technologies, 2009




Cloud Computing ==> :-)

Gartner Hype Cycle 2010



Private Cloud Computing, Cloud Computing, Cloud/Web Platforms => :-)

Gartner Hype Cycle 2011




Big Data \Rightarrow trigger

Private Cloud Computing, Cloud Computing \Rightarrow :-)


Cloud/Web Platforms \Rightarrow :-()

Gartner Hype Cycle 2012



Crowdsourcing, Big Data, Hybrid Cloud Computing, Private Cloud Computing => :)
 Cloud Computing => :-|


Gartner Hype Cycle 2013



Big Data ==> :-)


Cloud Computing ==> :-()

Gartner Hype Cycle 2014




Big Data, Hybrid Cloud Computing, Cloud Computing => :-)

Gartner Hype Cycle 2015




Hybrid Cloud Computing ==> :-)

Gartner Hype Cycle 2016




Hybrid Cloud Computing \implies :-)

Gartner Hype Cycle 2017



Serverless PaaS \implies trigger
Edge Computing \implies :-)

Gartner Hype Cycle 2018



Edge AI, AI PaaS \implies trigger

Opportunities and Risks

- Cloud Computing not an IT hype any more
 - but some cloud-related technologies are still IT hypes
- Cloud Computing can help to industrialize the IT
- Opportunities and risks exist – as with all IT solutions

