

```
1 0.0000000000    henry-ThinkPad-X250.fritz.box fritz.box          ICMP      98      Echo (ping)
request id=0x0c48, seq=1/256, ttl=64 (reply in 2)
Frame 1: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
  Interface id: 0 (wlan0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Feb 20, 2018 19:28:56.516546136 CET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1519151336.516546136 seconds
  [Time delta from previous captured frame: 0.000000000 seconds]
  [Time delta from previous displayed frame: 0.000000000 seconds]
  [Time since reference or first frame: 0.000000000 seconds]
  Frame Number: 1
  Frame Length: 98 bytes (784 bits)
  Capture Length: 98 bytes (784 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:data]
  [Coloring Rule Name: ICMP]
  [Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: henry-ThinkPad-X250.fritz.box (4c:34:88:9e:4d:28), Dst: fritz.box (34:31:c4:74:70:92)
  Destination: fritz.box (34:31:c4:74:70:92)
    Address: fritz.box (34:31:c4:74:70:92)
      ....0. .... = LG bit: Globally unique address (factory default)
      ....0. .... = IG bit: Individual address (unicast)
  Source: henry-ThinkPad-X250.fritz.box (4c:34:88:9e:4d:28)
    Address: henry-ThinkPad-X250.fritz.box (4c:34:88:9e:4d:28)
      ....0. .... = LG bit: Globally unique address (factory default)
      ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: henry-ThinkPad-X250.fritz.box (192.168.178.21), Dst: fritz.box (192.168.178.1)
  0100 .... = Version: 4
  ....0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 84
  Identification: 0xa27a (41594)
  Flags: 0x02 (Don't Fragment)
    0... .... = Reserved bit: Not set
    .1... .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  Fragment offset: 0
  Time to live: 64
  Protocol: ICMP (1)
  Header checksum: 0xb2c6 [validation disabled]
  [Header checksum status: Unverified]
  Source: henry-ThinkPad-X250.fritz.box (192.168.178.21)
  Destination: fritz.box (192.168.178.1)
  [Source GeoIP: Unknown]
  [Destination GeoIP: Unknown]
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0xfa3e [correct]
  [Checksum Status: Good]
  Identifier (BE): 3144 (0x0c48)
  Identifier (LE): 18444 (0x480c)
  Sequence number (BE): 1 (0x0001)
  Sequence number (LE): 256 (0x0100)
  [Response frame: 2]
  Timestamp from icmp data: Feb 20, 2018 19:28:56.000000000 CET
  [Timestamp from icmp data (relative): 0.516546136 seconds]
  Data (48 bytes)
0000  b6 e1 07 00 00 00 00 10 11 12 13 14 15 16 17  .....
0010  18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25 26 27  ..... !"#$$%&'
0020  28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35 36 37  ()*+,-./01234567
      Data: b6e1070000000000101112131415161718191a1b1c1d1e1f...
      [Length: 48]
2 0.001899492    fritz.box          henry-ThinkPad-X250.fritz.box ICMP      98      Echo (ping)
reply id=0x0c48, seq=1/256, ttl=64 (request in 1)
Frame 2: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
  Interface id: 0 (wlan0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Feb 20, 2018 19:28:56.518445628 CET
  [Time shift for this packet: 0.000000000 seconds]
```

Epoch Time: 1519151336.518445628 seconds
[Time delta from previous captured frame: 0.001899492 seconds]
[Time delta from previous displayed frame: 0.001899492 seconds]
[Time since reference or first frame: 0.001899492 seconds]
Frame Number: 2
Frame Length: 98 bytes (784 bits)
Capture Length: 98 bytes (784 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: fritz.box (34:31:c4:74:70:92), Dst: henry-ThinkPad-X250.fritz.box (4c:34:88:9e:4d:28)
Destination: henry-ThinkPad-X250.fritz.box (4c:34:88:9e:4d:28)
Address: henry-ThinkPad-X250.fritz.box (4c:34:88:9e:4d:28)
....0. = LG bit: Globally unique address (factory default)
....0. = IG bit: Individual address (unicast)
Source: fritz.box (34:31:c4:74:70:92)
Address: fritz.box (34:31:c4:74:70:92)
....0. = LG bit: Globally unique address (factory default)
....0. = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: fritz.box (192.168.178.1), Dst: henry-ThinkPad-X250.fritz.box (192.168.178.21)
0100 = Version: 4
....0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
....00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 84
Identification: 0xad74 (44404)
Flags: 0x00
0... = Reserved bit: Not set
.0.. = Don't fragment: Not set
..0. = More fragments: Not set
Fragment offset: 0
Time to live: 64
Protocol: ICMP (1)
Header checksum: 0xe7cc [validation disabled]
[Header checksum status: Unverified]
Source: fritz.box (192.168.178.1)
Destination: henry-ThinkPad-X250.fritz.box (192.168.178.21)
[Source GeoIP: Unknown]
[Destination GeoIP: Unknown]
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x023f [correct]
[Checksum Status: Good]
Identifier (BE): 3144 (0x0c48)
Identifier (LE): 18444 (0x480c)
Sequence number (BE): 1 (0x0001)
Sequence number (LE): 256 (0x0100)
[Request frame: 1]
[Response time: 1,899 ms]
Timestamp from icmp data: Feb 20, 2018 19:28:56.000000000 CET
[Timestamp from icmp data (relative): 0.518445628 seconds]
Data (48 bytes)
0000 b6 e1 07 00 00 00 00 00 10 11 12 13 14 15 16 17
0010 18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25 26 27 !"#\$\$%&'
0020 28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35 36 37 ()*+,-./01234567
Data: b6e1070000000000101112131415161718191a1b1c1d1e1f...
[Length: 48]
7 1.002013961 henry-ThinkPad-X250.fritz.box fritz.box ICMP 98 Echo (ping)
request id=0x0c48, seq=2/512, ttl=64 (reply in 8)
Frame 7: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Interface id: 0 (wlan0)
Encapsulation type: Ethernet (1)
Arrival Time: Feb 20, 2018 19:28:57.518560097 CET
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1519151337.518560097 seconds
[Time delta from previous captured frame: 0.155573091 seconds]
[Time delta from previous displayed frame: 1.000114469 seconds]
[Time since reference or first frame: 1.002013961 seconds]
Frame Number: 7
Frame Length: 98 bytes (784 bits)

```
Capture Length: 98 bytes (784 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:icmp:data]
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: henry-ThinkPad-X250.fritz.box (4c:34:88:9e:4d:28), Dst: fritz.box (34:31:c4:74:70:92)
  Destination: fritz.box (34:31:c4:74:70:92)
    Address: fritz.box (34:31:c4:74:70:92)
      ....0. .... = LG bit: Globally unique address (factory default)
      ....0. .... = IG bit: Individual address (unicast)
  Source: henry-ThinkPad-X250.fritz.box (4c:34:88:9e:4d:28)
    Address: henry-ThinkPad-X250.fritz.box (4c:34:88:9e:4d:28)
      ....0. .... = LG bit: Globally unique address (factory default)
      ....0. .... = IG bit: Individual address (unicast)
  Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: henry-ThinkPad-X250.fritz.box (192.168.178.21), Dst: fritz.box (192.168.178.1)
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    ....00.. = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 84
  Identification: 0xa281 (41601)
  Flags: 0x02 (Don't Fragment)
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  Fragment offset: 0
  Time to live: 64
  Protocol: ICMP (1)
  Header checksum: 0xb2bf [validation disabled]
  [Header checksum status: Unverified]
  Source: henry-ThinkPad-X250.fritz.box (192.168.178.21)
  Destination: fritz.box (192.168.178.1)
  [Source GeoIP: Unknown]
  [Destination GeoIP: Unknown]
Internet Control Message Protocol
  Type: 8 (Echo (ping) request)
  Code: 0
  Checksum: 0x1e36 [correct]
  [Checksum Status: Good]
  Identifier (BE): 3144 (0x0c48)
  Identifier (LE): 18444 (0x480c)
  Sequence number (BE): 2 (0x0002)
  Sequence number (LE): 512 (0x0200)
  [Response frame: 8]
  Timestamp from icmp data: Feb 20, 2018 19:28:57.000000000 CET
  [Timestamp from icmp data (relative): 0.518560097 seconds]
  Data (48 bytes)
0000  91 e9 07 00 00 00 00 10 11 12 13 14 15 16 17  .....
0010  18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25 26 27  ..... !"#$$%&'
0020  28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35 36 37  ()*+,-./01234567
      Data: 91e9070000000000101112131415161718191a1b1c1d1e1f...
      [Length: 48]
      8 1.003933885 fritz.box henry-ThinkPad-X250.fritz.box ICMP 98 Echo (ping)
reply id=0x0c48, seq=2/512, ttl=64 (request in 7)
Frame 8: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
  Interface id: 0 (wlan0)
  Encapsulation type: Ethernet (1)
  Arrival Time: Feb 20, 2018 19:28:57.520480021 CET
  [Time shift for this packet: 0.000000000 seconds]
  Epoch Time: 1519151337.520480021 seconds
  [Time delta from previous captured frame: 0.001919924 seconds]
  [Time delta from previous displayed frame: 0.001919924 seconds]
  [Time since reference or first frame: 1.003933885 seconds]
  Frame Number: 8
  Frame Length: 98 bytes (784 bits)
  Capture Length: 98 bytes (784 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:icmp:data]
  [Coloring Rule Name: ICMP]
  [Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: fritz.box (34:31:c4:74:70:92), Dst: henry-ThinkPad-X250.fritz.box (4c:34:88:9e:4d:28)
```

```
Destination: henry-ThinkPad-X250.fritz.box (4c:34:88:9e:4d:28)
Address: henry-ThinkPad-X250.fritz.box (4c:34:88:9e:4d:28)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0 .... = IG bit: Individual address (unicast)
Source: fritz.box (34:31:c4:74:70:92)
Address: fritz.box (34:31:c4:74:70:92)
.... ..0. .... = LG bit: Globally unique address (factory default)
.... ..0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: fritz.box (192.168.178.1), Dst: henry-ThinkPad-X250.fritz.box
(192.168.178.21)
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 84
Identification: 0xad81 (44417)
Flags: 0x00
0... .... = Reserved bit: Not set
.0.. .... = Don't fragment: Not set
..0. .... = More fragments: Not set
Fragment offset: 0
Time to live: 64
Protocol: ICMP (1)
Header checksum: 0xe7bf [validation disabled]
[Header checksum status: Unverified]
Source: fritz.box (192.168.178.1)
Destination: henry-ThinkPad-X250.fritz.box (192.168.178.21)
[Source GeoIP: Unknown]
[Destination GeoIP: Unknown]
Internet Control Message Protocol
Type: 0 (Echo (ping) reply)
Code: 0
Checksum: 0x2636 [correct]
[Checksum Status: Good]
Identifier (BE): 3144 (0x0c48)
Identifier (LE): 18444 (0x480c)
Sequence number (BE): 2 (0x0002)
Sequence number (LE): 512 (0x0200)
[Request frame: 7]
[Response time: 1,920 ms]
Timestamp from icmp data: Feb 20, 2018 19:28:57.000000000 CET
[Timestamp from icmp data (relative): 0.520480021 seconds]
Data (48 bytes)
0000  91 e9 07 00 00 00 00 10 11 12 13 14 15 16 17  .....
0010  18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25 26 27  ..... !"#$$%&'
0020  28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35 36 37  ()*+,-./01234567
      Data: 91e907000000000101112131415161718191a1b1c1d1e1f...
      [Length: 48]
```