## **Transition Rules**

## 1.1 Abstract Syntax

[VAR-ASS]

```
S ::= x := a \mid r[a_1] := a_2 \mid S_1; \ S_2 \mid \text{if } b \text{ do } S \mid \text{if } b \text{ do } S_1 \text{ else do } S_2 \mid \text{ while } b \text{ do } S \mid \text{ from } x := a_1 \text{ to } a_2 \text{ step } a_3 \text{ do } S \mid \text{ call } p(\vec{x}) \mid \text{ begin } D_V \ D_A \ D_P \ S \text{ end} a ::= n \mid x \mid a_1 + a_2 \mid a_1 - a_2 \mid a_1 * a_2 \mid a_1/a_2 \mid (a) \mid r[a_i] b ::= a_1 = a_2 \mid a_1 > a_2 \mid a_1 < a_2 \mid \neg b \mid b_1 \ \land \ b_2 \mid b_1 \ \lor \ b_2 \mid (b) D_V ::= \text{var } x := a; \ D_V \mid \varepsilon D_P ::= \text{func } p \text{ is } S; \ D_P \mid \varepsilon D_A ::= \operatorname{array} r[a_1]; \ D_A \mid \varepsilon
```

Transitioner er på formen:  $env_V, env_P \vdash \langle S, sto \rangle \rightarrow sto'$ 

where 
$$env_V$$
,  $sto \vdash a \rightarrow_a v$   
and  $env_V \ x = l$  
$$[ARR-ASS] \qquad env_V, env_P \vdash \langle r[a_1] < --a_2, sto \rangle \rightarrow sto[l_2 \mapsto v_2]$$
where  $env_V$ ,  $sto \vdash a_1 \rightarrow_a v_1$   
and  $env_V$ ,  $sto \vdash a_2 \rightarrow_v v_2$ 

and 
$$env_V, sto \vdash a_2 \rightarrow_a v_2$$
  
and  $env_V r = l_1$   
and  $l_2 = l_1 + v_1$ 

 $env_V, env_P \vdash \langle x < --a, sto \rangle \rightarrow sto[l \mapsto v]$ 

[COMP] 
$$\frac{env_V, env_P \vdash \langle S_1, sto \rangle \to sto''}{\frac{env_V, env_P \vdash \langle S_2, sto'' \rangle \to sto'}{env_V, env_P \vdash \langle S_1; S_2, sto \rangle \to sto'}}$$

[IF-TRUE] 
$$\frac{env_V, env_P \vdash \langle S, sto \rangle \to sto'}{env_V, env_P \vdash \langle \text{if } b \text{ begin } S \text{ end}, sto \rangle \to sto'}$$

if  $env_V$ ,  $sto \vdash b \rightarrow_b true$ 

Continued on the next page

```
[IF-FALSE]
                                         env_V, env_P \vdash \langle \text{if } b \text{ begin } S \text{ end}, sto \rangle \rightarrow sto
                                                        if env_V, sto \vdash b \rightarrow_b false
                                          \frac{env_V, env_P \vdash \langle S_1, sto \rangle \to sto'}{env_V, env_P \vdash \langle \text{if } b \text{ begin } S_1 \text{ end else begin } S_2 \text{ end}, sto \rangle \to sto'}
[IF-ELSE-TRUE]
                                                        if env_V, sto \vdash b \rightarrow_b true
                                          \frac{env_V, env_P \vdash \langle S_2, sto \rangle \to sto'}{env_V, env_P \vdash \langle \text{if } b \text{ begin } S_1 \text{ end else begin } S_2 \text{ end}, sto \rangle \to sto'}
[IF-ELSE-FALSE]
                                                        if env_V, sto \vdash b \rightarrow_b false
                                                             env_V, env_P \vdash \langle S, sto \rangle \rightarrow sto''
                                          \frac{env_V, env_P \vdash \langle \text{while } b \text{ begin } S \text{ end}, sto'' \rangle \rightarrow sto'}{env_V, env_P \vdash \langle \text{while } b \text{ begin } S \text{ end}, sto \rangle \rightarrow sto'}
[WHILE-TRUE]
                                                        if env_V, sto \vdash b \rightarrow_b true
[WHILE-FALSE]
                                         env_V, env_P \vdash \langle \text{while } b \text{ begin } S \text{ end}, sto \rangle \rightarrow sto
                                                        if env_V, sto \vdash b \rightarrow_b false
                                                                           env_V, env_P \vdash \langle S, sto[l \vdash v_1] \rangle \rightarrow sto''
                                                   \langle \text{from } x < --a_1 + a_3 \text{ to } a_2 \text{ step } a_3 \text{ begin } S \text{ end}, sto'' \to sto'
[FROM-TRUE]
                                          \overline{env_V, env_P \vdash \langle \text{from } x < --a_1 \text{ to } a_2 \text{ step } a_3 \text{ begin } S \text{ end}, sto \rangle \rightarrow sto'}
                                                        where env_V, sto \vdash a_1 \rightarrow_a v_1
                                                        and env_V, sto \vdash a_2 \rightarrow_a v_2
                                                        and env_V, sto \vdash a_3 \rightarrow_a v_3
                                                        and v_1 \leq v_2
                                                        and l = env_V x
[FROM-FALSE]
                                         env_V, env_P \vdash \langle \text{from } x < --a_1 \text{ to } a_2 \text{ step } a_3 \text{ begin } S \text{ end}, sto \rangle \rightarrow sto
                                                        where env_V, sto \vdash a_1 \rightarrow_a v_1
                                                        and env_V, sto \vdash a_2 \rightarrow_a v_2
                                                        and env_V, sto \vdash a_3 \rightarrow_a v_3
                                                        and v_1 > v_2
                                         \frac{env'_V[\vec{z} \mapsto \vec{l}], env'_P \vdash \langle S, sto[\vec{l} \mapsto \vec{v}] \rangle \to sto'}{env_V, env_P \vdash \langle \text{call } p(\vec{a}), sto \rangle \to sto'}
[CALL]
                                                        where env_P p = (S, \vec{z}, env'_V, env'_P)
                                                        and |\vec{a}| = |\vec{z}|
                                                        and env_V, sto \vdash a_i \rightarrow_1 forevery 1 \leq i \leq |\vec{a}|
                                                        and l_1 = env_V new
                                                        and l_{i+1} = l_i foreach1 < i < |\vec{a}|
                                                               Continued on the next page
```

$$\langle D_{V}, env_{V}, sto \rangle \rightarrow_{DV} (env'_{V}, sto'')$$

$$env'_{V} \vdash \langle D_{P}, env_{P} \rangle \rightarrow_{DP} env'_{P}$$

$$env'_{V}, env'_{P} \vdash \langle S, sto'' \rangle \rightarrow sto'$$

$$env_{V}, env_{P} \vdash \langle \text{begin } D_{V} D_{P} S \text{ end}, sto \rangle \rightarrow sto'$$
Table 1.1: Statements

Transitioner er på formen:  $env_V, sto \vdash a \rightarrow_a v$ 

$$[NUM] \quad env_V, sto \vdash n \to_a v$$

if 
$$\mathcal{N}[[n]] = v$$

[VAR] 
$$env_V, sto \vdash x \rightarrow_a v$$

if 
$$env_V x = l$$
  
and  $sto l = v$ 

[ADD] 
$$\frac{env_V, sto \vdash a_1 \rightarrow_a v_1 \quad env_V, sto \vdash a_2 \rightarrow_a v_2}{env_V, sto \vdash a_1 + a_2 \rightarrow_a v}$$

where 
$$v = v_1 + v_2$$

[SUB] 
$$\frac{env_V, sto \vdash a_1 \rightarrow_a v_1 \quad env_V, sto \vdash a_2 \rightarrow_a v_2}{env_V, sto \vdash a_1 - a_2 \rightarrow_a v}$$

where 
$$v = v_1 - v_2$$

[MULT] 
$$\frac{env_V, sto \vdash a_1 \rightarrow_a v_1 \quad env_V, sto \vdash a_2 \rightarrow_a v_2}{env_V, sto \vdash a_1 \cdot a_2 \rightarrow_a v}$$

where 
$$v = v_1 \cdot v_2$$

[DIV] 
$$\frac{env_V, sto \vdash a_1 \to_a v_1 \quad env_V, sto \vdash a_2 \to_a v_2}{env_V, sto \vdash a_1/a_2 \to_a v}$$

where 
$$v = v_1/v_2$$

[PAR] 
$$\frac{env_V, sto \vdash a_1 \to_a v_1}{env_V, sto \vdash (a_1) \to_a v_1}$$

[ARR] 
$$env_V, sto \vdash r[a_1] \rightarrow_a a_2$$

where 
$$env_V$$
,  $sto \vdash a_1 \rightarrow_a v_1$   
and  $env_V$ ,  $sto \vdash a_2 \rightarrow_a v_2$   
and  $env_V \ r = l$   
and  $stol = v_3$   
and  $0 < v_1 \le v_3$   
and  $sto(l + v_1) = v_2$   
Continued on the next page

Table 1.2: Arithmetic expressions

Transitioner på formen:  $env_V, sto \vdash b \rightarrow_b t$  $\frac{env_V, sto \vdash a_1 \rightarrow_a v_1 \quad env_V, sto \vdash a_2 \rightarrow_a v_2}{env_V, sto \vdash a_1 = a_2 \rightarrow_b \text{ true}}$ [EQUAL-TRUE] if  $v_1 = v_2$  $\frac{env_V, sto \vdash a_1 \rightarrow_a v_1 \quad env_V, sto \vdash a_2 \rightarrow_a v_2}{env_V, sto \vdash a_1 = a_2 \rightarrow_b \text{ false}}$ [EQUAL-FALSE] if  $v_1 \neq v_2$  $\frac{env_V, sto \vdash a_1 \rightarrow_a v_1 \quad env_V, sto \vdash a_2 \rightarrow_a v_2}{env_V, sto \vdash a_1 > a_2 \rightarrow_b \text{true}}$ [GRT-TRUE] if  $v_1 > v_2$  $\frac{env_V, sto \vdash a_1 \rightarrow_a v_1 \quad env_V, sto \vdash a_2 \rightarrow_a v_2}{env_V, sto \vdash a_1 > a_2 \rightarrow_b \text{ false}}$ [GRT-FALSE] if  $v_1 \not> v_2$  $\frac{env_V, sto \vdash a_1 \rightarrow_a v_1 \quad env_V, sto \vdash a_2 \rightarrow_a v_2}{env_V, sto \vdash a_1 < a_2 \rightarrow_b \text{true}}$ [LESS-TRUE] if  $v_1 < v_2$  $\frac{env_V, sto \vdash a_1 \rightarrow_a v_1 \quad env_V, sto \vdash a_2 \rightarrow_a v_2}{env_V, sto \vdash a_1 < a_2 \rightarrow_b \text{ false}}$ [LESS-FALSE] if  $v_1 \not< v_2$  $\frac{env_V, sto \vdash b \rightarrow_b \text{ true}}{env_V, sto \vdash !b \rightarrow_b \text{ false}}$ [NOT-1]  $env_V, sto \vdash b \rightarrow_b true$ [NOT-2] $env_V, sto \vdash !b \rightarrow_b false$  $\frac{env_V, sto \vdash b_1 \rightarrow_b \text{true} \quad env_V, sto \vdash b_2 \rightarrow_b \text{true}}{env_V, sto \vdash b_1 \land b_2 \rightarrow_b \text{true}}$ [AND-TRUE]  $env_V, sto \vdash b_i \rightarrow_b false$ [AND-FALSE]  $env_V, sto \vdash b_1 \land b_2 \rightarrow_b false$ where  $i \in 1, 2$ Continued on the next page

$$[\text{OR-TRUE}] \qquad \frac{env_V, sto \vdash b_i \to_b \text{ true}}{env_V, sto \vdash b_1 \lor b_2 \to_b \text{ true}}$$
 
$$\text{where } i \in 1, 2$$
 
$$[\text{OR-FALSE}] \qquad \frac{env_V, sto \vdash b_1 \to_b \text{ false } env_V, sto \vdash b_2 \to_b \text{ false}}{env_V, sto \vdash b_1 \lor b_2 \to_b \text{ false}}$$
 
$$[\text{PAR-BOOL}] \qquad \frac{env_V, sto \vdash b \to_b v}{env_V, sto \vdash (b) \to_b v}$$

Table 1.3: Boolean expressions

Transitioner på formen:  $\langle D_V, env_V, sto \rangle \rightarrow_{DV} (env_V', sto')$  $\frac{\langle D_V, env_V'', sto[l \mapsto v] \rangle \to_{DV} (env_V', sto')}{\text{var } x < --a; D_V, env_V, sto \rangle \to_{DV} (env_V', sto')}$ [VAR-DEC] where  $env_V$ ,  $sto \vdash a \rightarrow_a v$ and  $l = env_V$  next and  $env_V'' = env_V[x \mapsto l][\text{next} \mapsto \text{new } l]$ [EMPTY-VAR]  $\langle \varepsilon, env_V, sto \rangle \rightarrow_{DV} (env_V, sto)$ Transitioner på formen:  $env_V \vdash \langle D_P, env_P \rangle \rightarrow_{DP} env_P'$  $\frac{env_V \vdash \langle D_P, env_P[p \mapsto (S, env_V, env_P)] \rangle \rightarrow_{DP} env_P'}{env_V \vdash \langle \operatorname{proc} \ p \ is \ S; D_P, env_P \rangle \rightarrow_{DP} env_P'}$ [FUNC-DEC] [EMPTY-FUNC]  $env_V \vdash \langle \varepsilon, env_P \rangle \rightarrow_{DP} env_P'$ Transitioner på formen:  $\langle D_A, env_V, sto \rangle \rightarrow_{DA} (env_V', sto')$  $\frac{\langle D_A, env_V[r \mapsto l, \text{next} \mapsto l + v + 1], sto[l \mapsto v] \rangle \rightarrow_{DA} (env_V', sto')}{\langle r[a_1], D_A, env_V, sto \rangle \rightarrow_{DA} (env_V', sto')}$ [ARRAY-DEC] where  $env_V$ ,  $sto \vdash a_1 \rightarrow_a v$ and  $l = env_V$ next and l > 0[EMPTY-ARRAY]  $\langle \varepsilon, env_V, sto \rangle \rightarrow_{DA} (env_V, sto)$ 

Table 1.4: Declarations