Bayesian data analysis – Assignment 6

General information

- The recommended tool in this course is R (with the IDE R-Studio). You can download R here and R-Studio here. There are tons of tutorials, videos and introductions to R and R-Studio online. You can find some initial hints from RStudio Education pages.
- Instead of installing R and RStudio on you own computer, see **how to use R and RStudio remotely**.
- When working with R, we recommend writing the report using R markdown and the provided **R markdown template**. The remplate includes the formatting instructions and how to include code and figures.
- Instead of R markdown, you can use other software to make the pdf report, but the the same instructions for formatting should be used. These instructions are available also in the PDF produced from the R markdown template.
- Report all results in a single, anonymous *.pdf -file and return it to peergrade.io.
- The course has its own R package aaltobda with data and functionality to simplify coding. To install the package just run the following (upgrade="never" skips question about updating other packages):
 - install.packages("remotes")
 remotes::install_github("avehtari/BDA_course_Aalto", subdir = "rpackage", upgrade="never")
- Many of the exercises can be checked automatically using the R package markmyassignment. Information on how to install and use the package can be found here. There is no need to include markmyassignment results in the report.
- Recommended additional self study exercises for each chapter in BDA3 are listed in the course web page.
- We collect common questions regarding installation and technical problems in a course Frequently Asked Questions (FAQ). This can be found **here**.
- Deadline for all assignments are Sunday at 23.59.
- If you have any suggestions or improvements to the course material, please post in the course chat feedback channel, create an issue, or submit a pull request to the public repository! Useful feedback will be thanked with bonus points.

Information on this assignment

This assignment is related to Chapters 10 and 11. The maximum amount of points from this assignment is 6.

Reading instructions: Chapter 10 and 11 in BDA3, see reading instructions **here** and **here**.

Grading instructions: The grading will be done in peergrade. All grading questions and evaluations for assignment 6 can be found **here**.

Reporting accuracy: For posterior statistics of interest, only report digits for which the Monte Carlo standard error (MCSE) is zero. *Example:* If you estimate $E(\mu) = 1.234$ with MCSE($E(\mu)$) = 0.01, you should report $E(\mu) = 1.2$.

Installing and using rstan: See the Stan demos on how to use Stan in R (or Python). jupyter.cs.aalto.fi has working R and RStan environment and is probably the easiest way to use RStan. The Aalto Ubuntu desktops also have the necessary libraries installed. To install Stan on your laptop, see the instructions below and additional answers in FAQ. Recently there have been reports of installation problems with Windows and R 4.0 (see Stan discourse for more), so if you don't succeed in short amount of time, it is probably easier to use jupyter.cs.aalto.fi.

If you use jupyter.cs.aalto.fi, all necessary packages have been pre-installed. In your laptop, install package rstan. Installation instructions on Linux, Mac and Windows can be found at https://github.com/stan-dev/rstan/wiki/RStan-Getting-Started. Additional useful packages are loo, bayesplot and shinystan (but you don't need these in this assignment). For Python users, PyStan, CmdStanPy, and Arviz packages are useful.

Stan manual can be found at http://mc-stan.org/documentation/. From this website, you can also find a lot of other useful material about Stan.

1. Generalized linear model: Bioassay with Stan (6 points)

Replicate the computations for the bioassay example of section 3.7 (BDA3) using Stan.

- 1. Write down the model for the bioassay data in Stan syntax. For instructions in reporting your implementation, you can refer to parts 2 c) g) in Assignment 5. More information on the bioassay data can be found in Section 3.7 of the course book and in chapter 3 reading instructions here. To get access to data, use the following code:
 - > library(aaltobda)
 - > data("bioassay")

Use the Gaussian prior as in Assignment 4 and 5, that is

$$\begin{bmatrix} \alpha \\ \beta \end{bmatrix} \sim \mathrm{N}\left(\boldsymbol{\mu}_{0}, \boldsymbol{\Sigma}_{0}\right), \qquad \text{where} \quad \boldsymbol{\mu}_{0} = \begin{bmatrix} 0 \\ 10 \end{bmatrix} \quad \text{and} \quad \boldsymbol{\Sigma}_{0} = \begin{bmatrix} 2^{2} & 10 \\ 10 & 10^{2} \end{bmatrix}.$$

Hint! You will need Stan functions multi_normal and binomial_logit for implementing the prior and observation model, respectively. In Stan code, it is easiest to declare a variable (say theta) which is a two-element vector so that the first value denotes α and latter one β . This is because the multi_normal function that you need for implementing the prior requires a vector as an input.

- 2. Use \widehat{R} for convergence analysis. You can either use Eq. (11.4) in BDA3 or the later version that can be found **here**. You should specify which \widehat{R} you used. In R the best choice is to use function Rhat from package rstan (see ?rstan::Rhat). To check \widehat{R} and other diagnostics, you can also call monitor(fit), where fit is the fit object returned by Stan's sampling function. Report the \widehat{R} values both for α and β and discuss the convergence of the chains. Briefly explain in your own words how to interpret the obtained \widehat{R} values.
- 3. Plot the draws for α and β (scatter plot) and include this plot in your report. You can compare the results to Figure 3.3b in BDA3 to verify that your code gives sensible results. Notice though that the results in Figure 3.3b are generated from posterior with a uniform prior, so even when your algorithm works perfectly, the results will look slightly different (although fairly similar).
- 4. To develop the course and provide feedback to Stan developers, we collect information on which Stan setup you used and whether you had any problems in setting it up or using it. Please report,
 - Operating system (Linux, Mac, Windows) or jupyter.cs.aalto.fi?
 - Programming environment used: R or Python?
 - Interface used: RStan, CmdStanR, PyStan, or CmdStanPy?
 - Did you have installation or compilation problems?
 - Did you try first installing locally, but switched to jupyter.cs.aalto.fi?
 - In addition of these you can write what other things you found out difficult (or even frustrating) when making this assignment with Stan.