

Table of Contents

1. Create simple application without Qt Creator

2. Deploy Qt application

2.1. Windows

3. Troubleshooting

3.1. msvc-version.conf loaded but QMAKE_MSC_VER isn't set

4. Miscellaneous

4.1. Shadow build

1

2

2

3

3

3

3

Qt is a cross-platform application development framework for desktop, embedded and mobile.

With Qt, GUIs can be written directly in C++ using its Widgets module. Qt also comes with an interactive graphical tool called Qt Designer which functions as a code generator for Widgets based GUIs. Qt Designer can be used stand-alone but is also integrated into Qt Creator.

Qt is far more than a GUI toolkit. It provides modules for cross-platform development in the areas of networking, databases, OpenGL, web technologies, sensors, communications protocols (Bluetooth, serial ports, NFC), XML and JSON processing, printing, PDF generation, and much more.

1. Create simple application without Qt Creator

1. Create project folder

Example: 03-SimpleAppWithoutQtCreator

2. Add the following main.cpp file

```
#include <QApplication>
#include <QColor>
#include <QTextEdit>

int main(int argc, char **argv)
{
    QApplication app (argc, argv);

    QTextEdit textEdit("My Text in text edit");
    textEdit.show();

    return app.exec();
}
```

- 3.Add Qt project file SimpleApp.pro

```
TEMPLATE = app
TARGET = simpleappwithoutQt


QT = core gui

greaterThan(QT_MAJOR_VERSION, 4): QT += widgets

SOURCES += main.cpp
```

- 4.In QT command window (MSVS or MingW) call qmake tool. The qmake generates the make files.

Note: In MSVS the vcvars.bat should be run before.



- 5.In QT command windows run the make/nmake command.

6.Run the *.exe file created in release/debug folder (from command line).




2. Deploy Qt application

2.1. Windows


Qt application Deployment for Windows

- 1. Execute nmake release. This will create the release folder.
- 2. In the release folder execute windeployqt windows deployment tool.

```
Example: windeployqt simpleappwithoutQt.exe
```



3.This creates the deployment package.



3. Troubleshooting

Sometimes the build 64bits doesn't work.

In this case check QMAKE_SPEC variable and set it as win64-msvc

¥ to query

```
qmake -query QMAKE_SPEC
```

¥ to set

```
qmake -set QMAKE_SPEC win64-msvc
```

3.1. msvc-version.conf loaded but QMAKE_MSC_VER isn't set

The variable seems to be set by qs QMAKE_MSC_VER = _MSC_VER

Where _MSC_VER is set by MS Visual Studio

I've changed to a build MSVS and it works.

4. Miscellaneous

4.1. Shadow build

Qt has a wonderful option: you can build Qt depending on your need from the same source code in many different flavors. This way you build different versions of Qt on your development machine from the same source code.

[Shadow builds](#)