

DATA 604 – Homework #2

J. Hamski

September 11, 2016

```
library(ggplot2)
library(magrittr)
```

$$\Pr(X=k) = ck^2 \text{ for } k=1, 2, 3$$

a. find c

$$b. \text{ find } \Pr(X \leq 2)$$

$$c. \text{ find } E[X] \text{ and } \text{Var}(X)$$

$$\begin{aligned} d &= \sum_{k=1}^3 ck^2 = c(1)^2 + c(2)^2 + c(3)^2 \\ &= 1c + 4c + 9c \\ &= \frac{14c}{14} \end{aligned}$$

$$\frac{1}{14} = c$$

$$\begin{aligned} b. \quad \Pr(X \leq 2) &= \Pr(X=1) + \Pr(X=2) \\ &= \frac{1}{14}(1)^2 + \frac{1}{14}(2)^2 \\ &= \frac{1}{14} + \frac{4}{14} \\ &= \frac{5}{14} \end{aligned}$$

$$\begin{aligned} c. \quad E[X] &= \sum x_i p(x_i) = \Pr(X=1) + 2\Pr(X=2) + 3\Pr(X=3) \\ &= 1 \cdot \frac{1}{14}(1)^2 + 2 \cdot \frac{1}{14}(2)^2 + 3 \cdot \frac{1}{14}(3)^2 \end{aligned}$$

$$= \frac{1}{14} + \frac{8}{14} + \frac{27}{14}$$

$$= \frac{36}{14}$$

$$= 2.57$$

1.

$$V_{AC}(X) = \sum (x_i - \bar{x})^2 = E(X^2) - [E(X)]^2$$

$$E(X^2) = 1^2 \frac{1}{14} (1)^2 + 2^2 \frac{1}{14} (2)^2 + 3^2 \frac{1}{14} (3)^2$$

$$= \frac{1}{14} + 4 \frac{4}{14} + 9 \frac{9}{14}$$

$$= \frac{1}{14} + \frac{16}{14} + \frac{81}{14} = \frac{98}{14} \times \frac{14}{14} = \frac{1372}{196}$$

$$[E(X)]^2 = \left(\frac{36}{14}\right)^2 = \frac{1296}{196}$$

$$V_{AC}(X) = \frac{1372}{196} - \frac{1296}{196} = \frac{76}{196} = \frac{19}{49} = 0.388$$

p.d.f. = $f(x) = cx^2$ for $1 \leq x \leq 2$

a. find c b. find $P(X \geq 1)$ c. find $E(X)$, $\text{Var}(x)$

$$\int_1^2 cx^2 = 1 = \frac{1}{3}cx^3 \Big|_1^2$$

$$1 = \frac{1}{3}c(2)^3 - \frac{1}{3}c(1)^3 =$$

$$1 = c\frac{8}{3} - c\frac{1}{3} = c\frac{7}{3}$$

$$c = \frac{3}{7}$$

$P(X \geq 1) = 1$, by definition of the pdf's bounds

$$\begin{aligned} E[X] &= \int_{-\infty}^{\infty} f(x) dx = \int_1^2 x \cdot \frac{3}{7}x^2 dx = \int_1^2 \frac{3}{7}x^3 dx = \frac{3}{28}x^4 \Big|_1^2 \\ &= \frac{3}{28}(2)^4 - \frac{3}{28}(1)^4 \\ &= \frac{48}{28} - \frac{3}{28} = \frac{45}{28} = 1.6 \end{aligned}$$

2.

$$\begin{aligned} E[X^2] &= \int_1^2 x \cdot \frac{3}{7}x^4 dx = \int_1^2 \frac{3}{7}x^5 dx = \frac{1}{14}x^6 \Big|_1^2 \\ &= \frac{1}{14}(2)^6 - \frac{1}{14}(1)^6 \\ &= \frac{64}{14} - \frac{1}{14} = \frac{63}{14} \end{aligned}$$

$$\text{Var}(X) = \frac{63}{14} - \left(\frac{45}{28}\right)^2$$

The variance calculation is completed here.

```
(63/14) - (45/28)^2
```


```
## [1] 1.917092
```

3.

```
x <- seq(from = 0, to = 1, by = 0.01)
f.x <- (3/2) - x
y <- seq(from = 1, to = 2, by = 0.01)
f.y <- y - (1/2)

joint.rv <- cbind(x, f.x, y, f.y) %>% as.data.frame()

ggplot(joint.rv) + geom_line(aes(x=x, y=f.x)) + geom_line(aes(x=y, y=f.y))
```



```
mean(f.x * x)
```

```
## [1] 0.415
```

```
mean(f.y * y)
```

```
## [1] 1.585
```

```

var(f.x)

## [1] 0.08585

var(f.y)

## [1] 0.08585

cov(f.x, f.y)

## [1] -0.08585

4.

obs <- c(7.3, 6.1, 3.8, 8.4, 6.9, 7.1, 5.3, 8.2, 4.9, 5.8)
(X.bar <- sum(obs) / length(obs))

## [1] 6.38

(S2 <- cov(obs, obs))

## [1] 2.161778

t.test(obs)

##
##  One Sample t-test
##
## data: obs
## t = 13.722, df = 9, p-value = 2.439e-07
## alternative hypothesis: true mean is not equal to 0
## 95 percent confidence interval:
## 5.328212 7.431788
## sample estimates:
## mean of x
##       6.38

sigma = sqrt(S2)
st.error = sigma/sqrt(length(obs))
margin.error = qnorm(.975) * st.error
X.bar + c(-margin.error, margin.error)

## [1] 5.468716 7.291284

```

5.

Memoryless means that for all $t > \theta$ and $s > \theta$

$$P(X > s+t | X > t) = P(X > s)$$

or

$$P(X > s+t) = P(X > s) P(X > t)$$

$$P(X > s) P(X > t) = e^{-\frac{s}{\alpha}} \cdot e^{-\frac{t}{\alpha}}$$

$$= e^{-\frac{s+t}{\alpha}}$$

$$= P(X > s+t)$$

Figure 1:


6. $\lambda = 1$, therefore the expected value of a give random variable X_i is 1 and the variance is 1. The expected value of the sequence of random variables is 100. The Central Limit Theorem means that if we repeatedly sample from this exponential distribution, the resulting calculations of mean and variance will vary according to the normal distribution with a mean and variance equal to that of the original distribution. This problem specifically asks for the summation over 100 random variables, therefore the question simply asks for the probability of a normal distribution with mean 100 and variance 100 between 100 and 110.

```
(CLT.prob <- pnorm(110, mean = 100, sd = 10, lower.tail = TRUE) -  
  pnorm(100, mean = 100, sd = 10, lower.tail = TRUE))
```

```
## [1] 0.3413447
```

This is can be confirmed via simulation:

```
exp.sim <- function(){return(rexp(100) %>% sum())}  
  
CLT.results <- replicate(1000, exp.sim())  
  
qplot(CLT.results, geom = "density")
```



```
(sim.prob <- length(which(CLT.results >= 100 & CLT.results <= 110)) / length(CLT.results))

## [1] 0.332
```

$$a. E[x] = \sum x_i P(x_i)$$

$$= \left(\frac{n(n+1)}{2} \right) \left(\frac{1}{(n+1)} \right) = \frac{n}{2}$$

$$\text{Var}[x] = E[x^2] - [E[x]]^2$$

$$= \left(\frac{n(n+1)(2n+1)}{6} \right) \left(\frac{1}{(n+1)} \right) - \left(\frac{n}{2} \right)^2$$

$$= \frac{n(2n+1)}{6} - \frac{n^2}{4}$$

$$= \frac{2n^2 + 1n}{6} - \frac{n^2}{4}$$

$$= \frac{4n^2 + 2n}{12} - \frac{3n^2}{12}$$

$$= \frac{n^2 + 2n}{12}$$

5.13

5.14 The integral of the pdf is $-e^{(-0.4x)}$.

```
satellite.pdf <- function(years){return(-exp(-0.4 * years))}  
yr.prob.5 <- 1 - (satellite.pdf(5) - satellite.pdf(0))
```

```
## [1] 0.1353353
```

```
(yr.prob.3.6 <- satellite.pdf(6) - satellite.pdf(3))
```

```
## [1] 0.2104763
```

5.39 a. What is the distribution of the length of the linkage?

linkage.length $N(150, 0.25)$

This is can be confirmed via simulation:

```
linkage.length <- function(){
  len <- rnorm(1, 60, sqrt(0.09)) + rnorm(1, 40, sqrt(0.05)) + rnorm(1, 50, sqrt(0.11))
  return(len)
}

linkage.length.sim <- replicate(1000, linkage.length())
summary(linkage.length.sim); var(linkage.length.sim)

##      Min. 1st Qu. Median      Mean 3rd Qu.      Max.
##    148.2    149.7   150.0    150.0   150.3    151.6

## [1] 0.2480797
```

b.

```
1 - pnorm(150.2, mean = 150, sd = sqrt(0.25))
```

```
## [1] 0.3445783
```

c.

```
pnorm(150.21, mean = 150, sd = sqrt(0.25)) - pnorm(149.83, mean = 150, sd = sqrt(0.25))
```

```
## [1] 0.295829
```