

This is a Very Important Title!

(Dated: August 27, 2020)

This abstract is abstract.

If you want to learn more about using L^AT_EX, you should check UiO's official tutorials: <https://www.mn.uio.no/ifi/tjenester/it/hjelp/latex/>

If you are familiar with L^AT_EX and you want to learn more about the REVTeX4-1 document class, check: http://www.physics.csbsju.edu/370/papers/Journal_Style_Manuals/auguide4-1.pdf

I. INTRODUCTION

II. METHOD

III. RESULTS

IV. DISCUSSION

V. CONCLUSION

ACKNOWLEDGMENTS

I would like thank myself for writing this beautiful document.

REFERENCES

- Reference 1
- Reference 2

Appendix A: mathematical derivations

In this appendix, all of the mathematical derivations for the physical formulas will be.

$$\langle v \rangle = \int_0^{\infty} v P(v) dv$$

$$P(v) = \left(\frac{m}{2\pi kT} \right)^{\frac{3}{2}} e^{-\frac{1}{2} \frac{mv^2}{kT}} 4\pi v^2$$

$$\langle v \rangle = \int_0^{\infty} v \left(\frac{m}{2\pi kT} \right)^{\frac{3}{2}} e^{-\frac{1}{2} \frac{mv^2}{kT}} 4\pi v^2 dv$$

$$\langle v \rangle = 4\pi \left(\frac{m}{2\pi kT} \right)^{\frac{3}{2}} \int_0^{\infty} v^3 e^{-\frac{1}{2} \frac{mv^2}{kT}} dv$$

$$x = \frac{1}{2} \frac{mv^2}{kT} \Leftrightarrow v^2 = \frac{2kTx}{m} \Rightarrow v = \sqrt{\frac{2kTx}{m}}$$

$$\frac{dv}{dx} = \sqrt{\frac{2kt}{mx}} \Leftrightarrow dv = \sqrt{\frac{2kT}{mx}}$$

$$\langle v \rangle = 4\pi \left(\frac{m}{2\pi kT} \right)^{\frac{3}{2}} \int_0^{\infty} \left(\frac{2kTx}{m} \right)^{\frac{3}{2}} e^{-x} \sqrt{\frac{2kT}{mx}} dx$$

$$\langle v \rangle = 4\pi \left(\frac{m}{2\pi kT} \right)^{\frac{3}{2}} \left(\frac{2kT}{m} \right)^{\frac{3}{2}} \left(\frac{2kT}{m} \right)^{\frac{1}{2}} \int_0^{\infty} x^{\frac{3}{2}} x^{\frac{1}{2}} e^{-x} dx$$

$$\langle v \rangle = 4\pi^{1-\frac{3}{2}} \left(\frac{m}{2kT} \right)^{\frac{3}{2}} \left(\frac{2kT}{m} \right)^{\frac{3}{2}} \left(\frac{2kT}{m} \right)^{\frac{1}{2}} \int_0^{\infty} x e^{-x} dx$$

$$\langle v \rangle =$$

$$\langle v \rangle =$$

Next

$$P = \frac{1}{3} \int_0^{\infty} p v n(p) dp$$

(A1)

Appendix B: This is another appendix

Tada.

Note that this document is written in the two-column format. If you want to display a large

equation, a large figure, or whatever, in one-column format, you can do this like so:

This text and this equation are both in one-column format.

[1]

$$\frac{-\hbar^2}{2m}\nabla^2\Psi + V\Psi = i\hbar\frac{\partial}{\partial t}\Psi \quad (\text{B1})$$

Note that the equation numbering (this: **B1**) follows the appendix as this text is technically inside Appendix **B**. If you want a detailed listing of (almost) every available math command, check: <https://en.wikibooks.org/wiki/LaTeX/Mathematics>.

And now we're back to two-column format. It's really easy to switch between the two. It's recommended to keep the two-column format, because it is easier to read, it's not very cluttered, etc. Pro Tip: You should also get used to working with REVTeX because it is really helpful in FYS2150.

One last thing, this is a code listing:

```
This will be displayed with a cool programming font!
```

You can add extra arguments using optional parameters:

```
This will be displayed with a cool programming font!
```

You can also list code from a file using `\lstinputlisting`. If you're interested, check https://en.wikibooks.org/wiki/LaTeX/Source_Code_Listings.

This is a basic table:

Table I. This is a nice table

Hey	Hey	Hey
Hello	Hello	Hello
Bye	Bye	Bye

You can a detailed description of tables here: <https://en.wikibooks.org/wiki/LaTeX/Tables>.

I'm not going to delve into Tikz in any level detail, but here's a quick picture:




Figure 1. This is great caption

If you want to know more, check: <https://en.wikibooks.org/wiki/LaTeX/PGF/TikZ>.

[1] This equation is actually from quantum mechanics. “It’s called Schrödinger’s Time-Dependent Wave Equation”, named after the awesome Austrian physicist Erwin Rudolf Josef Alexander Schrödinger. Yep, the “Schrödinger’s cat”

guy. Pretty cool dude actually, check his wiki page: https://en.wikipedia.org/wiki/Erwin_Schrodinger. He was physics’ no. 1 Ladies’ man if there ever was one. Anyway, you will learn more about this equation in FYS2140.

You can also find it printed on a glass wall in the UiO Physics Building (it really is that important).