

Software Requirements Specification for the **ConMan**

Authors:

Angel De Castro	Luis Retana
Nicholas Otto	Christopher Yip

Version 0.1
10/18/2013

Contents

1	Introduction	3
1.1	Purpose	3
1.2	Intended Audience	3
1.3	Product Scope	3
2	Overall Description	4
2.1	Product Perspective	4
2.2	User Classes and Characteristics	4
2.3	Product Functions	4
2.4	Operating Environment	5
2.5	User Documentation	5
3	External Interface Requirements	6
3.1	User Interfaces	6
3.1.1	Calendar View	6
3.1.2	Calendar/Checklist View	6
3.1.3	Checklist View	6
3.2	Hardware Interfaces	7
3.3	Software Interfaces	7
3.4	Communications Interfaces	7
4	System Features	8
4.1	Calendar View	8
4.1.1	Description and Priority	8
4.1.2	Stimulus/Response Sequences	8
4.1.3	Functional Requirements	8
4.2	Adding, Editing, Deleting Tasks	8
4.2.1	Description and Priority	8

4.2.2	Stimulus/Response Sequences	9
4.2.3	Functional Requirements	9
4.3	User Profiles	9
4.3.1	Description and Priority	9
4.3.2	Stimulus/Response Sequences	9
4.3.3	Functional Requirements	9
4.4	Notification System	10
4.4.1	Description and Priority	10
4.4.2	Stimulus/Response Sequences	10
4.4.3	Functional Requirements	10
5	Other Nonfunctional Requirements	11
5.1	Performance Requirements	11
5.2	Safety Requirements	11
5.3	Security Requirements	11
5.4	Software Quality Attributes	11
5.5	Business Rules	11

1 Introduction

1.1 Purpose

The Calendar, Organization, and Notification Manager - **ConMan** - is a web-suite that gives project managers the tools needed to plan, assign, and follow-up on tasking given to project team members. This SRS covers all aspects of **ConMan** .

1.2 Intended Audience

This document is intended primarily for developers and reviewers of the **ConMan** suite. Advanced users of **ConMan** may find reading this SRS interesting reading as well.

1.3 Product Scope

ConMan 's main objective is to give project managers and project team members a simple, but effective, tool for planning their tasking and keeping to a schedule. **ConMan** accomplishes its purpose with these mechanisms:

- Tight integration of scheduled tasking with a calendar view. **ConMan** will allow a user to see at a glance the tasks they are assigned, how much progress has already been made, and the effort remaining to complete the task.
- Meaningful notifications and updates. Users can choose to select a notification schedule themselves or receive automatic notifications of changes to their tasks and upcoming deadlines.

2 Overall Description

2.1 Product Perspective

ConMan is inspired by existing attempts made to create a useful calendar, checklist, and task management software suite such as Trello, SourceForge, and some basic calendar applications for iPhone and Android. **ConMan** is a re-making of the task-management suite that emphasises simplicity and ease of use as the primary development and design philosophies.

2.2 User Classes and Characteristics

The two user classes for **ConMan** are managers and members. Managers will have privileged commands available which will effect an entire team. Members are assigned to teams and can modify the tasking that is assigned to them. When a member switches to individual mode, each member is his/her own manager.

2.3 Product Functions

ConMan's functions divide into two categories, application functions and user functions. Application functions are the functions that describe the basic workings of **ConMan** . Application functions include:

1. Create a user profile.
2. Switch to Calendar View.
3. Switch to Task View.
4. Switch to Checklist View.
5. Get notifications and updates.

User functions are further divided into manager and member categories. Manager categories are only available to users who are designated a project manager when the user profile is created.

1. Create and delete teams.
2. Add and modify tasks for a team.
3. Create, modify, and delete checklists for the team.
4. Create group notifications.
5. Perform member verification functions.

Finally the member functions apply to every user of **ConMan** . These functions are:

1. Write task progress notes.

2. Write checklist progress notes.
3. Switch between team and individual views.
4. Mark checklist items as complete (if the checklist is assigned to the member).

2.4 Operating Environment

ConMan deploys on an ASP.NET server using a SQLExpress database. The target browsers in which **ConMan** will run are Firefox and Chrome.

2.5 User Documentation

The documents available describing **ConMan** include this software requirements specification, a user manual, and an in-app help menu.

All of the documentation will be available in PDF.

3 External Interface Requirements

3.1 User Interfaces

User Interface characteristics for the **ConMan** web application are as follows:

- The application will use standard HTML, CSS, JavaScript, and possibly ASP.NET controls to structure and create the user interface.
- The web application will provide a consistent layout through the use of consistent coloring, formatting, etc.
- The web application will display the company's logo (towards the top left of the screen) of the logged in user
- The web application will provide the user with a Help button so that the user can quickly and easily learn how to use each component of the application.
- The web user interface will handle errors in different ways:
 - If a web form is not completed in a valid manner, then the UI will present an error message in red text to the right of each form field that was not valid. Each of these error messages will display a message that is appropriate for the error. For example, if a field accepts non-negative numbers and the user enters -1.5, the UI will display an error message indicating that input must not be negative.
 - All other errors will be presented to the user via a dialog/message box that cannot be ignored without acknowledgment (i.e. pressing "OK"). This message must present the user with helpful messages that describe the error. For example, an error message for a database transaction may state "ERROR: Communication with the server's database has been lost".
- The web application will allow the user to quickly switch between calendar view, checklist view, or calendar/checklist view

3.1.1 Calendar View

The Calendar View shows the current month's calendar and for each day, it will display the name of each task that has a checklist due on that day. By clicking on the name of a task, the web application will redirect the user to the Checklist View (discussed below).

3.1.2 Calendar/Checklist View

The Calendar/Checklist View will show the calendar of all deadlines and will present the checklist associated with the day selected by the user.

3.1.3 Checklist View

The Checklist View will show a checklist that states what must be completed by a certain date specified by the Task and Checklist manager/owner.

Finally, the web application will have log-in information available in the top-right corner of the page. If the user is not logged in, the top-right corner of the page will prompt the user for log-in credentials. If the user is logged in, the top-right corner of the page will display the user's log-in name and will display a link/button for the user to sign out. The web application will alert the user that one or more checklists are due for the current day by presenting the user with a dialog/message box stating which Tasks have checklists due. Similarly, the application will alert the user of checklists with due dates in the near future (e.g. due dates within the next 3 days).

3.2 Hardware Interfaces

Not applicable for ConMan .

3.3 Software Interfaces

As mentioned in section 3.1, the web application will be built using HTML, CSS, JavaScript, and ASP.NET. The application will also need to interface with the database located on the server through the use of SQL and database libraries such as those provided by the .NET framework. This database will store all data pertaining to user information (ID, name, log-in credentials, age, employer, team name, email address, etc.), company information (ID, name, employees, teams, etc.), task information (ID, due date, creator team ID, employees, checklists, etc.), and checklist information (ID, creator, due date, task ID, employees, list, etc.).

3.4 Communications Interfaces

The web application will rely on the following technologies for communication:

- SMTP for sending out email notifications to users of checklists within upcoming due dates
- SQL for performing transactions with the application's database

4 System Features

Our system will have a simple layout. The main screen will show a simple month-view calendar with the current day highlighted. The name of an assigned task or checklist will appear on the day of the month when it is due. The calendar then offers the possibility of clicking on any day or task. If a task is clicked, a list will appear with the task details along with options for adding, deleting or editing checklists associated with the task. If instead the day of the month was clicked, the only option will be to add a new task. The interface will also have a menu added to select user, change view and any other secondary feature helpful to the system.

4.1 Calendar View

4.1.1 Description and Priority

Creating a Calendar View will be our main priority it should allow the user to click on any day to see or create new tasks. The view should also implement the possibility of changing months to see past and future tasks. This will be of the highest priority 9 since all future features are based on the user being able to choose a day from the calendar.

4.1.2 Stimulus/Response Sequences

After logging into **ConMan** the initial screen will be the Calendar View. When the user clicks on a day it should transition into a to-do list interface. Here the user can see, add, edit or delete tasks. The view feature will show a form with the tasks information.

4.1.3 Functional Requirements

The interface must be intuitive, with minimal training required to learn how its used. To minimize user error all action buttons will be large and simple and the options will be controlled by the system.

4.2 Adding, Editing, Deleting Tasks

4.2.1 Description and Priority

Modifying a task is the central user function in **ConMan** . Adding a task will create a new entry for specific day inside the Calendar View, deleting a task completely removes a task, while editing will allow the user to change any of a task fields. This will be of the highest priority 9 since all of the system functionality depends on the user being able to assign tasks to a day.

4.2.2 Stimulus/Response Sequences

Once the day is selected the user will be able to choose between adding, deleting, editing and viewing the task. Adding a task will take the user to a form where he can enter the initial task values and then create the task. Editing will take you to the same form with the fields already completed and deleting will remove the entry.

4.2.3 Functional Requirements

The task form will require the usual fields in a calendar. It should include date, time, description, alarm. Once filled the system then adds the task to the day specified. The form will check for errors in the information supplied before accepting the task. If the user changes the date this should also be reflected on the calendar.

4.3 User Profiles

4.3.1 Description and Priority

With this feature a user can log into a profile, loading all the tasks previously created onto the Calendar View. A simple authentication process is required to ensure privacy, a user will also be able to create an account on startup. Since this feature is important but not critical to system use, User Profiles have a priority of 7.

4.3.2 Stimulus/Response Sequences

The authentication process will be the first screen. The authentication screen will offer the possibility of creating a new user or entering existing credentials. If a new user is created, the system will transition into the user creation interface where he can complete the fields. If the user already has an account, he will be showed his calendar with all the tasks previously created.

4.3.3 Functional Requirements

The new user form will require the usual fields, name, surname, password, email... Once filled the system will take the user to its calendar. The authentication process must be secure, it must control who access each profile since the data saved is confidential. If an incorrect user is entered or the information for the new user is incorrect, the user will be prompted with a error message.

4.4 Notification System

4.4.1 Description and Priority

This feature can be activated at the task creation form. If activated, this feature will warn the user with an email when a task is coming upon its due date. The notification alerts will have a 5 priority.

4.4.2 Stimulus/Response Sequences

This option will be made available to the user once he has entered the create new task form. It will give the user the option to choose a time to remind him of the event.

4.4.3 Functional Requirements

The system will have to control that the time entered is plausible and has a correct format. If an invalid notification date is set, the user will be informed of the error.

5 Other Nonfunctional Requirements

5.1 Performance Requirements

As a general requirement, the user should be able to visually see some type of response from the program withing 0.2 seconds after a valid user action. If, for instance, a user performs an action that requires validation from the server (such as authenticating the user upon login), this requirement does not stiuplate that the server will be finished processing the request withing 0.2 seconds, but rather the program gives at least a loading indicator to signal the user that their actions has been received.

All e-mails sent by **ConMan** will be sent within 5 minutes of the requested time. **ConMan**, of course, has no control over the performance of the user's e-mail network which will receive the mail.

5.2 Safety Requirements

There are no known physical safety requirements at this time. Caution should be exercised when using any unfamiliar device, however.

5.3 Security Requirements

A user should only be able to log onto **ConMan** with valid user credentials. Furthermore, a user should only be able to modify tasks or checklists which they are assigned to. Also, member level users can only view tasks assigned to the team to which they belong.

Manager level user, however, are the only user class that can add or assign tasks to teams. Also Manager users are solely responsible for marking finished tasks or checklists as complete. Users should not have this functionality.

5.4 Software Quality Attributes

The source code will adhere to the following attributes:

- The source code will be reasonably documented. All non-trivial functions or methods will have header documentation describing the following:
 1. Name
 2. General description, including pre-conditions
 3. List and description of input parameters
 4. List and description of returned values
 5. Information about state change during method execution (post-condition)
- The source code will adhere to a single programming style, namely the Stroustrup variant of K&R style.

- All code blocks will be enclosed in curly brackets, even if not explicitly required.

Above all else, the system will strive to be usable. We want flexibility, but if rigid assumptions must be made to release the product on time, then so be it.

5.5 Business Rules

This product will ship by the end of the fall semester.