Measuring the performance of Organ Procurement Organizations in the United States

Christopher Saw

February 27, 2023

Background

- US: >104,000 people are currently on hospital waiting lists for an organ transplant (kidney, pancreas, liver, intestine, heart, lungs)
- 2022: 42,888 transplants performed from both living and deceased donors
- National Organ Transplant Act (1984) set up a system to recover organs from the deceased, implemented by non-profit government contractors
- Research questions: How good are OPOs at producing transplants? How can I
 measure their unobserved effort?
- Why is this important? Failure to produce more organ transplants at current resource levels imply huge welfare losses that can be avoided

What are Organ Procurement Organizations?

- There are 57 OPOs in the US. Each OPO is exclusively responsible for recovering deceased donor organs from their Donation Service Area Map Statistics
- OPOs have to (a) identify eligible organ donors, (b) obtain consent for organ donation, (c) recover organs, (d) ensure that organs are viable, and (e) transport organs to transplant center hospitals
- In a recent report, Centers for Medicare & Medicaid Services (CMS) assessed more than half of all OPOs as failing or underperforming, and estimated that up to 28,000 organs available from deceased donors go unprocured each year
- Data show huge variation in OPO performance

Data from brain-deaths show large variation in OPOs' donor recovery rate




Figure 1: OPO Brain Death Donors (230 OPO-year obs.) Details

There is also variation in successful transplantation after organ recovery




Figure 2: OPO Transplantation Rates (230 OPO-year obs.) Statistics



OPO employment and wages show a weak relationship with transplants per million people; so what drives the differences in OPO performance?




Figure 3: OPO Employment and Wages (144 OPO-year obs.) Statistics

Sources for OPO-level data

- OPO-specific reports by SRTR¹, 2018-2021: Example
 Population and land area of each OPO region; No. of organs recovered/transplanted; No. of deceased donors; No. of brain deaths²; and more...
- OPO annual cost reports to CMS (Form 216-94), 2019-2021: CMS Form
 OPO organ acquisition costs; operating revenue and expenses, employment;
 salaries; Medicare claims; assets and liabilities; viable and non-viable organs
 recovered; and more...

¹Scientific Registry of Transplant Recipients (http://www.srtr.org) is a research institute that specializes in statistics on OPOs and organ transplants

 $^{^2}$ Brain deaths are counted by SRTR as patients who have been declared brain dead in accordance with state and local laws, are age \leq 75, and have no exclusionary medical conditions

What are the potential sources of OPO inefficiency?

- In order to produce a transplant, OPOs have to (i) go to deceased donors first, and (ii) recover their organs. A lack of OPO effort could look like:
 - (i) OPO fails to follow-up when a potential-donor dies³
 → OPO performance for producing donors is not accurately measured; hospitals lack incentives to report OPOs
 - (ii) OPO fails to recover organs in a timely manner/ does not keep the organ viable/ does not get the organ to the transplant hospital
 - → OPO performance for producing transplants is accurately measured; every attempted organ recovery is observed

³The cause of death may or may not be brain death.

I use the structure of the organ recovery process to write a 2-stage model

• In the 2nd stage, OPOs produce *Transplants* with a single input *Donors*

$$Transplants = \exp(\omega) \cdot \exp(\varepsilon) \cdot Donors^{\alpha}$$

- ullet lpha captures returns to scale
- ε is unobserved medical shocks (e.g. transplant doctor decides to reject viable organ; patient passes away before organ reaches them)
- ω is unobserved OPO effort this is the parameter of interest
- Assume $\varepsilon \perp \omega$: random medical shocks are independent of OPO effort at producing transplants

With limited data, I have to make strong assumptions in the 1st stage

- ullet In the 1st stage, *Donors* is determined by OPO labor, unobserved effort ω and other covariates; in reality, OPO inputs and effort are always required to produce a donor from a potential-donor death
- Assume that Donors follows the data generating process

$$Donors = f(X) + \omega + \nu$$

- Assume $f(\cdot)$ is an unknown, smooth function
- Assume⁴ $\mathbb{E}(\nu|X,\omega)=0$
- Given the data⁵, let X = (Brain Deaths, Area Size, OPO Employment)

 $^{^4}$ This is a strong assumption, because I have not yet carefully worked out what is in u.

⁵There are 144 OPO-year obs. left after merging SRTR data (2018-2021) with CMS cost reports (2019-2021). The CMS report has missing fields and does not have data on 7 OPOs.

Summary

I get a control function for ω , which allows me to recover ε

• The assumptions give the conditional expectation function

$$\mathbb{E}(\omega|X) = \mathbb{E}(Donors|X) - f(X)$$

which allows for a control function for ω in (*Donors*, X)

• The 2nd stage equation can be expressed with an unknown function $\phi(\cdot)$

$$\log \textit{Transplants} = \phi(\textit{Donors}, X) + \varepsilon$$

• $\phi(\cdot)$ can be approximated by a non-parametric estimator $\hat{\phi}(\cdot)$; I use a kernel density estimator for $\hat{\phi}(\cdot)$ to recover $\hat{\varepsilon}$ under the assumption of $\varepsilon \perp \omega$

The final step is to estimate the 2nd stage using an IV

• The last step is to estimate α , and get ω from the same reduced-form equation:

$$\log Transplants = \hat{lpha}_0 + \hat{lpha}_1 \log Donors + \hat{arepsilon} + \omega$$

- $\mathbb{E}(\omega|Donors) \neq 0$, so I need an instrument for *Donors*
 - Any data from CMS or SRTR will fail the exclusion restriction due to selection
 - I construct a population-weighted measure of *Household Income* from US Census data for each OPO-region-year; and show that higher-income regions are associated with more donors Graph
 - I instrument *Donors* with *Household Income* and include year effects; my identification assumption is that OPOs do not respond differently to produce donors and transplants based on the income of their region IV regression

I find that ω could provide a measure for unobserved OPO effort




Figure 4: $\log(Transplants)$ and $\log(Donors)$ are increasing in $\hat{\omega}$

Recap

- I have showed that there is huge variation in OPO performance, both in terms of (i) producing donors and (ii) producing transplants
- I posit that unobserved OPO effort ω can be linked between (i) and (ii); I formulate simple structural equations that describe the organ recovery and transplant process, and derive a method to estimate ω
- To estimate my model, I used OPO-level data from CMS (2019-21), SRTR (2018-21) and aggregated county-level US Census estimates (2019-21) — my final sample only has 144 OPO-year observations and lacks statistical power
- I can compare my estimates of ω with SRTR and CMS performance measures of OPOs; CMS recently published a *Revisions to Outcome Measures for OPOs*

Next Steps

- The central challenge of this project is that potential-donor numbers are not known, so how do we find out if OPOs are doing enough work to recover donors?
- Failure to produce more organ transplants at current resource levels imply huge welfare losses — there are currently no good estimates of this, with most studies focusing on kidney transplants
- One direction to go would be to use medical data (National/State Inpatient Sample) to estimate the base of potential donors, and obtain transplant-level data from SRTR over a longer period of time to gain statistical power
- Another direction is to look further into OPO finances (IRS Form 990 filings), compare them with OPO cost reports, and identify cost inefficiencies (OPOs have weak internal controls and are marred with scandals and conflicts of interests)




Figure 5: Map of OPO Donation Service Areas (Source: SRTR)

| | Obs. | Mean | SD | Min | P50 | Max |
|------------------------------|------|--------|---------|--------|--------|---------|
| Population (mil) | 230 | 5.76 | 3.78 | 1.41 | 4.72 | 20.13 |
| Land Area (sq miles) | 230 | 61,571 | 110,147 | 3,557 | 39,589 | 808,360 |
| By total population: | | | | | | |
| All Deaths ⁶ | 230 | 50,369 | 29,581 | 12,303 | 46,089 | 150,246 |
| Deceased Donors ⁷ | 230 | 201.3 | 125.4 | 35.0 | 172.5 | 705.0 |
| Organ Transplants | 230 | 622.6 | 374.7 | 79.0 | 541.0 | 1862.0 |
| Per million people: | | | | | | |
| All Deaths | 230 | 9,083 | 1,390 | 5,670 | 9,111 | 13,025 |
| Deceased Donors | 230 | 36.4 | 11.1 | 16.4 | 34.5 | 79.7 |
| Organ Transplants | 230 | 112.0 | 31.8 | 49.8 | 109.0 | 206.2 |

Table 1: Summary Statistics from OPO-Year Observations (2018-2021) Back

⁶US Census Bureau projections

 $^{^{7}\}text{A}$ deceased donor is a donor from whom at least one organ was recovered for the purpose of transplant

There is no clear measure of potential-donors in the data

| | Obs. | Mean | SD | Min | P50 | Max |
|-------------------------------------|------|-------|-------|-------|-------|-------|
| Deceased Donors | 230 | 201.3 | 125.4 | 35 | 172.5 | 705 |
| Deceased Donors \cap Brain Deaths | 230 | 144.1 | 91.0 | 21 | 124 | 493 |
| Brain Deaths | 230 | 202.8 | 130.8 | 33 | 178.5 | 618 |
| Ratio (Histogram) | 230 | 0.720 | 0.079 | 0.516 | 0.7 | 0.901 |

Table 2: Ratio = (Deceased Donors ∩ Brain Deaths) / Brain Deaths

- A deceased donor is a donor from whom at least one organ was recovered for the purpose of transplant; measure includes brain death and non-brain death
- Brain deaths are counted by SRTR as patients who have been declared brain dead in accordance with state and local laws, are age \leq 75 at death, and have no exclusionary medical conditions

Organs Transplanted


| | | Mean | | | | |
|--------|-----|-------|-------|-------|-------|-------|
| Kidney | | | | | | |
| Heart | 230 | 0.719 | 0.177 | 0.000 | 0.732 | 1.000 |
| Liver | | 0.861 | | | | |
| Lung | 230 | 0.692 | 0.175 | 0.000 | 0.726 | 1.000 |

Table 3: Ratio of $\frac{Transplanted}{Recovered for Transplant}$ by organ Back

| | Obs. | Mean | SD | Min | P50 | Max |
|---------------------------------|------|---------|---------|--------|---------|-----------|
| Overall OPO: | | | | | | |
| Total Employment | 147 | 172 | 188 | 20 | 126 | 1168 |
| Average Wage | 147 | 90,211 | 25,600 | 26,051 | 87,739 | 187,242 |
| Procurement Coordinators | 142 | 47 | 39 | 5 | 36 | 162 |
| Average Wage | 139 | 156,627 | 180,115 | 36,521 | 111,497 | 1,884,220 |
| Per Transplant: | | | | | | |
| Total Employment | 147 | 0.323 | 0.445 | 0.085 | 0.220 | 2.707 |
| Average Wage | 147 | 212 | 201 | 21 | 159 | 1373 |
| Procurement Coordinators | 142 | 0.074 | 0.057 | 0.003 | 0.064 | 0.418 |
| Average Wage | 139 | 333 | 290 | 41 | 224 | 1384 |

Table 4: Summary Statistics on OPO Employment and Wages from CMS Back

Higher-income regions have more deceased donors





| Model | (1) | (2) | (1) | (2) | (1) | (2) |
|---------------|--------------|--------------|-----------------|-----------------|-----------------|-----------------|
| | IV 1st Stage | IV 1st Stage | OLS | OLS | IV 2nd Stage | IV 2nd Stage |
| VARIABLES | log_donors | log_donors | log_transplants | log_transplants | log_transplants | log_transplants |
| log_hh_income | 0.817*** | 0.750*** | | | | |
| | (0.244) | (0.248) | | | | |
| log_donors | | | 0.998*** | 1.030*** | 0.929*** | 0.593*** |
| | | | (0.0154) | (0.0107) | (0.0721) | (0.106) |
| Constant | -3.939 | -3.227 | 1.139*** | 0.969*** | 1.499*** | 3.222*** |
| | (2.704) | (2.734) | (0.0792) | (0.0553) | (0.370) | (0.546) |
| Year Effects | No | Yes | No | Yes | No | Yes |
| Observations | 224 | 224 | 230 | 230 | 224 | 224 |
| R-squared | 0.048 | 0.084 | 0.949 | 0.977 | 0.946 | 0.796 |

Standard errors in parentheses

Figure 6: Regression results for OLS and 2SLS. Model (1) excludes year effects and Model (2) includes year effects. Predicted residuals from model (2) are used to calculate ω

^{***} p<0.01, ** p<0.05, * p<0.1