7th class

Henri Vandendriessche henri.vandendriessche@ens.fr

2022-11-08

Terminal cheat sheet reminder

- Bash commands to navigate directories
 - Print Working Directory. Print the path of the current directory

pwd

List all files of the current directory

ls folder

Moving into folder1 and subfolder2 at once.

cd folder1/subfolder2

Moving out of a directory

cd ..

• Going back and forth in the directory tree

cd ../../folder1/subfolder1

Going back to the root directory

cd ~

- "Tab" to use the auto-completion
- Ctrl + C to stop a program execution
- Many more bash commands to use...

Previously on Intro to Programming (Python)

- Data types:
 - integer
 - float
 - string
 - boolean
- If, For and While loops:
 - syntax
 - indentation
- Data collections:
 - list
 - 1151
 - tuple
 - set
 - dictionary
- Python Standard library
 - Python modules
 - Python built-in functions
- Functions:
 - · Parameters and arguments
 - Return values
 - Scope of variable
- Building abstraction with :
 - Recursive functions
 - High order functions
- Read and write files

Today

- CSV
- Date format
- downloading

• Comma-separated-value (CSV) is a text file that uses comma to delimit data entries.

- Comma-separated-value (CSV) is a text file that uses comma to delimit data entries.
- .csv is a pretty simple and basic format that is often use when data needs to be compatible with many different programs and applications

- Comma-separated-value (CSV) is a text file that uses comma to delimit data entries.
- .csv is a pretty simple and basic format that is often use when data needs to be compatible
 with many different programs and applications
- csv files can be open by any text editors, spreadsheet like Excel and many other programs.

- Comma-separated-value (CSV) is a text file that uses comma to delimit data entries.
- .csv is a pretty simple and basic format that is often use when data needs to be compatible with many different programs and applications
- csv files can be open by any text editors, spreadsheet like Excel and many other programs.
- Data bases for example, very often support csv as an export format.

- Comma-separated-value (CSV) is a text file that uses comma to delimit data entries.
- .csv is a pretty simple and basic format that is often use when data needs to be compatible
 with many different programs and applications
- csv files can be open by any text editors, spreadsheet like Excel and many other programs.
- Data bases for example, very often support csv as an export format.
- example:

```
Name, Email, Phone, Address
John Doe, johndoe@example.com, 123-456-7890, 123 Fake Street
Michel Dupont, michel.dupont@test.com, 098-765-4321, 321 Ghost Avenue
```

• Datetime module: https://docs.python.org/3/library/datetime.html

- Datetime module: https://docs.python.org/3/library/datetime.html
- Module that supplies classes for manipulating dates and times

- $\bullet \ \, \mathsf{Datetime} \ \, \mathsf{module:} \ \, \mathsf{https:}//\mathsf{docs.python.org/3/library/datetime.html}$
- Module that supplies classes for manipulating dates and times
- Datetime module has a lot of different objects for example:

- Datetime module: https://docs.python.org/3/library/datetime.html
- Module that supplies classes for manipulating dates and times
- Datetime module has a lot of different objects for example:
 - timedelta object represents a duration, the difference between two dates or times.

- Datetime module: https://docs.python.org/3/library/datetime.html
- Module that supplies classes for manipulating dates and times
- Datetime module has a lot of different objects for example:
 - timedelta object represents a duration, the difference between two dates or times.
 - date object represents a date (year, month and day) in a calendar

- Datetime module: https://docs.python.org/3/library/datetime.html
- Module that supplies classes for manipulating dates and times
- Datetime module has a lot of different objects for example:
 - timedelta object represents a duration, the difference between two dates or times.
 - date object represents a date (year, month and day) in a calendar
 - datetime object is a single object containing all the information from a date object and a time object

- Datetime module: https://docs.python.org/3/library/datetime.html
- Module that supplies classes for manipulating dates and times
- Datetime module has a lot of different objects for example:
 - timedelta object represents a duration, the difference between two dates or times.
 - date object represents a date (year, month and day) in a calendar
 - datetime object is a single object containing all the information from a date object and a time object
 - time object represents a (local) time of day, independent of any particular day

- Datetime module: https://docs.python.org/3/library/datetime.html
- Module that supplies classes for manipulating dates and times
- Datetime module has a lot of different objects for example:
 - timedelta object represents a duration, the difference between two dates or times.
 - date object represents a date (year, month and day) in a calendar
 - datetime object is a single object containing all the information from a date object and a time object
 - time object represents a (local) time of day, independent of any particular day

• Example 1

```
from datetime import *
date1 = date(2022,11,8)
date2 = date(2022,12,24)
difference = date2 - date1
print(difference , "Before Christmas")

## 46 days, 0:00:00 Before Christmas
print(type(date1))

## <class 'datetime.date'>
print(type(difference))

## <class 'datetime.timedelta'>
```

• Example 2 from datetime import * time = datetime.now() print(time) ## 2022-11-08 12:05:00.249065 time2 = datetime.now() print(time2) ## 2022-11-08 12:05:00.257845 if time > time2: print("time is posterior to time2") elif time2 > time: print("time2 is posterior to time")

Example 3

```
from datetime import *
time = datetime(2022, 11, 8, 14, 30, 10)
print(time)
time2 = date(2022, 11, 8)
print(time2)
if time > time2:
  print("time is posterior to time2")
elif time2 > time:
  print("time2 is posterior to time")
elif time == time2:
    print("They are the same date")
```

TypeError: can't compare datetime.datetime to datetime.date

Exercise

- We are gonna work today on the open data regarding location of cameras / video protection in Paris (until 2018)
- From the government website https://www.data.gouv.fr download the .ods file here: https://www.data.gouv.fr/fr/datasets/r/c2f25a7d-c916-45b8-ba23-f658c63bae6b
- Save the file in .csv
- Exercise 1: Return the number of cameras in Paris
- Exercise 2: Print all information about cameras in the 5th arrondissement
- Exercise 3: Number of cameras in each arrondissement
- Exercise 4: Print arrondissement with the highest number of cameras
- Exercise 5: Date of first camera installed in Paris
- Exercise 6: Number of all the camera installed the first date