```
pointer:0x7f99b4ec2010
SgSourceFile
```

```
root node
```

```
SgNode* p_parent: 0x183f080
bool p isModified: 1
bool p containsTransformation: 0
$CLASSNAME* p_freepointer : 0xfffffffffffff
Sq File Info* p startOfConstruct : 0x7f99c0981080
SgStringList p_originalCommandLineArgumentList : [pdfGenerator, -c, entry_declaration.ads]
int p_verbose: 0
bool p_output_warnings: 0
bool p_C_only: 0
bool p_Cxx_only: 0
bool p Fortran only: 0
bool p_CoArrayFortran_only: 0
int p upc threads: 0
bool p_Java_only: 0
bool p_Jovial_only: 0
bool p X10 only: 0
bool p_PHP_only: 0
bool p Python only: 0
bool p_Cuda_only: 0
bool p_OpenCL_only: 0
bool p_Csharp_only: 0
bool p_Ada_only: 1
bool p Cobol only: 0
bool p_requires_C_preprocessor: 0
bool p binary only: 0
SgFile::outputFormatOption enum p inputFormat: 2
SgFile::outputFormatOption_enum p_outputFormat : 2
SgFile::outputFormatOption_enum p_backendCompileFormat : 2
bool p_fortran_implicit_none: 0
bool p_openmp: 0
bool p_openmp_parse_only: 1
bool p_openmp_ast_only: 0
bool p openmp lowering: 0
bool p_openacc: 0
bool p_openacc_parse_only: 0
bool p_openacc_ast_only: 0
bool p_cray_pointer_support: 0
bool p_failsafe: 0
bool p_output_parser_actions: 0
bool p_exit_after_parser: 0
bool p_skip_syntax_check: 0
bool p skip parser: 0
bool p_relax_syntax_check: 0
bool p_skip_translation_from_edg_ast_to_rose_ast : 0
bool p_skip_transformation: 0
bool p_skip_unparse: 0
bool p skipfinalCompileStep: 0
bool p_unparse_includes: 0
bool p_unparse_line_directives: 0
bool p_unparse_function_calls_using_operator_syntax: 0
bool p_unparse_function_calls_using_operator_names: 0
bool p unparse instruction addresses: 1
bool p_unparse_raw_memory_contents: 1
bool p unparse binary file format: 1
SgFile::languageOption_enum p_outputLanguage : 12
SgFile::languageOption_enum p_inputLanguage : 12
std::string p_sourceFileNameWithPath:/home/liao6/workspace/ada-to-cpp-FY21/rose-ast/ada/entry_declaration.ads
std::string p_sourceFileNameWithoutPath : entry_declaration.ads
std::string p_unparse_output_filename :
std::string p_objectFileNameWithPath:
std::string p_objectFileNameWithoutPath:
bool p useBackendOnly: 0
```

pointer:0x7f99c08f8128 SgGlobal /home/liao6/workspace/ada-to-cpp-FY21/rose-ast/ada/entry_declaration.ads 0:0 IsTransformation:0 IsOutputInCodeGeneration:0

```
SgNode* p_parent : 0x7f99b4ec2010
bool p_isModified: 1
bool p_containsTransformation: 0
Sg_File_Info* p_startOfConstruct : 0x7f99c09810f0
Sg_File_Info* p_endOfConstruct : 0x7f99c0981160
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_containsTransformationToSurroundingWhitespace: 0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 0
SgSymbolTable* p_symbol_table: 0x7f99c08a2170
SgTypeTable* p_type_table: 0x1879b08
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgPragma* p_pragma: 0
SgDeclarationStatementPtrList p_declarations : [0x7f99b491e010]
```

pointer:0x7f99b491e010 SgAdaPackageSpecDecl Entry Declaration.ads 1:1 IsTransformation:0 IsOutputInCodeGeneration:1

Declaration mangled name: ada\$pkg\$Entry_Declaration

Click here to go to the parent node

SgName p_name : Entry_Declaration

SgAdaPackageSpec* p_definition: 0x7f99b4e35130 SgScopeStatement* p_scope : 0x7f99c08f8128

SgNode* p_parent : 0x7f99c08f8128 bool p_isModified: 1 bool p_containsTransformation: 0 Sg_File_Info* p_startOfConstruct : 0x7f99c0981860 Sg_File_Info* p_endOfConstruct : 0x7f99c09818d0 AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0 AstAttributeMechanism* p_attributeMechanism: 0 bool p containsTransformationToSurroundingWhitespace: 0 SgLabelRefExp* p_numeric_label: 0 int p_source_sequence_value: 1 unsigned int p_decl_attributes: 0 std::string p_linkage: SgDeclarationModifier p_declarationModifier: <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = true isFrien bool p_nameOnly: 0 bool p_forward: 0 bool p_externBrace: 0 bool p_skipElaborateType: 0 SgDeclarationStatement* p_definingDeclaration: 0 SgDeclarationStatement* p_firstNondefiningDeclaration: 0x7f99b491e010 SgQualifiedNamePtrList p_qualifiedNameList : [] std::string p_binding_label: SgDeclarationScope* p_declarationScope : 0

pointer:0x7f99b4e35130 SgAdaPackageSpec transformation 0:0 IsTransformation:1 IsOutputInCodeGeneration:1

```
SgNode* p_parent : 0x7f99b491e010
bool p isModified: 1
bool p_containsTransformation: 0
Sg_File_Info* p_startOfConstruct : 0x7f99c09815c0
Sg_File_Info* p_endOfConstruct : 0x7f99c0981630
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_containsTransformationToSurroundingWhitespace: 0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 2
SgSymbolTable* p_symbol_table: 0x7f99c08a24e0
SgTypeTable* p_type_table: 0x1879b80
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgPragma* p_pragma: 0
SgAdaPackageBody* p_body: 0
SgDeclarationStatementPtrList p_declarations : [0x7f99b46af010]
```

```
pointer:0x7f99b46af010
SgAdaTaskTypeDecl
transformation 0:0
IsTransformation:1
IsOutputInCodeGeneration:1
Declaration mangled name: ada$tsk$Task_With_Entry
```

SgAdaTaskSpec* p_definition: 0x7f99b4846010

```
SgNode* p_parent : 0x7f99b4e35130
bool p_isModified: 1
bool p_containsTransformation: 0
Sg_File_Info* p_startOfConstruct : 0x7f99c0981c50
Sg_File_Info* p_endOfConstruct : 0x7f99c0981cc0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p containsTransformationToSurroundingWhitespace: 0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 3
unsigned int p_decl_attributes: 0
std::string p_linkage:
SgDeclarationModifier p_declarationModifier: <too long>: <too long>: SgDeclarationModifier(isUnknown() = false isDefault() = true isFrien
bool p_nameOnly: 0
bool p_forward: 0
bool p_externBrace: 0
bool p_skipElaborateType: 0
SgDeclarationStatement* p_definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0x7f99b46af010
SgQualifiedNamePtrList p_qualifiedNameList : []
std::string p_binding_label:
SgDeclarationScope* p_declarationScope : 0
SgName p_name : Task_With_Entry
```

pointer:0x7f99b4846010 SgAdaTaskSpec transformation 0:0 IsTransformation:1 IsOutputInCodeGeneration:1

```
SgNode* p_parent : 0x7f99b46af010
bool p_isModified: 1
bool p_containsTransformation: 0
Sg_File_Info* p_startOfConstruct : 0x7f99c09819b0
Sg_File_Info* p_endOfConstruct : 0x7f99c0981a20
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_containsTransformationToSurroundingWhitespace: 0
SgLabelRefExp* p_numeric_label: 0
int p_source_sequence_value: 4
SgSymbolTable* p_symbol_table: 0x7f99c08a2640
SgTypeTable* p_type_table: 0x1879ba8
std::set<SgSymbol*> p_type_elaboration_list : []
std::set<SgSymbol*> p_hidden_type_list : []
std::set<SgSymbol*> p_hidden_declaration_list : []
SgPragma* p_pragma: 0
SgAdaTaskBody* p_body: 0
bool p_hasMembers : 1
SqDeclarationStatementPtrList p declarations:[]
```