
Detect Cycle in a Directed Graph

Given a directed graph, check whether the graph contains a cycle or not. Your function should return true if the given graph contains at least one cycle, else return false. For example, the following graph contains three cycles 0->2->0, 0->1->2->0 and 3->3, so your function must return true.

Solution

Depth First Traversal can be used to detect cycle in a Graph. DFS for a connected graph produces a tree. There is a cycle in a graph only if there is a back edge present in the graph. A back edge is an edge that is from a node to itself (selfloop) or one of its ancestor in the tree produced by DFS. In the following graph, there are 3 back edges, marked with cross sign. We can observe that these 3 back edges indicate 3 cycles present in the graph.



For a disconnected graph, we get the DFS forrest as output. To detect cycle, we can check for cycle in individual trees by checking back edges.

To detect a back edge, we can keep track of vertices currently in recursion stack of function for DFS traversal. If we reach a vertex that is already in the recursion stack, then there is a cycle in the tree. The edge that connects current vertex to the vertex in the recursion stack is back edge. We have used recStack[] array to keep track of vertices in the recursion stack.

```
// A C++ Program to detect cycle in a graph
#include<iostream>
#include <list>
#include <limits.h>

using namespace std;
```

```
class Graph
             // No. of vertices
    int V:
    list<int> *adj; // Pointer to an array containing adjacency lists
    bool isCyclicUtil(int v, bool visited[], bool *rs); // used by isCyclic()
public:
                   // Constructor
    Graph(int V);
    void addEdge(int v, int w); // to add an edge to graph
    bool isCyclic(); // returns true if there is a cycle in this graph
};
Graph::Graph(int V)
{
    this->V = V;
    adj = new list<int>[V];
}
void Graph::addEdge(int v, int w)
{
    adj[v].push back(w); // Add w to v's list.
}
// This function is a variation of DFSUytil() in <a href="http://www.geeksforgeeks.org/archives/18212">http://www.geeksforgeeks.org/archives/18212</a>
bool Graph::isCyclicUtil(int v, bool visited[], bool *recStack)
{
    if(visited[v] == false)
        // Mark the current node as visited and part of recursion stack
        visited[v] = true;
        recStack[v] = true;
        // Recur for all the vertices adjacent to this vertex
        list<int>::iterator i;
        for(i = adj[v].begin(); i != adj[v].end(); ++i)
            if (!visited[*i] && isCyclicUtil(*i, visited, recStack) )
                 return true;
            else if (recStack[*i])
                 return true:
        }
```

```
recStack[v] = false; // remove the vertex from recursion stack
    return false:
// Returns true if the graph contains a cycle, else false.
// This function is a variation of DFS() in <a href="http://www.geeksforgeeks.org/archives/18212">http://www.geeksforgeeks.org/archives/18212</a>
bool Graph::isCyclic()
    // Mark all the vertices as not visited and not part of recursion
    // stack
    bool *visited = new bool[V];
    bool *recStack = new bool[V];
    for(int i = 0; i < V; i++)</pre>
        visited[i] = false;
        recStack[i] = false;
    }
    // Call the recursive helper function to detect cycle in different
    // DFS trees
    for(int i = 0; i < V; i++)</pre>
        if (isCyclicUtil(i, visited, recStack))
             return true:
    return false;
}
int main()
    // Create a graph given in the above diagram
    Graph g(4);
    g.addEdge(0, 1);
    g.addEdge(0, 2);
    g.addEdge(1, 2);
    g.addEdge(2, 0);
    g.addEdge(2, 3);
    g.addEdge(3, 3);
```

```
if(g.isCyclic())
    cout << "Graph contains cycle";
else
    cout << "Graph doesn't contain cycle";
return 0;</pre>
```

Output:

Graph contains cycle

Time Complexity of this method is same as time complexity of DFS traversal which is O(V+E).

Please write comments if you find anything incorrect, or you want to share more information about the topic discussed above.



Related Topics:

- Channel Assignment Problem
- Some interesting shortest path questions | Set 1
- Graph Coloring | Set 2 (Greedy Algorithm)
- Graph Coloring | Set 1 (Introduction and Applications)