

Summary – absolute difference



Summary - absolute difference upwelling longwave flux upwelling shortwave flux net radiative flux at TOA - indian at TOA - indian at TOA - indian 1.0 1.0 1.0 Δ rlut + rsut (W m – 2) Δ rlut (W m – 2) $\Delta \operatorname{rsut}(\operatorname{Wm}-2)$ 0.5 0.5 0.5 0.0 0.0 0.0 -0.5 0.5 -0.5 -1.0-1.0-1.0and each led Japan sho ind shift 1950 sto all stift. 1950 310 600 red 1950 sho ind shift 1950 STR 21 STIFL 250 sho ind shift 1950 stip all stift. Jose snP at shift she ind shift snP att shift she ind shift snP at shift snp ind snift sub end ing Sub log sub end ing clear-sky net radiative flux implied cloud response at TOA incident shortwave flux at TOA - indian at TOA - indian Δ rlut + rsut - rlutcs - rsutcs (W m⁻²) Δ rlutcs + rsutcs (W m – 2) 1.0 1.0 1.0 $\Delta \operatorname{rsdt} (\operatorname{Wm} - 2)$ 0.5 0.5 0.5 0.0 0.0 0.0 -0.5 -0.5 -0.5 -1.01.0 -1.0SHO ALL SHIP. 1950 and ind shift 1950 470 600 red 1950 SHO all SHIP. \$18 600 led 1950 Str. ind Stift 1950 should shift STR all SHIP. JOSO snp ind shift snP att shift STR All STIFF sno ind shift Sub end leg STR all STIFF SUB OB Tog Sub Edd Teg upwelling clear-sky shortwave upwelling clear-sky longwave flux at TOA - indian flux at TOA - indian 1.0 1.0 $\Delta \operatorname{rsutcs} (\operatorname{Wm} - 2)$ Δ rlutcs (W m-2) 0.5 0.5 0.0 0.0 -0.5 -0.5 -1.0-1.0and all arith. +10 600 red 7950 +1000 Fed 1950 and ind shift 1950 STR 2d Stiff 1959 and ind shift 1950 STR at Shift sno ind shift SIRP all SHIFT she jud shift sub eab ing sub 300 leg sub en lag CAM-ATRAS E3SM GISS-E2.1 CESM1 GFDL-ESM4 NorESM2

Summary - absolute difference




▲ CAM-ATRAS

CESM1

■ E3SM

GFDL-ESM4

GISS-E2.1



Summary – absolute difference

