

Summary - absolute difference




CESM1

■ E3SM

GISS-E2.1



Summary - absolute difference



dry deposition rate of BC – NH–atlantic wet deposition rate of BC – NH–atlantic total deposition rate of BC – NH–atlantic 5.8e-15 5.9e-15 1e-14 Δ drybc + wetbc (kg m - 2 s - 1) Δ drybc (kg m⁻² s⁻¹) 2.9e-15 Δ wetbc (kg m⁻² s⁻¹) 3.0e-15 5e-15 0.0e+000.0e + 000e+00 Ŧ -5e-15 -3.0e-15 2.9e-15 -5.8e-15 -5.9e-15 dry deposition rate of so2 – NH–atlantic wet deposition rate dry deposition rate of so2 - NH-atlantic of so4 - NH-atlantic 4e-02 8e-13 1e-12 Δ dryso2 (kg m⁻² s⁻¹) Δ wetso2 (kg m⁻² s⁻¹) $\Delta \, dryso4 \, (kg \, m^{-2} \, s^{-1})$ 2e-02 4e-13 5e-13 0e+00 0e+00 0e+00 重 5e-13 2e-02 4e-13 -1e-12 -4e-02 -8e-13 wet deposition rate total deposition rate (dryso2 + wetso2)/2 + (dryso4 + wetso4)/3of so4 - NH-atlantic of S - NH-atlantic 2e-12 2e-02 - Δ wetso4 (kg m⁻² s⁻¹) 1e-12 1e-02 $(kg m^{-2} s^{-1})$ 0e+00 0e+00 -1e-02 -2e-02 --2e-12

CESM1

■ E3SM

GISS-E2.1

Summary - absolute difference

Summary - absolute difference

