Parent Class	Field	Ontology Identifier	Definition	Guidance	Examples	Deprecated Label Deprecated ID	Version Tracking		
Falent Glass		identinei	Definition	Guidance	Examples	IMPORTANT: Only labels and/or IDs will be	Label	ID	Description/Gui
	Colour Code Legend field name in yellow = required					deprecated, always with replacement version provided. If a term changes in its meaning, a			dance
	field name in purple = recommended					new term will be created.			
	field name in white = optional								
	Database Identifiers	GENEPIO:0001122							
				Store the collector sample ID. If this number is considered identifiable information, provide an alternative ID. Be sure to store the key that maps between the original and alternative IDs for traceability and follow up if necessary. Every collector sample ID from a single submitter must be unique. It can have any format, but we					
Database identifiers	specimen_collector_sample_ID	GENEPIO:0001123	The user-defined name for the sample.	suggest that you make it concise, unique and consistent within your lab.	ASDFG123		1.0.0	1.0.0	1.0.0
Database identifiers	specimen_collector_subsample_ID	GENEPIO:0100752	The user-defined identifier assigned to a portion of the original sample.	Store the ID for the subsample/aliquot.	ASDFG123_12		1.0.0	1.0.0	1.0.0
Database identifiers	pooled_sample_ID	GENEPIO:0100996	The user-defined identifier assigned to a combined (pooled) set of samples.	If the sample being analyzed is the result of pooling individual samples, rename the pooled sample with a new identifier. Store the pooled sample ID.	12345AYZ		1.0.0	1.0.0	1.0.0
			The user-defined identifier assigned to a specific location from which	Store the ID for the site from which a sample was taken. The "site" is user defined (e.g. it may be a building and its environs, a specific entity within an environment). Please use the same site ID for all samples from a given site, regardless of when these samples were taken. Any important changes in site location, should					
Database identifiers	sampling_site_ID	GENEPIO:0100760	samples are taken.	be represented with a new site ID.  Store the ID for the event during which a sample	Site 12A		1.0.0	1.0.0	1.0.0
Database identifiers	sampling_event_ID	GENEPIO:0100761	The user-defined identifier assigned to a specific event during which one or more samples are taken, from one or more sites.	or samples were taken. For example, an event could be one person taking samples from multiple sites, or multiple people taking samples from one site.			1.0.0	1.0.0	1.0.0
Database identifiers	BioProject_accession	GENEPIO:0001136	The INSDC (i.e., ENA, NCBI, or DDBJ) accession number of the BioProject(s) to which the BioSample belongs.	Store the BioProject accession number. BioProjects are an organizing tool that links together raw sequence data, assemblies, and their associated metadata. Each province will be assigned a different bioproject accession number by the National Microbiology Lab. A valid NCBI BioProject accession has prefix PRJN e.g., PRJNA 12345, and is created once at the beginning of a new sequencing project.			1.0.0	1.0.0	1.0.0
Database identifiers	Ni-Garata acceptan	GENEPIO:0001139	The identifier assigned to a BioSample in INSDC (i.e., ENA, NCBI, or	Store the accession returned from the BioSample submission. NCBI BioSamples will have the prefix SAMN, ENA have the prefix SAMEA, DDBJ have SAMD	SAMN1418020 2, SAMD00000000		1.0.0	1.0.0	100
Database identifiers	BioSample_accession  INSDC sequence read accession	GENEPIO:001139	DDBJ) archives.  The identifier assigned to a sequence in one of the International Nucleotide Sequence Database Collaboration (INSDC) repositories.	SAMEA, DUSJ Nave SAMID  Store the accession assigned to the submitted sequence. European Nucleotide Archive (ENA) sequence accessions start with ERR, NCBI-SRA accessions start with SRR, DNA Data Bahs for Japan (DDBJ) accessions start with DRR and Genome Sequence Archive (GSA) accessions start with CRR.	ERR123456, DRR123456, CRR123456		1.0.0	1.0.0	1.0.0
Database identifiers	INSDC assembly accession	GENEPIO:0101204	The versioned identifier assigned to an assembly or consensus sequence in one of the International Nucleotide Sequence Database Collaboration (INSDC) repositories.	Store the versioned accession assigned to the submitted sequence e.g. the GenBank accession version.	LZ986655.1		1.0.0	1.0.0	1.0.0
	,			<u> </u>					
	Sample collection and processing	GENEPIO:0001150							
Sample collection and processing	sample_collection_data_steward_name	GENEPIO:0100762	The name of the individual responsible for the data governance, (meta)data usage and distribution of the sample.	Provide the name of the sample collection data steward.	Joe Bloggs		1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_data_steward_contact_email	GENEPIO:0101107	The email address of the individual responsible for the data governance, (meta)data usage and distribution of the sample.	Provide the email address of the sample collection data steward. This may or may not be the same individual/organization that collected the sample. If the contact is the same, provide the same address as the "sample collector contact email".					
Sample collection and processing	sample_collected_by	GENEPIO:0001153	The name of the organization with which the sample collector is affiliated.	The name of the agency should be written out in full, (with minor exceptions) and be consistent across multiple submissions.	Public Health Agency of Canada		1.0.0	1.0.0	1.0.0

		Ontology				Deprecated Label Deprecated II	) Version		
Parent Class	Field	Identifier	Definition	Guidance	Examples		Tracking		
Sample collection and processing	sample_collector_contact_email	GENEPIO:0001156	The email address of the contact responsible for follow-up regarding the sample.	The email address can represent a specific individual or lab e.g. johnnyblogs@lab.ca, or RespLab@lab.ca	WaterTester@f acility.ca		1.0.0	1.0.0	1.0.0
Sample collection and processing	geo loc_name_(country)	GENEPIO:0001181	The country of origin of the sample.	If known, select a value from the pick list.	Canada		1.0.0	1.0.0	1.0.0
·	<u>,                                    </u>		, ,	Provide the state/province/territory name from the GAZ geography ontology. Search for geography terms here:					
Sample collection and processing	geo_loc_name_(state/province/territory)	GENEPIO:0001185	The state/province/territory of origin of the sample.	https://www.ebi.ac.uk/ols/ontologies/ga  Provide the county/region name from the GAZ	Western Cape		1.0.0	1.0.0	1.0.0
Sample collection and processing	geo_loc_name_(county/region)	GENEPIO:0100280	The county/region of origin of the sample.	geography ontology. Search for geography terms here: https://www.ebi.ac.uk/ols/ontologies/gaz	Derbyshire		1.0.0	1.0.0	1.0.0
Sample collection and processing	geo_loc_name_(city)	GENEPIO:0001189	The city of origin of the sample.	Provide the city name from the GAZ geography ontology. Search for geography terms here: https://www.ebi.ac.uk/ols/ontologies/gaz	Vancouver		1.0.0	1.0.0	1.0.0
Sample collection and processing	geo_loc_name_(site)	GENEPIO:0100436	The name of a specific geographical location e.g. Credit River (rather than river).	Provide the name of the specific geographical site using a specific noun (a word that names a certain place, thing).	Credit River		1.0.0	1.0.0	1.0.0
			The latitude coordinates of the geographical location of sample	Provide latitude coordinates if available. Do not use the centre of the city/region/province/state/country or the location of your agency as a proxy, as this implicates a real location and is misleading. Specify as					
Sample collection and processing	geo_loc_latitude	GENEPIO:0100309	collection.	degrees latitude in format "d[d.dddd] N[S".  Provide longitude coordinates if available. Do not use the centre of the city/region/province/state/country or the location of your agency as a proxy, as this implicates a	38.98 N		1.0.0	1.0.0	1.0.0
Sample collection and processing	geo_loc_longitude	GENEPIO:0100310	The longitude coordinates of the geographical location of sample collection.	real location and is misleading. Specify as	77.11 W		1.0.0	1.0.0	1.0.0
		OENEDIO COMMO	-	organism(s) present in the sample. Multiple organisms can be entered, separated by semicolons. Avoid abbreviations. Search for taxonomic names here:	Villada abadana		400	400	100
Sample collection and processing	organism	GENEPIO:0001191	Taxonomic name of the organism.	ncbi.nlm.nih.gov/taxonomy.	Vibrio cholerae		1.0.0	1.0.0	1.0.0
Sample collection and processing	influenza_subtype	GENEPIO:0101108					1.0.0	1.0.0	1.0.0
Sample collection and processing	influenza_subtyping_scheme_name	GENEPIO:0101109					1.0.0	1.0.0	1.0.0
Sample collection and processing	taxonomic_identification_process	GENEPIO:0100583					1.0.0	1.0.0	1.0.0
Sample collection and processing	virus identifier	GENEPIO:0101110					1.0.0	1.0.0	1.0.0
· · · · · ·	-								
Sample collection and processing  Sample collection and processing	WHO/OIE/FAO_H5_clade	GENEPIO:0001174	The date on which the sample was collected, or sampling began for a continuous sample.	If your sample is a continuous sample please use this field to capture your start date. Sample collection date is critical for surveillance and many types of analyses. Required granularity includes year, month and day. The date should be provided in ISO 8801 standard format "YYYY-MDD".	2020-03-16		1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_end_date	GENEPIO:0101071	The date on which sample collection ended for a continuous sample.	Provide the date that sample collection ended in ISO 8601 format i.e. YYYY-MM-DD	2020-03-18		1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_start_time	GENEPIO:0101072	The time at which sample collection began.	Provide this time in ISO 8601 24hr format, in your local time.  Provide this time in ISO 8601 24hr format, in	17:15 PST		1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_end_time	GENEPIO:0101073	The time at which sample collection ended.	your local time.  If known, select a value from the pick list. The time of sample processing matters especially for grab samples, as fecal concentration in	19:15 PST		1.0.0	1.0.0	1.0.0
Sample collection and processing Sample collection and processing	sample_collection_time_of_day sample_collection_time_duration_value	GENEPIO:0100765 GENEPIO:0100766	The descriptive time of day during which the sample was collected.  The amount of time over which the sample was collected.	grab samples, as fecal concentration in wastewater fluctuates over the course of the day. Provide the numerical value of time.	Morning 4		1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_collection_time_duration_unit	GENEPIO:0100767	The units of the time duration measurement of sample collection.	Provide the units from the pick list.	Hour		1.0.0	1.0.0	1.0.0

		Ontology				Deprecated Label	Depression ID	Version		
Parent Class	Field	Identifier	Definition	Guidance	Examples	Deprecateu Labei	Deprecateur ID	Tracking		
Sample collection and processing	sample received date	GENEPIO:0001179	The date on which the sample was received.	Provide the sample received date in ISO 8601 format, i.e. "YYYY-MM-DD".	2020-03-28			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample processing date	GENEPIO:0100763	The date on which the sample was processed.	Provide the sample processed date in ISO 8601 format, i.e. "YYYY-MM-DD". The sample may be collected and processed (e.g. filtered, extraction) on the same day, or on different dates.	2020-03-16			1.0.0	1.0.0	1.0.0
Sample collection and processing			An environmental location may describe a site in the natural or built	If applicable, select the standardized term and ontology ID for the environmental site from the picklist provided. Multiple values can be	Poultry hatchery [ENVO:010018					
Sample collection and processing	environmental_site	GENEPIO:0001232	environment e.g. hospital, wet market, bat cave.	provided, separated by a semi-colon.  If applicable, select the standardized term and ontology ID for the environmental material from	74] Soil [ENVO:000019 98]; Water [CHEBI:15377]; Wastewater [ENVO:000020 011: Broom			1.0.0	1.0.0	1.0.0
Sample collection and processing	environmental_material	GENEPIO:0001223	A substance obtained from the natural or man-made environment e.g. soil, water, sewage, door handle, bed handrail, face mask.	the picklist provided. Multiple values can be provided, separated by a semi-colon.  This field includes animal feed. If applicable,	[ENVO:035013 77]			1.0.0	1.0.0	1.0.0
Comple collection and processing	astlastica davias	GENEPIO:0001234	The instrument or contains used to collect the country or work	select the standardized term and ontology ID for the anatomical material from the picklist provided. Multiple values can be provided,	Drag swab [OBI:0002822]			1.0.0	1.0.0	1.0.0
Sample collection and processing	collection_device		The instrument or container used to collect the sample e.g. swab.	ontology ID for the anatomical material from the picklist provided. Multiple values can be	Rinsing for specimen collection [GENEPIO_00			1.0.0	1.0.0	1.0.0
Sample collection and processing  Sample collection and processing	collection_method sample_volume_measurement_value	GENEPIO:0001241  GENEPIO:0100768	The process used to collect the sample e.g. phlebotomy, necropsy.  The numerical value of the volume measurement of the sample collected.	provided, separated by a semi-colon.  Provide the numerical value of volume.	02116]			1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_volume_measurement_unit	GENEPIO:0100769	The units of the volume measurement of the sample collected.	Provide the units from the pick list.	milliliter (mL) [UO:0000098]			1.0.0	1.0.0	1.0.0
		GENEPIO:0101090	The status of the residual sample (whether any sample remains after its	Residual samples are samples that remain after the sample material was used for its original purpose. Select a residual sample status from the picklist. If sample still exists, select "Residual	No residual sample (sample all used)			1.0.0	1.0.0	1.0.0
Sample collection and processing  Sample collection and processing	residual_sample_status  purpose of sampling	GENEPIO:0001198	original use).  The reason that the sample was collected.	sample remaining (some sample left)". The reason a sample was collected may provide information about potential biases in sampling strategy. Provide the purpose of sampling from the picklist in the template. Mostl likely, the sample was collected for Public health surveillance. The reason why a sample was originally collected may differ from the reason why it was selected for sequencing, which should be indicated in the "purpose of sequencing" field.	Public health			1.0.0	1.0.0	1.0.0
			The activities or variables upstream of sample collection that may affect	If there was an activity that would affect the sample prior to collection (this is different than sample processing), provide the activities by selecting one or more values from the template pick list. If the information is unknown or cannot	Agricultural					
Sample collection and processing	presampling_activity	GENEPIO:0100433	the sample.  The details of the activities or variables that affected the sample	be provided, leave blank or provide a null value.	Agricultural waste from large farm contributes waste to the			1.0.0	1.0.0	1.0.0
Sample collection and processing	presampling_activity_details	GENEPIO:0100434	The details of the activities or variables that affected the sample collected.	Briefly describe the presampling activities using free text.	waste to the site sampled.			1.0.0	1.0.0	1.0.0
				Provide details of how the sample was stored from time of collection until time of processing. If	was placed in a tube in a cooler bag during transportation (~3 hours) to the lab site. At this point the sample was placed in storage medium and put in a -10C freezer until it was processed					
Sample collection and processing	sample_storage_method	GENEPIO:0100448	The process used to store the sample.	there were issues with the cold chain storage, note those here.	and extracted 5 days later.			1.0.0	1.0.0	1.0.0

Parent Class	Field	Ontology Identifier	Definition	Guidance	Examples	Deprecated Label Deprecated ID	Version Tracking		
Sample collection and processing	sample_storage_medium	GENEPIO:0100449	The medium in which a sample is stored.	Provide the name of the transport medium or storage medium used for this sample. If none was used, leave blank or write "None".	Cary-Blair transport medium		1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_storage_duration_value	GENEPIO:0101014	The numerical value of the time measurement during which a sample is in storage.	Provide the numerical value of time.	5	5	1.0.0	1.0.0	1.0.0
Sample collection and processing	sample_storage_duration_unit	GENEPIO:0101015	The units of a measured sample storage duration.	Provide the units from the pick list.	Day		1.0.0	1.0.0	1.0.0
Sample collection and processing	specimen_processing	GENEPIO:0001253	Any processing applied to the sample during or after receiving the sample.	Select processes from the picklist that were applied to this sample.	Centrifugation		1.0.0	1.0.0	1.0.0
Sample collection and processing	specimen processing details	GENEPIO:0100311	The details of the processing applied to the sample during or after receiving the sample.	Briefly describe the processes applied to the sample.	25 samples were pooled and further prepared as a single sample during library prep.		1.0.0	1.0.0	1.0.0
Sample collection and processing	Non-invested and seed	GENEPIO:0101029	The name of the overarching experimental methodology that was used to process the biomaterial.	Provide the name of the methodology used in your study. If available, provide a link to the protocol.			1.0.0	1.0.0	1.0.0
Sample conection and processing	experimental_protocol	GENEFIC.0101029	u process are bromaterial.	Samples can play different types of roles in experiments. A sample under study in one experiment may act as a control or be a replicate of another sample in another experiment. This field is used to distinguish samples under study from controls, replicates, etc. If the sample acted as an experimental control or a replicate, select a role type from the picklist. If the sample was not a control, leave blank or select 'Not			1.0.0	1.0.0	1.0.0
Sample collection and processing	experimental_specimen_role_type	GENEPIO:0100921	The type of role that the sample represents in the experiment.	Applicable".	control		1.0.0	1.0.0	1.0.0
Sample collection and processing  Sample collection and processing	experimental_specimen_details available_data_types	GENEPIO:0101112	The type of data that is available, that may or may not require permission to access.	This field provides information about additional data types that are available that may provide context for interpretation of the sequence data. Provide a term from the picklist for additional data types that are available. Additional data types may require special permission to access. Contact the data provider for more information.	Total coliform count [GENEPIO:010 0729]		1.0.0	1.0.0	1.0.0
				Use this field to provide free text details describing other available data types that may provide context for interpreting genomic	Pooled metagenomes containing extended spectrum beta-lactamase (ESBL)				
Sample collection and processing	available_data_type_details  Environmental conditions and measurements	GENEPIO:0101023	Detailed information regarding other available data types.	sequence data.	bacteria		1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	water_catchment_area_human_population_measurement_value	GENEPIO:0100773	The numerical value of the human population measurement that contributes to the composition of water in a catchment area.	Where known, provide the numerical value of population size, i.e. the number of people.	10,500		1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	water_catchment_area_human_population_range	GENEPIO:0100774	The human population range of the water catchment that contributes effluent to a wastewater site.	Where catchment population is not well known, provide an estimation of population size by selecting a value from the picklist.	1,000 - 10,000 people		1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	water catchment area human population measurement method	GENEPIO:0100775	The method by which a water catchment's human population size was measured or estimated	Provide a brief description of how catchment population size was measured or estimated	population of jurisdiction encompassing the wastewater service area		1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	water catchment area human population density value	GENEPIO:0100776	The numerical value describing the number of humans per geographical area in a water catchment.	r-r			1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	water catchment area human population density unit	GENEPIO:0100777	The unit describing the number of humans per geographical area in a water catchment.	Provide the unit of the population density in the catchement area.	persons per Km^2		1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	populated area type	GENEPIO:0100778	A type of area that is populated by humans to different degrees.	Provide the populated area type from the pick list.	Urban area		1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	sampling weather conditions	GENEPIO:0100779	The state of the atmosphere at a place and time as regards heat, dryness, sunshine, wind, rain, etc.	Provide the weather conditions at the time of sample collection.	Rain		1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	presampling weather conditions	GENEPIO:0100780	Weather conditions prior to collection that may affect the sample.	Provide the weather conditions prior to sample collection.	Drizzle		1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	precipitation measurement value	GENEPIO:0100911	The amount of water which has fallen during a precipitation process.	Provide the quantity of precipitation in the area leading up to the time of sample collection.	12	)	1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	water_depth	GENEPIO:0100440	The depth of some water.	Provide the numerical depth only of water only (without units).	5	5	1.0.0	1.0.0	1.0.0

		Ontology				Deprecated Label Deprecated ID	Version		
Parent Class	Field	Ontology Identifier	Definition	Guidance	Examples	Deprecated Laber Deprecated ID	Tracking		
invironmental conditions and	water depth units	GENEPIO:0101025	The units of measurement for water depth.	Provide the units of measurement for which the depth was recorded.	meter (m) [UO:0000008]		1.0.0	1.0.0	1.0.0
nvironmental conditions and			·	Provide the numerical depth only of the sediment					
easurements overonmental conditions and	sediment_depth	GENEPIO:0100697	The depth of some sediment.	(without units).  Provide the units of measurement for which the	meter (m)		1.0.0	1.0.0	1.0.0
easurements	sediment_depth_units	GENEPIO:0101026	The units of measurement for sediment depth.	depth was recorded.  Provide the numerical value for the temperature	[UO:0000008]		1.0.0	1.0.0	1.0.0
easurements	air_temperature	GENEPIO:0100441	The temperature of some air.	of the air (without units).	25		1.0.0	1.0.0	1.0.0
nvironmental conditions and				Provide the units of measurement for which the	degree Celsius (C)				
easurements	air_temperature_units	GENEPIO:0101027	The units of measurement for air temperature.	temperature was recorded.	[UO:0000027]		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	water_temperature	GENEPIO:0100698	The temperature of some water.	Provide the numerical value for the temperature of the water (without units).	4		1.0.0	1.0.0	1.0.0
nvironmental conditions and				Provide the units of measurement for which the	degree Celsius				
easurements	water_temperature_units	GENEPIO:0101028	The units of measurement for water temperature.	temperature was recorded.	[UO:0000027]		1.0.0	1.0.0	1.0.0
nvironmental conditions and	weather type	GENEPIO:0100442	The state of the atmosphere at a place and time as regards heat, dryness sunshine wind rain etc.	Provide the weather conditions at the time of sample collection.	Rain [ENVO:010015 64]		1.0.0	1.0.0	1.0.0
nvironmental conditions and			The units of measurement for the amount of water which has fallen	Provide the units of precipitation by selecting a	,				
easurements	precipitation measurement unit	GENEPIO:0100912	during a precipitation process.	value from the pick list.	inch Rain gauge		1.0.0	1.0.0	1.0.0
nvironmental conditions and			The process used to measure the amount of water which has fallen	Provide the name of the procedure or method	over a 12 hour period prior to sample				
easurements	precipitation measurement method	GENEPIO:0100913	during a precipitation process.	used to measure precipitation.	collection		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	ambient temperature measurement value	GENEPIO:0100935	The numerical value of a measurement of the ambient temperature.	Provide the numerical value of the measured temperature.	70		1.0.0	1.0.0	1.0.0
nvironmental conditions and	ambient temperature measurement unit	GENEPIO:0100936	The units of a measurement of the ambient temperature.	Provide the units of the measured temperature.	degree Celsius (C)		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	pH measurement value	GENEPIO:0001736	The measured pH value indicating the acidity or basicity(alkalinity) of an aqueous solution.	·	7.4		1.0.0	1.0.0	1.0.0
vironmental conditions and	pri measurement value	GENEPIO.0001736	aqueous solution.	Provide the name of the procedure or technology			1.0.0	1.0.0	1.0.0
easurements	pH measurement method	GENEPIO:0100781	The process used to measure pH value.	used to measure pH.	(litmus test)		1.0.0	1.0.0	1.0.0
vironmental conditions and easurements	total daily flow rate measurement value	GENEPIO:0100905	The numerical value of a measured fluid flow rate over the course of a day.	Provide the numerical value of the measured flow rate.	10		1.0.0	1.0.0	1.0.0
vironmental conditions and easurements	total daily flow rate measurement unit	GENEPIO:0100906	The units of a measured fluid flow rate over the course of a day.	Provide the units of the measured flow rate by selecting a value from the pick list.	million gallons per day (MGD)		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	total daily flow rate measurement method	GENEPIO:0100907	The process used to measure total daily fluid flow rate.	Provide the name of the procedure or technology used to measure flow rate.			1.0.0	1.0.0	1.0.0
nvironmental conditions and	instantaneous flow rate measurement value	GENEPIO:0100908	The numerical value of a measured instantaneous fluid flow rate	Provide the numerical value of the measured flow rate.	25		1.0.0	1.0.0	1.0.0
nvironmental conditions and	instantaneous flow rate measurement unit	GENEPIO:0100909	The units of a measured instantaneous fluid flow rate.	Provide the units of the measured flow rate by selecting a value from the pick list.	cubic meter per hour (m^3/h)		1.0.0	1.0.0	1.0.0
easurements ovironmental conditions and	instantaneous flow rate measurement unit	GENEPIO:0100909	The units of a measured instantaneous fluid flow rate.	Provide the name of the procedure or technology			1.0.0	1.0.0	1.0.0
easurements	instantaneous flow rate measurement method	GENEPIO:0100910	The process used to measure instantaneous fluid flow rate.	used to measure flow rate.	Flow meter		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	turbidity measurement value	GENEPIO:0100783	The numerical value of a measurement of turbidity.	Provide the numerical value of the measured turbidity.	0.02		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	turbidity measurement unit	GENEPIO:0100914	The units of a measurement of turbidity.	Provide the units of the measured turbidity by selecting a value from the pick list.	nephelometric turbidity unit (NTU)		1.0.0	1.0.0	1.0.0
easurements nvironmental conditions and	turbidity measurement unit	GENEPIO.0100914	The units of a measurement of turbidity.	Provide the name of the procedure or technology	. ,		1.0.0	1.0.0	1.0.0
easurements	turbidity measurement method	GENEPIO:0101013	The process used to measure turbidity.	used to measure turbidity.	method		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	dissolved oxygen measurement value	GENEPIO:0100915	The numerical value of a measurement of dissolved oxygen.	Provide the numerical value of the measured dissolved oxygen.	5		1.0.0	1.0.0	1.0.0
nvironmental conditions and leasurements	dissolved oxygen measurement unit	GENEPIO:0100784	The units of a measurement of dissolved oxygen.	Provide the units of the measured dissolved oxygen by selecting a value from the pick list.	part per million (ppm)		1.0.0	1.0.0	1.0.0
nvironmental conditions and	dissolved oxygen measurement method	GENEPIO:0100785	The method used to measure dissolved oxygen.	Provide the name of the procedure or technology used to measure dissolved oxygen.	Dissolved oxygen meter in vertical direction		100	1.0.0	1.0.0
nvironmental conditions and	,,		The numerical value of a measurement of oxygen reduction potential	Provide the numerical value of the measured					
easurements	oxygen reduction potential (ORP) measurement value	GENEPIO:0100917	(ORP).	oxygen reduction potential.	-50		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	oxygen reduction potential (ORP) measurement unit	GENEPIO:0100786	The units of a measurement of oxygen reduction potential (ORP).	Provide the units of the measured oxygen reduction potential by selecting a value from the pick list.	milliVolt (mV)		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	oxygen reduction potential (ORP) measurement method	GENEPIO:0100787	The method used to measure oxygen reduction potential (ORP).	Provide the name of the procedure or technology used to measure oxygen reduction potential.	ORP sensor		1.0.0	1.0.0	1.0.0
vironmental conditions and			· · · · · · · · · · · · · · · · · · ·	Provide the numerical value of the COD test					
easurements vironmental conditions and	chemical oxygen demand (COD) measurement value	GENEPIO:0100788	The measured value from a chemical oxygen demand (COD) test.  The units associated with a value from a chemical oxygen demand	result.	26 milligram per		1.0.0	1.0.0	1.0.0
easurements	chemical oxygen demand (COD) measurement unit	GENEPIO:0100789	(COD) test.	Provide the units of the COD test result.  Provide the name of the procedure or technology	liter (mg/L)		1.0.0	1.0.0	1.0.0
easurements	chemical oxygen demand (COD) measurement method	GENEPIO:0100790	The method used to measure chemical oxygen demand (COD).	used to measure COD.	kit		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	carbonaceous biochemical oxygen demand (CBOD) measurement value	GENEPIO:0100791	The numerical value of a measurement of carbonaceous biochemical oxygen demand (CBOD).	Provide the numerical value of the measured CBOD.	20		1.0.0	1.0.0	1.0.0

		Ontology				Deprecated Label Deprecated ID	Version		
Parent Class	Field	Ontology Identifier	Definition	Guidance	Examples	Deprecated Laber Deprecated ID	Tracking		
nvironmental conditions and neasurements	carbonaceous biochemical oxygen demand (CBOD) measurement unit	GENEPIO:0100792	The units of a measurement of carbonaceous biochemical oxygen demand (CBOD).	Provide the units of the measured CBOD by selecting a value from the pick list.	milligram per liter (mg/L)		1.0.0	1.0.0	1.0.0
					CBOD measurement				
nvironmental conditions and easurements	carbonaceous biochemical oxygen demand (CBOD) measurement method	GENEPIO:0100793	The method used to measure carbonaceous biochemical oxygen demand (CBOD).	Provide the name of the procedure or technology used to measure CBOD.	by optical probe		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	total suspended solids (TSS) measurement value	GENEPIO:0100794	The numerical value from a total suspended solids (TSS) test.	Provide the numerical value of the measured TSS.	8	3	1.0.0	1.0.0	1.0.0
vironmental conditions and easurements	total suspended solids (TSS) measurement unit	GENEPIO:0100795	The units associated with a value from a total suspended solids (TSS) test.	Provide the units of the measured TSS.	percent (%)		1.0.0	1.0.0	1.0.0
nvironmental conditions and				Provide the name of the procedure or technology					
easurements nvironmental conditions and	total suspended solids (TSS) measurement method	GENEPIO:0100796	The method used to measure total suspended solids (TSS).	used to measure TSS.  Provide the numerical value of the measured	sample		1.0.0	1.0.0	1.0.0
easurements nvironmental conditions and	total dissolved solids (TDS) measurement value	GENEPIO:0100797	The numerical value from a total dissolved solids (TDS) test.  The units associated with a value from a total dissolved solids (TDS)	TDS.	2	2	1.0.0	1.0.0	1.0.0
easurements	total dissolved solids (TDS) measurement unit	GENEPIO:0100798	test.	Provide the units of the measured TDS.	percent (%) Subtract		1.0.0	1.0.0	1.0.0
nvironmental conditions and				Provide the name of the procedure or technology	calculated TSS				
easurements	total dissolved solids (TDS) measurement method	GENEPIO:0100799	The method used to measure total dissolved solids (TDS).	used to measure TDS.	TS		1.0.0	1.0.0	1.0.0
nvironmental conditions and neasurements	total solids (TS) measurement value	GENEPIO:0100800	The numerical value from a total solids (TS) test.	Provide the numerical value of the measured TS.	. 10		1.0.0	1.0.0	1.0.0
nvironmental conditions and leasurements	total solids (TS) measurement unit	GENEPIO:0100801	The units associated with a value from a total solids (TS) test.	Provide the units of the measured TS.	percent (%)		1.0.0	1.0.0	1.0.0
nvironmental conditions and	total solids (TS) measurement method	GENEPIO:0100802	The method used to measure total solids (TS).	Provide the name of the procedure or technology used to measure TS.	Gravimetric method by oven drying, then weighing		1.0.0	1.0.0	1.0.0
nvironmental conditions and				Provide the numerical value of the measured					
easurements nvironmental conditions and	alkalinity measurement value	GENEPIO:0100878	The numerical value of a measurement of alkalinity.	alkalinity.	milligram per liter of calcium carbonate	3	1.0.0	1.0.0	1.0.0
easurements	alkalinity measurement unit	GENEPIO:0100879	The units of a measurement of alkalinity.	Provide the units of the measured alkalinity.	(mg/L CaCO3)		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	alkalinity measurement method	GENEPIO:0100880	The process used to measure alkalinity.	Provide the name of the procedure or technology used to measure alkalinity.	method		1.0.0	1.0.0	1.0.0
vironmental conditions and easurements	conductivity measurement value	GENEPIO:0100916	The numerical value of a measurement of conductivity.	Provide the numerical value of the measured conductivity.	1412	2	1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	conductivity measurement unit	GENEPIO:0100803	The units of a measurement of conductivity.	Provide the units of the measured conductivity.	microSiemen per centimeter (μS/cm)		1.0.0	1.0.0	1.0.0
nvironmental conditions and	conductivity measurement method	GENEPIO:0100804	The method used to measure conductivity.	Provide the name of the procedure or technology used to measure conductivity.	Conductivity electrode and meter		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	salinity measurement value	GENEPIO:0100805	The numerical value of a measurement of salinity.	Provide the numerical value of the measured salinity.	35		1.0.0	1.0.0	1.0.0
nvironmental conditions and	Samily measurement value	OENEI 10:0100000	The fullicities value of a measurement of saminty.	Summy.	practical salinity unit	,	1.0.0	1.0.0	1.0.0
neasurements	salinity measurement unit	GENEPIO:0100806	The units of a measurement of salinity.	Provide the units of the measured salinity.	(PSU)		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	salinity measurement method	GENEPIO:0100807	The method used to measure salinity.	Provide the name of the procedure or technology used to measure salinity.	conductivity meter		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	total nitrogen (TN) measurement value	GENEPIO:0100808	The numerical value of a measurement of total nitrogen (TN).	Provide the numerical value of the measured TN.	120		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	total nitrogen (TN) measurement unit	GENEPIO:0100809	The units of a measurement of total nitrogen (TN).	Provide the units of the measured TN.	milligram per liter (mg/L)		1.0.0	1.0.0	1.0.0
nvironmental conditions and				Provide the name of the procedure or technology					
easurements nvironmental conditions and	total nitrogen (TN) measurement method	GENEPIO:0100810	The method used to measure total nitrogen (TN).	used to measure TN.	etric test		1.0.0	1.0.0	1.0.0
easurements	total phosphorus (TP) measurement value	GENEPIO:0100811	The numerical value of a measurement of total phosphorus (TP).	Provide the numerical value of the measured TP.	milligrams orthophosphate as phosphorus		1.0.0	1.0.0	1.0.0
nvironmental conditions and easurements	total phosphorus (TP) measurement unit	GENEPIO:0100812	The units of a measurement of total phosphorus (TP).	Provide the units of the measured TP.	per liter (mg PO4-P/L)		1.0.0	1.0.0	1.0.0
nvironmental conditions and	total phosphorus (TP) measurement method	GENEPIO:0100813	,	Provide the name of the procedure or technology	Merck phosphate spectrophotom		1.0.0	100	1.0.0
easurements nvironmental conditions and easurements	total pnosphorus (TP) measurement method  fecal contamination indicator		The method used to measure total phosphorus (TP).  A gene, virus, bacteria, or substance used to measure the sanitary quelling function for the property to food contemporation.	used to measure TP.  If a fecal contamination indicator was measured,			1.0.0	1.0.0	1.0.0
nvironmental conditions and		GENEPIO:0100814	quality of water in regards to fecal contamination.	select it from the picklist.  Provide the numerical value of the measured	crAssphage			1.0.0	
neasurements	fecal contamination value	GENEPIO:0100815	The numerical value of a measurement of fecal contamination.	fecal contamination.	10		1.0.0	1.0.0	1.0.0

Parent Class	Field	Ontology Identifier	Definition	Guidance	Examples	Deprecated Label De	eprecated ID	Version Tracking		
Turcii Olass	Tield	Identifier	Deminion	Guidanec	cycle threshold					
Environmental conditions and measurements	fecal contamination unit	GENEPIO:0100816	The units of a measurement of fecal contamination.	Provide the units of the measured fecal contamination.	(Ct) / quantification cycle (Cq)			1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	fecal contamination method	GENEPIO:0100817	The method used to measure fecal contamination.	Provide the name of the procedure or technology used to measure fecal contamination.				1.0.0	1.0.0	1.0.0
Environmental conditions and		05115010.010010	The numerical value of a measurement of fecal coliforms within a	Provide the numerical value of the measured						
measurements	fecal coliform count value	GENEPIO:0100818	sample.	fecal coliforms.	most probable			1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	fecal coliform count unit	GENEPIO:0100819	The units of a measurement of fecal coliforms.	Provide the units of the measured fecal coliforms.	number per milliliter (MPN/mL)			1.0.0	1.0.0	1.0.0
Environmental conditions and	for the Ufferman was to the	OFNEDIO 0400000	7	Provide the name of the procedure or technology				100	100	100
measurements Environmental conditions and	fecal coliform count method	GENEPIO:0100820	The method used to measure fecal coliforms.  A gene, virus, bacteria, or substance used to measure the sanitary	used to measure fecal coliforms.  If a urinary contamination indicator was	lack of growth			1.0.0	1.0.0	1.0.0
measurements	urinary contamination indicator	GENEPIO:0100837	quality of water in regards to urinary contamination.	measured, select it from the picklist.	urobilin			1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	urinary contamination value	GENEPIO:0100838	The numerical value of a measurement of urinary contamination.	Provide the numerical value of the measured urinary contamination.	3			1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	urinary contamination unit	GENEPIO:0100839	The units of a measurement of urinary contamination.	Provide the units of the measured urinary contamination.	nanograms per liter			1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	urinary contamination method	GENEPIO:0100840	The method used to measure urinary contamination.	Provide the name of the procedure or technology used to measure urinary contamination.	Urobilin Concentration Test			1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	sample temperature value (at collection)	GENEPIO:0100821	The numerical value of a measurement of temperature of a sample at collection.	Provide the numerical value of the measured temperature.	20			1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	sample temperature unit (at collection)	GENEPIO:0100822	The units of a measurement of temperature of a sample at the time of collection.	Provide the units of the measured temperature.	degree Celsius (C)			1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	sample temperature value (when received)	GENEPIO:0100823	The numerical value of a measurement of temperature of a sample upon receipt.	Provide the numerical value of the measured temperature.	22			1.0.0	1.0.0	1.0.0
Environmental conditions and measurements	sample temperature unit (when received)	GENEPIO:0100824	The units of a measurement of temperature of a sample at the time upon receipt.	Provide the units of the measured temperature.	degree Celsius			1.0.0	1.0.0	1.0.0
measurements	Sequence information	GENEPIO:0001441	ироптесері.	Provide the units of the measured temperature.	(0)			1.0.0	1.0.0	1.0.0
				Every "library ID" from a single submitter must be unique. It can have any format, but we suggest that you make it concise, unique and consistent within your lab, and as informative as						
Sequence information	library_ID	GENEPIO:0001448	The user-specified identifier for the library prepared for sequencing.	possible.	123446			1.0.0	1.0.0	1.0.0
		25115512 21222	The overarching sequencing methodology that was used to determine	Example Guidance: Provide the name of the DNA or RNA sequencing technology used in your study. If unsure refer to the protocol	whole genome sequencing assay					1.0.0
Sequence information Sequence information	sequencing_assay_type sequencing_date	GENEPIO:0100997 GENEPIO:0001447	the sequence of a biomaterial.  The date the sample was sequenced.	documentation, or provide a null value. ISO 8601 standard "YYYY-MM-DD".	[OBI:0002117] 2020-06-22			1.0.0	1.0.0	1.0.0
Sequence information	purpose of sequencing	GENEPIO:0001445	The reason that the sample was sequenced.	The reason why a sample was originally collected may differ from the reason why it was selected for sequencing. The reason a sample was sequenced may provide information about potential biases in sequencing strategy. Provide the purpose of sequencing from the picklist in the template. The reason for sample collection should be indicated in the "purpose of sampling" field.				1.0.0	1.0.0	1.0.0
			The description of why the sample was sequenced providing specific	Provide an expanded description of why the sample was sequenced using free text. The description may include the importance of the sequences for a particular public health investigation/surveillance activity/research question. Suggested standardized description include: Assessing public health control measures, Determining early introductions and spread, Investigating airline-related exposures, Investigating remote regions, Investigating health care workers, Investigating	Investigating schools/univers					
Sequence information	purpose_of_sequencing_details	GENEPIO:0001446	details.	schools/universities.	ities			1.0.0	1.0.0	1.0.0
Sequence information	sequenced_by	GENEPIO:0100416	The name of the agency, organization or institution responsible for sequencing the isolate's genome.	Provide the name of the agency, organization or institution that performed the sequencing in full (avoid abbreviations). If the information is unknown or cannot be provided, leave blank or provide a null value.	Public Health Agency of Canada (PHAC) [GENEPIO:010 0551]			1.0.0	1.0.0	1.0.0
Sequence information	sequenced_by_laboratory_name	GENEPIO:0100470	The specific laboratory affiliation of the responsible for sequencing the isolate's genome.	Provide the name of the specific laboratory that that performed the sequencing in full (avoid abbreviations). If the information is unknown or cannot be provided, leave blank or provide a null value.	Topp Lab			1.0.0	1.0.0	1.0.0

		Ontology				Deprecated Label Deprecate	ad ID Version		
Parent Class	Field	Identifier	Definition	Guidance	Examples	Depresaied Laber Depresaie	Tracking		
Sequence information	sequenced by contact name	GENEPIO:0100471	The name or title of the contact responsible for follow-up regarding the sequence.	Provide the name of an individual or their job title. As personnel turnover may render the contact's name obsolete, it is more prefereable to provide a job title for ensuring accuracy of information and institutional memory. If the information is unknown or cannot be provided, leave blank or provide a null value.	Enterics Lab		1.0.0	1.0.0	1.0.0
·			The email address of the contact responsible for follow-up regarding the	Provide the email associated with the listed contact. As personnel turnover may render an individual's email obsolete, it is more prefereable to provide an address for a position or lab, to ensure accuracy of information and institutional memory. If the information is unknown or cannot	enterics@lab.c				
Sequence information	_sequenced_by_contact_email	GENEPIO:0100422	sequence.	be provided, leave blank or provide a null value. The name of the agency should be written out in full, (with minor exceptions) and be consistent across multiple submissions. For Canadian institutions submitting specimens rather than sequencing data, please put the "National			1.0.0	1.0.0	1.0.0
Sequence information	sequence_submitted_by	GENEPIO:0001159	The name of the agency that submitted the sequence to a database.	Microbiology Laboratory (NML)".	Ontario (PHO)		1.0.0	1.0.0	1.0.0
Sequence information	sequence_submitter_contact_email	GENEPIO:0001165	The email address of the contact responsible for follow-up regarding the sequence.	The email address can represent a specific individual or laboratory.	RespLab@lab.		1.0.0	1.0.0	1.0.0
					Direct wastewater RNA capture and purification via the "Sewage, Salt, Silica and SARS-CoV-2 (4S)" method v4 found at https://www.pro tocols.io/view/y-4-direct-waste water-ma-capture-and-purification-36wgg6511y				
Sample collection and processing	nucleic_acid_extraction_method	GENEPIO:0100939	The process used to extract genomic material from a sample.	Briefly describe the extraction method used.	gk5/v4		1.0.0	1.0.0	1.0.0
Sample collection and processing	nucleic_acid_extraction_kit	GENEPIO:0100772	The kit used to extract genomic material from a sample	Provide the name of the genomic extraction kit used.	QlAamp PowerFecal Pro DNA Kit		1.0.0	1.0.0	1.0.0
Sample collection and processing	endogenous control details	GENEPIO:0100923	The description of the endogenous controls included when extracting a sample.	Provide the names of endogenous controls that were used as a reference during extraction. If relevant, include titers of these controls, as well as whether any controls were expected but not identified in the sample.			1.0.0	1.0.0	1.0.0
Sequence information	sequencing_project_name	GENEPIO:0100472	The name of the project/initiative/program for which sequencing was performed.	Provide the name of the project and/or the project ID here. If the information is unknown or cannot be provided, leave blank or provide a null value.	AMR-GRDI (PA-1356)		1.0.0	1.0.0	1.0.0
Sequence information	sequencing_platform	GENEPIO:0100473	The platform technology used to perform the sequencing.	Provide the name of the company that created the sequencing instrument by selecting a value from the template pick list. If the information is unknown or cannot be provided, leave blank or provide a null value.	Illumina [GENEPIO:000 1923]		1.0.0	1.0.0	1.0.0
Sequence information	sequencing_instrument	GENEPIO:0001452	The model of the sequencing instrument used.	Provide the model sequencing instrument by selecting a value from the template pick list. If the information is unknown or cannot be provided, leave blank or provide a null value.	Illumina HiSeq 2500 [GENEPIO:010 0117]		1.0.0	1.0.0	1.0.0
Sequence information	library_preparation_kit	GENEPIO:0001450	The name of the DNA library preparation kit used to generate the library being sequenced.	Provide the name of the library preparation kit used.	Nextera XT		1.0.0	1.0.0	1.0.0
Sequence information	DNA_fragment_length	GENEPIO:0100843	The length of the DNA fragment generated by mechanical shearing or enzymatic digestion for the purposes of library preparation.	Provide the fragment length in base pairs (do not include the units).	t 400		1.0.0	1.0.0	1.0.0
Sequence information	genomic_target_enrichment_method	GENEPIO:0100966	The molecular technique used to selectively capture and amplify specific regions of interest from a genome.	Provide the name of the enrichment method	Hybrid selection method (bait-capture) [GENEPIO:000 1950]		1.0.0	1.0.0	1.0.0

Parent Class	Field	Ontology Identifier	Definition	Guidance	De Examples	eprecated Label Deprecated ID	Version Tracking		
Farent Glass			Details that provide additional context to the molecular technique used to selectively capture and amplify specific regions of interest from a	Provide details that are applicable to the method you used. Note: If balt-capture methods were used for enrichment, provide the panel name and version number (or a URL providing that	enrichment was done using Twist's respiratory virus research panel: https://www.twi				
Sequence information	genomic_target_enrichment_method_details	GENEPIO:0100967	genome.	information).	esearch-panel		1.0.0	1.0.0	1.0.0
Sequence information	amplicon_pcr_primer_scheme	GENEPIO:0001456	The specifications of the primers (primer sequences, binding positions, fragment size generated etc) used to generate the amplicons to be sequenced.	Provide the name and version of the primer scheme used to generate the amplicons for sequencing.	artic v3		1.0.0	1.0.0	1.0.0
				Provide the amplicon size expressed in base					
Sequence information	amplicon_size	GENEPIO:0001449	The length of the amplicon generated by PCR amplification.	pairs.	300		1.0.0	1.0.0	1.0.0
Sequence information	sequencing_flow_cell_version	GENEPIO:0101102	The version number of the flow cell used for generating sequence data.	Flow cells can vary in terms of design, chemistry capacity, etc. The version of the flow cell used to generate sequence data can affect sequence quantity and quality. Record the version of the flow cell used to generate sequence data. Do not include "version" or "v" in the version number.	R.9.4.1		1.0.0	1.0.0	1.0.0
Sequence information	sequencing_protocol	GENEPIO:0001454	The protocol or method used for sequencing.	Provide the name and version of the procedure or protocol used for sequencing. You can also provide a link to a protocol online.	https://www.pro tocols.io/view/n cov-2019-sequ encing-protocol -bbmuik6w?ver sion_warning=n		1.0.0	1.0.0	1.0.0
					ABC123 S1 L				
Sequence information	r1_fastq_filename	GENEPIO:0001476	The user-specified filename of the r1 FASTQ file.	Provide the r1 FASTQ filename.	001_R1_001.fa		1.0.0	1.0.0	1.0.0
Sequence information	ri_iastq_iiiename	GENEPIO.0001476	The user-specified mename of the FF PASTQ file.	Provide the FF PASTQ Illename.	stq.gz		1.0.0	1.0.0	1.0.0
					ABC123_S1_L 001_R2_001.fa				
Sequence information	r2_fastq_filename	GENEPIO:0001477	The user-specified filename of the r2 FASTQ file.	Provide the r2 FASTQ filename.	stq.gz		1.0.0	1.0.0	1.0.0
Sequence information	fast5 filename	GENEPIO:0001480	The user-specified filename of the FAST5 file.	Provide the FAST5 filename.	batch1a_seque nces.fast5		1.0.0	1.0.0	1.0.0
			·	Provide the name and version number, with the file extension, of the processed genome sequence file e.g. a consensus sequence	mpxvassembly.				
Sequence information	genome sequence file name	GENEPIO:0101715	The name of the sequence file.	FASTA file or a genome assembly file.	fasta		1.0.0	1.0.0	1.0.0
Sequence information	assembly_filename	GENEPIO:0001461	The user-defined filename of the FASTA file.	Provide the FASTA filename.	pathogenasse mbly123.fasta		1.0.0	1.0.0	1.0.0
	Bioinformatics and QC metrics	GENEPIO:0001457							
Bioinformatics and QC metrics	quality control method name	GENEPIO:0100557	The name of the method used to assess whether a sequence passed a predetermined quality control threshold.	Providing the name of the method used for quality control is very important for interpreting the rest of the QC information. Method names can be provided as the name of a pipeline or a link to a GitHub repository. Multiple methods should be listed and separated by a semi-colon. Do not include QC tags in other fields if no method name is provided.	ncov-tools		1.0.0	1.0.0	1.0.0
	, , , , , , , , , , , , , , , , , , , ,			Methods updates can make big differences to their outputs. Provide the version of the method used for quality control. The version can be expressed using whatever convention the developer implements (e.g. date, semantic versioning). If multiple methods were used, record the version numbers in the same order as	3				
Bioinformatics and QC metrics	quality control method version	GENEPIO:0100558	The version number of the method used to assess whether a sequence passed a predetermined quality control threshold.	numbers using a semi-colon.	1.2.3		1.0.0	1.0.0	1.0.0
Philipformation and OO must		OENEDIO 0400		Select a value from the pick list provided. If a desired value is missing, submit a new term request to the PHA4GE QC Tag GitHub	sequence failed		100	400	100
Bioinformatics and QC metrics	quality control determination	GENEPIO:0100559	The determination of a quality control assessment.  The reason contributing to, or causing, a low quality determination in a	issuetracker using the New Term Request form. Select a value from the pick list provided. If a desired value is missing, submit a new term request to the PHA4GE QC Tag GitHub	low average genome		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	quality control issues	GENEPIO:0100560	quality control assessment.	issuetracker using the New Term Request form.	coverage		1.0.0	1.0.0	1.0.0

Parent Class	Field	Ontology Identifier	Definition	Guidance	Deprecated Label Examples	Deprecated ID	Version Tracking		
Parent Class	riera -	dentiner			CT value of 39. Low viral load. Low DNA concentration		- Judanning		
Bioinformatics and QC metrics	quality control details	GENEPIO:0100561	The details surrounding a low quality determination in a quality control assessment.	using free text.	after amplification.		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	raw sequence data processing method	GENEPIO:0001458	The method used for raw data processing such as removing barcodes, adapter trimming, filtering etc.	Raw data processing can have a significant impact on data quality and how it can be used. Provide the names and version numbers of software used for trimming adaptors, quality filtering, etc. (e.g. Trimmomatic v. 0.38, Porechop v. 0.2.3), or a link to a GitHub protocol.	Porechop 0.2.3		1.0.0	1.0.0	1.0.0
				Provide the name and version number of the					
Bioinformatics and QC metrics	dehosting method	GENEPIO:0001459	The method used to remove host reads from the pathogen sequence.	software used to remove host reads.	Nanostripper SPAdes		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	sequence assembly software name	GENEPIO:0100825	The name of the software used to assemble a sequence.	Provide the name of the software used to assemble the sequence.	Genome Assembler, Canu, wtdbg2, velvet		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	sequence assembly software version	GENEPIO:0100826	The version of the software used to assemble a sequence.	Provide the version of the software used to assemble the sequence.	3.15.5		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	consensus sequence software name	GENEPIO:0001463	The name of the software used to generate the consensus sequence.	Provide the name of the software used to generate the consensus sequence.	iVar		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	consensus sequence software version	GENEPIO:0001469	The version of the software used to generate the consensus sequence.	Provide the version of the software used to generate the consensus sequence.	1.3		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	breadth of coverage value	GENEPIO:0001472	The percentage of the reference genome covered by the sequenced data, to a prescribed depth.	Provide value as a percent.	95		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	depth of coverage value	GENEPIO:0001474	The average number of reads representing a given nucleotide in the reconstructed sequence.	Provide value as a fold of coverage.	400		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	depth of coverage threshold	GENEPIO:0001475	The threshold used as a cut-off for the depth of coverage.	Provide the threshold fold coverage.	100		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	genome completeness	GENEPIO:0100844	The percentage of expected genes identified in the genome being sequenced. Missing genes indicate missing genomic regions (incompleteness) in the data.	Provide the genome completeness as a percent (no need to include units).	85		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	number of base pairs sequenced	GENEPIO:0001482	The number of total base pairs generated by the sequencing process.	Provide a numerical value (no need to include units).	387566		1.0.0	1.0.0	1.0.0
			The total number of non-unique reads generated by the sequencing	Provide a numerical value (no need to include					
Bioinformatics and QC metrics	number of total reads	GENEPIO:0100827	process.	units).	423867		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	number of unique reads	GENEPIO:0100828	The number of unique reads generated by the sequencing process.	Provide a numerical value (no need to include units).	248236		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	minimum post-trimming read length	GENEPIO:0100829	The threshold used as a cut-off for the minimum length of a read after trimming.	Provide a numerical value (no need to include units).	150		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	number of contigs	GENEPIO:0100937	The number of contigs (contiguous sequences) in a sequence assembly.	Provide a numerical value.	10		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	percent Ns across total genome length	GENEPIO:0100830	The percentage of the assembly that consists of ambiguous bases (Ns).	Provide a numerical value (no need to include units).	2		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	Ns per 100 kbp	GENEPIO:0001484	The number of ambiguous bases (Ns) normalized per 100 kilobasepairs (kbp).	Provide a numerical value (no need to include units).	342		1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	N50	GENEPIO:0100938	The length of the shortest read that, together with other reads, represents at least 50% of the nucleotides in a set of sequences.	Provide the N50 value in Mb.	150		1.0.0	1.0.0	1.0.0

		Ontology				Deprecated Label	Deprecated ID	Version		
Parent Class	Field	Ontology Identifier	Definition	Guidance	Examples	Deprecated Easer	Depresaited ID	Tracking		
Bioinformatics and QC metrics	percent read contamination	GENEPIO:0100845	The percent of the total number of reads identified as contamination (not belonging to the target organism) in a sequence dataset.	Provide the percent contamination value (no need to include units).	2			1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	sequence assembly length	GENEPIO:0100846	The length of the genome generated by assembling reads using a scaffold or by reference-based mapping.	Provide a numerical value (no need to include units).	34272			1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics		GENEPIO:0001483	The length of the genome defined by the most common nucleotides at each position.	Provide a numerical value (no need to include units).	38677			1.0.0	1.0.0	1.0.0
Diomoniancs and QC ments	consensus genome length	GENEFIO.0001403	each position.		30077			1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	reference genome accession	GENEPIO:0001485	A persistent, unique identifier of a genome database entry.	Provide the accession number of the reference genome.	NC_045512.2			1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	deduplication method	GENEPIO:0100831	The method used to remove duplicated reads in a sequence read dataset.	Provide the deduplication software name followed by the version, or a link to a tool or method.	DeDup 0.12.8			1.0.0	1.0.0	1.0.0
Bioinformatics and QC metrics	bioinformatics protocol	GENEPIO:0001489	A description of the overall bioinformatics strategy used.	Further details regarding the methods used to process raw data, and/or generate assemblies, and/or generate consensus sequences can. This information can be provided in an SOP or protocol or pipeline/workflow. Provide the name and version number of the protocol, or a GitHub link to a pipeline or workflow.	https://github.c om/phac-nml/n			1.0.0	1.0.0	1.0.0
Biolinormatics and Qo metrics	bioinformatics protocol	GENET 10:0001403	A description of the overall bioinformatics strategy used.	шк ю а рірешне от могкном.	ı			1.0.0	1.0.0	1.0.0
	Taxonomic identification information	GENEPIO:0101082								
Taxonomic identification information	read mapping software name	GENEPIO:0100832	The name of the software used to map sequence reads to a reference genome or set of reference genes.	Provide the name of the read mapping software.	Bowtie2, BWA-MEM, TopHat			1.0.0	1.0.0	1.0.0
naxonomic identification information	read mapping software name	GENEPIO:0100832	genome or set of reference genes.	Provide the name of the read mapping software.	торнат			1.0.0	1.0.0	1.0.0
Taxonomic identification information	read mapping software version	GENEPIO:0100833	The version of the software used to map sequence reads to a reference genome or set of reference genes.	Provide the version number of the read mapping software.	2.5.1			1.0.0	1.0.0	1.0.0
Taxonomic identification information	taxonomic reference database name	GENEPIO:0100834	The name of the taxonomic reference database used to identify the organism.	Provide the name of the taxonomic reference database.	NCBITaxon			1.0.0	1.0.0	1.0.0
Taxonomic identification information	taxonomic reference database version	GENEPIO:0100835	The version of the taxonomic reference database used to identify the organism.	Provide the version number of the taxonomic reference database.	1.3			1.0.0	1.0.0	1.0.0
Taxonomic identification information	taxonomic analysis report filename	GENEPIO:0101074	The filename of the report containing the results of a taxonomic analysis.	Provide the filename of the report containing the results of the taxonomic analysis.	WWtax_report_ Feb1_2024.doc			1.0.0	1.0.0	1.0.0
Taxonomic identification information	taxonomic analysis date	GENEPIO:0101075	The date a taxonomic analysis was performed.	Providing the date that an analyis was performed can help provide context for tool and reference database versions. Provide the date that the taxonomic analysis was performed in ISO 8601 format, i.e. "YYYY-MM-DD".	2024-02-01			1.0.0	1.0.0	1.0.0
Taxonomic identification information	read mapping criteria	GENEPIO:0100836	A description of the criteria used to map reads to a reference sequence	Provide a description of the read mapping	Phred score >20			1.0.0	1.0.0	1.0.0
ranshormo rachimoduori ilitorinationi	- vac mapping circuit	GENET 10.0100030	, a sees specified or the oriental asset to map reads to a reletence sequence	ornaria.	. 20				1.0.0	1.0.0
	Pathogen diagnostic testing	GENEPIO:0001506								
Pathogen diagnostic testing	genetic target name	GENEPIO:0101116	The name of the genetic marker used for testing.	Provide the full name of the gene used in the test. Standardized gene names can be found in the Gene Ontology using this look-up service; https://bit.ly/2Sa1Lbl	gyrase A			1.0.0	1.0.0	1.0.0
Pathogen diagnostic testing	genetic target region	GENEPIO:0101117	The specific region or segment of a genetic sequence used for testing or analysis.					1.0.0	1.0.0	1.0.0
			The reference genome version used to determine the coordinates or							
Pathogen diagnostic testing	genetic target region reference genome	GENEPIO:0101118	identity of the genetic target region in testing or analysis.					1.0.0	1.0.0	1.0.0
Pathogen diagnostic testing	diagnostic target presence	GENEPIO:0100962	The binary value of the result from a diagnostic test.	Select a value from the pick list provided, to describe whether a target was determined to be present or absent within a sample.	diagnostic target present			1.0.0	1.0.0	1.0.0
				Provide the numerical result of a diagnostic test						

		Ontology				Deprecated Label	Deprecated ID	Version		
Parent Class	Field	Identifier	Definition	Guidance	Examples			Tracking		
Pathogen diagnostic testing	diagnostic measurement unit	GENEPIO:0100964	The unit of the result from a diagnostic test.	Select a value from the pick list provided, to describe the units of the given diagnostic test.	cycle threshold (Ct)			1.0.0	1.0.0	1.0.0
				Select a value from the pick list provided to describe the method used for a given diagnostic						
Pathogen diagnostic testing	diagnostic measurement method	GENEPIO:0100965	The method by which a diagnostic result was determined.	test.	qPCR			1.0.0	1.0.0	1.0.0
Pathogen diagnostic testing	diagnostic testing threshold value	GENEPIO:0101104	The numerical value which represents the threshold above/below which interpretation can be drawn on the diagnostic test					1.0.0	1.0.0	1.0.0
Pathogen diagnostic testing	diagnostic testing threshold units	GENEPIO:0101105	The unit which are attributed to the threshold above/below which interpretation can be drawn on the diagnostic test					1.0.0	1.0.0	1.0.0
Pathogen diagnostic testing	diagnostic testing details	GENEPIO:0101106	Describe any details of the diagnsotic testing.					1.0.0	1.0.0	1.0.0
			, ,							
	Risk assessment information	GENEPIO:0100478		Risk assessment requires detailed information						
Risk assessment information	prevalence_metrics	GENEPIO:0100480	Metrics regarding the prevalence of the pathogen of interest obtained from a surveillance project.	regarding the quantities of a pathogen in a specified location, commodity, or environment. As such, it is useful for risk assessors to know what types of information are available through documented methods and results. Provide the metric types that are available in the surveillance project sample plan by selecting them from the pick list. The metrics of interest are "Number of total samples collected", "Number of positive samples", "Average count of hazard organism", "Average ount of indicator organism", You do not need to provide the actual values, just indicate that the information is available.	Number of total samples collected, Number of positive samples			1.0.0	1.0.0	1.0.0
Risk assessment information	prevalence metrics details	GENEPIO:0100481	The details pertaining to the prevalence metrics from a surveillance project.	If there are details pertaining to samples or organism counts in the sample plan that might be informative, provide details using free text.	Hazard organism counts (i.e. Salmonella) do not distinguish between serovars.			1.0.0	1.0.0	1.0.0
			. ,	,,	Abattoir [ENVO:010009					
Risk assessment information	stage_of_production	GENEPIO:0100482	The stage of food production.	Provide the stage of food production as free text				1.0.0	1.0.0	1.0.0
Risk assessment information	experimental_intervention	GENEPIO:0100483	The category of the experimental intervention applied in the food production system.	In some surveys, a particular intervention in the food supply chain in studied. If there was an intervention specified in the sample plan, select the intervention category from the pick list provided.	Vaccination [NCIT:C15346]			1.0.0	1.0.0	1.0.0
Risk assessment information	experiment_intervention_details	GENEPIO:0100484	The details of the experimental intervention applied in the food production system.	If an experimental intervention was applied in the survey, provide details in this field as free text.	2% cranberry solution mixed in feed			1.0.0	1.0.0	1.0.0