TW-07 GROUP VERSION







Meeting Agenda

- ► Icebreaking
- ▶ Questions
- ► Interview Questions
- ► Coffee Break
- ► Coding Challenge
- ▶ Video of the week
- ► Retro meeting
- ► Case study / project

Teamwork Schedule

C. (2/8) **D.** (1/16)

Ice-breaking 10m • Personal Questions (Study Environment, Kids etc.) • Any challenges (Classes, Coding, studying, etc.) • Ask how they're studying, give personal advice. • Remind that practice makes perfect. **Ask Questions** 15m 1. Which symbol is used to represent a decision in a systems flowchart? A. Rectangle **B.** Diamond C. Parallelogram **D.** Square 2. What is the correct order of occurrence in a system flowchart? A. input, output, process, feedback B. feedback, input, output, process **C.** input, process, output, feedback **D.** input, output, process 3. What does the Start/End symbol do? **A.** Ends the program Only **B.** Can be used to show the beginning or ending of a program. **C.** Visual representation of the entire program D. Starts the program Only 4. Look at this series: 2, 1, (1/2), (1/4), ... What number should come next? **A.** (1/3) **B.** (1/8)

5. Kevin, Joseph, and Nicholas are 3 brothers. If the following statements are all true, which of them is the youngest?

```
✓ Kevin is the oldest.

✓ Nicholas is not the oldest.

✓ Joseph is not the youngest.
```

- A. Joseph
- **B.** Kevin
- **C.** Nicholas
- **D.** both joseph and nicholas

6. If the first two statements are true, the third statement is...

- Blueberries cost more than strawberries.
- Blueberries cost less than raspberries.
- Raspberries cost more than strawberries and blueberries.
- **A.** true
- **B.** false
- C. uncertain
- 7. Which one is not an assignment operator in JavaScript?
- **A.** +=
- **B.** &=
- **C**. |=
- **D.** \$=
- 8. Which variable name comforms to naming rules in JavaScript?
- A. _age-birth
- **B.** \$age
- **C.** 2-age
- **D.** age&birth

9. Which Variable-defining keyword allows its variable to be accessed (as undefined) before defines it?	ore the line that
A. var B. let C. const D. all of them	
 10. Which operator returns true if the two compared values are not equal? A. <> B. ~ C. ==! D. !== 	
 11. When would you use a conditional statement? A. When you want to reuse a set of statements multiple times. B. When you want your code to choose between multiple options. C. When you want to loop through a group of statement. 	
D. When you want to loop through a group of statement.12. Which of the following values is not a Boolean false?A. Boolean(0)B. Boolean(UIII)	
B. Boolean("") C. Boolean(NaN) D. Boolean("false") 13. Why would you include a "use strict" statement in a JavaScript file?	
 A. to tell parsers to interpret your JavaScript syntax loosely B. to tell parsers to enforce all JavaScript syntax rules when processing your code C. to instruct the browser to automatically fix any errors it finds in the code D. to enable ES6 features in your code 	
Interview Questions	15m

1. What are the escape characters in JavaScript?



2. Who developed JavaScript?



3. What is JavaScript Hoisting?





Coffee Break 10m



Coding Challenge

15m


Place the instructions below in the flow chart. Some of the instructions are not required - you should only include those which are relevant to the task.


Q1. Steps for working out 4.72 divided by 1.18 on a calculator.

Question 1

The flow chart on the right is meant to show the steps for working out 4.72 divided by 1.18 on a calculator.

Place the instructions below in the flow chart. Some of the instructions are not required - you should only include those which are relevant to the task.






Q2. Steps for stopping working on a computer and shutting it down..

Question 2

The flow chart on the right is meant to show the steps for stopping working on a computer and shutting it down.

Place the instructions below in the flow chart. Some of the instructions are not required - you should only include those which are relevant to the task.

Quit the Check your program electronic mail Switch off Turn on the machine the computer Finish working on Select your document 'shut down' Start a new Save your work document on a disk



Video of the Week 10m

JavaScript Hoisting

Case study/Project 15m

- Code a simple js switch case calculator that can do four operations.
 - Take first number from user
 - Take operator sign from user
 - Take second number from user
 - Calculate the result display on the console.

Tip: No functions required for solution.

Retro Meeting on a personal and team level

10m

Ask the questions below:

- What went well?
- What could be improved?
- What will we commit to do better in the next week?

Closing 5m

- Next week's plan
- QA Session