


Arrays

Fixed-Size Sequences of Elements



SoftUni Team
Technical Trainers



SoftUni



Software University

<https://softuni.bg>


sli.do

#fund-java

Table of Contents

1. **Arrays**
2. Reading **Arrays** from the **Console**
3. **Foreach** Loop





Arrays

Working with Arrays of Elements

What Are Arrays?

- In programming, an **array** is a **sequence of elements**



- Arrays have **fixed size** (**array.length**) cannot be resized
- Elements are of the **same type** (e.g. integers)
- Elements are numbered from **0** to **length-1**

- **Allocating** an array of 10 integers:

```
int[] numbers = new int[10];
```

All elements are initially == 0

- **Assigning values** to the array elements:

```
for (int i = 0; i < numbers.length; i++)  
    numbers[i] = 1;
```

The **length** holds the number of array elements

- **Accessing** array elements by index:

```
numbers[5] = numbers[2] + numbers[7];  
numbers[10] = 1; // ArrayIndexOutOfBoundsException
```

The **[]** operator accesses elements by **index**

Days of Week – Example

- The days of a week can be stored in an array of strings:

```
String[] days = {  
    "Monday",  
    "Tuesday",  
    "Wednesday",  
    "Thursday",  
    "Friday",  
    "Saturday",  
    "Sunday"  
};
```



Operator	Value
days[0]	Monday
days[1]	Tuesday
days[2]	Wednesday
days[3]	Thursday
days[4]	Friday
days[5]	Saturday
days[6]	Sunday

Problem: Day of Week

- Enter a day number [1...7] and print the day name (in English) or "Invalid day!"

```
String[] days = { "Monday", "Tuesday", "Wednesday",  
"Thursday", "Friday", "Saturday", "Sunday" };  
int day = Integer.parseInt(sc.nextLine());  
if (day >= 1 && day <= 7)  
    System.out.println(days[day - 1]);  
else  
    System.out.println("Invalid day!");
```

The first day in our array is on index 0, not 1.



Reading Array

Using a for Loop or String.split()

Reading Arrays from the Console

- First, read the array **length** from the console :

```
int n = Integer.parseInt(sc.nextLine());
```

- Next, create an array of given size **n** and read its **elements**:

```
int[] arr = new int[n];  
for (int i = 0; i < n; i++) {  
    arr[i] = Integer.parseInt(sc.nextLine());  
}
```

Reading Array Values from a Single Line

- Arrays can be read from a **single line** of **separated values**

```
2 8 30 25 40 72 -2 44 56
```

```
String values = sc.nextLine();  
String[] items = values.split(" ");  
int[] arr = new int[items.length];  
  
for (int i = 0; i < items.length; i++)  
    arr[i] = Integer.parseInt(items[i]);
```

Shorter: Reading Array from a Single Line

- Read an array of integers using functional programming:

```
String inputLine = sc.nextLine();  
String[] items = inputLine.split(" ");  
int[] arr = Arrays.stream(items)  
    .mapToInt(e -> Integer.parseInt(e)).toArray();
```

import
java.util.Arrays;

```
int[] arr = Arrays  
    .stream(sc.nextLine().split(" "))  
    .mapToInt(e -> Integer.parseInt(e)).toArray();
```

You can chain
methods


Printing Arrays On the Console

- To print all array elements, a for-loop can be used
 - Separate elements with white space or a new line

```
String[] arr = {"one", "two"};
// == new String [] {"one", "two"};
// Process all array elements
for (int i = 0; i < arr.length; i++) {
    System.out.printf("arr[%d] = %s\n", i, arr[i]);
}
```

Problem: Print Numbers in Reverse Order

- Read an array of integers (**n** lines of integers), **reverse** it and print its elements on a single line, space-separated:



Check your solution here: <https://judge.softuni.org/Contests/1248/>

Solution: Print Numbers in Reverse Order

```
// Read the array (n lines of integers)  
int n = Integer.parseInt(sc.nextLine());  
int[] arr = new int[n];  
for (int i = 0; i < n; i++)  
    arr[i] = Integer.parseInt(sc.nextLine());  
// Print the elements from the last to the first  
for (int i = n - 1; i >= 0; i--)  
    System.out.print(arr[i] + " ");  
System.out.println();
```

Check your solution here: <https://judge.softuni.org/Contests/1248/>

Printing Arrays with for / String.join(...)

- Use for-loop:

```
String[] arr = {"one", "two"};
for (int i = 0; i < arr.length; i++)
    System.out.println(arr[i]);
```

Works only
with strings

- Use **String.join(separator, array)**:


```
String[] strings = { "one", "two" };
System.out.println(String.join(" ", strings)); // one two
int[] arr = { 1, 2, 3 };
System.out.println(String.join(" ", arr)); // Compile error
```


Problem: Reverse Array of Strings

- Read an array of strings (space separated values), reverse it and print its elements:



- Reversing array elements:



Check your solution here: <https://judge.softuni.org/Contests/1248/>

Solution: Reverse Array of Strings

```
String[] elements = sc.nextLine().split(" ");
for (int i = 0; i < elements.length / 2; i++) {
    String oldElement = elements[i];
    elements[i] = elements[elements.length - 1 - i];
    elements[elements.length - 1 - i] = oldElement;
}
System.out.println(String.join(" ", elements));
```



Foreach Loop

Iterate Through Collections

Foreach Loop

- Iterates through all elements in a collection
- Cannot access the current index
- **Read-only**

```
for (var item : collection) {  
    // Process the value here  
}
```



Print an Array with Foreach

```
int[] numbers = { 1, 2, 3, 4, 5 };  
for (int number : numbers) {  
    System.out.println(number + " ");  
}
```



1 2 3 4 5

Problem: Even and Odd Subtraction

- Read an array of integers
- Sum all even and odd numbers
- Find the difference
- Examples:

1 2 3 4 5 6 → 3

2 4 6 8 10 → 30

3 5 7 9 11 → -35

2 2 2 2 2 2 → 12

Check your solution here: <https://judge.softuni.org/Contests/1248/>

Solution: Even and Odd Subtraction


```
int[] arr = Arrays.stream(sc.nextLine().split(" "))
                    .mapToInt(e -> Integer.parseInt(e)).toArray();

int evenSum = 0;
int oddSum = 0;
for (int num : arr) {
    if (num % 2 == 0) evenSum += num;
    else oddSum += num;
}
//TODO: Find the difference and print it
```

- Arrays hold a **sequence** of elements
 - Elements are numbered from **0** to **length - 1**
- Creating (allocating) an array
- Accessing array elements by **index**
- Printing array elements



Questions?



SoftUni Diamond Partners



- Software University – High-Quality Education, Profession and Job for Software Developers
 - softuni.bg, about.softuni.bg
- Software University Foundation
 - softuni.foundation
- Software University @ Facebook
 - facebook.com/SoftwareUniversity



- This course (slides, examples, demos, exercises, homework, documents, videos and other assets) is **copyrighted content**
- Unauthorized copy, reproduction or use is illegal
- © SoftUni – <https://about.softuni.bg/>
- © Software University – <https://softuni.bg>

