


You are here: <u>Home</u> > <u>Projects</u> > <u>SSL Server Test</u> > mawidaqa.com

SSL Report: mawidaqa.com (107.22.230.28)

Assessed on: Fri Jan 03 14:02:02 UTC 2014 | Clear cache

Scan Another »



Authentication



Server Key and Certificate #1

| Common names | *.mawidaqa.com |
|------------------------|---|
| Alternative names | *.mawidaqa.com mawidaqa.com |
| Prefix handling | Both (with and without WWW) |
| Valid from | Fri Feb 15 00:00:00 UTC 2013 |
| Valid until | Sun Mar 02 23:59:59 UTC 2014 (expires in 1 month and 28 days) |
| Key | RSA 2048 bits |
| Weak key (Debian) | No |
| | |
| Issuer | EssentialSSL CA |
| Signature algorithm | SHA1withRSA |
| Extended Validation | No |
| Revocation information | CRL, OCSP |
| Revocation status | Good (not revoked) |
| Trusted | Yes |
| | |



Additional Certificates (if supplied)

| Certificates provided | 4 (4989 bytes) |
|-----------------------|---|
| Chain issues | None |
| #2 | |
| Subject | EssentialSSL CA SHA1: 73820a20f8f47a457cd0b54cc4e4e31cefa5c1e7 |
| Valid until | Tue Dec 31 23:59:59 UTC 2019 (expires in 5 years and 11 months) |
| Key | RSA 2048 bits |
| Issuer | COMODO Certification Authority |

| Signature algorithm | SHA1withRSA |
|---------------------|--|
| #3 | |
| Subject | COMODO Certification Authority SHA1: 4e154acb683efd5578001432b92afe896812b85e |
| Valid until | Sat May 30 10:48:38 UTC 2020 (expires in 6 years and 4 months) |
| Key | RSA 2048 bits |
| Issuer | UTN - DATACorp SGC |
| Signature algorithm | SHA1withRSA |
| #4 | |
| Subject | UTN - DATACorp SGC SHA1: 9e99817d12280c9677674430492eda1dce2e4c63 |
| Valid until | Sat May 30 10:48:38 UTC 2020 (expires in 6 years and 4 months) |
| Key | RSA 2048 bits |
| Issuer | AddTrust External CA Root |
| Signature algorithm | SHA1withRSA |



Certification Paths

Path #1: Trusted

| 1 | Sent by server | *.mawidaqa.com SHA1: aacfa8b7bbfa7c3fb7bffd6cb326a7845dd45485 RSA 2048 bits / SHA1withRSA |
|---|----------------|---|
| 2 | Sent by server | EssentialSSL CA SHA1: 73820a20f8f47a457cd0b54cc4e4e31cefa5c1e7 RSA 2048 bits / SHA1withRSA |
| 3 | In trust store | COMODO Certification Authority SHA1: 6631bf9ef74f9eb6c9d5a60cba6abed1f7bdef7b RSA 2048 bits / SHA1withRSA |
| | | |

Path #2: Trusted

| *.mawidaqa.com \$\frac{1}{2} \text{Sent by server} \text{SHA1: aacfa8b7bbfa7c3fb7bffd6cb326a7845dd45485} \\ \text{RSA 2048 bits / SHA1 withRSA} \\ \text{EssentialSSL CA} \\ \text{2 Sent by server} \text{SHA1: 73820a20f8f47a457cd0b54cc4e4e31cefa5c1e7} \\ \text{RSA 2048 bits / SHA1 withRSA} \\ \text{COMODO Certification Authority} \\ \text{3 Sent by server} \text{SHA1: 4e154acb683efd5578001432b92afe896812b85e} \\ \text{RSA 2048 bits / SHA1 withRSA} \\ \text{UTN - DATACorp SGC} \\ \text{UTN - DATACorp SGC} \\ \text{SHA1: 58110fba128387ae50fdd9874566f478dcfad6d4} \\ \text{A latest store} \text{SHA1: 58110fba128387ae50fdd9874566f478dcfad6d4} \\ \text{A latest store} \text{SHA1: 58110fba128387ae50fdd9874566f478dcfad6d4} \\ \text{A latest store} \text{SHA1: 58110fba128387ae50fdd9874566f478dcfad6d4} \\ \text{A latest store} \text{SHA1: 58110fba128387ae50fdd9874566f478dcfad6d4} \\ \text{A latest store} \text{SHA1: 58110fba128387ae50fdd9874566f478dcfad6d4} \\ \text{A latest store} \qquad \qq | | | |
|--|---|----------------|--|
| 2 Sent by server SHA1: 73820a20f8f47a457cd0b54cc4e4e31cefa5c1e7 RSA 2048 bits / SHA1withRSA COMODO Certification Authority 3 Sent by server SHA1: 4e154acb683efd5578001432b92afe896812b85e RSA 2048 bits / SHA1withRSA UTN - DATACorp SGC | 1 | Sent by server | SHA1: aacfa8b7bbfa7c3fb7bffd6cb326a7845dd45485 |
| 3 Sent by server SHA1: 4e154acb683efd5578001432b92afe896812b85e RSA 2048 bits / SHA1withRSA UTN - DATACorp SGC | 2 | Sent by server | SHA1: 73820a20f8f47a457cd0b54cc4e4e31cefa5c1e7 |
| · | 3 | Sent by server | SHA1: 4e154acb683efd5578001432b92afe896812b85e |
| RSA 2048 bits / SHA1withRSA | 4 | In trust store | SHA1: 58119f0e128287ea50fdd987456f4f78dcfad6d4 |

Path #3: Trusted

| 1 | Sent by server | *.mawidaqa.com SHA1: aacfa8b7bbfa7c3fb7bffd6cb326a7845dd45485 RSA 2048 bits / SHA1withRSA |
|---|----------------|--|
| 2 | Sent by server | EssentialSSL CA SHA1: 73820a20f8f47a457cd0b54cc4e4e31cefa5c1e7 RSA 2048 bits / SHA1withRSA |
| 3 | Sent by server | COMODO Certification Authority SHA1: 4e154acb683efd5578001432b92afe896812b85e RSA 2048 bits / SHA1withRSA |
| 4 | Sent by server | UTN - DATACorp SGC SHA1: 9e99817d12280c9677674430492eda1dce2e4c63 RSA 2048 bits / SHA1withRSA |
| 5 | In trust store | AddTrust External CA Root SHA1: 02faf3e291435468607857694df5e45b68851868 RSA 2048 bits / SHA1withRSA |

Configuration



Protocols

| TLS 1.2 | Yes |
|---------|-----|
| TLS 1.1 | Yes |
| TLS 1.0 | Yes |
| SSL 3 | No |
| SSL 2 | No |



Cipher Suites (SSL 3+ suites in server-preferred order, then SSL 2 suites where used)

| | • |
|---|-----|
| TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030) ECDH 256 bits (eq. 3072 bits RSA) FS | 256 |
| $TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256~(0xc02f)~ECDH~256~bits~(eq.~3072~bits~RSA)~FS$ | 128 |
| TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xc028) ECDH 256 bits (eq. 3072 bits RSA) FS | 256 |
| $TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256~(0xc027)~ECDH~256~bits~(eq.~3072~bits~RSA)~FS$ | 128 |
| $TLS_ECDHE_RSA_WITH_RC4_128_SHA (\theta x c \theta 11) \text{ECDH 256 bits (eq. 3072 bits RSA)} \text{FS}$ | 128 |
| TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014) ECDH 256 bits (eq. 3072 bits RSA) FS | 256 |
| TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013) ECDH 256 bits (eq. 3072 bits RSA) FS | 128 |
| TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 (0x9f) DH 1024 bits (p: 128, g: 1, Ys: 128) FS | 256 |
| TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 (0x6b) DH 1024 bits (p: 128, g: 1, Ys. 128) FS | 256 |
| TLS_DHE_RSA_WITH_AES_256_CBC_SHA (0x39) DH 1024 bits (p: 128, g: 1, Ys: 128) FS | 256 |
| TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA (0x88) DH 1024 bits (p: 128, g: 1, Ys: 128) FS | 256 |
| TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 (0x9e) DH 1024 bits (p: 128, g: 1, Ys: 128) FS | 128 |
| TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 (0x67) DH 1024 bits (p: 128, g: 1, Ys. 128) FS | 128 |
| TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) DH 1024 bits (p: 128, g: 1, Ys: 128) FS | 128 |
| TLS_DHE_RSA_WITH_SEED_CBC_SHA (0x9a) DH 1024 bits (p: 128, g: 1, Ys: 128) FS | 128 |
| TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA (0x45) DH 1024 bits (p: 128, g: 1, Ys: 128) FS | 128 |
| TLS_RSA_WITH_RC4_128_SHA(0x5) | 128 |



Handshake Simulation

| BingBot Dec 2013 No SNI ² | TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014) FS | 256 |
|--|----------|---|-------------------|
| BingPreview Dec 2013 | TLS 1.0 | TLS_DHE_RSA_WITH_AES_256_CBC_SHA (0x39) FS | 256 |
| Chrome 31 / Win 7 | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256(0xc02f) FS | 128 |
| Firefox 17.0.7 ESR / Win 7 | TLS 1.0 | TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS | 128 |
| Firefox 24 / Win 7 | TLS 1.0 | TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS | 128 |
| Googlebot Oct 2013 | TLS 1.0 | TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS | 128 |
| IE 6 / XP No FS ¹ No SNI ² | Protocol | or cipher suite mismatch | Fail ³ |
| IE 7 / Vista | TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014) FS | 256 |
| IE 8 / XP No FS ¹ No SNI ² | TLS 1.0 | TLS_RSA_WITH_RC4_128_SHA (0x5) No FS | 128 |
| <u>IE 8-10 / Win 7</u> | TLS 1.0 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014) FS | 256 |
| <u>IE 11 / Win 7</u> | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256(0xc027) FS | 128 |
| <u>IE 11 / Win 8.1</u> | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 (0xc027) FS | 128 |
| Java 6u45 No SNI ² | TLS 1.0 | TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) FS | 128 |
| Java 7u25 | TLS 1.0 | TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS | 128 |
| OpenSSL 0.9.8y | TLS 1.0 | TLS_DHE_RSA_WITH_AES_256_CBC_SHA (0x39) FS | 256 |
| OpenSSL 1.0.1e | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030) FS | 256 |
| Safari 5.1.9 / OS X 10.6.8 | TLS 1.0 | TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS | 128 |
| Safari 6 / iOS 6.0.1 | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384(0xc028) FS | 256 |

| Safari 6.0.4 / OS X 10.8.4 | TLS 1.0 | TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS | 128 |
|----------------------------|---------|--|-----|
| Safari 7 / OS X 10.9 | TLS 1.2 | TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384(0xc028) FS | 256 |
| Tor 17.0.9 / Win 7 | TLS 1.0 | TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS | 128 |
| Yahoo Slurp Oct 2013 | TLS 1.0 | TLS_ECDHE_RSA_WITH_RC4_128_SHA (0xc011) FS | 128 |

- (1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.
- (2) No support for virtual SSL hosting (SNI). Connects to the default site if the server uses SNI.
- $(3) \ Only \ first \ connection \ attempt \ simulated. \ Browsers \ tend \ to \ retry \ with \ a \ lower \ protocol \ version.$



Protocol Details

| Secure Renegotiation | Supported |
|--|---|
| Secure Client-Initiated Renegotiation | No |
| Insecure Client-Initated Renegotiation | No |
| BEAST attack | Mitigated server-side (more info) TLS 1.0: 0xc011 |
| TLS compression | No |
| RC4 | Yes NOT DESIRABLE (more info) |
| Forward Secrecy | Yes (with most browsers) ROBUST (more info) |
| Next Protocol Negotiation | Yes http/1.1 |
| Session resumption (caching) | Yes |
| Session resumption (tickets) | Yes |
| OCSP stapling | No |
| Strict Transport Security | Yes max-age=31536000 |
| Long handshake intolerance | No |
| TLS extension intolerance | No |
| TLS version intolerance | TLS 2.98 |
| SSL 2 handshake compatibility | Yes |
| | |



Miscellaneous

| Test date | Fri Jan 03 14:01:13 UTC 2014 |
|-----------------------|---|
| Test duration | 49.488 seconds |
| HTTP status code | 200 |
| HTTP server signature | nginx |
| Server hostname | ec2-107-22-230-28.compute-1.amazonaws.com |
| PCI compliant | Yes |
| FIPS-ready | No |
| | |

SSL Report v1.6.32

Copyright © 2009-2014 Qualys, Inc. All Rights Reserved.

Terms and Conditions