

Modifying content on this site

You have two options for editing content: directly in your browser using GitHub, or using a Git-based workflow from your local work environment.

Modifying content from your browser

Every page on this site has an Edit button . If you click it, it'll take you straight to the corresponding source page in GitHub. Then, you can follow [GitHub's documentation](#) on how to propose changes to another user's repository.

Modifying content using Git

The Git repository for this site lives at <https://github.com/citynetwork/docs>. You can [fork that repository](#), make the proposed changes in your fork, and then send us a standard [GitHub pull request](#).

For this purpose, use `git` in combination with either GitHub's web interface, or the `gh` command-line interface (CLI).

First, create a fork of the documentation repository:

`git` client and web browser `gh` client

Open <https://github.com/citynetwork/docs> and click the *Fork* button. When you create your new fork, it's fine to leave the *Copy the `main` branch only* option enabled.

Then, proceed to create a new local checkout of your fork:

```
git clone
git@github.com:<yourusername>/
<your-repo-fork> cleura-docs
cd cleura-docs
```

```
gh repo fork --clone https://
github.com/citynetwork/docs --
```

```
cleura-docs
cd cleura-docs
```

Next, create a local topic branch and make your modifications:

```
git checkout -b <your-topic-branch-name>
# edit your files
git add <files-to-add>
git commit
```

Please see our [notes on commit messages](#).

Finally, create a pull request (PR) from your changes:

```
git client and web browser    gh client
```

Run the following `git` command (assuming `origin` is the remote that points to your fork):

```
git push
origin <your-
topic-branch-
name>
```

your changes as you edit

To see your changes as you work on them, you can use [tox](#). Having created a topic branch with your modifications, run:

```
cd cleura-docs
git checkout <your-topic-branch-name>
tox -e serve
```

command, and a local copy of the documentation will then run on your local machine and be accessible from <http://localhost:8000> in your browser. create a pull request.

When you are planning to make several changes in rapid succession, you may prefer rendering the site after each change. You may do so by disabling checks all links (including external links) for accessibility:

```
gh pr create --
fill
```

```
cd cleura-docs
export DOCS_ENABLE_HTMLPROOFER=false
tox -e serve
```

Last update: 2022-10-31

Created: 2022-10-25

Authors: **Florian Haas**