

ICPSR 28762

**Study of Women's Health Across
the Nation (SWAN), 1996-1997:
Baseline Dataset**

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Study of Women's Health Across the Nation (SWAN), 1996-1997: Baseline Dataset

Kim Sutton-Tyrrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran Sowers
University of Michigan

Robert Neer
Massachusetts General Hospital, Boston

Lynda Powell
Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen Gold
University of California-Davis

Gail Greendale
University of California-Los Angeles

Gerson Weiss
University of Medicine and Dentistry - New Jersey Medical School

Karen Matthews
University of Pittsburgh

Sonja McKinlay
New England Research Institutes

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/28762.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



BASELINE VISIT

CODEBOOK

PAGE INTENTIONALLY BLANK

TABLE OF CONTENTS

Documentation for the SWAN Baseline Dataset.....	4
Interview Questionnaire.....	7
Self-Administered Questionnaire Part A	30
Self-Administered Questionnaire Part B	51
Physical Measures.....	57
Food Frequency Questionnaire	60
Additional Measures.....	72

DOCUMENTATION FOR THE PUBLIC-USE SWAN BASELINE DATASET

1. Who is included in the public use dataset:

The dataset contains baseline visit information for the 3,302 women from the 7 clinical sites participating in the SWAN longitudinal study. The sites include Boston, MA, Pittsburgh, PA, Oakland and Los Angeles, CA, Detroit, MI, Newark, NJ, and Chicago, IL.

2. How this codebook is constructed:

Following this documentation section are copies of each of the questionnaires that were used at the baseline visit. A list of additional variables is also provided. The questionnaires include the variables available for public use next to the question in bold red uppercase underlined letters. Those variables not available for public use have a # before the variable and are in blue. Any special notes are indicated with footnotes at the bottom of the page.

The assigned participant ID has been replaced with a randomly generated SWANID in order to protect participant privacy. The interview date will be denoted as day 0 and is used as the basis for all other dates. All other questionnaires or data collected that have a date attached have been converted to the number of days from the baseline interview. For example, if the Self-Administered Questionnaire Part A was collected a week after the baseline interview, the day for the Self-Administered Part A would be day 7 and the Interview would be day 0.

All variables for the baseline visit have a 0 at the end of the variable name.

3. Missing data coding:

The following coding convention is used to indicate different forms of missing data:

- 9 = Missing
- 8 = Do not know
- 7 = Refused
- 1 = Not Applicable

4. Ways this data can be used and additional notes

Interview Questionnaire

The date of the specimen mentioned in A.15 is in the variable SPEDAY0. The medication section (B.1 and B2) condenses the question 'Did you take it yesterday?' (B1.2 and B2.2) into one answer when two responses were found using the following strategy: Y + Y = Y, Y + N = Y, and N + N = N. In addition, the 'other' question for B.1.o and B.2.e condensed the responses so that any yes answer would set B.1.o or B.2.e to yes. The text field containing medication names (B1.1 and B2.1) will be archived at a later date. The years/months questions (B.3.1a-i and B.4.a-i) have been collapsed to number of months. The years/months questions in section C.21.1 (C.21.1.c 'If you breastfed, for how long did you breastfeed?') have been collapsed to number of months.

- A menopausal status variable STATUS0 was derived for all analyses of the SWAN data, and is included in the Additional Measures section of this codebook.
- An occupation code OCCUP0, based on the 1990 census occupation codes, was derived from the text fields in D.2, and is included in the Additional Measures section of this codebook.
- Age (AGE0) was calculated from date of birth and when the form was completed, and is rounded to the next lowest integer.
- A social support score can be calculated from the questions in C.1.a-d after recoding them from a 1-5 range to a 0-4 range.
- CES-D scores can be created from the questions in C.24.

Self-Administered Questionnaire Part A

In general, any 'Other, specify' text field is not included in the baseline dataset. The religion question E.3 was condensed so that several of the least frequent religions were placed in the 'Other' category. The income question E.10 was condensed so that the income ranges were more broadly defined.

- Current smoking is defined as anyone who answered 'yes' to question B.11 and 'yes' to B.11.3
- A three-level smoking variable can be constructed differentiating among people who never smoked, former smokers, and current smokers. Current smoking is defined as above. Former smoking is defined as anyone who answered 'yes' to question B.11 but 'no' to B.11.3. Never smoked is defined as anyone who answered 'no' to question B.11.
- SF-36 scores can be derived based on questions B.15-21 according to the SF-36 User's Manual. Responses may need to be reversed where necessary so that all items are positively scored, so that a higher value indicates better functioning. The Role-Physical scale uses the variables from question B.15a-d. The Bodily Pain Score is calculated from questions B.18 and B.19. Item recoding depends on whether both questions were answered or one of the items has missing data. After recoding, all the items are positively scored so that a higher score indicates less pain. The SF-36 Vitality Score is calculated from questions B.20a-d. Questions B.20.c and B.20.d should be reversed so that all items are positively scored; for the resulting scores a higher score indicates greater energy (and less fatigue). The Social Functioning Score is calculated using questions B.17 and B.21. Question B.17 is reversed so that all items are positively scored; for the resulting index a higher score indicates better social functioning. The Role-Emotional Score is calculated using questions B.16a-c. All items are positively scored, so a higher score indicates better role-emotional functioning.
- A hostility or cynicism score can be coded using the Cook-Medley Cynicism Scale. The values for questions E.12 through E.24 should be rescaled for computing this scale so that "false" corresponds to a value of 0 and "true" to a value of 1.

Self-Administered Questionnaire Part B

No additional variables are calculated from these questions.

Physical Measures

In addition to the variables on the form, BMI0 was also calculated as weight in kilograms divided by the square of height in meters.

Food Frequency Questionnaire

The actual answers to each question were never given to the coordinating center. Instead, derived scores were provided. A copy of the form is given in the Food Frequency Questionnaire for reference, and the derived scores are listed afterwards. 157 participants have all of the questions set to missing because they had either too few or too many solid foods/day, more than 10 foods skipped, or a daily caloric intake too low or high.

The variables with a **DTT** prefix contain estimated daily dietary intakes of the particular nutrient, exclusive of supplements. The variables with an **SUP** prefix represent estimated supplement intake (vitamin B12, copper, selenium, and vitamin D have no dietary component). The variables with an **ALL** prefix combine dietary and supplement intake. ALL_B1 and ALL_B2 both contain vitamin B1 supplement, since vitamin B1 and B2 supplements are very similar.

It may be that participants with recent supplement use have unexpected results (have worse health than expected), if they recently began taking supplements because of a health problem. It may therefore make sense to analyze separately women with recent (past year) supplement use, and women with no supplement or long-term supplement use only. Variables with a **YRS** prefix indicate how long the participant has been using supplements (a value of "1" means less than a year).

Variables with **FRQ** suffixes refer to the sum of daily frequencies of all members of the particular food group. The **SRV** suffix refers to the average daily serving of the food, using the Food Guide Pyramid definition of a serving (SRV variables take portion size plus frequency of consumption into account). Since FRQ and SRV for ALCH, FAT, and FRUT (alcohol, fats/sweets, and fruit) are the same (the amount in an "eating event" (frequency) is approximately the same as what is defined as a serving, or there is no sensible serving definition (fats/sweets)), only the SRV version is kept (FATSRV, ALCHSRV, FRUTSRV).

A **WK/MON** suffix refers to the number of different foods in the food group eaten at least once a week/month (weekly/monthly variability index).

Additional Measures

Serum Hormone Measures

The baseline hormone results are included. Of special note is that the estradiol assay was run in duplicate. The average (E2AVE0) is the within-person arithmetic average of the two assays. A flag indicates if the estradiol results differed by > 10 pg/mL where one or both results ≤ 20 pg/mL. Hormone results below the lower level of detection (LLD- see table in the Additional Measures section) were recoded to an .L value. Note that neither estradiol measurement nor FSH had any values below the LLD.

Cardiovascular Measures

A flag (FLAGCO20) indicates that collection dates for the final four protein measures do not match collection dates from the specimen collection. Another flag (FLAGSER0) indicates that the lipids were measured on serum rather than plasma because plasma was not available.

Bone Mineral Density Measures

Five of the seven sites participated in the bone study – Detroit, MI, Boston, MA, Oakland and Los Angeles, CA, and Pittsburgh, PA. Total spine and total hip bone mineral density (BMD) measures are provided.

Additional variables

As mentioned above, menopausal status (STATUS0), last menstrual period day (LMPDAY0), and occupation code according to the 1990 census (OCCUP0) are also provided.

Study of Women's Health Across the Nation

INTERVIEW

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

A1. RESPONDENT ID:

SWANID~

A2. SWAN STUDY VISIT #

VISIT

A3. FORM VERSION:

$\frac{1}{M} \frac{2}{M} / \frac{1}{D} \frac{4}{D} / \frac{9}{Y} \frac{5}{Y}$

#FORM_V

A4. DATE FORM COMPLETED:

$\frac{\quad}{M} \frac{\quad}{M} / \frac{\quad}{D} \frac{\quad}{D} / \frac{\quad}{Y} \frac{\quad}{Y}$

INTDAY0[†]

A5. INTERVIEWER'S INITIALS:

___ #INITS

A6. RESPONDENT'S DOB:

$\frac{\quad}{M} \frac{\quad}{M} / \frac{\quad}{D} \frac{\quad}{D} / \frac{\quad}{Y} \frac{\quad}{Y}$

#DOB

VERIFY WITH RESPONDENT

A7. INTERVIEW COMPLETED IN:

#LOCATI0

1. RESPONDENT'S HOME

2. CLINIC/OFFICE

#START

A8. START TIME

___:___ AM 1. #STRTAMPM
PM 2.

A9. Are you currently pregnant?

PREGNAN0

1. NO

2. YES [END INTERVIEW AND TERMINATE RESPONDENT FROM THE STUDY]

A10. WAS BLOOD DRAWN PREVIOUSLY?

PREVBLO0

1. NO

2. YES (GO TO SECTION B ON PAGE 3.)

Before we draw a blood sample I need to ask you a few questions.

~ A randomly generated ID will be provided that is different from the original ID

† A.4.is the date from which all other dates (in days) are calculated. This date will be given in days as day zero.

Variable Excluded from Public Use Data File

A.11. Have you had any alcohol in the last 24 hours? **ALCHL240**

1. NO
2. YES

A.12. Have you had anything to eat or drink in the last 12 hours? That is, since ___ : ___ last night ?

EATDRIN0

1. NO
2. YES

A.13. Did you start a menstrual period in the last week (7 days)? **STRTPERO**

1. NO (GO TO Q.A.14.)
2. YES (GO TO Q.A.13.1.)

A.13.1. What is the date that you started to bleed? **DAYBLE0[†]**

___ / ___ / ___
M M D D Y Y

A.14. BLOOD DRAW ATTEMPTED?

BLDRWAT0

1. YES, AS PER PROTOCOL (GO TO Q.A.14.2)
2. YES, MENSES TOO VARIABLE (GO TO Q.A.14.2)
3. YES, LAST ATTEMPT (GO TO Q.A.14.2)
4. NO, NOT FASTING AND/OR NOT IN WINDOW - RESCHEDULE (GO TO Q.A.14.1)

A.14.1. Unfortunately this is not the best time to draw a blood sample. In order to get the best possible information for this study, we need you to fast for 12 hours and to be within a week of starting a menstrual period. We need to reschedule a good day to draw your blood.

[INTERVIEWER HAND INSTRUCTION CARD TO RESPONDENT AND EXPLAIN]

GO TO SECTION B ON THE NEXT PAGE

A.14.2. FOLLOW BLOOD DRAW PROTOCOL
RECORD COLLECTION TUBES FILLED ON SPECIMEN COLLECTION FORM

A.15. BLOOD DRAWN

BLDDRAW0

1. NO
2. YES

ASK RESPONDENT TO GATHER PRESCRIPTION AND NON-PRESCRIPTION MEDICATIONS SO THEY ARE WITHIN REACH. REMEMBER, DO NOT READ OUT LOUD ANY SCRIPT IN CAPITAL LETTERS.

[†] Date given in days before interview

I would like to begin the interview by asking you some questions about medications.

The medications you take, both those prescribed and from over-the-counter (OTC) can have a major influence on how well you feel, how you respond to events in your life and the continued maintenance of your health. First of all, we want to know about any medications you have taken in the last month.

B.1. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are **prescribed** by your doctor or other health care provider, that you have taken in the last month.

IF YES TO ANY, LIST MEDICATION NAME
FROM LABEL IN THE SPACES PROVIDED.

		PRESCRIPTION DRUGS											
		IF YES:											
		B.1.1 What is the name of the medication?		B.1.2 Did you take it yesterday?		B.1.3 For how long have you taken it (this time)?				B.1.4 INTERVIEWE R CHECK: MEDICATIO N VERIFIED FROM CONTAINER LABEL?			
		NO YES		NO YES				NO YES					
a.	Have you taken any medication, pills or other medicine to thin your blood (anticoagulants)?	1.	2.	<u>#ACOAMD10</u>	<u>ACOAYS0*</u>	<u>#ACOAYR10</u>	<u>#ACOAMO10</u>	<u>#ACOAVR10</u>	1.	2.			
	<u>ANTICOA0</u>				1.	2.	____/____						
				<u>#ACOAMD20</u>			____/____	<u>#ACOAYR20</u>	<u>#ACOAMO20</u>	<u>#ACOAVR20</u>			
					1.	2.	____/____			1.	2.		
							yrs mos						
							yrs mos						
b.	Anything for your heart or heart beat, including pills or patches?	1.	2.	<u>#HARTMD10</u>	<u>HARTYS0*</u>	<u>#HARTYR10</u>	<u>#HARTMO10</u>	<u>#HARTVR10</u>	1.	2.			
	<u>HEART0</u>				1.	2.	____/____						
				<u>#HARTMD20</u>			____/____	<u>#HARTYR20</u>	<u>#HARTMO20</u>	<u>#HARTVR20</u>			
					1.	2.	____/____			1.	2.		
							yrs mos						
							yrs mos						
c.	Anything for ulcers?	1.	2.	<u>#ULCRMD10</u>	<u>ULCRYS0*</u>	<u>#ULCRYR10</u>	<u>#ULCRMO10</u>	<u>#ULCRVR10</u>	1.	2.			
	<u>ULCER0</u>				1.	2.	____/____						
				<u>#ULCRMD20</u>			____/____	<u>#ULCRYR20</u>	<u>#ULCRMO20</u>	<u>#ULCRVR20</u>			
					1.	2.	____/____			1.	2.		
							yrs mos						
							yrs mos						
d.	Any medications for cholesterol or fats in your blood?	1.	2.	<u>#CHOLMD10</u>	<u>CHOLYS0*</u>	<u>#CHOLYR10</u>	<u>#CHOLMO10</u>	<u>#CHOLVR10</u>	1.	2.			
	<u>CHOLEST0</u>				1.	2.	____/____						
				<u>#CHOLMD20</u>			____/____	<u>#CHOLYR20</u>	<u>#CHOLMO20</u>	<u>#CHOLVR20</u>			
					1.	2.	____/____			1.	2.		
							yrs mos						
							yrs mos						

* B.1.2 variables are collapsed to one answer

Variable Excluded from Public Use Data File

IF YES TO ANY, LIST MEDICATION NAME
FROM LABEL IN THE SPACES PROVIDED

PRESCRIPTION DRUGS

IF YES:

				B.1.1 What is the name of the medication?	B.1.2 Did you take it yesterday?	B.1.3 For how long have you taken it (this time)?	B.1.4 INTERVIEWE R CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?
		NO	YES		NO	YES	
e.	Blood pressure pills?	1.	2.	<u>#BPMED10</u>	<u>#BPYS0*</u>	<u>#BPYR10</u> / <u>#BPMO10</u>	<u>#BPVR10</u>
	<u>BP0</u>			<u>#BPMED20</u>		yrs mos	
				<u>#THYRMD10</u>	<u>THYRYS0*</u>	<u>#THYRYR10</u> / <u>#THYRMO10</u>	<u>#THYRVR10</u>
f.	Thyroid pills?	1.	2.	<u>#THYRMD20</u>		yrs mos	
	<u>THYROID0</u>			<u>#THYRMD20</u>		<u>#THYRYR20</u> / <u>#THYRMO20</u>	<u>#THYRVR20</u>
				<u>#INSUMD10</u>	<u>INSUYS0*</u>	<u>#INSUYR10</u> / <u>#INSUMO10</u>	<u>#INSUVR10</u>
g.	Insulin or pills for sugar in your blood?	1.	2.	<u>#INSUMD20</u>		yrs mos	
	<u>INSULIN0</u>			<u>#INSUMD20</u>		<u>#INSUYR20</u> / <u>#INSUMO20</u>	<u>#INSUVR20</u>
				<u>#NERVMD10</u>	<u>NERVYS0*</u>	<u>#NERVYR10</u> / <u>#NERVMO10</u>	<u>#NERVVR10</u>
h.	Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti- depression medication?	1.	2.	<u>#NERVMD20</u>		yrs mos	
	<u>NERVOUS0</u>			<u>#NERVMD20</u>		<u>#NERVYR20</u> / <u>#NERVMO20</u>	<u>#NERVVR20</u>
				<u>#STERMD10</u>	<u>STERYS0*</u>	<u>#STERYR10</u> / <u>#STERMO10</u>	<u>#STERYR10</u>
i.	Steroid pills such as Prednisone, cortisone?	1.	2.	<u>#STERMD20</u>		yrs mos	
	<u>STEROID0</u>			<u>#STERMD20</u>		<u>#STERYR20</u> / <u>#STERMO20</u>	<u>#STERYR20</u>
				<u>#INHAMD10</u>	<u>INHAYS0*</u>	<u>#INHAYR10</u> / <u>#INHAMO10</u>	<u>#INHAYR10</u>
j.	Steroid inhalers such as Vanceril?	1.	2.	<u>#INHAMD20</u>		yrs mos	
	<u>INHALER0</u>			<u>#INHAMD20</u>		<u>#INHAYR20</u> / <u>#INHAMO20</u>	<u>#INHAYR20</u>
						yrs mos	

* B.1.2 variables are collapsed to one answer

Variable Excluded from Public Use Data File

IF YES TO ANY, LIST MEDICATION NAME
FROM LABEL IN THE SPACES PROVIDED

PRESCRIPTION DRUGS

IF YES:

		NO YES		B.1.1 What is the name of the medication?	B.1.2 Did you take it yesterday?	B.1.3 For how long have you taken it (this time)?	B.1.4 INTERVIEWE R CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?	
					NO YES		NO YES	
k.	Hormone creams or suppositories for vaginal dryness?	1.	2.	#HCRMMD10 _____	#HCRMYS0* 1. 2.	#HCRMYSR10 _____/_____ yrs mos	#HCRMMSO10 _____/_____ yrs mos	#HCRMVSR10 1. 2.
	<u>HORMCRE0</u>			#HCRMMD20 _____		#HCRMYSR20 _____/_____ yrs mos	#HCRMMSO20 _____/_____ yrs mos	#HCRMVSR20 1. 2.
l.	Hormone pills such as estrogen or progesterone, for example, Premarin, Provera, Ogen?	1.	2.	#HORMMD10 _____	#HORMYS0* 1. 2.	#HORMYSR10 _____/_____ yrs mos	#HORMMSO10 _____/_____ yrs mos	#HORMVSR10 1. 2.
	<u>HORMPIL0</u>			#HORMMD20 _____		#HORMYSR20 _____/_____ yrs mos	#HORMMSO20 _____/_____ yrs mos	#HORMVSR20 1. 2.
m.	An estrogen patch, such as estraderm?	1.	2.	#ESTRMD10 _____	#ESTRYS0* 1. 2.	#ESTRYSR10 _____/_____ yrs mos	#ESTRMSO10 _____/_____ yrs mos	#ESTRVSR10 1. 2.
	<u>ESTRPTC0</u>			#ESTRMD20 _____		#ESTRYSR20 _____/_____ yrs mos	#ESTRMSO20 _____/_____ yrs mos	#ESTRVSR20 1. 2.
n.	Birth control pills?	1.	2.	#BCPMED10 _____	#BCPYS0* 1. 2.	#BCPYR10 _____/_____ yrs mos	#BCPMO10 _____/_____ yrs mos	#BCPVSR10 1. 2.
	<u>BCP0</u>			#BCPMED20 _____		#BCPYR20 / _____/_____ yrs mos	#BCPMO20 _____/_____ yrs mos	#BCPVSR20 1. 2.
o.	Are there any other prescription pills or medications that you have taken in the last month that I haven't asked you about? (Please list)	1.	2.	#OTHRMD10 _____	#OTHRYS0* 1. 2.	#OTHRYSR10 _____/_____ yrs mos	#OTHRMSO10 _____/_____ yrs mos	#OTHRVSR10 1. 2.
	<u>OTHRMED0</u>			#OTHRMD20 _____		#OTHRYSR20 _____/_____ yrs mos	#OTHRMSO20 _____/_____ yrs mos	#OTHRVSR20 1. 2.
				#OTHRMD30 _____		#OTHRYSR30 _____/_____ yrs mos	#OTHRMSO30 _____/_____ yrs mos	#OTHRVSR30 1. 2.
				#OTHRMD40 _____		#OTHRYSR40 / _____/_____ yrs mos	#OTHRMSO4 _____/_____ yrs mos	#OTHRVSR40 1. 2.

IF YES TO k-n - SHADED AREA - END INTERVIEW AND TERMINATE RESPONDENT FROM STUDY.

* B.1.2 variables and B. 1.o are collapsed to one answer

Variable Excluded from Public Use Data File

B.2. Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly over the past month, that is, at least two times per week throughout the month:

IF YES TO ANY, LIST MEDICATION
NAME FROM LABEL IN THE SPACES
PROVIDED

NON-PRESCRIPTION DRUGS

IF YES:

	B.2.1 What is the name of the medication?		B.2.2 Did you take it yesterday?		B.2.3 For how long have you taken it (this time)?		B.2.4 INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?	
	NO	YES	NO	YES	NO	YES	NO	YES
a. Are you taking any over-the-counter medications for pain including headaches and arthritis?	1.	2.	1.	2.	1.	2.	1.	2.
		<u>#PAINMD10</u>		<u>PAINYS0*</u>	<u>#PAINYR10</u>	<u>#PAINMO10</u>		<u>#PAINVR10</u>
					____/____			
					yrs	mos		
		<u>#PAINMD20</u>			<u>#PAINYR20</u>	<u>#PAINMO20</u>		<u>#PAINVR20</u>
					yrs	mos		
b. Anything for problems sleeping?	1.	2.	1.	2.	1.	2.	1.	2.
		<u>#SLEPMD10</u>		<u>SLEPYS0*</u>	<u>#SLEPYR10</u>	<u>#SLEPMO10</u>		<u>#SLEPVR10</u>
					____/____			
					yrs	mos		
		<u>#SLEPMD20</u>			<u>#SLEPYR20</u>	<u>#SLEPMO20</u>		<u>#SLEPVR20</u>
					yrs	mos		
c. Anything for problems with your bowels?	1.	2.	1.	2.	1.	2.	1.	2.
		<u>#BOWLMD10</u>		<u>BOWLYS0*</u>	<u>#BOWLYR10</u>	<u>#BOWLMO10</u>		<u>#BOWLVR10</u>
					____/____			
					yrs	mos		
		<u>#BOWLMD20</u>			<u>#BOWLYR20</u>	<u>#BOWLMO20</u>		<u>#BOWLVR20</u>
					yrs	mos		
d. Anything for heartburn, indigestion, upset stomach, or gastritis?	1.	2.	1.	2.	1.	2.	1.	2.
		<u>#HBRNMD10</u>		<u>HBRNYS0*</u>	<u>#HBRNYR10</u>	<u>#HBRNMO10</u>		<u>#HBRNVR10</u>
					____/____			
					yrs	mos		
		<u>#HBRNMD20</u>			<u>#HBRNYR20</u>	<u>#HBRNMO20</u>		<u>#HBRNVR20</u>
					yrs	mos		
e. Are there any other over-the-counter pills or other medications (including liquids or ointments) you are now taking that I haven't asked you about? (PLEASE LIST)	1.	2.	1.	2.	1.	2.	1.	2.
		<u>#OTCMD10</u>		<u>OTCYs0*</u>	<u>#OTCYR10</u>	<u>#OTCMO10</u>		<u>#OTCVR10</u>
					____/____			
					yrs	mos		
		<u>#OTCMD20</u>			<u>#OTCYR20</u>	<u>#OTCMO20</u>		<u>#OTCVR20</u>
					yrs	mos		
		<u>#OTCMD30</u>			<u>#OTCYR30</u>	<u>#OTCMO30</u>		<u>#OTCVR30</u>
					yrs	mos		
		<u>#OTCMD40</u>			<u>#OTCYR40</u>	<u>#OTCMO40</u>		<u>#OTCVR40</u>
					yrs	mos		

* B.2.2 variables and B.2.e. are collapsed to one answer

- B.3. In addition to the medications you use now, we would like to know the medications that you have used in the past, but no longer take, because they might be important for your health today. Please let me know if you have ever used any of these medications for more than a month, that is at least 2 times a week throughout the month. If you did, how long have you used them (counting up all the different episodes together).

Have you <u>ever</u> used for more than a month...		NO	YES	DK	IF YES: B.3.1 How many years/months altogether did you use this?
					<u>INSUEVM0*</u>
a.	Insulin or pills for high blood sugar?	1.	2.	-8.	_____ / _____ yrs mos
	<u>INSUEVE0</u>				
b.	Thyroid medicines (e.g., Synthroid)?	1.	2.	-8.	_____ / _____ yrs mos
	<u>THYREVE0</u>				<u>THYREVM0*</u>
c.	Corticosteroid pills (e.g., Prednisone)?	1.	2.	-8.	_____ / _____ yrs mos
	<u>CORTEVE0</u>				<u>CORTEVM0*</u>
d.	Anticoagulants or Blood Thinners (e.g., Warfarin, Heparin, Coumadin)?	1.	2.	-8.	_____ / _____ yrs mos
	<u>COAGEVE0</u>				<u>COAGEVM0*</u>
e.	Barbiturates, sleeping pills, antidepressants, or tranquilizers (e.g., Valium, Librium, Phenobarbital, Prozac, Seconal, Thorazine, Mellaril, Zoloft, Elavil, Ativan/Lorazepam, Ambien)?	1.	2.	-8.	_____ / _____ yrs mos
	<u>BARBEVE0</u>				<u>BARBEVM0*</u>
f.	Diuretics for water retention (e.g., water pills, Lasix, hydrodiuril, thiazide)?	1.	2.	-8.	_____ / _____ yrs mos
	<u>DIUREVE0</u>				<u>DIUREVM0*</u>
g.	Anticonvulsants for seizures, epilepsy (e.g., Dilantin, Phenytoin, Phenobarbital, Tegretol)?	1.	2.	-8.	_____ / _____ yrs mos
	<u>CONVEVE0</u>				<u>CONVEVM0*</u>
h.	Lithium?	1.	2.	-8.	_____ / _____ yrs mos
	<u>LITHEVE0</u>				<u>LITHEVM0*</u>
i.	Amphetamines by pill, capsule or injection?	1.	2.	-8.	_____ / _____ yrs mos
	<u>AMPHEVE0</u>				<u>AMPHEVM0*</u>

* B.3.1 variables are collapsed to months

B.4. Have you ever taken:

IF YES:
B4.1 For how many months
or years did you take it?

	NO	YES	DON'T KNOW	years?	months?
a. Premarin or other oral estrogen?	1.	2.	-8.		<u>PREMEVM0*</u>
<u>PREMEVE0</u>				yrs	mos
b. Estrogen by injection or patch?	1.	2.	-8.		<u>PTCHEVM0*</u>
<u>PTCHEVE0</u>				yrs	mos
c. Combination estrogen/progestin (except birth control pills)?	1.	2.	-8.		<u>COMBEVM0*</u>
<u>COMBEVE0</u>				yrs	mos
d. Provera or other progestin?	1.	2.	-8.		<u>PROVEVM0*</u>
<u>PROVEVE0</u>				yrs	mos
e. Tamoxifen (Nolvadex)?	1.	2.	-8.		<u>TAMOEVM0*</u>
<u>TAMOEVE0</u>				yrs	mos
f. Diethyl-stilbesterol (DES)?	1.	2.	-8.		<u>DESEVM0*</u>
<u>DESEVE0</u>				yrs	mos
g. Depo-provera injection for birth control?	1.	2.	-8.		<u>DEPOEVM0*</u>
<u>DEPOEVE0</u>				yrs	mos
h. Fertility medications to help you get pregnant (Perganol, Clomid)?	1.	2.	-8.		<u>FERTEVM0*</u>
<u>FERTEVE0</u>				yrs	mos
i. Birth control pills?	1.	2.	-8.		<u>BCEVM0*</u>
<u>BCEVE0</u>				yrs	mos



B.4.2. For your most recent use, what was the primary reason for taking birth control pills? **BCREAS0**

1. TO PREVENT PREGNANCY
2. TO HELP CONTROL PRE-MENSTRUAL SYMPTOMS
3. TO HELP CONTROL MENOPAUSAL SYMPTOMS
4. TO CONTROL OTHER SYMPTOMS
5. TO REGULATE PERIODS
6. TO PREVENT OSTEOPOROSIS
7. TO REDUCE BLEEDING
- 8. DON'T KNOW

* B.4.1 variables are collapsed to months

Now, I'm going to ask you some questions about your past health and medical history.

Variable Excluded from Public Use Data File

B.5. Has a doctor, nurse practitioner or other health care provider ever told you that you have any of the following conditions?

	NO	YES	DON'T KNOW	B.5.1: IF YES: Do you currently take medication for this?	
				NO	YES
a. Stroke? <u>STROKE0</u> , <u>STROKMD0</u>	1.	2.	-8.	1.	2.
b. High blood cholesterol? <u>HBCHOLE0</u> , <u>HBCHOMD0</u>	1.	2.	-8.	1.	2.
c. Migraine headaches? <u>MIGRAIN0</u> , <u>MIGRAMD0</u>	1.	2.	-8.	1.	2.
d. Gallstones? <u>GALLSTO0</u> , <u>GALLSMD0</u>	1.	2.	-8.	1.	2.
e. Arthritis or Osteo-arthritis (degenerative joint disease)? <u>OSTEOAR0</u> , <u>OSTEOMD0</u>	1.	2.	-8.	1.	2.
f. Over-active thyroid? <u>OATHYRO0</u> , <u>OATHYMD0</u>	1.	2.	-8.	1.	2.
g. Under-active thyroid? <u>UATHYRO0</u> , <u>UATHYMD0</u>	1.	2.	-8.	1.	2.
h. High blood calcium? <u>HBCALCI0</u> , <u>HBCALMD0</u>	1.	2.	-8.	1.	2.
i. Anemia (low blood count, low blood iron)? <u>ANEMIA0</u> , <u>ANEMIMD0</u>	1.	2.	-8.	1.	2.
j. Chronic Liver disease (chronic or persistent hepatitis, cirrhosis)? <u>LIVER0</u> , <u>LIVERMD0</u>	1.	2.	-8.	1.	2.
k. Epilepsy, seizure disorder or convulsions? <u>EPILEPS0</u> , <u>EPILEMD0</u>	1.	2.	-8.	1.	2.
l. Phlebitis (inflammation of veins usually in arms or legs)? <u>PHLEBIT0</u> , <u>PHLEBMD0</u>	1.	2.	-8.	1.	2.
m. Anorexia nervosa (not eating and losing extreme amounts of weight)? <u>ANOREXI0</u> , <u>ANOREMD0</u>	1.	2.	-8.	1.	2.
n. Bulimia (eating, sometimes large amounts of food and then vomiting)? <u>BULIMIA0</u> , <u>BULIMMD0</u>	1.	2.	-8.	1.	2.
o. Tuberculosis (TB)? <u>TUBERCU0</u> , <u>TUBERMD0</u>	1.	2.	-8.	1.	2.
p. AIDS or HIV? <u>AIDS0</u> , <u>AIDSMED0</u>	1.	2.	-8.	1.	2.
q. Lupus (SLE)? <u>LUPUS0</u> , <u>LUPUSMD0</u>	1.	2.	-8.	1.	2.

The next few questions focus on some other personal aspects of your life.

C.1. [HAND RESPONDENT CARD “A”] People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it?

	None of the time	A little of the time	Some of the time	Most of the time	All of the time
a. Someone you can count on to listen to you when you need to talk <u>LISTEN0</u>	1	2	3	4	5
b. Someone to take you to the doctor if you needed it <u>TAKETOM0</u>	1	2	3	4	5
c. Someone to confide in or talk to about yourself or your problems <u>CONFIDE0</u>	1	2	3	4	5
d. Someone to help with daily chores if you were sick <u>HELPSIC0</u>	1	2	3	4	5

C.2. Are you in a committed relationship with a significant other person? COMMITTE0

1. NO (GO TO Q.C.3.)
2. YES

C.2.1. [HAND RESPONDENT CARD “B”] The dots on the line in front of you represent different degrees of happiness in your relationship with your significant other. Please tell me which best describes the degree of happiness, all things considered, of your relationship. DEGHAPPO

*	*	*	*	*	*	*
Extremely <u>Unhappy</u>	Fairly <u>Unhappy</u>	A little <u>Unhappy</u>	Happy	Very Happy	Extremely Happy	Perfect
1	2	3	4	5	6	7

Now I would like to ask you about your menstrual periods.

C.3. How old were you when your periods or menstrual cycles started?__ __ YEARS **STARTAG0**

-8 DON'T KNOW

I would like you to think about your menstrual periods during the last year, that is, since __ __/__ __?
M M Y Y

C.4. During the last year, how long has your menstrual flow usually lasted, that is from the time bleeding began until it stopped completely? By “usually” we mean at least half of the time.

FLOWDAY0

1. 1-2 DAYS
2. 3-7 DAYS
3. MORE THAN 7 DAYS
- 8. DON'T KNOW

C.5. During the last year, have you had a menstrual flow that lasted more than 10 days?

TENDAFL0

1. NO
2. YES
- 8. DON'T KNOW

C.6. During the last year, did you bleed or spot between your periods more than half of the time?

SPOTBET0

1. NO
2. YES
- 8. DON'T KNOW

C.7. On the heaviest days of your menstrual flow, during the last year, was the amount that you usually bled:
[HAND RESPONDENT CARD “C”]

FLOWAMT0

1. Light (change protection 1-3 times/day)
2. Moderate (change protection every 3-4 hours)
3. Heavy (change protection every 2 hours)
4. Very heavy (change protection every hour)
- 8. DON'T KNOW

C.8. On the heaviest days of your menstrual flow, during the last year, did you ever experience flooding or gushing?

FLOODIN0

1. NO
2. YES
- 8. DON'T KNOW

C.9. On the heaviest days of your menstrual flow, during the last year, did you ever pass clots larger than a dime?

CLOTS0

1. NO
2. YES
- 8. DON'T KNOW

C.10. During the last year, did your menstrual flow usually start within 4 days of the day you expected it to start? By “usually” we mean for at least half of your periods.

STARTDA0

1. NO
2. YES
- 8. DON'T KNOW

C.11. On average, during the last year, how many days were there in a typical menstrual cycle, that is, from the beginning of bleeding of one menstrual period to the beginning of bleeding of the next period?

USUALDA0

1. LESS THAN 21 DAYS
2. 21-25 DAYS
3. 26-32 DAYS
4. 33-35 DAYS
5. 36-90 DAYS
6. MORE THAN 90 DAYS
7. TOO VARIABLE TO SAY
- 8. DON'T KNOW

C.12. During the last year, have you had any of the following during at least half of your menstrual periods or in the week before them?

- | | | | | | |
|----|--|-----------------|-------|--------|--------|
| a. | Abdominal pain or cramps | <u>CRAMPS0</u> | 1. NO | 2. YES | -8. DK |
| b. | Breast pain, tenderness or swelling | <u>BREASTP0</u> | 1. NO | 2. YES | -8. DK |
| c. | Weight gain or feeling bloated | <u>BLOATED0</u> | 1. NO | 2. YES | -8. DK |
| d. | Changes in your mood (suddenly sad) | <u>MOODCHN0</u> | 1. NO | 2. YES | -8. DK |
| e. | Increase in appetite or food cravings | <u>CRAVING0</u> | 1. NO | 2. YES | -8. DK |
| f. | Anxious, jittery, nervous | <u>ANXIOUS0</u> | 1. NO | 2. YES | -8. DK |
| g. | Back, joint or muscle pain | <u>BACKPAI0</u> | 1. NO | 2. YES | -8. DK |
| h. | Less sexual interest than usual | <u>LESSSEX0</u> | 1. NO | 2. YES | -8. DK |
| i. | More sexual interest than usual | <u>MORESEX0</u> | 1. NO | 2. YES | -8. DK |
| j. | Interference with job or home activities | <u>INTERFE0</u> | 1. NO | 2. YES | -8. DK |
| k. | Severe headaches (including migraine) | <u>HEADACH0</u> | 1. NO | 2. YES | -8. DK |

IF YES TO ANY OF C.12a-12k ASK C.12.1, OTHERWISE PROCEED TO Q. C.13.
--

C.12.1. Did this/these characteristic(s) usually (more than half of the time) disappear within 1-3 days after your period started? CHARACT0

- 1. NO
- 2. YES
- 8. DON'T KNOW

C.13. In the past 12 months have your periods: INTERVA0
[HAND RESPONDENT CARD "D"]

- 1. Become farther apart?
- 2. Become closer together?
- 3. Occurred at more variable intervals?
- 4. Stayed the same?
- 5. Become more regular?
- 8. DON'T KNOW

C.14. Now I would like you to think back to when you were between the ages of 25 and 35 years. During the interval from age 25 to 35, did you take birth control pills or other female hormones all the time without a break?

BC25TO30

- 1. NO
- 2. YES (GO TO Q. C.20)

For that time period (age 25-35), consider a typical year of menstrual periods. By typical, I mean that your periods were not interrupted by pregnancy, breastfeeding or a major illness, and you were not taking birth control pills or other hormones during that typical year.

C.15. During a typical year did you have a menstrual flow that lasted more than 10 days?

FLOAGE20

- 1. NO
- 2. YES
- 8. DON'T KNOW
- 1. NOT APPLICABLE

C.16. During that typical year, did you bleed or spot between your periods at least half the time?

SPOT2530

- 1. NO
- 2. YES
- 8. DON'T KNOW
- 1. NOT APPLICABLE

C.17. On the heaviest days of your menstrual flow, during a typical year, did you ever experience flooding or gushing?

FLOD2530

- 1. NO
- 2. YES
- 8. DON'T KNOW
- 1. NOT APPLICABLE

C.18. On the heaviest days of your menstrual flow, during a typical year, did you ever pass clots larger than a dime?

CLOT2530

- 1. NO
- 2. YES
- 8. DON'T KNOW
- 1. NOT APPLICABLE

C.19. Did your menstrual flow usually start within 4 days of the day you expected it to start, during a typical year?

By "usually" we mean for at least half of your periods. **STRT2530**

- 1. NO
- 2. YES
- 8. DON'T KNOW
- 1. NOT APPLICABLE

C.20. Since the age of 18, have you ever experienced a time interval of 3 or more months when you did not have a menstrual period? [PROBE: IF "YES": Was this one time only or more than once?] **NOPERIO0**

1. NO (GO TO Q.C.21.)
2. YES - ONE TIME ONLY (GO TO Q.C.20.1.)
3. YES - MORE THAN ONCE (GO TO Q.C.20.2.)
- 8. DON'T KNOW (GO TO Q.C.21.)

C.20.1. Were you breastfeeding or pregnant at the time?

BREASTF0

1. NO
2. YES
- 8. DON'T KNOW

GO TO Q. C.21.

C.20.2. Were you breastfeeding or pregnant every time this happened?

BFEVE0

1. NO
2. YES
- 8. DON'T KNOW

Now, I would like to ask you some questions about your pregnancies.

C.21. How many times have you been pregnant? Please include miscarriages, stillbirths, tubal pregnancies, abortions, and livebirths.

___ # PREGNANCIES (IF ZERO GO TO Q.C.22.)

NUMPREG0

C.21.1. I would like to ask you some questions about each pregnancy. Let's begin with your first pregnancy. [HAND RESPONDENT CARD "E"]

	<p>a. What was the outcome of this pregnancy?</p> <p>1. LIVEBIRTH(S) 2. STILLBIRTH 3. MISCARRIAGE 4. ABORTION 5. TUBAL/ECTOPIC</p> <p>RECORD CORRESPONDING CODE IN BOX</p>	<p>FOR LIVEBIRTH(S) ONLY:</p> <p>b. Was this a 1. vaginal or 2. Cesarean (C-section) delivery?</p>	<p>FOR LIVEBIRTH(S) ONLY:</p> <p>c. If you breastfed, for how long did you breastfeed?</p> <p>IF ANSWER= 0, CODE 00/00</p>	<p>d. Before this pregnancy were you:</p> <p>1. much thinner 2. thinner 3. the same 4. heavier or 5. much heavier</p> <p>than you are now?</p> <p>-8. DON'T KNOW</p> <p>RECORD CORRESPONDING CODE IN BOX</p>	<p>e. How much weight did you gain during this pregnancy?</p> <p>-8. DON'T KNOW</p>	<p>f. One year after this pregnancy ended, were you:</p> <p>1. much thinner 2. thinner 3. the same 4. heavier or 5. much heavier</p> <p>than you are now?</p> <p>6. PREGNANT -8. DON'T KNOW</p> <p>RECORD CORRESPONDING CODE IN BOX</p>
First pregnancy	<u>OUTCM10</u>	<u>DELVR10</u>	<u>BFMO10</u> *	<u>WTBFR10</u>	<u>KGGN10</u>	<u>WTAFT10</u>
Second pregnancy	<u>OUTCM20</u>	<u>DELVR20</u>	<u>BFMO20</u> *	<u>WTBFR20</u>	<u>KGGN20</u>	<u>WTAFT20</u>
Third pregnancy	<u>OUTCM30</u>	<u>DELVR30</u>	<u>BFMO30</u> *	<u>WTBFR30</u>	<u>KGGN30</u>	<u>WTAFT30</u>
Fourth pregnancy	<u>OUTCM40</u>	<u>DELVR40</u>	<u>BFMO40</u> ^{*/}	<u>WTBFR40</u>	<u>KGGN40</u>	<u>WTAFT40</u>
Fifth pregnancy	<u>OUTCM50</u>	<u>DELVR50</u>	<u>BFMO50</u> *	<u>WTBFR50</u>	<u>KGGN50</u>	<u>WTAFT50</u>
Sixth pregnancy	<u>OUTCM60</u>	<u>DELVR60</u>	<u>BFMO60</u> *	<u>WTBFR60</u>	<u>KGGN60</u>	<u>WTAFT60</u>
Seventh pregnancy	<u>OUTCM70</u>	<u>DELVR70</u>	<u>BFMO70</u> *	<u>WTBFR70</u>	<u>KGGN70</u>	<u>WTAFT70</u>
Eighth pregnancy	<u>OUTCM80</u>	<u>DELVR80</u>	<u>BFMO80</u> *	<u>WTBFR80</u>	<u>KGGN80</u>	<u>WTAFT80</u>
Ninth pregnancy	<u>OUTCM90</u>	<u>DELVR90</u>	<u>BFMO90</u> *	<u>WTBFR90</u>	<u>KGGN90</u>	<u>WTAFT90</u>
Tenth pregnancy	<u>OUTCM100</u>	<u>DELVR100</u>	<u>BFMO100</u> *	<u>WTBFR100</u>	<u>KGGN100</u>	<u>WTAFT100</u>

* C.21.1.c variables are collapsed to months

Variable Excluded from Public Use Data File

C.21.2. How old were you when you became pregnant for the first time? ____ YEARS -8 DK

AGFIRPR0

C.21.3. How old were you when you became pregnant the last time? ____ YEARS -8 DK

AGLASPR0

GO TO Q. C.22. IF NO LIVE BIRTHS WERE REPORTED IN Q.C.21., OTHERWISE ASK C.21.4. AND C.21.5.

C.21.4. How old were you when your first child was born? AGFIRKI0 ____ YEARS -8 DK

C.21.5. How old were you when your last child was born? AGLASKI0 ____ YEARS -8 DK

C.22. Have you ever had a period of 12 months when you could not get pregnant although you were attempting to get pregnant or were letting yourself get pregnant? NOGETPR0

1. NO (GO TO Q.C.23.)
2. YES
3. NEVER TRIED (GO TO Q.C.23.)
- 8. DON'T KNOW (GO TO Q.C.23.)

C.22.1. Did a doctor give you a reason why you were not getting pregnant? #WHYNOPR0

1. NO (GO TO Q.C.23.)
 2. YES
- ↓

C.22.2. What was the reason? #WHYSPEC0

C.23. Are you currently trying to or letting yourself get pregnant? TRYPREG0

1. NO (GO TO Q. C.24.)
2. YES

C.23.1. Are you taking any medication, herbs or diet supplements to help you get pregnant? #HERBS0

1. NO (GO TO Q.C.24.)
2. YES
- 8. DON'T KNOW (GO TO Q. C.24.)

C.23.2. What are you taking? #HERBSPEC0

C.24. [HAND RESPONDENT CARD “F”] I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week.

* [READ STEM INSTRUCTIONS]	Rarely or none of the time (less than 1 DAY)	Some or a little of the time (1-2 DAYS)	Occasionally or a moderate amount of the time (3-4 DAYS)	Most or all of the time (5-7 DAYS)
During the past week:				
*a. I was bothered by things that usually don't bother me <u>BOTHER0</u>	1	2	3	4
*b. I did not feel like eating; my appetite was poor <u>APPETITO</u>	1	2	3	4
*c. I felt that I could not shake off the blues even with help from my friends <u>BLUES0</u>	1	2	3	4
d. I felt that I was just as good as other people <u>GOOD0</u>	1	2	3	4
e. I had trouble keeping my mind on what I was doing <u>KEEPMIN0</u>	1	2	3	4
f. I felt depressed <u>DEPRESS0</u>	1	2	3	4
*g. I felt that everything I did was an effort <u>EFFORT0</u>	1	2	3	4
h. I felt hopeful about the future <u>HOPEFUL0</u>	1	2	3	4
i. I thought my life had been a failure <u>FAILURE0</u>	1	2	3	4
j. I felt fearful <u>FEARFUL0</u>	1	2	3	4
*k. My sleep was restless <u>RESTLES0</u>	1	2	3	4
l. I was happy <u>HAPPY0</u>	1	2	3	4
m. I talked less than usual <u>TALKLES0</u>	1	2	3	4
n. I felt lonely <u>LONELY0</u>	1	2	3	4
*o. People were unfriendly <u>UNFRNDL0</u>	1	2	3	4
p. I enjoyed life <u>ENJOY0</u>	1	2	3	4
q. I had crying spells <u>CRYING0</u>	1	2	3	4
r. I felt sad <u>SAD0</u>	1	2	3	4
*s. I felt that people disliked me <u>DISLIKE0</u>	1	2	3	4
t. I could not get going <u>GETGOIN0</u>	1	2	3	4

Occupational Questions

These next few questions concern employment. We are interested in your work both around the house and at your job or business. Since many people have more than one job at any given time, we will ask you to tell us about all of your jobs.

D.1. Approximately how many hours per week do you perform work around your house? **HSWRKHR0**

_____ HRS/WEEK

D.2. During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? (Include unpaid work in the family farm/business) **JOB0**

1. NO (GO TO Q. D.3)
2. YES

D.2.1. What is/was your job title? Please answer for each job. ^Δ

#JOBTIT10

JOB #1 _____

#JOBTIT20

JOB #2 _____

#JOBTIT30

JOB #3 _____

D.2.2. Briefly, what are/were your usual job activities? Please answer for each job.

#JOBACT10

JOB #1 _____

#JOBACT20

JOB #2 _____

#JOBACT30

JOB #3 _____

D.2.3. What are/were your usual hours of work each day? (CIRCLE ALL THAT APPLY)

- | | | | |
|---|-------|--------|------------------------|
| a. DAY (Between 6 AM and 6 PM) | 1. NO | 2. YES | <u>DAYSHFT0</u> |
| b. EVENING/SWING (Between 3 PM and 11 PM) | 1. NO | 2. YES | <u>EVESHFT0</u> |
| c. NIGHT (Between 9 PM and 9 AM) | 1. NO | 2. YES | <u>NGHTSHF0</u> |
| d. ROTATING (alternating weekly/monthly) | 1. NO | 2. YES | <u>ROTSHFT0</u> |

D.2.4. What does/did the company or your part of the company, do or make? For example, education, health care, automobile manufacturing, state labor department, retail shoe sales. Please answer this for each job.

**NERI USE ONLY
CODE**

#PRODUC10

JOB #1 _____

#PRODUC20

JOB #2 _____

#PRODUC30

JOB #3 _____

^Δ D.2.1 Job#1 is provided later in a occupation code that corresponds to the 1990 census occupation codes

D.2.5. In comparison with other women your age, do you think your work is physically...
(CIRCLE ONE ANSWER)

PHYSWOR0

1. Much lighter
2. Lighter
3. The Same
4. Heavier or
5. Much heavier
- 8. DON'T KNOW

D.2.6. In your current job(s), on a typical day/shift, how often do you do each of the following?

[HAND RESPONDENT CARD "G"]

	Never	Less than half of the time	About half of the time	More than half of the time	Always
a. Sit <u>SIT0</u>	1.	2.	3.	4.	5.
b. Stand <u>STAND0</u>	1.	2.	3.	4.	5.
c. Walk <u>WALK0</u>	1.	2.	3.	4.	5.
d. Lift heavy loads greater than 15 pounds (more than the weight of 2 gallons of milk) <u>LIFT0</u>	1.	2.	3.	4.	5.
e. Stoop and bend <u>STOOP0</u>	1.	2.	3.	4.	5.
f. Push or move heavy equipment <u>PUSH0</u>	1.	2.	3.	4.	5.
g. Sweat from exertion <u>SWEAT0</u>	1.	2.	3.	4.	5.

Now I would like to ask you some questions concerning language.

CODES

- 1....ONLY ENGLISH
- 2....ONLY CHINESE
- 3....ENGLISH MORE OFTEN THAN CHINESE
- 4....CHINESE MORE OFTEN THAN ENGLISH
- 5....BOTH CHINESE AND ENGLISH EQUALLY
- 6....ONLY JAPANESE
- 7....ENGLISH MORE OFTEN THAN JAPANESE
- 8....JAPANESE MORE OFTEN THAN ENGLISH
- 9....BOTH JAPANESE AND ENGLISH EQUALLY
- 10....ONLY SPANISH
- 11....ENGLISH MORE OFTEN THAN SPANISH
- 12....SPANISH MORE OFTEN THAN ENGLISH
- 13....BOTH SPANISH AND ENGLISH EQUALLY
- 14....OTHER, Please Specify: _____
- 8....DON'T KNOW
- 77....REFUSED

D.3. In general, what language do you read and speak? _____

LANGREA0 , READSPE0

D.4. In what language do you usually think? _____

LANGTHN0 , THINKSPE0

D.5. What language do you usually speak with your friends?

LANGSPE0 , SPEKSPE0

D.6. What is/are the language(s) of the radio or TV programs that you prefer to watch?

LANGPRO0 , PROGSPE0

D.7. We have a few final questions for you concerning your household.

Other than yourself, is there anyone else living in the household? **HOUSEHLD**

1. NO (GO TO Q.E.1)
2. YES
- 7. REFUSED (GO TO Q. E.1)

D.7.1. Which of the following relatives or other persons live with you?

		NO	YES
a. Male partner/husband	<u>MALEPAR0</u>	1.	2.
b. Female partner	<u>FEMPART0</u>	1.	2.
c. Mother	<u>MOTHER0</u>	1.	2.
d. Father	<u>FATHER0</u>	1.	2.
e. Mother-in-law	<u>MOTINLA0</u>	1.	2.
f. Father-in-law	<u>FATINLA0</u>	1.	2.

D.7.2. How many of each of the following relatives or other persons live with you?

a. Daughter(s)	_____	_____
<u>DAUGHTER0</u>		
b. Son(s)	_____	_____
<u>SON0</u>		
c. Sister(s)	_____	_____
<u>SISTER0</u>		
d. Brother(s)	_____	_____
<u>BROTHER0</u>		
e. Other female(s) not already mentioned	_____	_____
<u>OTHFEMA0</u>		
f. Other male(s) not already mentioned	_____	_____
<u>OTHRMAL0</u>		

E.1. STOP TIME ____ __:____ ____ AM 1. #STOPAMP
PM 2.

Thank you. This ends this portion of the interview.

Study of Women's Health Across the Nation

SELF-ADMINISTERED QUESTIONNAIRE

PART A

SECTION A. GENERAL INFORMATION

AFFIX ID LABEL HERE

SWANID

A1. RESPONDENT ID:

A2. SWAN STUDY VISIT #

#VISIT

A3. FORM VERSION:

1 1 / 1 0 / 9 5
M M D D Y Y

#FORM_V

A4. DATE FORM COMPLETED:

 / /
M M D D Y Y

SAADAY0[†]

A5. INTERVIEWER'S INITIALS:

#INITS

A6. RESPONDENT'S DOB:

 / /
M M D D Y Y

#DOB

VERIFY WITH RESPONDENT

A7. COMPLETED IN:

1. RESPONDENT'S HOME
2. CLINIC / OFFICE

#LOCATIO

A8. INTERVIEWER-ADMINISTERED?

#INTADMI

1. NO
2. YES

We have some questions that we are asking you to complete on your own. If anything is unclear to you, please feel free to ask questions. Study Representatives are available and happy to help you. Please take as much time as you need with each question. It is very important to us that you complete the entire questionnaire.

Thank you for your participation in this important study.

[†]SAADAY0 is given in days from interview date

Variable Excluded from Public Use Data File

B.0. RECORD HERE THE TIME YOU BEGAN: ____:____

A.M. 1.

P.M. 2.

We are interested in learning more about women’s health during their 40’s and 50’s. This first set of questions ask about your health and use of health care.

B.1. Compared to 12 months ago, how would you rate your overall health? (CIRCLE ONE NUMBER)

OVERHILT0

1. Much better now
2. Somewhat better now
3. About the same now
4. Somewhat worse now
5. Much worse now

B.2. During the last 12 months, how many different times did you stay in the hospital overnight or longer?

HOSPSTA0

____ # TIMES

B.3. During the past 12 months, about how many times did you see or talk to a medical doctor or assistant regarding your own health? (Do not count doctors seen while an overnight patient in a hospital.)

____ # TIMES

MDTALK0

CIRCLE ONLY ONE ANSWER FOR EACH QUESTION

B.4. About how long has it been since you had your blood pressure taken by a doctor, nurse, or other health professional?

Within the past year	Within the past 2 years	Within the past 3 years	More than 3 years ago	Never	Don't Know
----------------------	-------------------------	-------------------------	-----------------------	-------	------------

1 2 3 4 5 -8

BPTAKEN0

B.5. About how long has it been since you last had your blood cholesterol checked?

1 2 3 4 5 -8

CHOLCHC0

B.6. A Pap smear is a routine medical test in which the doctor examines the cervix (internal female organ) and sends a cell sample to the lab. About how long has it been since you had a Pap smear test?

1 2 3 4 5 -8

PAPSMEA0

B.7. A breast physical exam is when the breast is
felt for lumps by a doctor or medical
assistant. About how long has it been since
you had such a breast examination by a
doctor or other health professional?

1 2 3 4 5 -8

BRSTEXA0

B.8. A mammogram is an x-ray taken only of the breasts by a machine that presses the breast against a glass plate. When did you have your most recent mammogram?

1 2 3 4 5 -8

MAMOGRA0

B.9. Which of the following categories best describes how you usually pay for your medical care? (CIRCLE ALL THAT APPLY.)

- | | | |
|--|-----------------|-----------|
| 1. Pre-paid private insurance (e.g., Health maintenance organization, HMO Blue, Kaiser Permanente or other Group health-type plan) | <u>PREPAID0</u> | |
| 2. Other private health insurance (e.g., Blue Cross, Aetna, Prudential) | <u>OTHRPRI0</u> | |
| 3. Medicare | <u>MEDICAR0</u> | |
| 4. Medicaid (or MediCal) | <u>MEDICAI0</u> | |
| 5. Military Or Veterans Administration-Sponsored | <u>MILITAR0</u> | |
| 6. No Insurance | <u>NOINSUR0</u> | |
| 7. OTHER: Please specify: _____ | <u>OTHINSU0</u> | #OTHINSS0 |

B.10. Approximately how much did you weigh when you left high school? Please indicate in either pounds or kilograms. HSWTKG0

_____ pounds OR _____ kilograms

B.10.1. Up until now, about how many times have you gained 10 or more pounds (besides during pregnancy) since you were 18 years old? (CIRCLE ONE NUMBER) GAIN10L0

1. Never
2. 1-5 times
3. 6-10 times
4. More than 10 times

B.10.2. Up until now, about how many times have you lost 10 or more pounds (besides during pregnancy) since you were 18 years old? (CIRCLE ONE NUMBER) LOSE10L0

1. Never
2. 1-5 times
3. 6-10 times
4. More than 10 times

The next several questions are about your lifestyle and habits. Please give only one answer to each of the following questions.

B.11. Have you ever smoked a total of at least 20 packs of cigarettes over your lifetime or at least 1 cigarette per day for at least 1 year? SMOKERE0

1. NO (GO TO THE SENTENCE BEFORE QUESTION B.12 ON THE NEXT PAGE)
2. YES
- 8. DON'T KNOW (GO TO THE SENTENCE BEFORE QUESTION B.12 ON THE NEXT PAGE)

B.11.1. At what age did you start smoking cigarettes? ____ YEARS STRTSMO0

B.11.2. On the average, since you started smoking, how many cigarettes did you smoke per day?

____ CIGARETTES PER DAY AVCIGDA0

-8 DON'T KNOW

B.11.3. Do you smoke cigarettes now? SMOKENO0

1. NO
2. YES (GO TO QUESTION B.11.5)
- 8. DON'T KNOW (GO TO THE SENTENCE BEFORE QUESTION B.12)

B.11.4. At what age did you stop? STOPSMO0

____ YEARS

GO TO THE SENTENCE BEFORE QUESTION B.12.

B.11.5. How many cigarettes, on average, do you smoke per day now?

__ __ __ CIGARETTES PER DAY **CIGSNOW0**

-8. DON'T KNOW (GO TO THE SENTENCE BEFORE QUESTION B.12)

B.11.6. About how long have you smoked this amount? __ __ YEARS **SMOKEYR0**

The next 7 questions are about your exposure to smoke. If you are a smoker, please do not include yourself when answering questions B.12-B.14.

B.12. How many members of your household smoke tobacco in the house (at least 1 cigarette, cigar or pipe bowl per day)?

__ # PERSONS **HHMEMSM0**

B.12.1. **During the past 7 days**, on how many days were you exposed to tobacco smoke inside your home?

__ # DAYS => IF 0 DAYS, GO TO QUESTION B.13. **HOMEXPD0**

B.12.2. **Over the past 7 days**, when you were exposed to tobacco smoke in your home, how many hours were you exposed during a typical day?

__ # HOURS **HOMEXPH0**

B.13. **During the past 7 days**, on how many days were you exposed to tobacco smoke while at work?

__ # DAYS => IF 0 DAYS, GO TO QUESTION B.14. **WRKEXPD0**

B.13.1. **Over the past 7 days**, when you were exposed to tobacco smoke while at work, how many hours were you exposed during a typical day?

__ # HOURS **WRKEXPH0**

B.13.2. **During the past 7 days**, when you were exposed to tobacco smoke while at work, how many people on average were smoking in the room you were in?

___ # PEOPLE

WRKEXPE0

B.14. **During the past 7 days**, how many total hours were you exposed to tobacco smoke while at places other than home or work (including meetings, restaurants, bars, parties, etc.)?

___ # HOURS

TOTEXPH0

The next series of questions (B.15. to B.19.) focus on common events in some of our lives.

B.15. During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of your physical health?**

(CIRCLE ONE NUMBER ON EACH LINE)

	NO	YES
a. Cut down the amount of time you spent on work or other activities? <u>PHYCTDW0</u>	1	2
b. Accomplished less than you would like? <u>PHYACCO0</u>	1	2
c. Were limited in the kind of work or other activities? <u>PHYLIMI0</u>	1	2
d. Had difficulty performing the work or other activities (for example, it took extra effort)? <u>PHYDFCL0</u>	1	2

B.16. During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of any emotional problems** (such as feeling depressed or anxious)?

(CIRCLE ONE NUMBER ON EACH LINE)

	NO	YES
a. Cut down the amount of time you spent on work or other activities? <u>EMOCTDW0</u>	1	2
b. Accomplished less than you would like? <u>EMOACCO0</u>	1	2
c. Didn't do work or other activities as carefully as usual? <u>EMOCARE0</u>	1	2

B.17. During the **past 4 weeks**, to what extent has your **physical health or emotional problems** interfered with your normal social activities with family, friends, neighbors, or groups? (CIRCLE ONE NUMBER)

INTERFR0

1	2	3	4	5
Not at all	Slightly	Moderately	Quite a bit	Extremely

B.18. How much bodily pain have you had during the **past 4 weeks**? (CIRCLE ONE NUMBER)

BODYPAI0

1	2	3	4	5	6
None	Very mild	Mild	Moderate	Severe	Very Severe

B.19. During the **past 4 weeks**, how much did **pain** interfere with your normal work (including both work outside the home and housework)? (CIRCLE ONE NUMBER)

PAINTRF0

1	2	3	4	5
Not at all	A little bit	Moderately	Quite a bit	Extremely

B.20. **These questions are about how you feel and how things have been with you during the past 4 weeks.** For each question, please give the one answer that comes closest to the way you have been feeling.

(CIRCLE ONE NUMBER ON EACH LINE)

How much of the time during the **past 4 weeks**...

	All of the time	Most of the time	A good bit of the time	Some of the time	A little of the time	None of the time
a. Did you feel "full of pep"? <u>PEP0</u>	1	2	3	4	5	6
b. Did you have a lot of energy? <u>ENERGY0</u>	1	2	3	4	5	6
c. Did you feel worn out? <u>WORNOUT0</u>	1	2	3	4	5	6
d. Did you feel tired? <u>TIRED0</u>	1	2	3	4	5	6

B.21. During the **past 4 weeks**, how much of the time has your **physical health or emotional problems** interfered with your social activities (like visiting with friends, relatives, etc.)? (Circle one number)

SOCIAL0

1	2	3	4	5
All of the time	Most of the time	Some of the time	A little of the time	None of the time

The next series of questions ask about your regular physical activities outside of your job: that is, other than the activities you do for pay.

We want to know about your activities at home, not including activities you may do for pay at your home or other people's homes. Please circle only one answer to each question.

During the past year (in the last 12 months), how much time did you spend on average....

- C.1. Caring for a child or children 5 years of age or less, a disabled child or an elderly person? Only count time actually spent doing physical activities like feeding, dressing, moving, playing or bathing. (If child turned 6 less than 6 months ago, consider him/her age 5 for the whole year.)
(CIRCLE ONE ANSWER) **CHLDCAR0**

1. None or less than one hour per week
2. At least 1 hour but less than 20 hours per week
3. 20 hours or more per week

- C.2. **During the past year** (in the last 12 months), how much time did you spend preparing meals or cleaning up from meals? (CIRCLE ONE ANSWER) **PREPMEA0**

1. 1 hour or less per day
2. Between 1 and 2 hours per day
3. More than 2 hours per day

- C.3. **During the past year** (in the last 12 months), how often did you do routine chores requiring light physical effort, such as dusting, laundry, changing linens, grocery shopping or other shopping? (CIRCLE ONE ANSWER) **LGTCHOR0**

1. Once per week or less
2. More than once per week but less than daily
3. Daily or more

- C.4. **During the past year** (in the last 12 months), how often did you do chores requiring moderate physical effort, such as vacuuming, washing floors, or gardening /yard work such as mowing the lawn or raking leaves? (CIRCLE ONE ANSWER) **MODCHOR0**

1. Once a month or less
2. 2-3 times per month
3. 4 or more times per month

- C.5. **During the past year** (in the last 12 months), how often did you do chores at home requiring vigorous physical effort, such as chopping wood, tilling soil, shoveling snow, shampooing carpets, washing walls or windows, plumbing, tiling or outdoor painting? (CIRCLE ONE ANSWER) **VIGCHOR0**

1. Once a month or less
2. 2-3 times per month
3. 4 or more times per month

Now we want to ask about the general level of physical activity involved in your daily routine.

C.6. In comparison with other women of your own age, do you think your recreational physical activity is...

RECACTI0

1. Much less
2. Somewhat less
3. The same
4. Somewhat more
5. Much more

During the past year, when you were not working or doing chores around the house...

C.7. Did you watch television...(CIRCLE ONE ANSWER)

WATCHTV0

1. Never or less than 1 hour a week
2. At least 1 hour/week but less than 1 hour a day
3. 1-2 hours a day
4. 2-4 hours a day
5. More than 4 hours a day

C.8. Did you walk or bike to and from work, school or errands... (CIRCLE ONE ANSWER)

WALKBIK0

1. Never or less than 5 minutes per day
2. 5-15 minutes per day
3. 16-30 minutes per day
4. 31-45 minutes per day
5. more than 45 minutes per day

C.9. Did you sweat from exertion...(CIRCLE ONE ANSWER)

SWEATPA0

1. Never or less than once a month
2. Once a month
3. 2-3 times a month
4. Once a week
5. More than once a week

C.10. Did you play sports or exercise... (CIRCLE ONE ANSWER)

SPORTS0

1. Never (GO TO QUESTION D.1 ON PAGE 11)
2. Less than once a month
3. Once a month
4. 2-3 times a month
5. Once a week
6. More than once a week

The following questions are about your participation in sports and exercise during the past year.

C.11. Which sport or exercise did you do **most frequently during the past year?** (SPECIFY ONLY ONE)

SPORT10

C.12. When you did this activity, did your heart rate and breathing increase? (CIRCLE ONE ANSWER)

HARTRT10

1. No
2. Yes, a small increase
3. Yes, a moderate increase
4. Yes, a large increase

C.13. How many months in this past year did you do this activity? (CIRCLE ONE ANSWER)

SPORT1M0

1. Less than 1 month
2. 1-3 months
3. 4-6 months
4. 7-9 months
5. More than 9 months

C.14. During these months, on average, how many hours a week did you do this activity? (CIRCLE ONE ANSWER)

SPORT1W0

1. Less than 1 hour
2. At least 1 but less than 2 hours
3. At least 2 but less than 3 hours
4. At least 3 but less than 4 hours
5. More than 4 hours

C.15. Did you do any other exercise or play any other sport in this past year?

OTHSPOR0

1. NO (GO TO QUESTION D.1.)
2. YES

C.16. What was the second most frequent sport or exercise you did during the past year? (SPECIFY ONLY ONE)

SPORT20

C.17. When you did this activity, did your heart rate and breathing increase? (CIRCLE ONE ANSWER)

HARTRT20

1. No
2. Yes, a small increase
3. Yes, a moderate increase
4. Yes, a large increase

C.18. How many months in this past year did you do this activity? (CIRCLE ONE ANSWER)

SPORT2M0

1. Less than 1 month
2. 1-3 months
3. 4-6 months
4. 7-9 months
5. More than 9 months

C.19. During these months, on average, how many hours a week did you do this activity? (CIRCLE ONE ANSWER)

SPORT2W0

1. Less than 1 hour
2. At least 1 but less than 2 hours
3. At least 2 but less than 3 hours
4. At least 3 but less than 4 hours
5. More than 4 hours

The following questions are about specific health problems you may have had or treatments you may have used.

D.1. Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following.

	Not at all	1-5 days	6-8 days	9-13 days	Every day
a. Stiffness or soreness in joints, neck or shoulder <u>STIFF0</u>	1	2	3	4	5
b. Cold sweats <u>COLDSWE0</u>	1	2	3	4	5
c. Night sweats <u>NITESWE0</u>	1	2	3	4	5
d. Vaginal dryness <u>VAGINDR0</u>	1	2	3	4	5
e. Feeling blue or depressed <u>FEELBLU0</u>	1	2	3	4	5
f. Leaking urine <u>LEAKURI0</u>	1	2	3	4	5
g. Dizzy spells <u>DIZZY0</u>	1	2	3	4	5
h. Irritability or grouchiness <u>IRRITAB0</u>	1	2	3	4	5
i. Feeling tense or nervous <u>NRVOUS0</u>	1	2	3	4	5
j. Forgetfulness <u>FORGET0</u>	1	2	3	4	5
k. Frequent mood changes <u>MOODCHG0</u>	1	2	3	4	5
l. Heart pounding or racing <u>HARTRAC0</u>	1	2	3	4	5
m. Feeling fearful for no reason <u>FEARFULA0</u>	1	2	3	4	5
n. Headaches <u>HDACHE0</u>	1	2	3	4	5
o. Hot flashes or flushes <u>HOTFLAS0</u>	1	2	3	4	5

If you reported that you experienced hot flashes or flushes in D.1.o., please complete question D.1.1. Otherwise, proceed to question D.2 on the next page.

D.1.1. When you had a hot flash, did you feel...

	NO	YES
a) physically uncomfortable	1	2 <u>FLASHPH0</u>
b) emotionally upset	1	2 <u>FLASHEB0</u>
c) embarrassed, especially with other people	1	2 <u>FLASHEM0</u>

D.2. **These questions (a - d) are about your sleep habits.** Please circle one answer for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 2 weeks.

	No, not in past 2 weeks	Yes, less than once a week	Yes, 1 or 2 times a week	Yes, 3 or 4 times a week	Yes, 5 or more times a week
a. Did you have trouble falling asleep? <u>TRBLSLE0</u>	1	2	3	4	5
b. Did you wake up several times a night? <u>WAKEUP0</u>	1	2	3	4	5
c. Did you wake up earlier than you had planned to, and were unable to fall asleep again? <u>WAKEARL0</u>	1	2	3	4	5
d. Overall, was your typical night's sleep during the <u>past 2 weeks</u> : <u>TYPNIGH0</u>					
	Very sound or restful	Sound or restful	Average quality	Restless	Very restless
	1	2	3	4	5

A common complaint among women is having to urinate a lot or the involuntary loss of urine.

D.3. How often do you usually get up from bed at night to urinate? (CIRCLE ONLY ONE ANSWER)
GETUPUR0

1. Never
2. Rarely (less than once a week)
3. Once per week
4. A few times per week
5. Once a night, every night
6. More than once per night

D.4. **In the past year**, have you ever leaked even a very small amount of urine involuntarily?

INVOLEA0

1. NO (GO TO THE SENTENCE BEFORE QUESTION D.5. ON THE NEXT PAGE)
2. YES

↓

IF YES:

- a. How long ago did you first notice leakage of urine?

NOTILEA0

1. Within the past year
2. 1-2 years ago
3. 3-4 years ago
4. 5-9 years ago
5. 10 or more years ago

- b. **In the last month**, on about how many days have you lost any urine, even a small amount, beyond your control?

DAYSLEA0

1. Never
2. Less than one day per week
3. Several days per week
4. Almost daily/daily

- c. Under what circumstances does it occur? (CIRCLE ALL THAT APPLY)

- | | |
|---|--|
| 1. Coughing | <u>COUGHIN0</u> |
| 2. Laughing | <u>LAUGHIN0</u> |
| 3. Sneezing | <u>SNEEZIN0</u> |
| 4. Jogging | <u>JOGGING0</u> |
| 5. Picking up an object from the floor | <u>PICKUP0</u> |
| 6. When you have an urge to void and can't reach a toilet fast enough | <u>URGEVOI0</u> |
| 7. Other Specify: _____ | <u>OTHRLEA0</u> <u>#LEAKSPE0</u> |

- d. How much urine do you lose when you leak?

AMTLEAK0

1. A drop or two
2. Enough to change undergarments or wear a liner or pad
3. Enough to wet outer clothing
4. Enough to wet the floor

- e. On a scale from 0 to 10, where 0 = Not at all bothered and 10 = Extremely bothered, how much does the leakage of urine bother you? (CIRCLE ONE NUMBER):

LEAKBOT0

0 1 2 3 4 5 6 7 8 9 10

Not at all
bothered

Somewhat
bothered

Extremely
bothered

f. Have you taken any measures to control or remedy the leakage?

RMDYLEA0

1. NO (GO TO QUESTION D.5.)
2. YES

IF YES: Which measures? (CIRCLE ALL THAT APPLY)

- | | |
|---|------------------------------------|
| 1. Discussed leakage with doctor, nurse or other health care professional | <u>DISCLEA0</u> |
| 2. Medication Specify _____ | <u>MEDILEA0</u> # <u>MEDISPE0</u> |
| 3. Kegel or pelvic floor exercises | <u>KEGELEX0</u> |
| 4. Wear protection => How many wet pads/liners do you usually change in a day? ____ # PADS/LINERS | <u>WEARPRO0</u>
<u>WETPADS0</u> |
| 5. Urinate more often or on a schedule | <u>URINOFT0</u> |
| 6. Restrict activity | <u>RESTRAC0</u> |
| 7. Surgery | <u>SURGLEA0</u> |
| 8. Other Specify: _____ | <u>OTHRMEA0</u> # <u>MEASSPE0</u> |

The next few questions ask about health conditions and surgeries that you may have had.

D.5. Since you were age 20 years, has a doctor ever told you that you had a broken bone?

BROKBON0

1. NO (GO TO QUESTION D.6. ON THE NEXT PAGE)
2. YES (GO TO QUESTION D.5.1.)
- 8. DON'T KNOW (GO TO QUESTION D.6. ON THE NEXT PAGE)

D.5.1. Did you break any of the following bones?

Please circle 1 (NO) or 2 (YES) for each bone.
IF YES TO ANY, ANSWER D.5.2.

D.5.2. How old were you when the bone(s) first broke?
If you don't know the exact age the bones were broken, please guess as close as you can.)

	NO	YES	AGE (ONLY IF AFTER AGE 20 YEARS)
a. Hip	1	2 →	____ YEARS <u>HIPBRK0</u> <u>HIPAGE0</u>
b. Spine or back (vertebra)	1	2 →	____ YEARS <u>BACKBRK0</u> <u>BACKAGE0</u>
c. Upper arm (above the elbow)	1	2 →	____ YEARS <u>UPARMBR0</u> <u>UPARMAG0</u>
d. Lower arm or wrist (not finger)	1	2 →	____ YEARS <u>LOARMBR0</u> <u>LOARMAG0</u>
e. Lower leg or ankle	1	2 →	____ YEARS <u>LOLEGBR0</u> <u>LOLEGAG0</u>
f. Foot (not toe)	1	2 →	____ YEARS <u>FOOTBRK0</u> <u>FOOTAGE0</u>
g. Other (specify): _____	1	2 →	____ YEARS <u>OTHBOBR0</u> <u>OTHBOAG0</u> # <u>SPECBRK0</u>

D.6. Have you ever consulted a doctor for back pain?

BACKPN0

1. NO (GO TO QUESTION D.7.)
2. YES (ANSWER QUESTIONS D.6.1. THRU D.6.4.)
- 8. DON'T KNOW (GO TO QUESTION D.7.)

D.6.1. About how old were you? **BCKPNAG0**
 _____ years

D.6.2. Did you have surgery on your back for this problem?

BACKSUR0

1. NO **BKSRGAG0**
2. YES => At what age? _____ years
- 8. DON'T KNOW

D.6.3. What was the nature of the problem?

BACKPRO0

1. Disk
2. Injury
3. Pain **#BACKSPE0**
4. Other Specify: _____
- 8. Don't Know

D.6.4. Are you currently being treated for this problem?

BACKTRE0

1. NO
2. YES

D.7. Have you ever had any of the following surgeries or procedures?

		NO	YES	DON'T KNOW	
a.	Tubes tied	1	2	-8	
	<u>TUBETIE0</u>				
b.	D and C (scraping of the uterus for any reason including abortion)	1	2	-8	IF YES, How many times have you had a D and C? _____ TIMES
	<u>DANDC0</u>				<u>DANDCNU0</u>
c.	Treatment of an infected fallopian tube	1	2	-8	
	<u>INFALLO0</u>				
d.	Uterine procedures	1	2	-8	
	<u>UTERPRO0</u>				
e.	Thyroid gland removed	1	2	-8	
	<u>THYRDRM0</u>				

D.8. Dietary and behavioral therapies are often used to treat conditions or to remain in good health. Please tell us about any of these therapies you may have used.

In the past 12 months, have you used any of the following for any reason?

CIRCLE ONLY ONE NUMBER FOR EACH
(FOR EACH “YES” RESPONSE IN D.8
ANSWER D.8.1.)

	NO	YES
a. Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy? <u>NUTRIRE0</u>	1	2
b. Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas? <u>HERBREMO</u>	1	2
c. Psychological methods, such as meditation, mental imagery, relaxation techniques? <u>PSYCMET0</u>	1	2
d. Physical methods, such as massage, acupressure, acupuncture? <u>PHYSMET0</u>	1	2
e. Folk medicine or traditional Chinese medicine? <u>FOLKMED0</u>	1	2

D.8.1. **IF YES:** Have you used it to regulate your menstrual period, for premenstrual or menstrual symptoms, or for menopause-related symptoms?

NO	YES
1	2
<u>NUTRSYM0</u>	
1	2
<u>HERBSYM0</u>	
1	2
<u>PSYCSYM0</u>	
1	2
<u>PHYSSYM0</u>	
1	2
<u>FOLKSYM0</u>	

The next few questions are about religion or spirituality.

E.1. How important is your religious faith or spirituality to you? (CIRCLE ONE NUMBER)

FAITH0

1. Not at all important
2. Not very important
3. Somewhat important
4. Very important

E.2. How much is religion /spirituality a source of strength and comfort to you? (CIRCLE ONE NUMBER)

SOURCOM0

1. None
2. A little
3. A great deal

E.3. What is your current religious preference? (CIRCLE ONE NUMBER)

RELIPRE0[§]

1. Lutheran
2. Methodist
3. Baptist
4. Episcopal
5. Presbyterian **#PROTSPE0**
6. Other Protestant: Specify _____
7. Roman Catholic
8. Jewish
9. Orthodox Christian (e.g., Greek or Russian Orthodox)
10. Islam
11. Buddhism
15. Spiritual, not religious **#OTHRPRE0**
16. Other, including agnostic and atheist Specify _____
17. None

E.4. How often do you pray or meditate? (CIRCLE ONE NUMBER)

PRAY0

1. Never
2. Less than once a year
3. Yearly or a few times a year
4. Monthly or a few times a month
5. At least once a week - 1 to 3 times a week
6. Nearly every day - 4 or more times a week

E.5. How often do you attend religious services? (CIRCLE ONE NUMBER)

RELISRV0

1. Never
2. Less than once a year
3. Yearly or a few times a year
4. Monthly or a few times a month
5. At least once a week - 1 to 3 times a week
6. Nearly every day - 4 or more times a week

E.6. When I need suggestions on how to deal with problems, I know someone in my spiritual or religious community that I can turn to. (CIRCLE ONE NUMBER)

RELICOM0

1. Strongly disagree
2. Somewhat disagree
3. Somewhat agree
4. Strongly agree

[§] E.3 Religion has been condensed to the most frequent preferences with less frequent choices placed in 'Other'

The following section will ask you about personal feelings. These questions are important, as our feelings may directly affect our health or influence how we respond to health issues.

E.7. In your day-to-day life have you had the following experiences; Often, Sometimes, Rarely, or Never:
(CIRCLE ONE ANSWER FOR EACH QUESTION)

	OFTEN	SOMETIMES	RARELY	NEVER
a. You are treated with less courtesy than other people <u>COURTESO</u>	1	2	3	4
b. You are treated with less respect than other people <u>RESPECTO</u>	1	2	3	4
c. You receive poorer service than other people at restaurants or stores <u>POORSERO</u>	1	2	3	4
d. People act as if they think you are not smart <u>NOTSMARO</u>	1	2	3	4
e. People act as if they are afraid of you <u>AFRAIDO0</u>	1	2	3	4
f. People act as if they think you are dishonest <u>DISHONS0</u>	1	2	3	4
g. People act as if they're better than you are <u>BETTER0</u>	1	2	3	4
h. You or your family members are called names or insulted <u>INSULTE0</u>	1	2	3	4
i. You are threatened or harassed <u>HARASSE0</u>	1	2	3	4
j. People ignore you or act as if you are not there <u>IGNORED0</u>	1	2	3	4

If one or more of the responses to Questions E.7 a-j is "often" or "sometimes", please answer Question E.8. IF NOT, PROCEED TO QUESTION E.9.

E.8. What do think the main reason is for these experiences? (CIRCLE ONE ANSWER)

- | | | |
|--------------|-----------------|--------------------------------------|
| 1. Race | 4. Age | 7. Physical appearance |
| 2. Ethnicity | 5. Income level | 8. Sexual orientation |
| 3. Gender | 6. Language | 9. Other (specify: <u>#OTHREAO</u>) |

E.9. Thinking of your experience(s) with receiving health care in the past 12 months, have you been treated badly?

- TREATBA0
1. NO 2. YES 3. DIDN'T RECEIVE ANY HEALTH CARE -8. DON'T KNOW

E.10. What is your total family income (before taxes) from all sources within your household in the last year? (Mark the one that is your best guess. This information is important for describing the women in the study as a group and is, like all other questions, kept confidential).

1. LESS THAN \$19,999 **INCOME0**^{\$}
2. \$20,000 TO \$49,999
3. \$50,000 TO \$99,999
4. \$100,000 OR MORE
- 7. REFUSED
- 8. DON'T KNOW

This final section is about different areas that are a part of people's lives.

E.11. These next questions ask about events that we sometimes experience in our lives. **During the last 12 months**, have you experienced any of the following: If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2, If you have and it was somewhat upsetting circle 3, If you have and it was very upsetting circle 4. Please circle one answer for each question.

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting
a. Started school, a training program, or new job. <u>STARTNE0</u>	1	2	3	4
b. Had trouble with a boss or conditions at work got worse. <u>WORKTRB0</u>	1	2	3	4
c. Quit, fired or laid off from a job. <u>QUITJOB0</u>	1	2	3	4
d. Took on a greatly increased work load at job. <u>WORKLOA0</u>	1	2	3	4
e. Husband/partner became unemployed. <u>PRTUNEM0</u>	1	2	3	4
f. Major money problems. <u>MONEYPR0</u>	1	2	3	4
g. Relations with husband/partner changed for the worse but without separation or divorce. <u>WORSREL0</u>	1	2	3	4
h. Were separated or divorced or long-term relationship ended. <u>RELATEN0</u>	1	2	3	4
i. Had a serious problem with child or family member (other than husband/partner) or with a close friend. <u>SERIPRO0</u>	1	2	3	4

^{\$} E.10 Income categories have been condensed from the original questionnaire

Variable Excluded from Public Use Data File

During the last 12 months, have you experienced any of the following: If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3, If you have and it was very upsetting circle 4. Please circle one answer for each question.

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting
j. A child moved out of the house or left the area. <u>CHILDMO0</u>	1	2	3	4
k. Slapped, kicked, or otherwise hurt by husband/partner or someone else important to you. <u>HURTO</u>	1	2	3	4
l. Took on responsibility for the care of another child, grandchild, parent, other family member or friend. <u>RESPCAR0</u>	1	2	3	4
m. Family member had legal problems or a problem with police. <u>LEGALPRO</u>	1	2	3	4
n. Moved to a new house or apartment. <u>MOVEHOM0</u>	1	2	3	4
o. Married, started a new relationship, or got back together with a former partner. <u>STARTRE0</u>	1	2	3	4
p. A close relative (husband/partner, child or parent) died.				
p.1. Husband/Partner <u>HUSBDIE0</u>	1	2	3	4
p.2. Child <u>CHLDDIE0</u>	1	2	3	4
p.3. Parent <u>PRNTDIE0</u>	1	2	3	4
p.4. Other _____ (specify) <u>OTHRDIE0</u> <u>#SPECDIE0</u>	1	2	3	4

During the last 12 months, have you experienced any of the following: If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3, If you have and it was very upsetting circle 4. Please circle one answer for each question.

		NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting
q.	A close friend or family member <u>other than</u> husband/partner, child or parent died.				
q.1.	Close Friend <u>FRDDIED0</u>	1	2	3	4
q.2.	Other relative <u>OTHRELD0</u>	1	2	3	4
q.3.	Other _____ (specify) <u>OTH2DIE0</u> <u>#OTHDISP0</u>	1	2	3	4
r.	Major accident, assault, disaster, robbery or other violent event happened to yourself or to a family member.				
r.1.	Self <u>SELFVIO0</u>	1	2	3	4
r.2.	Husband/Partner <u>HUSBVIO0</u>	1	2	3	4
r.3.	Child <u>CHLDVIO0</u>	1	2	3	4
r.4.	Other family member <u>OTHFMVIO</u>	1	2	3	4
r.5.	Other _____ (specify) <u>OTHVIOLO</u> <u>#VIOLSPC0</u>	1	2	3	4
s.	Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend.				
s.1.	Husband/Partner <u>HUSBILL0</u>	1	2	3	4
s.2.	Child <u>CHILDIL0</u>	1	2	3	4
s.3.	Parent <u>PRNTILL0</u>	1	2	3	4
s.4.	Close Friend <u>FRNDILL0</u>	1	2	3	4
s.5.	Other relative <u>OTHRELI0</u>	1	2	3	4
s.6.	Other _____ (specify) <u>OTHILL0</u> <u>#PHYILSP0</u>	1	2	3	4
t.	Other major event. (Describe _____) <u>MAJEVEN0</u> <u>#MAJEVDS0</u>	1	2	3	4

Below are statements people have made from time to time in their daily lives. Thinking about how you feel **today** please circle True or False for each statement.

		<u>FALSE</u>	<u>TRUE</u>
E.12.	I have often had to take orders from someone who did not know as much as I did <u>TAKEORD0</u>	1	2
E.13.	I think a great many people make a lot of their bad luck in order to gain the sympathy and help of others <u>BADLUCK0</u>	1	2
E.14.	It takes a lot of argument to convince most people of the truth <u>ARGUMEN0</u>	1	2
E.15.	Most people are honest mainly through fear of being caught <u>HONEST0</u>	1	2
E.16.	Most people will use somewhat unfair means to gain profit or an advantage rather than to lose It <u>PROFIT0</u>	1	2
E.17.	No one cares much what happens to you <u>NONECAR0</u>	1	2
E.18.	It is safer to trust nobody <u>NOTRUST0</u>	1	2
E.19.	Most people make friends because friends are likely to be useful to them <u>FRIENDS0</u>	1	2
E.20.	Most people inwardly do not like putting themselves out to help other people <u>PUTOUT0</u>	1	2
E.21.	I have often met people who were supposed to be experts who were no better than I <u>EXPERTS0</u>	1	2
E.22.	People often demand more respect for their own rights than they are willing to allow for Others <u>RIGHTS0</u>	1	2
E.23.	A large number of people are guilty of bad sexual behavior <u>SEXBEHA0</u>	1	2
E.24.	I think most people would lie to get ahead <u>GETAHEA0</u>	1	2

F.1. RECORD HERE THE TIME YOU FINISHED: __ __ : __ __ (Circle one)
A.M. 1.
P.M. 2.

Thank you for your time. This ends this questionnaire. Please give it to the study personnel.

Study of Women's Health Across the Nation

SELF-ADMINISTERED QUESTIONNAIRE

PART B

SECTION A. GENERAL INFORMATION

A1. RESPONDENT ID:	AFFIX ID LABEL HERE <div></div>	<u>SWANID</u>
A2. SWAN STUDY VISIT #	___ ___	#VISIT
A3. FORM VERSION: FORMVER0	<div><div>1</div><div>M</div></div> / <div><div>1</div><div>M</div></div> / <div><div>1</div><div>D</div></div> / <div><div>0</div><div>D</div></div> / <div><div>9</div><div>Y</div></div> / <div><div>5</div><div>Y</div></div>	#FORM_V
A4. DATE FORM COMPLETED:	<div>___</div> <div>M</div> / <div>___</div> <div>M</div> / <div>___</div> <div>D</div> / <div>___</div> <div>D</div> / <div>___</div> <div>Y</div> / <div>___</div> <div>Y</div>	<u>SABDAY0[†]</u>
A5. INTERVIEWER'S INITIALS:	_____	#INITS
A6. RESPONDENT'S DOB:	<div>___</div> <div>M</div> / <div>___</div> <div>M</div> / <div>___</div> <div>D</div> / <div>___</div> <div>D</div> / <div>___</div> <div>Y</div> / <div>___</div> <div>Y</div>	#DOB
VERIFY WITH RESPONDENT		
A7. COMPLETED IN:	1. RESPONDENT'S HOME 2. CLINIC/OFFICE	#LOCATIO
A8. INTERVIEWER-ADMINISTERED?	1. NO 2. YES	#ADMIN

[†] SABDAY0 is given in days from interview date

Variable Excluded from Public Use Data File

This questionnaire covers material that is sensitive and personal. For some women, sexual activity is an important part of their lives; but for others, it is not. Everyone has different ideas on this subject. To help us understand how these matters affect women's lives, we would like you to answer the following questions from your own personal viewpoint. There are no right or wrong answers. Remember, confidentiality is assured. While we hope you are willing to answer all of the questions, if there are questions you would prefer not to answer, you are free to skip them. Please find the most appropriate response to each question, and circle the number for the answer you choose.

(Circle one)

[illegible]

B.1. How important is sex in your life? (CIRCLE ONE NUMBER)

IMPORSE0

1	2	3	4	5
Extremely	Quite	Moderately	Not Very	Not At All
Important	Important	Important	Important	Important

B.2. During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner? (CIRCLE ONE NUMBER)

DESIRSE0

1	2	3	4	5
Not At	Once or	About	More Than	Daily
All	Twice/ Month	Once/ Week	Once/ Week	

B.3. During the past 6 months, have you engaged in sexual activities with a partner?
(CIRCLE ONE NUMBER)

ENGAGSE0

1. NO (IF NO, PLEASE ANSWER QUESTION B.3a)
2. YES (GO TO QUESTION B.4. ON THE NEXT PAGE.)

B.3a. People do not engage in sexual activities with partners for many reasons. Please circle 1. (NO) or 2. (YES) for each reason listed below.

I have not had sex in the last 6 months because:

- | | | | |
|--|-------------------------|-------|--------|
| 1) I do not have a partner at this time. | <u>NOPARTN0</u> | 1. NO | 2. YES |
| 2) My partner has a physical problem that interferes with sex. | <u>PARTPRO0</u> | 1. NO | 2. YES |
| 3) I have a physical problem that interferes with sex. | <u>PHYSPRO0</u> | 1. NO | 2. YES |
| 4) I am too tired or busy. | <u>TIRE0</u> | 1. NO | 2. YES |
| 5) My partner is too tired or busy. | <u>PARTIRE0</u> | 1. NO | 2. YES |
| 6) I am not interested. | <u>NOINTRS0</u> | 1. NO | 2. YES |
| 7) My partner is not interested. | <u>PARTNOI0</u> | 1. NO | 2. YES |
| 8) Other: | <u>NOSEXOT0</u> | 1. NO | 2. YES |
| Specify _____ | <u>#NOSEXSP0</u> | | |

PLEASE TURN TO PAGE 6, AND ANSWER QUESTIONS B.14 AND B.15.

B.4. In the past 6 months, how physically pleasurable was your relationship with your main partner:

PHYSPLE0

1	2	3	4	5
Extremely	Very	Moderately	Slightly	Not At All
Pleasurable	Pleasurable	Pleasurable	Pleasurable	Pleasurable

B.5. In the past 6 months, how emotionally satisfying was your relationship with your main partner?

SATISFY0

1	2	3	4	5
Extremely	Very	Moderately	Slightly	Not At All
Satisfying	Satisfying	Satisfying	Satisfying	Satisfying

B.6. People engage in sexual activities for a variety of reasons. During the past 6 months, what were your reasons for having sex with your partner? (CIRCLE 1. (NO) OR 2. (YES) FOR EACH REASON LISTED BELOW)

a) To express love or affection	1. NO	2. YES	<u>LOVE0</u>
b) To relieve sexual tension or arousal	1. NO	2. YES	<u>TENSION0</u>
c) Because my partner wanted me to	1. NO	2. YES	<u>PARTWAN0</u>
d) To get pregnant	1. NO	2. YES	<u>PREGNAN0</u>
e) For pleasure or enjoyment	1. NO	2. YES	<u>PLEASUR0</u>
f) Other	1. NO	2. YES	<u>SEXOTH0</u>

Specify: _____

#SEXSPEC0

B.7. During the past 6 months, how often, on average, have you engaged in the following sexual activities? (CIRCLE ONE answer for each question. If an activity does not apply to you, circle 1. (NOT AT ALL).

		Not At All	Once or Twice/ Month	About Once/ Week	More Than Once/ Week	Daily
a. Kissing or hugging	<u>KISSING0</u>	1	2	3	4	5
b. Sexual touching or caressing	<u>TOUCHIN0</u>	1	2	3	4	5
c. Oral sex	<u>ORALSEX0</u>	1	2	3	4	5
d. Sexual intercourse	<u>INTCOUR0</u>	1	2	3	4	5

B.8. During the last 6 months, how often did you feel aroused during sexual activity?

AROUSED0

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

B.9. During the past 6 months, have you felt vaginal or pelvic pain during intercourse?

PELVIC0

1	2	3	4	5	6
Always	Almost Always	Sometimes	Almost Never	Never	No intercourse in last 6 months

B.10. During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable?

LUBRICN0

1	2	3	4	5	6
Always	Almost Always	Sometimes	Almost Never	Never	No intercourse in last 6 months

Now we would like to ask you some questions about birth control practices.

B.11. Have you ever had a tubal ligation (tubes tied)?

TUBALIG0

1. NO 2. YES -8. DON'T KNOW

B.12. Has your husband or male partner ever had a vasectomy?

VASECTM0

1. NO 2. YES -8. DON'T KNOW -1. NOT APPLICABLE

B.13. During the past 6 months, have you and/or your partner used any methods to prevent pregnancy?

1. NO (GO TO QUESTION B.14)

2. YES

PRGNANC0



IF YES, which method(s) have you used? (CIRCLE 1. (NO) OR 2. (YES) FOR EACH METHOD LISTED BELOW)

			<u>NO</u>	<u>YES</u>
a.	Rhythm	<u>RHYTHM0</u>	1	2
b.	Foam or cream (spermicidal)	<u>FOAM0</u>	1	2
c.	Diaphragm/cervical cap	<u>DIAPHRG0</u>	1	2
d.	Pill	<u>PILL0</u>	1	2
e.	IUD	<u>IUD0</u>	1	2
f.	Withdrawal before ejaculation	<u>WITHDRA0</u>	1	2
g.	Condom	<u>CONDOM0</u>	1	2
h.	No sex, abstention	<u>ABSTAIN0</u>	1	2

B.14. On average, in the past 6 months, how often have you engaged in masturbation (self-stimulation)?

MASTURBO

1	2	3	4	5	6
Not At All	Less Than Once/Month	Once Or Twice/Month	About Once/Week	More Than Once/Week	Daily

B.15. Regardless of whether you are currently sexually active, which response best describes who you have generally had sex with over your adult lifetime?

WHOSEX0

1. Have never had sex
2. Sex with a woman
3. Sex with a man
4. Sex sometimes with a woman and sometimes with a man

C.1. RECORD HERE THE TIME YOU FINISHED: ____ : ____ (Circle one)
A.M. 1.
P.M. 2.

THANK YOU FOR HELPING US WITH THIS IMPORTANT RESEARCH STUDY.

PLEASE PLACE THE COMPLETED QUESTIONNAIRE IN THE ENVELOPE PROVIDED, SEAL IT, AND GIVE IT TO THE STUDY PERSONNEL.

THANK YOU FOR YOUR HELP.

Study of Women's Health Across the Nation

PHYSICAL MEASURES

SECTION A. GENERAL INFORMATION

- A1. RESPONDENT ID: AFFIX ID LABEL HERE **SWANID**
- A2. SWAN STUDY VISIT # ___ ___ **#VISIT**
- A3. FORM VERSION: $\frac{1}{M}$ $\frac{2}{M}$ / $\frac{1}{D}$ $\frac{2}{D}$ / $\frac{9}{Y}$ $\frac{5}{Y}$ **#FORM_V**
- A4. DATE FORM COMPLETED: ___ ___ / ___ ___ / ___ ___ **PHYDAY0[†]**
- A5. RESPONDENT'S DOB: ___ ___ / ___ ___ / ___ ___ **#DOB**

VERIFY WITH RESPONDENT

- A6. MEASUREMENTS COMPLETED IN: **#LOCATION00**
1. RESPONDENT'S HOME
 2. CLINIC/OFFICE
- A7. TECHNICIAN'S INITIALS
- | | | | |
|----|----------------|-------------|-----------------|
| a. | BLOOD PRESSURE | ___ ___ ___ | #INITSA0 |
| b. | HEIGHT/WEIGHT | ___ ___ ___ | #INITSB0 |
| c. | WAIST/HIP | ___ ___ ___ | #INITSC0 |

[†] PHYDAY0 is given in days from interview date

- B.1. ARM LENGTH . cm **#ARMLNGT0**
- B.2. ARM CIRCUMFERENCE . cm **#ARMCIRC0**
- B.3. CUFF SIZE USED (Circle one.) 1. Pediatric 3. Large Adult
2. Adult 4. Thigh **#CUFFSIZ0**

Wait 5 minutes before measurements. Respondent is to sit quietly for 5 minutes with feet flat on the floor (legs uncrossed) and is to refrain from talking during the measurements.

Wait 2 minutes between each blood pressure reading.

- B.4. PULSE **PULSE0** beats/30 sec
- B.5. BLOOD PRESSURE #1 (SYS./DIA. 5th Phase) / mmHg
SYSBP10 / DIABP10
- B.6. BLOOD PRESSURE #2 (SYS./DIA. 5th Phase) / mmHg
SYSBP20 / DIABP20
- B.7. BLOOD PRESSURE #3 (SYS./DIA. 5th Phase) / mmHg
SYSBP30 / DIABP30

Ask the Respondent to remove her shoes before measuring height and weight.

- B.8. HEIGHT **HEIGHT0** . cm
B.8.1. Measurement Method **HTMETH00** 1. Stadiometer 2. Portable
- B.9. WEIGHT **WEIGHT0** . kg
B.9.1. Scales **SCALE0** 1. Balance Beam 2. Clinic Digital
3. Portable
- B.10. WAIST CIRCUMFERENCE **WAIST0** . cm
B.10.1. Measurement taken in: **WASTMEA0** 1. Undergarments 2. Light clothing
- B.11. HIP CIRCUMFERENCE **HIP0** . cm
B.11.1. Measurement taken in: **HIPMEAS0** 1. Undergarments 2. Light clothing

Please note if there were any unusual circumstances or deviations from the protocol.

#DEVIATE0

ADDITIONAL PHYSICAL MEASURES

One additional measure, BMI0, has been made available:

<i>Variable</i>	<i>Meaning</i>	<i>Values</i>
BMI0	Body Mass Index	numeric

BMI0 is calculated as weight in kilograms divided by the square of height in meters.

FOOD FREQUENCY QUESTIONNAIRE

No electronic version of the individual food frequency questionnaire variables exists; just the derived composite variables are available. A version of the form appears below, followed by the composite variables.

The SWAN Diet and Physical Activity Working Group recommended that data be excluded for any of the following reasons:

- Too few or too many solid foods/day (n=148)
- More than 10 foods skipped (n=2)
- Daily caloric intake too low or high (n=27)

Altogether, 157 participants have missing data due to a combination of the above exclusions.

FOOD QUESTIONNAIRE

ID NUMBER										INTERVIEWER		TODAY'S DATE		
										ID #	MO	DAY	YR	
0	1	2	3	4	5	6	7	8	9	0	1	2	3	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	2	2	2	2	2	2	2	2	2	2	2	2	2	
3	3	3	3	3	3	3	3	3	3	3	3	3	3	
4	4	4	4	4	4	4	4	4	4	4	4	4	4	
5	5	5	5	5	5	5	5	5	5	5	5	5	5	
6	6	6	6	6	6	6	6	6	6	6	6	6	6	
7	7	7	7	7	7	7	7	7	7	7	7	7	7	
8	8	8	8	8	8	8	8	8	8	8	8	8	8	
9	9	9	9	9	9	9	9	9	9	9	9	9	9	

Ethnic group

- ☐ Hispanic
☐ African American
☐ Japanese
☐ White, not Hispanic
☐ Chinese
☐ Other

SEX

- ☐ Male
☐ Female

DATE OF BIRTH						AGE	
MO		DAY		YR			
0	1	2	3	4	5	6	7
1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9

What language do you usually speak at home or with friends?

- ☐ English
☐ Something else
☐ Both equally

About how many times have you gone on a diet to lose weight?

- ☐ Never
☐ 1 - 2
☐ 3 - 5
☐ 6 - 8
☐ 9 - 11
☐ 12 or more

First, a few general questions about what you eat.	AVERAGE USE IN THE LAST YEAR								
	LESS THAN ONCE PER WEEK	1-2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	1 PER DAY	1 1/2 PER DAY	2 PER DAY	3 PER DAY	4+ PER DAY
About how many servings of vegetables do you eat, per day or per week, not counting salad or potatoes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
About how many servings of fruit do you eat, not counting juices?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
About how many servings of cold cereal do you eat?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
About how many glasses of milk (or chocolate milk) do you drink?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
How often do you use fat or oil to fry or stir-fry, or to simmer or season your food?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

IF ONCE PER WEEK OR MORE

What kinds of fat or oil do you usually use to fry or stir-fry, or to simmer or season your food?

(Mark only one or two.)

- ☐ Don't know or no oil
☐ Butter
☐ Corn oil, vegetable oil
☐ Lard, fatback, bacon fat
☐ Margarine
☐ Olive oil or canola oil
☐ Low-fat margarine
☐ Crisco

When you drink orange juice, how often do you drink a calcium-fortified brand?

- ☐ Usually ☐ Sometimes ☐ Rarely ☐ Don't know

When you eat the following foods, how often do you eat a low-fat or non-fat version of that food?

- | | | | | |
|---------------------|--------------------------------------|---------------------------------|--------------------------------------|---------------------------|
| Cheese | <input type="radio"/> Always low-fat | <input type="radio"/> Sometimes | <input type="radio"/> Rarely low-fat | <input type="radio"/> N/A |
| Ice cream or yogurt | <input type="radio"/> Always low-fat | <input type="radio"/> Sometimes | <input type="radio"/> Rarely low-fat | <input type="radio"/> N/A |
| Salad dressing | <input type="radio"/> Always low-fat | <input type="radio"/> Sometimes | <input type="radio"/> Rarely low-fat | <input type="radio"/> N/A |
| Cake or cookies | <input type="radio"/> Always low-fat | <input type="radio"/> Sometimes | <input type="radio"/> Rarely low-fat | <input type="radio"/> N/A |

- How often do you add salt to your food at the table? ☐ Seldom ☐ Sometimes ☐ Often
- How often do you eat the skin on chicken? ☐ Seldom ☐ Sometimes ☐ Often ☐ N/A
- How often do you eat the fat on meat? ☐ Seldom ☐ Sometimes ☐ Often ☐ N/A
- How do you like your meat cooked? ☐ Rare ☐ Medium ☐ Well done ☐ N/A

During the past year have you taken any vitamins or minerals regularly (at least once a week)?

- ☐ No, not regularly ☐ Yes, fairly regularly

(IF YES) WHAT DO YOU TAKE FAIRLY REGULARLY?

VITAMIN TYPE	HOW OFTEN				FOR HOW MANY YEARS?					
	DON'T TAKE	1-3 DAYS PER WEEK	4-6 DAYS PER WEEK	EVERY DAY	LESS THAN 1 YR.	1 YEAR	2 YEARS	3-4 YEARS	5-9 YEARS	10+ YEARS
First, Multiple Vitamins. Do you take...										
{ Regular Once-A-Day, Centrum, or Thera type	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
{ Antioxidant combination type	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Single Vitamins (not part of multiple vitamins)										
{ Vitamin A (not beta-carotene)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
{ Beta-carotene	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
{ Vitamin C	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
{ Vitamin E	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
{ Calcium or Tums	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
{ Iron	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
{ Zinc	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
{ Selenium	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

IF YOU TAKE MULTIPLE VITAMINS, Do you usually take multiple vitamin types that

- ☐ contain minerals (iron, zinc, etc.) ☐ do not contain minerals ☐ Don't know

IF YOU TAKE VITAMIN C OR VITAMIN E:

How many milligrams of vitamin C do you usually take, on the days you take it?

- ☐ 100 ☐ 250 ☐ 500 ☐ 750 ☐ 1000 ☐ 1500 ☐ 2000 ☐ 3000+ ☐ Don't know

How many IUs of vitamin E do you usually take, on the days you take it?

- ☐ 100 ☐ 200 ☐ 300 ☐ 400 ☐ 600 ☐ 800 ☐ 1000 ☐ 2000+ ☐ Don't know

The next section is about your usual eating habits over the past year or so. This includes all meals or snacks, at home or in a restaurant or carry-out.

Please tell me **how often**, on average, you eat each food. For example, twice a week, three times a month, and so forth.

Also, please tell me **how much** you usually eat of each food. Sometimes I'll ask "how much" as number of pieces, such as 1 egg, 2 eggs or 3 eggs. I'd like you to tell me how many you eat, on the days you eat them.

Sometimes I'll just ask you to tell me whether you usually eat a small, medium or large portion.

TYPE OF FOOD	HOW OFTEN								HOW MUCH EACH TIME				OFFICUSE ONLY
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY	MEDIUM SERVING	YOUR SERVING SIZE			
										S	M	L	
Please tell me how often you eat each of these foods.													
Bananas	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Apples, applesauce	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Prunes, or prune juice	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	<input type="checkbox"/> EV/DA.	1/2 cup	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>
Peaches, apricots, canned or dried	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium or 1/2 cup	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>
Peaches, apricots, fresh, in season	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium	<input type="checkbox"/> 1/2	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/>
Oranges or grapefruit, in season, not including juice	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	<input type="checkbox"/> EV/DA.	1 medium	<input type="checkbox"/> 1/2	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/>
Cantaloupe, in season	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1/4 medium	<input type="checkbox"/> 1/8	<input type="checkbox"/> 1/4	<input type="checkbox"/> 1/2	<input type="checkbox"/>
Mangoes or papayas, fresh, in season	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1/2 medium	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>
Watermelon, in season	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	<input type="checkbox"/> EV/DA.	1 slice	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>
Strawberries, other berries, in season	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1/2 cup	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>
	<1/MO.	1/MO.	2-3/MO.	1/WK.	2/WK.	3-4/WK.	5-6/WK.	EV/DA.					
Fiber cereals like raisin bran, granola or shredded wheat	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium bowl	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>
Other cold cereals like corn flakes or cheerios	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium bowl	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>
Cooked cereal like oatmeal, oat bran or grits	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	<input type="checkbox"/> EV/DA.	1 medium bowl	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>
Milk on cereal	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1/2 cup	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Breakfast bars, granola bars, power bars	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 serving	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>
Instant breakfast milkshakes like Carnation, diet shakes like Sego, or liquid supplements like Ensure	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	<input type="checkbox"/> EV/DA.	1 serving	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>
Pancakes or waffles	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2 med.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/>
Eggs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 egg=sml. 2 eggs=med.	<input type="checkbox"/> egg	<input type="checkbox"/> eggs	<input type="checkbox"/> eggs	<input type="checkbox"/>
Egg substitutes, Egg Beaters	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	<input type="checkbox"/> EV/DA.	2 eggs	<input type="checkbox"/> egg	<input type="checkbox"/> eggs	<input type="checkbox"/> eggs	<input type="checkbox"/>
Sausage or bacon	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2 patties or pieces	<input type="checkbox"/> piece	<input type="checkbox"/> pieces	<input type="checkbox"/> pieces	<input type="checkbox"/>
Cottage cheese	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1/2 cup	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>
Other cheeses and cheese spreads (regular or lowfat)	<input type="checkbox"/>	<input type="checkbox"/> 1/MO.	<input type="checkbox"/>	<input type="checkbox"/> 1/WK.	<input type="checkbox"/>	<input type="checkbox"/> 3-4/WK.	<input type="checkbox"/>	<input type="checkbox"/> EV/DA.	2 slices or 2 ounces	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/>
Yogurt, frozen yogurt (regular or lowfat)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8 oz. container	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/>

TYPE OF FOOD	HOW OFTEN								HOW MUCH EACH TIME				OFFICE USE ONLY
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY	MEDIUM SERVING	YOUR SERVING SIZE			
										S	M	L	
How often do you eat the following vegetables, including fresh, frozen, canned or in stir-fry?													
String beans, green beans	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Peas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Beans such as baked beans, kidney beans, or in chili or bean burritos, not including soup	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EV/DA.	3/4 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Corn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Alfalfa sprouts, including on sandwiches	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Regular bean sprouts	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EV/DA.	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Tomatoes, tomato juice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium or 6 oz. glass	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Salsa, ketchup, taco sauce	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 tablesp.	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/>
Broccoli	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EV/DA.	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Cauliflower or brussels sprouts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Spinach, cooked or raw	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Mustard greens, turnip greens, collards, kale	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EV/DA.	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Cole slaw, cabbage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Carrots, or mixed vegetables containing carrots	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Green salad	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EV/DA.	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Salad dressing & mayonnaise, regular or lowfat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 tablesp.	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/>
French fries and fried potatoes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3/4 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
White potatoes not fried, incl. boiled, baked, mashed & in potato salad	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EV/DA.	1 medium or 1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Sweet potatoes, yams	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Tofu, bean curd	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EV/DA.	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Meat substitutes made from soy, like "soy burgers"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 cup or patty	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>

TYPE OF FOOD	HOW OFTEN								HOW MUCH EACH TIME			OFFICE USE ONLY	
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY	MEDIUM SERVING	YOUR SERVING SIZE			
										S	M		L
Do you ever eat chicken, meat or fish? <input type="radio"/> Yes <input type="radio"/> No (if no, skip to * below)													
Hamburgers, cheeseburgers, beef burritos or tacos, at home or in a restaurant	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium or 4 oz.	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>
Beef, including roasts, steaks, or in stir-fry or sandwiches	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4 ounces	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>
Liver, including chicken livers	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	4 ounces	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>
Pork, including chops, roasts, or in stir-fry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 chops or 4 ounces	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>
Fried chicken, at home or in a restaurant	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 small or 1 large pce.	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>
Chicken or turkey, roasted or broiled, including on sandwiches	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	2 small or 1 large pce.	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>
Chicken stew, chicken casserole or stir-fry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Fried fish or fish sandwich, at home or in a restaurant	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4 ounces or 1 sandwich	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>
Tuna, tuna salad, tuna casserole	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Shellfish such as shrimp, crab, oysters, etc.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	5 pieces, 1/4 cup or 3 oz.	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Other fish, broiled or baked	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 pieces or 4 ounces	<input type="radio"/>	<input type="radio"/> M	<input type="radio"/>	<input type="radio"/>
* Beef or vegetable stew or pot pie with carrots and other vegetables	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	1 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Spaghetti, lasagna, other pasta with tomato sauce	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 1/2 cups	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Cheese dishes without tomato sauce, like macaroni and cheese	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Pasta salad, other pasta without tomato sauce	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	3/4 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Pizza, including carry-out	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 slices	<input type="radio"/> ① slice	<input type="radio"/> ② slices	<input type="radio"/> ③ slices	<input type="radio"/>
Hot dogs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 hot dogs	<input type="radio"/> ① dog	<input type="radio"/> ② dogs	<input type="radio"/> ③ dogs	<input type="radio"/>
Ham, bologna, other lunch meats, regular or made with turkey	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 slices or 2 ounces	<input type="radio"/> ① slice	<input type="radio"/> ② slices	<input type="radio"/> ③ slices	<input type="radio"/>
Lentil, pea and bean soups	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Vegetable soups with carrots or tomatoes, such as vegetable beef or tomato soup	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Miso soup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>
Other soups, like chicken noodle, mushroom, cup-a-soup, ramen	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EVIDA.	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/>

TYPE OF FOOD	HOW OFTEN									HOW MUCH EACH TIME				OFFICE USE ONLY	
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY	2+ PER DAY	MEDIUM SERVING	YOUR SERVING SIZE				
											S	M	L		XL
Rice, or dishes made with rice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3/4 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	
Soy sauce, in cooking or added at the table	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 tsp.	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3		<input type="radio"/>
Biscuits, muffins, including fast food	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EV/DA.	<input type="radio"/>	1 medium piece	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L		<input type="radio"/>
Bagels, English muffins, hamburger buns	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	# pieces each time	<input type="radio"/> 1/2	<input type="radio"/> 1	<input type="radio"/> 2		<input type="radio"/>
Bread, including white bread, French, whole wheat, etc. Remember sandwiches.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	# slices each time	<input type="radio"/> ① slice	<input type="radio"/> ② slices	<input type="radio"/> ③ slices		<input type="radio"/>
Corn bread, corn muffins, corn tortillas	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EV/DA.	<input type="radio"/>	# pieces each time	<input type="radio"/> ① piece	<input type="radio"/> ② pieces	<input type="radio"/> ③ pieces		<input type="radio"/>
Snacks like nachos with cheese, potato skins with topping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium serving	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	<input type="radio"/>
Salty snacks, like potato chips, corn chips, popcorn, crackers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 handfuls or 1 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	<input type="radio"/>
Peanuts, peanut butter	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EV/DA.	<input type="radio"/>	2 tablesp.	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	<input type="radio"/>
Margarine on bread or on potatoes, vegetables, etc.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 pats	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3		<input type="radio"/>
Butter on bread or on potatoes, vegetables, etc.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 pats	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3		<input type="radio"/>
SWEETS	<1/MO.	1/ MON.	2-3/ MON.	1/ WEEK	2/ WEEK	3-4/ WEEK	5-6/ WEEK	EV/ DA.	2+ DA.						
Ice cream, regular or lowfat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 scoop or 1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	<input type="radio"/>
Doughnuts, pastry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 piece	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	<input type="radio"/>
Cookies or cake, regular or lowfat	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EV/DA.	<input type="radio"/>	3-5 cookies	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	<input type="radio"/> XL	<input type="radio"/>
Pumpkin pie, sweet potato pie	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium slice	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L		<input type="radio"/>
Other pies, including in restaurants	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium slice	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L		<input type="radio"/>
Chocolate candy, candy bars	<input type="radio"/>	<input type="radio"/> 1/MO.	<input type="radio"/>	<input type="radio"/> 1/WK.	<input type="radio"/>	<input type="radio"/> 3-4/WK.	<input type="radio"/>	<input type="radio"/> EV/DA.	<input type="radio"/>	1 small bar or 1 oz.	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L		<input type="radio"/>

TYPE OF FOOD	HOW OFTEN									HOW MUCH EACH TIME				OFFICE USE ONLY
	NEVER OR LESS THAN ONCE PER MONTH	1-3 PER MON	1 PER WEEK	2-4 PER WEEK	5-6 PER WEEK	1 PER DAY	2-3 PER DAY	4 PER DAY	5+ PER DAY	MEDIUM SERVING	YOUR SERVING SIZE			
											S	M	L	
How many glasses of these beverages do you drink per day or per week?														
Orange juice or grapefruit juice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	6 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Apple juice, grape juice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	6 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Whole milk (or chocolate whole milk), not including on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2% milk (or chocolate 2% milk), not including on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Skim milk, 1% milk, not including on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Soy milk, Vita-Soy, Take Care soy drink	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Chinese herbs made into or added to a soup or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Kool-Aid, Hi-C, or other drinks with added vitamin C	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Snapple, Calistoga, sweetened bottled waters or iced teas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 bottle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Diet cola soft drinks (not ginger-ale type)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12 oz. can or bottle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Regular cola soft drinks (not diet, not ginger-ale type)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12 oz. can or bottle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Beer	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12 oz. can or bottle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wine or wine coolers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Liquor or mixed drinks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 shot	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Coffee (not de-caf)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Green tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Black tea, English tea, Chinese tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cream, half and half or nondairy creamer in coffee or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 tablesp.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Milk in coffee or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 tablesp.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sugar or honey in coffee or tea or on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 teaspoons	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Food Frequency Questionnaire Composite Variables

<i>Variable</i>	<i>Meaning</i>	<i>Units/Codes</i>
<u>LANGFFQ0</u>	FFQ Language	E = English C = Chinese J = Japanese S = Spanish
<u>LANGSPK0</u>	Lang used at home	1 = English 2 = Other 3 = Both
<u>WLOSSDT0</u>	How many times on diet	1 = Never 2 = 1-2 times 3 = 3-5 times 4 = 6-8 times 5 = 9-11 times 6 = 12 or more
<u>GLOBVEG0</u>	Global vegetable servings, excl salad/potato	1 = < 1/wk 2 = 1-2/wk 3 = 3-4/wk 4 = 5-6/wk 5 = 1/day 6 = 1 1/2 /day 7 = 2/day 8 = 3/day 9 = 4+ /day
<u>GLOBFRT0</u>	Global fruit servings, excl juices	Same as above
<u>GLOBCER0</u>	Global cereal servings	Same as above
<u>GLOBMLK0</u>	Global milk servings by glass	Same as above
<u>OJCALC0</u>	How often drink OJ w/Calcium	1 = Usually 2 = Sometimes 3 = Rarely
<u>LFATCHS0</u>	How often eat lowfat cheese	1 = Always low-fat 2 = Sometimes low-fat 3 = Rarely low-fat
<u>LFATICE0</u>	How often eat lowfat ice cream/yogurt	Same as above
<u>LFATSAL0</u>	How often eat lowfat salad dressing	Same as above
<u>LFATCAK0</u>	How often eat lowfat cake/cookies	Same as above
<u>EATSALT0</u>	How often add table salt	1 = Seldom 2 = Sometimes 3 = Often
<u>EATSKIN0</u>	How often eat chicken skin	Same as above
<u>EATFATM0</u>	How often eat meat fat	Same as above
<u>WELLDNE0</u>	How do you like your meat cooked	1 = Rare 2 = Medium 3 = Well done
<u>TAKEVIT0</u>	Take vitamins/minerals regularly	1 = No, not reg 2 = Yes, fairly reg
<u>YRSONEA0</u>	How many yrs taken multiple vitamin	1 = < yr 2 = 1 yr 3 = 2 yrs 4 = 3-4 yrs 5 = 5-9 yrs 6 = 10+ yrs

YRSAO0	How many yrs taken antioxidant	Same as above
YRSVITA0	How many yrs taken vitamin A	Same as above
YRSBETA0	How many yrs taken beta-carotene	Same as above
YRSVITC0	How many yrs taken vitamin C	Same as above
YRSVITE0	How many yrs taken vitamin E	Same as above
YRSCA0	How many yrs taken calcium/Tums	Same as above
YRSIRON0	How many yrs taken iron	Same as above
YRSZINC0	How many yrs taken zinc	Same as above
YRSSELE0	How many yrs taken selenium	Same as above
SUPPLEMENTS		
SUPVITA0	Supplement Vitamin A, retinol equivalents(RE)	RE
SUPVITC0	Supplement Vitamin_C, mg	mg
SUPVITD0	Supplement Vitamin D, international units (IU)	IU
SUPVITE0	Supplement Vitamin_E, a-TE	a-TE
SUPCA0	Supplement Calcium, mg	mg
SUPBCAR0	Supplement BetaCarotene, mcg	mcg
SUPB10	Supplement B1, mg	mg
SUPB60	Supplement B6, mg	mg
SUPB120	Supplement B12, mcg	mcg
SUPFOL0	Supplement Folate, mcg	mcg
SUPCU0	Supplement Copper, mg	mg
SUPSELE0	Supplement Selenium, mcg	mcg
SUPFE0	Supplement Iron, mg	mg
SUPZN0	Supplement Zinc, mg	mg
DAILY DIETARY ESTIMATE (DDE)		
DTTKCAL0	DDE KCAL - total caloric intake	
DTTPROT0	DDE PROTEIN, gms	g
DTTCARB0	DDE CARB, gms	g
DTTFAT0	DDE Fat, gms	g
DTTCALC0	DDE CALCIUM, mg	mg
DTTPHOS0	DDE PHOS, mg	mg
DTTFE0	DDE IRON, mg	mg
DTTNA0	DDE SODIUM, mg	mg
DTTPOTA0	DDE POTASSIUM, mg	mg
DTTAIU0	DDE A_IU, international units	IU
DTTARE0	DDE retinol equivalents	RE
DTTB10	DDE B1, mg	mg
DTTB60	DDE B6, mg	mg
DTTRIBO0	DDE RIBOFLAVIN, mg	mg
DTTNIAC0	DDE NIACIN, mg	mg
DTTVITC0	DDE VITAMIN C, mg	mg
DTTSFAT0	DDE Saturated Fat, gms	g
DTTOLEC0	DDE OLEIC ACID, gms	g
DTTLIN0	DDE LINOLEIC ACID, gms	g
DTTCHOL0	DDE CHOLESTEROL, mg	mg
DTTDFIB0	DDE Dietary Fiber, gms	g
DTTFOL0	DDE FOLATE, mcg	mcg
DTTVITE0	DDE VITAMIN E, a-TE	a-TE
DTTZINC0	DDE ZINC, mg	mg
DTTANZN0	DDE Animal ZINC, mg	mg
DTTMG0	DDE MAGNESIUM, mg	mg
DTTACAR0	DDE Alpha Carotene, mcg	mcg
DTTBCAR0	DDE Beta Carotene, mcg	mcg
DTTRETO	DDE RETINOL, mcg	mcg

DTTPROA0	DDE Pro-A Carotenes, mcg	mcg
FIBBEAN0	DDE Fiber from BEANS	
FIBVEGF0	DDE Fiber from VEG/FRUIT	
FIBGRAI0	DDE Fiber from GRAINS	
DTTALCH0	DDE KCAL from ALCOHOLIC BEV	kcal
DTTSWET0	DDE KCAL from SWEETS	kcal
GMSOLID0	DDE Grams Solid Food	g
DTCAFF0	Caffeine, mg	mg
DTVITD0	Vitamin D, IU	IU
DTB120	Vitamin B12, mcg	mcg
DTTRANS0	Trans fats, g	g
DTOMEG30	Omega-3 fatty acids, g	g
DTCOPP0	Copper, mg	mg
DTMANG0	Manganese, mg	mg
DTPANTO0	Pantothenic acid, mg	mg
DAILY DIETARY ESTIMATE BEFORE ALCOHOL		
BATKCAL0	DDE KCAL before alcohol total	kcal
BATPROT0	DDE PROTEIN before alcohol, gms	g
BATTFAT0	DDE Total Fat before alcohol, gms	g
BATCARB0	DDE CARB before alcohol total, gms	g
BATPHOS0	DDE PHOSPHORUS before alcohol, mg	mg
BATPOTS0	DDE POTASSIUM before alcohol, mg	mg
BATRIBO0	DDE RIBOFLAVIN before alcohol, mg	mg
BATNIAC0	DDE NIACIN before alcohol total, mg	mg
PERCENTAGE KCAL		
PCTALCH0	% KCAL from ALCOHOLIC BEVS	%
PCTSWET0	% KCAL from SWEETS	%
PCTFAT0	% KCAL from FAT	%
PCTPROT0	% KCAL from PROTEIN	%
PCTCARB0	% KCAL from CARB	%
NUMBER OF SERVINGS AND DAILY FREQUENCY		
FRUTSRV0	# servings fruit or fruit juice	
FVFRQ0	Sum daily FREQ FRUIT + VEG	
VEGSRV0	# servings VEG	
VEGFRQ0	Sum daily FREQ VEG	
GRANSRV0	# servings GRAINS	
GRANFRQ0	Sum daily FREQ GRAINS	
MEATSRV0	# servings MEAT	
MEATFRQ0	Sum daily FREQ MEAT	
DARYSRV0	# servings DAIRY	
DARYFRQ0	Sum daily FREQ DAIRY	
FVSRV0	# servings FRUIT + VEG	
FATSRV0	Servings of fats/sweets/snacks	
ALCHSRV0	# servings of ALCOHOLIC Beverages	
WEEKLY AND MONTHLY VARIABILITY		
FRUTWK0	Wkly variability FRUIT	
FRUTMON0	Monthly variability FRUIT	
FATWK0	Wkly variability FAT/SWEET	
FATMON0	Monthly variability FAT/SWEET	
ALCHWK0	Wkly variability ALCOHOL	
ALCHMON0	Monthly variability ALCOHOL	
VEGWK0	Wkly variability VEG	
VEGMON0	Monthly variability VEG	
GRANWK0	Wkly variability GRAINS	

<u>GRANMON0</u>	Monthly variability GRAINS	
<u>MEATWK0</u>	Wkly variability MEAT	
<u>MEATMON0</u>	Monthly variability MEAT	
<u>DARYWK0</u>	Wkly variability DAIRY	
<u>DARYMON0</u>	Monthly variability DAIRY	
<u>FVWK0</u>	Wkly variability FRUIT+VEG	
<u>FVMON0</u>	Monthly variability FRUIT+VEG	
DIET PLUS SUPPLEMENT		
<u>ALLIRON0</u>	Diet + Suppl Iron, mg	mg
<u>ALLZINC0</u>	Diet + Suppl Zinc, mg	mg
<u>ALLFOL0</u>	Diet + Suppl Folic acid, mcg	mcg
<u>ALLVITC0</u>	Diet + Suppl Vitamin_C, mg	mg
<u>ALLCALC0</u>	Diet + Suppl Calcium, mg	mg
<u>ALLARE0</u>	Diet + Suppl Vitamin A, RE	RE
<u>ALLBCAR0</u>	Diet + Suppl BetaCarotene, mcg	mcg
<u>ALLB10</u>	Diet + Suppl B1, mg	mg
<u>ALLB20</u>	Diet[Ribo] + Suppl[B1 (B1=B2)], mg	mg
<u>ALLB60</u>	Diet + Suppl B6, mg	mg
<u>ALLVITE0</u>	Diet + Suppl Vitamin_E, a-TE	a-TE
ADDITIONAL VARIABLES		
<u>EATMEAT0</u>	Eat meat/fish/poultry	2 = Yes
<u>ADD1XWK0</u>	Additional foods eaten 1x wk	1 = No 2 = Yes
<u>NUMADDS0</u>	# of Additional Foods	numeric
<u>NSKIP0</u>	# foods missing or double-marked	

ADDITIONAL MEASURES COLLECTED

The following measures that were collected at baseline have been included in the codebook:

SERUM HORMONE MEASURES

1. Variables for assays

<i>Variable</i>	<i>Assay</i>	<i>Units</i>
<u>DHAS0</u>	Dehydroepiandrosterone sulfate	ug/dL
<u>E2AVE0*</u>	Estradiol (see important note below)	pg/mL
<u>FSH0</u>	Follicle-stimulating hormone	mIU/mL
<u>SHBG0</u>	Sex hormone-binding globulin	nM
<u>T0</u>	Testosterone	ng/dL
<u>TSH0</u>	Thyroid stimulating hormone	uIU/mL

*** IMPORTANT NOTE:** There were originally two estradiol result variables because estradiol was run in duplicate. E2AVE0 is the within-person arithmetic average of the two estradiol variables.

2. Flags and other variables

<i>Variable</i>	<i>Meaning</i>	<i>Codes</i>
<u>CYCDAY0</u>	Day of cycle	n/a
<u>FLGCV0</u>	Both Estradiol results are > 20 pg/mL and the within-subject coefficient of variation (CV) is > 15%.	0=no, 1=yes
<u>FLGDIF0</u>	<p>One or both Estradiol results \leq 20 pg/mL and the difference between them is > 10 pg/mL.</p> <p>Note: Differences were found between some of the Estradiol duplicate measurements. The following guidelines were decided upon:</p> <ol style="list-style-type: none"> 1. If both E2 values > 20 pg/ml, CV must be \leq 15%. 2. If one or both E2 \leq 20 pg/ml, the two E2 results must agree within 10 pg/ml. <p>DATA WITH THESE FLAGS SHOULD BE OMITTED FROM DATA ANALYSES, OR USED WITH CAUTION IF INCLUDED IN ANALYSES.</p>	

*1=yes means flagged

3. Changes to the data:

- Lower limit of detection (LLD). Hormone results below the LLD were recoded to a value of '.L'.
- LLDs changed over time. The following LLDs were provided by the lab:

<i>Hormone</i>	<i>Time Window on hormone measurement corresponding to LLD</i>	<i>Lower Limit of Detection</i>
DHEAS	~ Sep. 15, 1997	<1.52 ug/dL (Initial value)
	Sep. 16, 1997 ~ Jan. 14, 1999	<0.304 ug/dL
	Jan. 15, 1999 ~	<1.5 ug/dL
E2	~ Aug. 11, 1999	<1.0 pg/mL (Initial value)
	Aug. 12, 1999 ~ Feb. 20, 2000	<1.0 pg/mL
	Feb. 21, 2000 ~ Aug. 27, 2001	<2.0 pg/mL
	Aug. 28, 2001 ~ May 03, 2009	<4.0 pg/mL
FSH	~ Aug. 05, 1999	<1.05 mIU/mL (Initial value)
	Aug. 06, 1999 ~ Nov. 10, 1999	<1.0 mIU/mL
	Nov. 11, 1999 ~ Jul. 19, 2000	<0.7 mIU/mL
	Jul. 20, 2000 ~ Oct. 29, 2002	<0.6 mIU/mL
SHBG	~ Sep. 15, 1997	<1.95 nM (Initial value)
	Sep. 16, 1997 ~ Aug. 05, 1999	<1.95 nM
	Aug. 06, 1999 ~ Oct. 31, 1999	<1.9 nM
	Nov. 01, 1999 ~ Mar. 22, 2006	<2.0 nM
T	~ Jun. 04, 1998	<2.19 ng/dL (Initial value)
	Jun. 05, 1998 ~ Jun. 17, 1999	<2.2 ng/dL
	Jun. 18, 1999 ~	<2.0 ng/dL
TSH	~ Sep. 30, 1997	<0.03 uIU/mL (Initial value)
	Oct. 01, 1997 ~ Sep. 24, 2000	<0.03 uIU/mL
	Sep. 25, 2000 ~ Jun. 21, 2006	<0.13 uIU/mL

CARDIOVASCULAR MEASURES

1. Variables for assays

<i>Variable</i>	<i>Assay</i>	<i>Units</i>
CHOLRES0	Total cholesterol	mg/dl
FACRESU0	Factor VII	%
FIBRESU0	Fibrinogen	mg/dl
GLUCRES0	Glucose	mg/dl
HDLRESU0	High density lipoprotein cholesterol	mg/dl
INSURES0	Insulin	uIU/ml
LDLRESU0	Low-density lipoprotein cholesterol (estimated)	mg/dl
LPARES0	Lipoprotein Lp(a)	mg/dl
PAIRES0	PAI-1	ng/ml
TPARES0	tPA	ng/ml
TRIGRES0	Triglycerides	mg/dl
LPA1RES0	Lipoprotein A-1	mg/dl
APOARES0	Apolipoprotein A-1	mg/dl
APOBRES0	Apolipoprotein B	mg/dl
CRPRESU0	C-reactive protein	mg/l

2. Flags and other variables

<i>Variable</i>	<i>Meaning</i>	<i>Codes</i>
FLAGCO20	Flag to indicate that collection dates for the final 4 protein measures (LPA1RES0, APOARES0, APOBRES0, CRPRESU0) do not match collection dates from the specimen collection form or from the other measures in this data set. More detail in #3 below.	0=no, 1=yes*
FLAGSER0	Flag to indicate that lipids were measured on serum rather than plasma because plasma was not available. Lipids for these subjects were <u>not</u> set to missing.	0=no, 1=yes

*1=yes means flagged

3. Changes to the data:

- Non-fasting Triglycerides, Insulin, & Glucose - If women were not fasting according to the fasting question on the blood (re)contact form, triglycerides, insulin and glucose were set to missing in the frozen data set because these assays are not valid for non-fasting samples. These three analytes were also set to missing if fasting status was unknown/unclear.
- Estimated vs. Direct LDL. In October, 1999, the CV committee decided that LDL should be estimated (using the Friedewald equation) for all women with triglycerides below 400 mg/dl (TRIGRES0<400) and that all others should have missing data.
- Collection date mismatches. When specimen collection dates were compared to the collection dates according to MRL Laboratory, there were several mismatches. Discrepancies that were not resolved were flagged (FLAGCOL0=1). Note that triglycerides, insulin, and glucose, which must be measured on fasting samples, were set to missing for these subjects since date discrepancies make it difficult to link fasting information to MRL information. Also, Several subjects have different MRL collection dates for the last 4 protein measures FLAGCO20 was set to 1 for these subjects.
- Serum lipids. A few subjects had their lipids measured from serum rather than plasma. The results were left as is but subjects were flagged (FLAGSER0=1).

BONE MINERAL DENSITY MEASURES

Five of the seven clinical sites did DXA bone scans on the spine and hip. The total bone mineral density scores had to be calibrated in order to apply machine change calibration correction factors.

<i>Variable</i>	<i>Meaning</i>	<i>Codes</i>
<u>SPSCDAY0</u>	Spine Scan Day	
<u>SPSCTIM0</u>	Spine Scan Time	
<u>SPSCMOD0</u>	Spine Scan Mode	5 = 2000 machine 11=4500 machine
<u>HPSCDAY0</u>	Hip Scan Day	
<u>HPSCTIM0</u>	Hip Scan Time	
<u>HPSCMOD0</u>	Hip Scan Mode	5 = 2000 machine 11=4500 machine
<u>SPBMDT0</u>	Total Spine BMD w/cross-calibration applied	
<u>HPBMDT0</u>	Total Hip BMD w/cross-calibration applied	

ADDITIONAL MEASURES

Both the menopausal status and last menstrual period at baseline are provided below:

<i>Variable</i>	<i>Meaning</i>	<i>Codes</i>
<u>STATUS0</u>	Menopause status	1 = Hysterectomy / both ovaries removed 2 = Post menopause 3 = Late perimenopause 4 = Early perimenopause 5 = Pre menopause 6 = Pregnant/breastfeeding; 7 = Unknown due to HT use
<u>LMPDAY0</u>	Last menstrual period day	Day (numeric)

The text field containing occupation was coded into a variable based on the 1990 census occupation codes:

<i>Variable</i>	<i>Meaning</i>	<i>Codes</i>
<u>OCCUP0</u>	Occupational Code	Based on the 1990 census occupation codes

ICPSR 28762

Study of Womens Health Across the Nation (SWAN), 1996-1997: Baseline Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Study of Womens Health Across the Nation (SWAN), 1996-1997: Baseline Dataset

SWANID	SWANID
--------	--------

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

VISIT	Study Visit
-------	-------------

Location: 6-7 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
00	3302	100.0 %

INTDAY0	Interview Day
---------	---------------

Location: 8-8 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3297	99.8 %
. (M)	5	0.2 %

AGE0	Age in years
------	--------------

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	367	11.1 %
43	421	12.7 %
44	416	12.6 %
45	389	11.8 %
46	400	12.1 %
47	392	11.9 %
48	299	9.1 %
49	255	7.7 %
50	168	5.1 %
51	115	3.5 %
52	71	2.2 %
53	4	0.1 %
. (M)	5	0.2 %

PREGNANO	Currently Pregnant?
----------	---------------------

Location: 11-12 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	256	7.8 %
-1	N/A	680	20.6 %
1	No	2284	69.2 %
2	Yes	58	1.8 %
. (M)	-	24	0.7 %

PREVBLO0 Blood Drawn Previously

Location: 13-13 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	752	22.8 %
2	Yes	1	0.0 %
. (M)	-	2549	77.2 %

ALCHL240 Alcohol in Last 24 hrs

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
-1	N/A	2	0.1 %
1	No	2823	85.5 %
2	Yes	419	12.7 %
. (M)	-	42	1.3 %

EATDRIN0 Eat/Drink in last 12 hrs

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.5 %
-1	N/A	2	0.1 %
1	No	3137	95.0 %
2	Yes	104	3.1 %
. (M)	-	42	1.3 %

STRTPER0 Start Period in Last Week

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.4 %
-1	N/A	2	0.1 %
1	No	417	12.6 %
2	Yes	2827	85.6 %
. (M)	-	42	1.3 %

BLDRWAT0 Blood Draw Attempted

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
-1	N/A	2	0.1 %
1	Yes, as per protocol	2745	83.1 %
2	Yes, menses too variable	91	2.8 %
3	Yes, Last attempt	405	12.3 %
4	No, Not fasting and/or not in window	1	0.0 %
. (M)	-	42	1.3 %

BLDDRAW0 Blood Drawn

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1	0.0 %
2	Yes	3259	98.7 %
. (M)	-	42	1.3 %

ANTICOA0 Current meds - Anticoagulants

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	3266	98.9 %
2	Yes	25	0.8 %

ACOAYS0 Anticoagulants Taken Yesterday

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3272	99.1 %
1	No	3	0.1 %
2	Yes	22	0.7 %

HEART0 **Current meds - Heart medication**

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	3229	97.8 %
2	Yes	61	1.8 %

HARTYS0 **Heart medication taken yesterday**

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3236	98.0 %
1	No	14	0.4 %
2	Yes	46	1.4 %

ULCER0 **Current meds - Ulcer medication**

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.4 %
1	No	3212	97.3 %
2	Yes	77	2.3 %

ULCRYS0 **Ulcer medications taken yesterday**

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3220	97.5 %
1	No	35	1.1 %
2	Yes	42	1.3 %

- Study 28762 -

CHOLEST0 **Current meds - Cholesterol meds**

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	3254	98.5 %
2	Yes	36	1.1 %

CHOLYS0 **Cholesterol meds taken yesterday**

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3261	98.8 %
1	No	5	0.2 %
2	Yes	30	0.9 %

BP0 **Current meds - Blood pressure meds**

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	2902	87.9 %
2	Yes	389	11.8 %

BPYS0 **Blood pressure meds taken yesterday**

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	2908	88.1 %
1	No	46	1.4 %
2	Yes	343	10.4 %

THYROID0 **Current meds - Thyroid meds**

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	3104	94.0 %
2	Yes	187	5.7 %

THYRYS0 **Thyroid meds taken yesterday**

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3110	94.2 %
1	No	7	0.2 %
2	Yes	179	5.4 %

INSULIN0 **Current meds - Insulin meds**

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	3191	96.6 %
2	Yes	100	3.0 %

INSUYS0 **Insulin meds taken yesterday**

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3197	96.8 %
1	No	9	0.3 %
2	Yes	90	2.7 %

NERVOUS0 **Current meds - Nervous condition**

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	2963	89.7 %
2	Yes	328	9.9 %

- Study 28762 -

NERVYS0 Nervous condition meds taken yesterday

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	2969	89.9 %
1	No	84	2.5 %
2	Yes	243	7.4 %

STEROID0 Current meds - Steroids

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	3236	98.0 %
2	Yes	55	1.7 %

STERYS0 Steroids taken yesterday

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3242	98.2 %
1	No	27	0.8 %
2	Yes	27	0.8 %

INHALER0 Current meds - Steroid inhaler

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	3115	94.3 %
2	Yes	175	5.3 %

INHAYS0 Steroid inhaler used yesterday

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3122	94.5 %
1	No	68	2.1 %
2	Yes	107	3.2 %

HORMCRE0 **Current meds - Hormone cream**

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	3290	99.6 %

HCRMYS0 **Hormone cream used yesterday**

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3297	99.8 %

HORMPI0 **Current meds - Hormone pill**

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	3291	99.7 %

HORMYS0 **Hormone pill taken yesterday**

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3297	99.8 %

ESTRPTC0 **Current meds - Estrogen patch**

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	3291	99.7 %

ESTRYS0 Estrogen patch used yesterday

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3297	99.8 %

BCP0 Current meds - Birth control pills

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	3291	99.7 %

BCPYS0 Birth control pills used yesterday

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3297	99.8 %

OTHMED0 Current meds - Other medications

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	2112	64.0 %
2	Yes	1178	35.7 %

OTHRYS0 Other meds taken yesterday

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	2119	64.2 %
1	No	454	13.7 %
2	Yes	718	21.7 %

PAIN0 **Current meds - OTC Pain medication**

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	2435	73.7 %
2	Yes	856	25.9 %

PAINYS0 **OTC Pain medication taken yesterday**

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	2441	73.9 %
1	No	449	13.6 %
2	Yes	407	12.3 %

SLEEP0 **Current meds - OTC Sleep meds**

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	3182	96.4 %
2	Yes	108	3.3 %

SLEPYS0 **OTC Sleep meds taken yesterday**

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3189	96.6 %
1	No	48	1.5 %
2	Yes	58	1.8 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	1	0.0 %

BOWEL0 **Current meds - OTC Bowel meds**

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.4 %
1	No	3166	95.9 %
2	Yes	122	3.7 %

BOWLYS0 **OTC Bowel meds taken userday**

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3175	96.2 %
1	No	58	1.8 %
2	Yes	64	1.9 %

HEARTBR0 **Current meds - OTC Heartburn**

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	2977	90.2 %
2	Yes	314	9.5 %

HBRNYS0 **OTC Heartburn taken yesterday**

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	2983	90.3 %
1	No	190	5.8 %
2	Yes	124	3.8 %

OTHOTC0 **Current meds - Other OTC meds**

Location: 100-101 (width: 2; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	2552	77.3 %
2	Yes	738	22.4 %

OTCYS0 **Other OTC meds taken yesterday**

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
-1	N/A	2559	77.5 %
1	No	216	6.5 %
2	Yes	518	15.7 %

INSUEVE0 **Insulin ever used**

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	3203	97.0 %
2	Yes	88	2.7 %

INSUEVM0 **Insulin used months**

Location: 106-109 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3209	97.2 %
1	-	4	0.1 %
2	-	10	0.3 %
3	-	6	0.2 %
4	-	4	0.1 %
6	-	2	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
11	-	1	0.0 %
12	-	6	0.2 %
13	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	11	0.3 %
30	-	3	0.1 %
36	-	5	0.2 %
48	-	3	0.1 %
53	-	1	0.0 %
60	-	6	0.2 %
72	-	2	0.1 %
84	-	3	0.1 %
96	-	4	0.1 %
120	-	3	0.1 %
132	-	1	0.0 %
180	-	2	0.1 %
192	-	3	0.1 %
216	-	2	0.1 %
240	-	1	0.0 %
384	-	2	0.1 %

THYREVE0 Thyroid medication ever used

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	8	0.2 %
1	No	3034	91.9 %
2	Yes	249	7.5 %

THYREVM0 Thyroid meds used months

Location: 112-115 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	3048	92.3 %
1	-	12	0.4 %
2	-	8	0.2 %
3	-	11	0.3 %
4	-	3	0.1 %
5	-	2	0.1 %
6	-	36	1.1 %
8	-	3	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	-	1	0.0 %
12	-	36	1.1 %
17	-	1	0.0 %
18	-	6	0.2 %
20	-	1	0.0 %
24	-	24	0.7 %
27	-	1	0.0 %
30	-	2	0.1 %
36	-	14	0.4 %
42	-	3	0.1 %
48	-	9	0.3 %
60	-	10	0.3 %
66	-	1	0.0 %
72	-	8	0.2 %
84	-	5	0.2 %
96	-	5	0.2 %
108	-	1	0.0 %
111	-	1	0.0 %
114	-	1	0.0 %
120	-	12	0.4 %
132	-	3	0.1 %
134	-	1	0.0 %
144	-	2	0.1 %
168	-	2	0.1 %
180	-	3	0.1 %
192	-	2	0.1 %
204	-	1	0.0 %
216	-	1	0.0 %
228	-	1	0.0 %
240	-	3	0.1 %
241	-	1	0.0 %
249	-	1	0.0 %
252	-	1	0.0 %
264	-	1	0.0 %
288	-	1	0.0 %
300	-	2	0.1 %
312	-	1	0.0 %
360	-	1	0.0 %
372	-	1	0.0 %
480	-	1	0.0 %

- Study 28762 -

CORTEVE0 Corticosteroids ever used

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	9	0.3 %
1	No	3096	93.8 %
2	Yes	186	5.6 %

CORTEVM0 Corticosteroids used months

Location: 118-121 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3111	94.2 %
1	-	58	1.8 %
2	-	20	0.6 %
3	-	12	0.4 %
4	-	6	0.2 %
5	-	3	0.1 %
6	-	16	0.5 %
9	-	3	0.1 %
10	-	1	0.0 %
11	-	2	0.1 %
12	-	15	0.5 %
14	-	1	0.0 %
18	-	5	0.2 %
24	-	8	0.2 %
26	-	1	0.0 %
36	-	3	0.1 %
42	-	1	0.0 %
48	-	3	0.1 %
54	-	1	0.0 %
60	-	7	0.2 %
72	-	1	0.0 %
84	-	3	0.1 %
96	-	1	0.0 %
108	-	2	0.1 %
120	-	7	0.2 %
144	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
180	-	1	0.0 %
228	-	1	0.0 %
240	-	2	0.1 %

COAGEVE0 Anticoagulants ever used

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	4	0.1 %
1	No	3218	97.5 %
2	Yes	69	2.1 %

COAGEVM0 Anticoagulants used months

Location: 124-127 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3228	97.8 %
1	-	19	0.6 %
2	-	11	0.3 %
3	-	3	0.1 %
4	-	4	0.1 %
5	-	1	0.0 %
6	-	6	0.2 %
7	-	1	0.0 %
8	-	1	0.0 %
12	-	8	0.2 %
14	-	1	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
24	-	1	0.0 %
36	-	2	0.1 %
48	-	1	0.0 %
54	-	1	0.0 %
60	-	1	0.0 %
72	-	1	0.0 %
84	-	1	0.0 %
144	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
156	-	1	0.0 %
204	-	1	0.0 %

BARBEVE0 Barbiturates ever used

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	1	0.0 %
1	No	2762	83.6 %
2	Yes	528	16.0 %

BARBEVM0 Barbiturates used months

Location: 130-133 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	2769	83.9 %
1	-	69	2.1 %
2	-	45	1.4 %
3	-	40	1.2 %
4	-	13	0.4 %
5	-	12	0.4 %
6	-	52	1.6 %
7	-	8	0.2 %
8	-	8	0.2 %
9	-	10	0.3 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	71	2.2 %
13	-	2	0.1 %
14	-	2	0.1 %
15	-	1	0.0 %
16	-	2	0.1 %
18	-	11	0.3 %
19	-	3	0.1 %
24	-	38	1.2 %
25	-	1	0.0 %
27	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	-	4	0.1 %
36	-	31	0.9 %
39	-	1	0.0 %
42	-	1	0.0 %
48	-	19	0.6 %
54	-	1	0.0 %
60	-	25	0.8 %
64	-	1	0.0 %
66	-	1	0.0 %
72	-	11	0.3 %
78	-	1	0.0 %
84	-	3	0.1 %
90	-	1	0.0 %
96	-	7	0.2 %
108	-	2	0.1 %
120	-	8	0.2 %
132	-	1	0.0 %
144	-	2	0.1 %
180	-	5	0.2 %
216	-	2	0.1 %
228	-	1	0.0 %
240	-	1	0.0 %
252	-	1	0.0 %
256	-	1	0.0 %
264	-	1	0.0 %
300	-	2	0.1 %
360	-	2	0.1 %

DIUREVE0

Diuretics ever used

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	5	0.2 %
1	No	2967	89.9 %
2	Yes	319	9.7 %

DIUREVM0

Diuretics used months

Location: 136-139 (width: 4; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
-1	N/A	2978	90.2 %
0	-	1	0.0 %
1	-	54	1.6 %
2	-	30	0.9 %
3	-	17	0.5 %
4	-	8	0.2 %
5	-	3	0.1 %
6	-	31	0.9 %
8	-	2	0.1 %
9	-	4	0.1 %
11	-	1	0.0 %
12	-	35	1.1 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
18	-	5	0.2 %
21	-	1	0.0 %
24	-	38	1.2 %
30	-	1	0.0 %
36	-	12	0.4 %
42	-	2	0.1 %
48	-	7	0.2 %
60	-	16	0.5 %
72	-	8	0.2 %
84	-	3	0.1 %
96	-	3	0.1 %
120	-	17	0.5 %
126	-	1	0.0 %
132	-	1	0.0 %
156	-	1	0.0 %
180	-	6	0.2 %
204	-	1	0.0 %
240	-	3	0.1 %
264	-	1	0.0 %
360	-	1	0.0 %

CONVEVE0

Anticonvulsants ever used

Location:

140-141 (width: 2; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	1	0.0 %
1	No	3240	98.1 %
2	Yes	50	1.5 %

CONVEVM0 Anticonvulsants used months

Location: 142-145 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3247	98.3 %
1	-	8	0.2 %
2	-	1	0.0 %
3	-	2	0.1 %
4	-	2	0.1 %
6	-	4	0.1 %
12	-	5	0.2 %
18	-	2	0.1 %
24	-	4	0.1 %
30	-	3	0.1 %
36	-	4	0.1 %
48	-	3	0.1 %
72	-	1	0.0 %
84	-	1	0.0 %
96	-	1	0.0 %
120	-	3	0.1 %
168	-	1	0.0 %
180	-	1	0.0 %
252	-	1	0.0 %
276	-	1	0.0 %
306	-	1	0.0 %
360	-	1	0.0 %

LITHEVE0 Lithium ever used

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	3	0.1 %
1	No	3245	98.3 %
2	Yes	42	1.3 %

LITHEVM0 **Lithium used months**

Location: 148-151 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3255	98.6 %
1	-	8	0.2 %
2	-	4	0.1 %
3	-	2	0.1 %
4	-	2	0.1 %
6	-	8	0.2 %
7	-	1	0.0 %
12	-	4	0.1 %
19	-	1	0.0 %
24	-	1	0.0 %
36	-	2	0.1 %
60	-	1	0.0 %
72	-	2	0.1 %
84	-	1	0.0 %
96	-	2	0.1 %
120	-	1	0.0 %
132	-	1	0.0 %
168	-	1	0.0 %

AMPHEVE0 **Amphetamines ever used**

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
-8	Do not know	11	0.3 %
1	No	3143	95.2 %
2	Yes	136	4.1 %

AMPHEVM0 **Amphetamines used months**

Location: 154-157 (width: 4; decimal: 0)

- Study 28762 -

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
-1	N/A	3161	95.7 %
1	-	16	0.5 %
2	-	3	0.1 %
3	-	11	0.3 %
4	-	7	0.2 %
5	-	3	0.1 %
6	-	23	0.7 %
8	-	2	0.1 %
9	-	2	0.1 %
12	-	21	0.6 %
18	-	3	0.1 %
24	-	18	0.5 %
30	-	1	0.0 %
36	-	8	0.2 %
48	-	3	0.1 %
60	-	6	0.2 %
96	-	1	0.0 %
120	-	3	0.1 %
240	-	1	0.0 %
241	-	1	0.0 %
300	-	1	0.0 %

PREMEVE0

Premarin ever used

Location:

158-159 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
-8	Do not know	15	0.5 %
1	No	3206	97.1 %
2	Yes	66	2.0 %

PREMEVM0

Premarin used months

Location:

160-163 (width: 4; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	3231	97.8 %
1	-	21	0.6 %
2	-	5	0.2 %
3	-	13	0.4 %
4	-	3	0.1 %
6	-	8	0.2 %
7	-	2	0.1 %
9	-	1	0.0 %
12	-	3	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
18	-	3	0.1 %
24	-	2	0.1 %
36	-	1	0.0 %
96	-	1	0.0 %
180	-	1	0.0 %

PTCHEVE0 Estrogen patch/injection ever taken

Location: 164-165 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.4 %
-8	Do not know	7	0.2 %
1	No	3260	98.7 %
2	Yes	21	0.6 %

PTCHEVM0 Estrogen patch used months

Location: 166-168 (width: 3; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3276	99.2 %
1	-	6	0.2 %
2	-	3	0.1 %
3	-	4	0.1 %
5	-	1	0.0 %
6	-	2	0.1 %
7	-	1	0.0 %
18	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
24	-	2	0.1 %

COMBEVE0 Combo estrogen/progestin ever taken

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
-8	Do not know	18	0.5 %
1	No	3248	98.4 %
2	Yes	20	0.6 %

COMBEVM0 Combo estrogen/progestin taken months

Location: 171-173 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3277	99.2 %
1	-	3	0.1 %
2	-	2	0.1 %
3	-	7	0.2 %
5	-	1	0.0 %
7	-	2	0.1 %
12	-	2	0.1 %
13	-	1	0.0 %
24	-	1	0.0 %

PROVEVE0 Provera ever taken

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.4 %
-8	Do not know	16	0.5 %
1	No	3111	94.2 %
2	Yes	161	4.9 %

PROVEVM0 Provera taken months

Location: 176-179 (width: 4; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3136	95.0 %
1	-	58	1.8 %
2	-	21	0.6 %
3	-	21	0.6 %
4	-	5	0.2 %
5	-	3	0.1 %
6	-	19	0.6 %
8	-	1	0.0 %
9	-	3	0.1 %
12	-	12	0.4 %
13	-	1	0.0 %
18	-	4	0.1 %
24	-	3	0.1 %
36	-	3	0.1 %
60	-	4	0.1 %
96	-	1	0.0 %
144	-	1	0.0 %
180	-	1	0.0 %

TAMOEVE0

Tamoxifen ever taken

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.4 %
-8	Do not know	1	0.0 %
1	No	3284	99.5 %
2	Yes	3	0.1 %

TAMOEVM0

Tamoxifen taken months

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3294	99.8 %
3	-	1	0.0 %
60	-	2	0.1 %

DESEVER0

DES ever taken

- Study 28762 -

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.4 %
-8	Do not know	3	0.1 %
1	No	3279	99.3 %
2	Yes	6	0.2 %

DESEVM00 DES taken months

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3291	99.7 %
1	-	4	0.1 %
4	-	1	0.0 %
6	-	1	0.0 %

DEPOEVE0 Depo-provera ever taken

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.4 %
-8	Do not know	2	0.1 %
1	No	3260	98.7 %
2	Yes	26	0.8 %

DEPOEVM0 Depo-provera taken months

Location: 191-194 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3271	99.1 %
1	-	7	0.2 %
6	-	1	0.0 %
9	-	2	0.1 %
12	-	7	0.2 %
24	-	4	0.1 %
36	-	2	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
48	-	1	0.0 %
60	-	1	0.0 %
144	-	1	0.0 %

FERTEVE0

Fertility meds ever taken

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.4 %
-8	Do not know	3	0.1 %
1	No	3120	94.5 %
2	Yes	165	5.0 %

FERTEVM0

Fertility meds taken months

Location: 197-200 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3132	94.9 %
1	-	23	0.7 %
2	-	22	0.7 %
3	-	21	0.6 %
4	-	6	0.2 %
5	-	5	0.2 %
6	-	23	0.7 %
7	-	4	0.1 %
8	-	3	0.1 %
9	-	4	0.1 %
12	-	14	0.4 %
15	-	1	0.0 %
18	-	6	0.2 %
20	-	1	0.0 %
24	-	12	0.4 %
30	-	2	0.1 %
32	-	1	0.0 %
36	-	6	0.2 %
42	-	1	0.0 %
48	-	1	0.0 %
60	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
72	-	1	0.0 %
90	-	1	0.0 %
96	-	1	0.0 %
120	-	2	0.1 %
138	-	1	0.0 %
161	-	1	0.0 %

BCEVER0

Birth control pills ever taken

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.4 %
-8	Do not know	2	0.1 %
1	No	888	26.9 %
2	Yes	2398	72.6 %

BCEVMO0

Birth control pills taken months

Location: 203-206 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	37	1.1 %
-8	Do not know	1	0.0 %
-1	N/A	899	27.2 %
0	-	2	0.1 %
1	-	106	3.2 %
2	-	56	1.7 %
3	-	95	2.9 %
4	-	27	0.8 %
5	-	12	0.4 %
6	-	125	3.8 %
7	-	6	0.2 %
8	-	10	0.3 %
9	-	21	0.6 %
10	-	10	0.3 %
11	-	3	0.1 %
12	-	235	7.1 %
13	-	4	0.1 %
14	-	1	0.0 %
15	-	2	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	2	0.1 %
18	-	32	1.0 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	286	8.7 %
25	-	2	0.1 %
26	-	1	0.0 %
27	-	1	0.0 %
30	-	13	0.4 %
35	-	1	0.0 %
36	-	196	5.9 %
38	-	1	0.0 %
41	-	1	0.0 %
42	-	9	0.3 %
48	-	147	4.5 %
50	-	2	0.1 %
51	-	1	0.0 %
54	-	5	0.2 %
60	-	218	6.6 %
61	-	3	0.1 %
63	-	1	0.0 %
65	-	2	0.1 %
66	-	4	0.1 %
72	-	90	2.7 %
73	-	1	0.0 %
78	-	3	0.1 %
84	-	101	3.1 %
85	-	1	0.0 %
87	-	1	0.0 %
90	-	2	0.1 %
96	-	78	2.4 %
102	-	1	0.0 %
103	-	1	0.0 %
108	-	26	0.8 %
114	-	1	0.0 %
120	-	187	5.7 %
121	-	3	0.1 %
126	-	2	0.1 %
130	-	1	0.0 %
132	-	9	0.3 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
144	-	49	1.5 %
150	-	1	0.0 %
156	-	12	0.4 %
168	-	15	0.5 %
180	-	70	2.1 %
189	-	1	0.0 %
192	-	9	0.3 %
198	-	1	0.0 %
204	-	11	0.3 %
216	-	9	0.3 %
228	-	5	0.2 %
240	-	22	0.7 %
252	-	1	0.0 %
264	-	1	0.0 %
276	-	1	0.0 %
300	-	2	0.1 %
312	-	1	0.0 %
360	-	1	0.0 %

BCREAS0

Primary reason for taking birth control pills

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	2	0.1 %
-1	N/A	899	27.2 %
1	Prevent Pregnancy	2197	66.5 %
2	Help Control Pre Menstrual Symptoms	28	0.8 %
3	Help Control Menopausal Symptoms	6	0.2 %
4	Control Other Symptoms	28	0.8 %
5	Regulate Periods	115	3.5 %
7	Reduce Bleeding	16	0.5 %

STROKE0

Stroke

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	3257	98.6 %
2	Yes	38	1.2 %

STROKMD0 **Take meds for stroke**

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3259	98.7 %
1	No	33	1.0 %
2	Yes	5	0.2 %

HBCHOLE0 **High cholesterol**

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	12	0.4 %
1	No	2670	80.9 %
2	Yes	614	18.6 %

HBCHOMD0 **Take meds for high cholesterol**

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	2683	81.3 %
1	No	571	17.3 %
2	Yes	42	1.3 %

MIGRAIN0 **Migraines**

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	7	0.2 %
1	No	2752	83.3 %
2	Yes	537	16.3 %

MIGRAMD0 Take meds for migraines

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
-1	N/A	2760	83.6 %
1	No	362	11.0 %
2	Yes	171	5.2 %

GALLSTO0 Gallstones

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-8	Do not know	4	0.1 %
1	No	3080	93.3 %
2	Yes	210	6.4 %

GALLSMD0 Take meds for gallstones

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3087	93.5 %
1	No	207	6.3 %
2	Yes	3	0.1 %

OSTEOAR0 Arthritis or osteo-arthritis

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	9	0.3 %
1	No	2628	79.6 %
2	Yes	659	20.0 %

OSTEOMD0 Take meds for arthritis

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	2638	79.9 %
1	No	469	14.2 %
2	Yes	189	5.7 %

OATHYRO0

Over-active thyroid

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	36	1.1 %
1	No	3141	95.1 %
2	Yes	119	3.6 %

OATHYMD0

Take meds for over-active thyroid

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3178	96.2 %
1	No	80	2.4 %
2	Yes	38	1.2 %

UATHYRO0

Under-active thyroid

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	35	1.1 %
1	No	3010	91.2 %
2	Yes	251	7.6 %

UATHYMD0

Take meds for under-active thyroid

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3046	92.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	125	3.8 %
2	Yes	126	3.8 %

HBCALC10 High blood calcium

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-8	Do not know	10	0.3 %
1	No	3259	98.7 %
2	Yes	25	0.8 %

HBCALMD0 Take meds for high blood calcium

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3272	99.1 %
1	No	21	0.6 %
2	Yes	4	0.1 %

ANEMIA0 Anemia

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	11	0.3 %
1	No	2131	64.5 %
2	Yes	1154	34.9 %

ANEMIMD0 Take meds for anemia

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	2143	64.9 %
1	No	995	30.1 %
2	Yes	158	4.8 %

LIVER0 **Chronic liver disease**

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	3	0.1 %
1	No	3247	98.3 %
2	Yes	46	1.4 %

LIVERMD0 **Take meds for chronic liver disease**

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3251	98.5 %
1	No	42	1.3 %
2	Yes	4	0.1 %

EPILEPS0 **Epilepsy**

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	5	0.2 %
1	No	3234	97.9 %
2	Yes	57	1.7 %

EPILEMD0 **Take meds for epilepsy**

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3240	98.1 %
1	No	36	1.1 %
2	Yes	20	0.6 %

PHLEBIT0 **Ever had phlebitis**

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	2	0.1 %
1	No	3227	97.7 %
2	Yes	67	2.0 %

PHLEBMD0

Take meds for phlebitis

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3230	97.8 %
1	No	65	2.0 %
2	Yes	2	0.1 %

ANOREXI0

Anorexia Nervosa

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
1	No	3267	98.9 %
2	Yes	28	0.8 %

ANOREMD0

Take meds for anorexia nervosa

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3269	99.0 %
1	No	27	0.8 %
2	Yes	1	0.0 %

BULIMIA0

Bulimia

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	No	3280	99.3 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	16	0.5 %

BULIMMD0

Take meds for bulimia

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3281	99.4 %
1	No	14	0.4 %
2	Yes	2	0.1 %

TUBERCU0

Tuberculosis

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	3	0.1 %
1	No	3246	98.3 %
2	Yes	47	1.4 %

TUBERMD0

Take meds for tuberculosis

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3250	98.4 %
1	No	46	1.4 %
2	Yes	1	0.0 %

AIDS0

AIDS or HIV

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	No	3295	99.8 %
2	Yes	1	0.0 %

AIDSMED0

Take meds for AIDS/HIV

- Study 28762 -

Location: 271-272 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3296	99.8 %
2	Yes	1	0.0 %

LUPUS0 Lupus

Location: 273-274 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
1	No	3277	99.2 %
2	Yes	18	0.5 %

LUPUSMD0 Take meds for lupus

Location: 275-276 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	3279	99.3 %
1	No	7	0.2 %
2	Yes	11	0.3 %

LISTEN0 Support - someone to listen

Location: 277-278 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	None Of The Time	43	1.3 %
2	A Little Of The Time	126	3.8 %
3	Some Of The Time	425	12.9 %
4	Most Of The Time	1219	36.9 %
5	All Of The Time	1484	44.9 %

TAKETOM0 Support - take to doctor

Location: 279-280 (width: 2; decimal: 0)
Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	None Of The Time	146	4.4 %
2	A Little Of The Time	167	5.1 %
3	Some Of The Time	347	10.5 %
4	Most Of The Time	944	28.6 %
5	All Of The Time	1692	51.2 %

CONFIDE0

Support - confide in

Location:

281-282 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	None Of The Time	50	1.5 %
2	A Little Of The Time	167	5.1 %
3	Some Of The Time	411	12.4 %
4	Most Of The Time	1148	34.8 %
5	All Of The Time	1521	46.1 %

HELPSIC0

Support - help w/chores when sick

Location:

283-284 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	None Of The Time	207	6.3 %
2	A Little Of The Time	340	10.3 %
3	Some Of The Time	648	19.6 %
4	Most Of The Time	990	30.0 %
5	All Of The Time	1112	33.7 %

COMMITE0

In a committed relationship w/sig oth

Location:

285-286 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	No	756	22.9 %
2	Yes	2541	77.0 %

DEGHAPP0

Degree of happiness in relationship

Location:

287-288 (width: 2; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	756	22.9 %
1	Extremely Unhappy	25	0.8 %
2	Fairly Unhappy	94	2.8 %
3	A little Unhappy	336	10.2 %
4	Happy	648	19.6 %
5	Very Happy	737	22.3 %
6	Extremely Happy	606	18.4 %
7	Perfect	93	2.8 %

STARTAG0 **Age started menstrual cycles**

Location: 289-291 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-8	Do not know	26	0.8 %
6	-	1	0.0 %
8	-	13	0.4 %
9	-	79	2.4 %
10	-	200	6.1 %
11	-	498	15.1 %
12	-	849	25.7 %
13	-	873	26.4 %
14	-	397	12.0 %
15	-	184	5.6 %
16	-	117	3.5 %
17	-	35	1.1 %
18	-	18	0.5 %
19	-	4	0.1 %
22	-	1	0.0 %
23	-	2	0.1 %

FLOWDAY0 **How long flow lasted past yr**

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-8	Do not know	7	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1-2 days	70	2.1 %
2	3-7 days	3027	91.7 %
3	More than 7 days	193	5.8 %

TENDAFL0 **Flow lasted > 10 days past yr**

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	6	0.2 %
1	No	2963	89.7 %
2	Yes	327	9.9 %

SPOTBET0 **Bleed or spot btw periods past yr**

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-8	Do not know	3	0.1 %
1	No	2992	90.6 %
2	Yes	302	9.1 %

FLOWAMT0 **Heaviest flow amount past yr**

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Light	229	6.9 %
2	Moderate	1306	39.6 %
3	Heavy	1259	38.1 %
4	Very heavy	503	15.2 %

FLOODIN0 **Heaviest flow flooding past yr**

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	9	0.3 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	1943	58.8 %
2	Yes	1344	40.7 %

CLOTS0 Heaviest flow clotting past yr

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	26	0.8 %
1	No	1598	48.4 %
2	Yes	1672	50.6 %

STARTDA0 Start wi/4 days of when expected past yr

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	110	3.3 %
1	No	597	18.1 %
2	Yes	2589	78.4 %

USUALDA0 Avg days per cycle past yr

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-8	Do not know	53	1.6 %
1	Less than 21 days	103	3.1 %
2	21-25 days	718	21.7 %
3	26-32 days	2068	62.6 %
4	33-35 days	72	2.2 %
5	36-90 days	71	2.2 %
6	More than 90 days	19	0.6 %
7	Too variable to say	193	5.8 %

CRAMPS0 Abdominal pain/cramps prior half of pds past yr

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	No	1226	37.1 %
2	Yes	2052	62.1 %
. (M)	-	18	0.5 %

BREASTP0 **Breast pain prior to pd half pds past yr**

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	No	1049	31.8 %
2	Yes	2247	68.0 %

BLOATED0 **Weight gain/bloated prior to pd half pds past yr**

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	25	0.8 %
1	No	741	22.4 %
2	Yes	2530	76.6 %

MOODCHN0 **Mood change prior to pd half pds past yr**

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	21	0.6 %
1	No	976	29.6 %
2	Yes	2281	69.1 %
. (M)	-	18	0.5 %

CRAVING0 **Food cravings prior to pd half pds past yr**

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-8	Do not know	29	0.9 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	1324	40.1 %
2	Yes	1944	58.9 %

ANXIOUS0 **Anxious/jittery prior to pd half pds past yr**

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	23	0.7 %
1	No	1604	48.6 %
2	Yes	1669	50.5 %

BACKPAI0 **Back/joint pain prior to pd half pds past yr**

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-8	Do not know	17	0.5 %
1	No	1404	42.5 %
2	Yes	1876	56.8 %

LESSSEX0 **Less sexual interest prior to pd half pds past yr**

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-8	Do not know	73	2.2 %
1	No	2090	63.3 %
2	Yes	1114	33.7 %
. (M)	-	18	0.5 %

MORESEX0 **More sexual interest prior to pd half pds past yr**

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	55	1.7 %
1	No	2421	73.3 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	820	24.8 %

INTERFE0 **Job/home interference prior to pd half pds past yr**

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-8	Do not know	3	0.1 %
1	No	2668	80.8 %
2	Yes	623	18.9 %

HEADACH0 **Headache/migraine prior to pd half pds past yr**

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-8	Do not know	7	0.2 %
1	No	2405	72.8 %
2	Yes	883	26.7 %

CHARACT0 **Characteristics disappear wi/1-3 days after pd started**

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	15	0.5 %
-1	N/A	106	3.2 %
1	No	171	5.2 %
2	Yes	3003	90.9 %
. (M)	-	1	0.0 %

INTERVA0 **Past 12 months, period interval has**

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-8	Do not know	12	0.4 %
1	Become Farther Apart	324	9.8 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Become Closer Together	463	14.0 %
3	Occurred At More Variable Intervals	736	22.3 %
4	Stayed The Same	1592	48.2 %
5	Become More Regular	167	5.1 %

BC25TO30 **Ages 25-35 birth control without a break**

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	No	3033	91.9 %
2	Yes	262	7.9 %

FLOAGE20 **Ages 25-35 flow lasted > 10 days**

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	4	0.1 %
-1	N/A	286	8.7 %
1	No	2872	87.0 %
2	Yes	134	4.1 %

SPOT2530 **Ages 25-35 bleed or spot btw periods**

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	6	0.2 %
-1	N/A	286	8.7 %
1	No	2853	86.4 %
2	Yes	151	4.6 %

FLOD2530 **Ages 25-35 heaviest flow flooding**

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	25	0.8 %
-1	N/A	286	8.7 %
1	No	2191	66.4 %
2	Yes	792	24.0 %

CLOT2530 **Ages 25-35 heaviest flow clotting**

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-8	Do not know	56	1.7 %
-1	N/A	287	8.7 %
1	No	1803	54.6 %
2	Yes	1149	34.8 %

STRT2530 **Ages 25-35 start wi/4 days of when expected**

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	77	2.3 %
-1	N/A	286	8.7 %
1	No	414	12.5 %
2	Yes	2519	76.3 %

NOPERIO0 **Since age 18, interval of >=3 mos no periods**

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
-8	Do not know	5	0.2 %
1	No	791	24.0 %
2	Yes - One time only	437	13.2 %
3	Yes - More than once	2054	62.2 %

BREASTF0 **Were you breastfeeding/pregnant at the time**

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	22	0.7 %
-1	N/A	2849	86.3 %
1	No	107	3.2 %
2	Yes	323	9.8 %
. (M)	-	1	0.0 %

BFEVE0 Were you breastfeeding/pregnant every time happened

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	1	0.0 %
-1	N/A	1244	37.7 %
1	No	411	12.4 %
2	Yes	1634	49.5 %
. (M)	-	1	0.0 %

NUMPREG0 How many times have you been pregnant

Location: 352-354 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
0	-	361	10.9 %
1	-	340	10.3 %
2	-	746	22.6 %
3	-	711	21.5 %
4	-	520	15.7 %
5	-	319	9.7 %
6	-	148	4.5 %
7	-	74	2.2 %
8	-	28	0.8 %
9	-	21	0.6 %
10	-	12	0.4 %
11	-	4	0.1 %
12	-	2	0.1 %
13	-	5	0.2 %
14	-	1	0.0 %
15	-	1	0.0 %

OUTCM10 Outcome of pregnancy #1

- Study 28762 -

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	365	11.1 %
1	Live Birth	2096	63.5 %
2	Still Birth	36	1.1 %
3	Miscarriage	309	9.4 %
4	Abortion	475	14.4 %
5	Tubal (Ectopic) Pregnancy	15	0.5 %

DELVR10 Type of delivery #1

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	1200	36.3 %
1	Vaginal	1834	55.5 %
2	Cesarean	262	7.9 %

BFMO10 How long breastfed #1

Location: 359-361 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
-1	N/A	1200	36.3 %
0	-	1056	32.0 %
1	-	174	5.3 %
2	-	89	2.7 %
3	-	136	4.1 %
4	-	72	2.2 %
5	-	38	1.2 %
6	-	153	4.6 %
7	-	30	0.9 %
8	-	42	1.3 %
9	-	45	1.4 %
10	-	28	0.8 %
11	-	15	0.5 %
12	-	102	3.1 %
13	-	13	0.4 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	-	9	0.3 %
15	-	9	0.3 %
16	-	4	0.1 %
17	-	1	0.0 %
18	-	20	0.6 %
19	-	2	0.1 %
21	-	1	0.0 %
23	-	3	0.1 %
24	-	20	0.6 %
25	-	1	0.0 %
26	-	1	0.0 %
30	-	9	0.3 %
34	-	1	0.0 %
36	-	12	0.4 %
38	-	1	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
48	-	2	0.1 %
60	-	1	0.0 %

WTBFR10

Weight before preg #1

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-8	Do not know	1	0.0 %
-1	N/A	366	11.1 %
1	Much Thinner	1317	39.9 %
2	Thinner	1121	33.9 %
3	The Same	345	10.4 %
4	Heavier	130	3.9 %
5	Much Heavier	15	0.5 %

KGGN10

How much weight gained (kgs) #1

Location: 364-369 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.000	Missing	9	0.3 %
-8.000	Do not know	110	3.3 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1.000	N/A	368	11.1 %
0.000	-	536	16.2 %
0.454	-	3	0.1 %
0.907	-	28	0.8 %
1.000	-	1	0.0 %
1.361	-	13	0.4 %
1.814	-	15	0.5 %
2.268	-	75	2.3 %
2.722	-	8	0.2 %
3.175	-	8	0.2 %
3.629	-	17	0.5 %
4.000	-	3	0.1 %
4.082	-	5	0.2 %
4.536	-	111	3.4 %
4.990	-	6	0.2 %
5.000	-	1	0.0 %
5.443	-	25	0.8 %
5.897	-	11	0.3 %
6.000	-	2	0.1 %
6.350	-	11	0.3 %
6.804	-	78	2.4 %
7.000	-	1	0.0 %
7.258	-	15	0.5 %
7.711	-	12	0.4 %
8.000	-	4	0.1 %
8.165	-	40	1.2 %
8.618	-	12	0.4 %
9.072	-	272	8.2 %
9.526	-	12	0.4 %
9.979	-	45	1.4 %
10.000	-	23	0.7 %
10.433	-	28	0.8 %
10.886	-	18	0.5 %
11.340	-	229	6.9 %
11.794	-	17	0.5 %
12.000	-	9	0.3 %
12.247	-	18	0.5 %
12.701	-	36	1.1 %
13.000	-	2	0.1 %
13.154	-	8	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13.608	-	280	8.5 %
14.000	-	1	0.0 %
14.062	-	5	0.2 %
14.515	-	18	0.5 %
14.969	-	6	0.2 %
15.000	-	4	0.1 %
15.422	-	3	0.1 %
15.876	-	123	3.7 %
16.000	-	1	0.0 %
16.329	-	13	0.4 %
16.783	-	8	0.2 %
17.000	-	2	0.1 %
17.237	-	21	0.6 %
17.690	-	2	0.1 %
18.000	-	1	0.0 %
18.144	-	185	5.6 %
18.597	-	2	0.1 %
19.051	-	8	0.2 %
19.505	-	4	0.1 %
19.958	-	3	0.1 %
20.000	-	5	0.2 %
20.412	-	48	1.5 %
21.319	-	2	0.1 %
21.773	-	3	0.1 %
22.226	-	1	0.0 %
22.680	-	140	4.2 %
23.133	-	1	0.0 %
23.587	-	2	0.1 %
24.041	-	4	0.1 %
24.494	-	4	0.1 %
24.948	-	18	0.5 %
25.000	-	2	0.1 %
26.762	-	1	0.0 %
27.216	-	62	1.9 %
27.669	-	1	0.0 %
28.577	-	1	0.0 %
29.030	-	2	0.1 %
29.484	-	12	0.4 %
30.845	-	2	0.1 %
31.752	-	24	0.7 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
33.566	-	1	0.0 %
34.020	-	9	0.3 %
35.381	-	2	0.1 %
36.288	-	12	0.4 %
38.556	-	3	0.1 %
39.463	-	1	0.0 %
40.824	-	1	0.0 %
45.360	-	2	0.1 %
68.040	-	1	0.0 %

WTAFT10

Weight after preg #1

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-8	Do not know	7	0.2 %
-1	N/A	366	11.1 %
1	Much Thinner	846	25.6 %
2	Thinner	1246	37.7 %
3	The Same	510	15.4 %
4	Heavier	247	7.5 %
5	Much Heavier	27	0.8 %
6	Pregnant	45	1.4 %
. (M)	-	1	0.0 %

OUTCM20

Outcome of pregnancy #2

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	705	21.4 %
1	Live Birth	1894	57.4 %
2	Still Birth	27	0.8 %
3	Miscarriage	314	9.5 %
4	Abortion	328	9.9 %
5	Tubal (Ectopic) Pregnancy	28	0.8 %

DELVR20

Type of delivery #2

Location: 374-375 (width: 2; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	1402	42.5 %
1	Vaginal	1601	48.5 %
2	Cesarean	293	8.9 %

BFMO20 **How long breastfed #2**

Location: 376-378 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	1402	42.5 %
0	-	856	25.9 %
1	-	104	3.1 %
2	-	114	3.5 %
3	-	114	3.5 %
4	-	73	2.2 %
5	-	33	1.0 %
6	-	154	4.7 %
7	-	39	1.2 %
8	-	39	1.2 %
9	-	55	1.7 %
10	-	26	0.8 %
11	-	16	0.5 %
12	-	101	3.1 %
13	-	18	0.5 %
14	-	23	0.7 %
15	-	10	0.3 %
16	-	7	0.2 %
17	-	2	0.1 %
18	-	33	1.0 %
19	-	2	0.1 %
20	-	2	0.1 %
22	-	3	0.1 %
24	-	32	1.0 %
25	-	2	0.1 %
27	-	1	0.0 %
30	-	3	0.1 %
31	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
33	-	1	0.0 %
34	-	1	0.0 %
36	-	17	0.5 %
37	-	1	0.0 %
42	-	5	0.2 %
46	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
60	-	1	0.0 %

WTBFR20

Weight before preg #2

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-8	Do not know	3	0.1 %
-1	N/A	705	21.4 %
1	Much Thinner	756	22.9 %
2	Thinner	1216	36.8 %
3	The Same	434	13.1 %
4	Heavier	166	5.0 %
5	Much Heavier	13	0.4 %
. (M)	-	1	0.0 %

KGGN20

How much weight gained (kgs) #2

Location: 381-386 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.000	Missing	13	0.4 %
-8.000	Do not know	74	2.2 %
-1.000	N/A	707	21.4 %
0.000	-	473	14.3 %
0.907	-	11	0.3 %
1.000	-	1	0.0 %
1.361	-	7	0.2 %
1.814	-	6	0.2 %
2.000	-	1	0.0 %
2.268	-	55	1.7 %
2.722	-	8	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.175	-	5	0.2 %
3.629	-	16	0.5 %
4.000	-	1	0.0 %
4.082	-	6	0.2 %
4.536	-	99	3.0 %
4.990	-	5	0.2 %
5.000	-	3	0.1 %
5.443	-	18	0.5 %
5.897	-	6	0.2 %
6.350	-	3	0.1 %
6.804	-	75	2.3 %
7.000	-	1	0.0 %
7.258	-	18	0.5 %
7.711	-	14	0.4 %
8.000	-	6	0.2 %
8.165	-	33	1.0 %
8.618	-	6	0.2 %
9.072	-	241	7.3 %
9.526	-	12	0.4 %
9.979	-	36	1.1 %
10.000	-	15	0.5 %
10.433	-	19	0.6 %
10.886	-	11	0.3 %
11.340	-	241	7.3 %
11.794	-	17	0.5 %
12.000	-	4	0.1 %
12.247	-	18	0.5 %
12.701	-	34	1.0 %
13.000	-	4	0.1 %
13.154	-	3	0.1 %
13.608	-	293	8.9 %
14.062	-	5	0.2 %
14.515	-	16	0.5 %
14.969	-	6	0.2 %
15.000	-	6	0.2 %
15.422	-	4	0.1 %
15.876	-	143	4.3 %
16.329	-	10	0.3 %
16.783	-	6	0.2 %
17.000	-	2	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
17.237	-	8	0.2 %
17.690	-	3	0.1 %
18.000	-	2	0.1 %
18.144	-	176	5.3 %
18.597	-	1	0.0 %
19.051	-	5	0.2 %
19.505	-	2	0.1 %
19.958	-	3	0.1 %
20.000	-	1	0.0 %
20.412	-	40	1.2 %
20.865	-	3	0.1 %
21.319	-	1	0.0 %
21.773	-	1	0.0 %
22.000	-	1	0.0 %
22.680	-	112	3.4 %
23.133	-	2	0.1 %
23.587	-	3	0.1 %
24.041	-	3	0.1 %
24.494	-	1	0.0 %
24.948	-	20	0.6 %
26.309	-	1	0.0 %
26.762	-	1	0.0 %
27.216	-	49	1.5 %
28.123	-	1	0.0 %
28.577	-	1	0.0 %
29.484	-	5	0.2 %
31.752	-	19	0.6 %
32.659	-	1	0.0 %
33.113	-	1	0.0 %
34.020	-	6	0.2 %
36.288	-	6	0.2 %
38.556	-	2	0.1 %
45.360	-	4	0.1 %

WTAFT20

Weight after preg #2

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	5	0.2 %
-1	N/A	705	21.4 %
1	Much Thinner	588	17.8 %
2	Thinner	1195	36.2 %
3	The Same	523	15.8 %
4	Heavier	226	6.8 %
5	Much Heavier	28	0.8 %
6	Pregnant	22	0.7 %
. (M)	-	2	0.1 %

OUTCM30 Outcome of pregnancy #3

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	1451	43.9 %
1	Live Birth	1266	38.3 %
2	Still Birth	12	0.4 %
3	Miscarriage	283	8.6 %
4	Abortion	260	7.9 %
5	Tubal (Ectopic) Pregnancy	23	0.7 %

DELVR30 Type of delivery #3

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	2030	61.5 %
1	Vaginal	1051	31.8 %
2	Cesarean	215	6.5 %

BFMO30 How long breastfed #3

Location: 393-395 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	2030	61.5 %
0	-	539	16.3 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	72	2.2 %
2	-	56	1.7 %
3	-	88	2.7 %
4	-	68	2.1 %
5	-	16	0.5 %
6	-	106	3.2 %
7	-	15	0.5 %
8	-	25	0.8 %
9	-	39	1.2 %
10	-	33	1.0 %
11	-	14	0.4 %
12	-	81	2.5 %
13	-	8	0.2 %
14	-	10	0.3 %
15	-	3	0.1 %
16	-	4	0.1 %
17	-	4	0.1 %
18	-	23	0.7 %
20	-	3	0.1 %
21	-	1	0.0 %
22	-	3	0.1 %
24	-	31	0.9 %
25	-	2	0.1 %
26	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.1 %
36	-	12	0.4 %
38	-	1	0.0 %
48	-	2	0.1 %

WTBFR30

Weight before preg #3

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	3	0.1 %
-1	N/A	1452	44.0 %
1	Much Thinner	445	13.5 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Thinner	927	28.1 %
3	The Same	330	10.0 %
4	Heavier	124	3.8 %
5	Much Heavier	9	0.3 %
. (M)	-	1	0.0 %

KGGN30 **How much weight gained (kgs) #3**

Location: 398-403 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.000	Missing	14	0.4 %
-8.000	Do not know	51	1.5 %
-1.000	N/A	1453	44.0 %
0.000	-	377	11.4 %
0.454	-	1	0.0 %
0.907	-	10	0.3 %
1.000	-	1	0.0 %
1.361	-	11	0.3 %
1.814	-	6	0.2 %
2.000	-	2	0.1 %
2.268	-	49	1.5 %
2.722	-	6	0.2 %
3.175	-	5	0.2 %
3.629	-	13	0.4 %
4.082	-	3	0.1 %
4.536	-	79	2.4 %
4.990	-	1	0.0 %
5.443	-	13	0.4 %
5.897	-	4	0.1 %
6.000	-	2	0.1 %
6.350	-	6	0.2 %
6.804	-	60	1.8 %
7.258	-	3	0.1 %
7.711	-	5	0.2 %
8.000	-	2	0.1 %
8.165	-	24	0.7 %
8.618	-	6	0.2 %
9.000	-	1	0.0 %
9.072	-	156	4.7 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9.526	-	5	0.2 %
9.979	-	25	0.8 %
10.000	-	8	0.2 %
10.433	-	14	0.4 %
10.886	-	6	0.2 %
11.340	-	157	4.8 %
11.794	-	9	0.3 %
12.000	-	5	0.2 %
12.247	-	9	0.3 %
12.701	-	21	0.6 %
13.000	-	3	0.1 %
13.154	-	8	0.2 %
13.608	-	206	6.2 %
14.062	-	2	0.1 %
14.515	-	16	0.5 %
14.969	-	1	0.0 %
15.000	-	2	0.1 %
15.876	-	98	3.0 %
16.329	-	8	0.2 %
16.783	-	2	0.1 %
17.237	-	8	0.2 %
17.690	-	1	0.0 %
18.000	-	1	0.0 %
18.144	-	118	3.6 %
18.597	-	1	0.0 %
19.051	-	4	0.1 %
19.505	-	1	0.0 %
19.958	-	2	0.1 %
20.000	-	1	0.0 %
20.412	-	34	1.0 %
20.865	-	2	0.1 %
21.319	-	2	0.1 %
21.773	-	3	0.1 %
22.226	-	1	0.0 %
22.680	-	83	2.5 %
23.587	-	1	0.0 %
24.041	-	4	0.1 %
24.948	-	11	0.3 %
25.401	-	1	0.0 %
25.855	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27.216	-	25	0.8 %
28.123	-	1	0.0 %
28.577	-	1	0.0 %
29.484	-	4	0.1 %
31.752	-	7	0.2 %
34.020	-	5	0.2 %
35.381	-	1	0.0 %
36.288	-	7	0.2 %
45.360	-	1	0.0 %
54.432	-	1	0.0 %

WTAFT30 **Weight after preg #3**

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
-8	Do not know	12	0.4 %
-1	N/A	1452	44.0 %
1	Much Thinner	328	9.9 %
2	Thinner	889	26.9 %
3	The Same	372	11.3 %
4	Heavier	209	6.3 %
5	Much Heavier	18	0.5 %
6	Pregnant	9	0.3 %
. (M)	-	1	0.0 %

OUTCM40 **Outcome of pregnancy #4**

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	2162	65.5 %
1	Live Birth	706	21.4 %
2	Still Birth	5	0.2 %
3	Miscarriage	188	5.7 %
4	Abortion	215	6.5 %
5	Tubal (Ectopic) Pregnancy	19	0.6 %

DELVR40 **Type of delivery #4**

- Study 28762 -

Location: 408-409 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	2589	78.4 %
1	Vaginal	586	17.7 %
2	Cesarean	119	3.6 %

BFMO40 **How long breastfed #4**

Location: 410-412 (width: 3; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	2589	78.4 %
0	-	296	9.0 %
1	-	35	1.1 %
2	-	37	1.1 %
3	-	42	1.3 %
4	-	29	0.9 %
5	-	15	0.5 %
6	-	65	2.0 %
7	-	11	0.3 %
8	-	16	0.5 %
9	-	22	0.7 %
10	-	9	0.3 %
11	-	4	0.1 %
12	-	47	1.4 %
13	-	2	0.1 %
14	-	11	0.3 %
15	-	4	0.1 %
16	-	2	0.1 %
18	-	11	0.3 %
20	-	2	0.1 %
22	-	3	0.1 %
24	-	18	0.5 %
28	-	1	0.0 %
30	-	2	0.1 %
36	-	15	0.5 %
38	-	1	0.0 %
42	-	2	0.1 %
48	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
54	-	1	0.0 %
60	-	1	0.0 %

WTBFR40 **Weight before preg #4**

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-8	Do not know	3	0.1 %
-1	N/A	2162	65.5 %
1	Much Thinner	244	7.4 %
2	Thinner	561	17.0 %
3	The Same	223	6.8 %
4	Heavier	95	2.9 %
5	Much Heavier	5	0.2 %
. (M)	-	1	0.0 %

KGGN40 **How much weight gained (kgs) #4**

Location: 415-420 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.000	Missing	11	0.3 %
-8.000	Do not know	32	1.0 %
-1.000	N/A	2163	65.5 %
0.000	-	288	8.7 %
0.907	-	5	0.2 %
1.361	-	10	0.3 %
1.814	-	6	0.2 %
2.268	-	33	1.0 %
2.722	-	8	0.2 %
3.175	-	4	0.1 %
3.629	-	5	0.2 %
4.082	-	1	0.0 %
4.536	-	56	1.7 %
4.990	-	1	0.0 %
5.443	-	6	0.2 %
5.897	-	4	0.1 %
6.350	-	5	0.2 %
6.804	-	30	0.9 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7.258	-	1	0.0 %
7.711	-	4	0.1 %
8.000	-	1	0.0 %
8.165	-	18	0.5 %
8.618	-	2	0.1 %
9.072	-	78	2.4 %
9.526	-	3	0.1 %
9.979	-	10	0.3 %
10.000	-	4	0.1 %
10.433	-	7	0.2 %
11.340	-	99	3.0 %
11.794	-	6	0.2 %
12.000	-	1	0.0 %
12.247	-	4	0.1 %
12.701	-	8	0.2 %
13.154	-	2	0.1 %
13.608	-	105	3.2 %
14.515	-	3	0.1 %
14.969	-	3	0.1 %
15.000	-	2	0.1 %
15.876	-	56	1.7 %
16.329	-	3	0.1 %
16.783	-	2	0.1 %
17.237	-	7	0.2 %
17.690	-	1	0.0 %
18.144	-	77	2.3 %
19.051	-	4	0.1 %
19.505	-	1	0.0 %
20.412	-	22	0.7 %
21.319	-	1	0.0 %
22.680	-	52	1.6 %
23.587	-	1	0.0 %
24.948	-	9	0.3 %
25.000	-	1	0.0 %
27.216	-	22	0.7 %
28.123	-	1	0.0 %
29.484	-	2	0.1 %
31.752	-	3	0.1 %
34.020	-	1	0.0 %
36.288	-	5	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
45.360	-	2	0.1 %

WTAFT40

Weight after preg #4

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-8	Do not know	5	0.2 %
-1	N/A	2162	65.5 %
1	Much Thinner	191	5.8 %
2	Thinner	518	15.7 %
3	The Same	257	7.8 %
4	Heavier	132	4.0 %
5	Much Heavier	22	0.7 %
6	Pregnant	6	0.2 %
. (M)	-	1	0.0 %

OUTCM50

Outcome of pregnancy #5

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	2682	81.2 %
1	Live Birth	350	10.6 %
2	Still Birth	8	0.2 %
3	Miscarriage	116	3.5 %
4	Abortion	128	3.9 %
5	Tubal (Ectopic) Pregnancy	10	0.3 %

DELVR50

Type of delivery #5

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	2944	89.2 %
1	Vaginal	281	8.5 %
2	Cesarean	69	2.1 %

BFMO50

How long breastfed #5

- Study 28762 -

Location: 427-430 (width: 4; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
-1	N/A	2944	89.2 %
0	-	160	4.8 %
1	-	18	0.5 %
2	-	17	0.5 %
3	-	18	0.5 %
4	-	13	0.4 %
5	-	6	0.2 %
6	-	20	0.6 %
7	-	6	0.2 %
8	-	11	0.3 %
9	-	13	0.4 %
10	-	9	0.3 %
11	-	2	0.1 %
12	-	19	0.6 %
13	-	1	0.0 %
14	-	3	0.1 %
15	-	1	0.0 %
17	-	1	0.0 %
18	-	9	0.3 %
24	-	7	0.2 %
27	-	1	0.0 %
30	-	1	0.0 %
36	-	9	0.3 %
48	-	1	0.0 %
72	-	1	0.0 %
146	-	1	0.0 %

WTBFR50 **Weight before preg #5**

Location: 431-432 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
-8	Do not know	2	0.1 %
-1	N/A	2682	81.2 %
1	Much Thinner	131	4.0 %
2	Thinner	301	9.1 %
3	The Same	108	3.3 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Heavier	58	1.8 %
5	Much Heavier	11	0.3 %

KGGN50

How much weight gained (kgs) #5

Location:

433-438 (width: 6; decimal: 3)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.000	Missing	11	0.3 %
-8.000	Do not know	15	0.5 %
-1.000	N/A	2682	81.2 %
0.000	-	176	5.3 %
0.454	-	1	0.0 %
1.361	-	3	0.1 %
1.814	-	4	0.1 %
2.268	-	29	0.9 %
2.722	-	6	0.2 %
3.175	-	2	0.1 %
3.629	-	5	0.2 %
4.536	-	39	1.2 %
4.990	-	1	0.0 %
5.443	-	7	0.2 %
6.804	-	12	0.4 %
7.258	-	1	0.0 %
7.711	-	3	0.1 %
8.165	-	5	0.2 %
8.618	-	1	0.0 %
9.072	-	40	1.2 %
9.526	-	1	0.0 %
9.979	-	4	0.1 %
10.000	-	1	0.0 %
10.433	-	3	0.1 %
11.340	-	55	1.7 %
11.794	-	1	0.0 %
12.000	-	1	0.0 %
12.247	-	2	0.1 %
12.701	-	4	0.1 %
13.154	-	2	0.1 %
13.608	-	55	1.7 %
14.515	-	6	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14.969	-	1	0.0 %
15.876	-	27	0.8 %
16.329	-	4	0.1 %
16.783	-	3	0.1 %
17.237	-	1	0.0 %
18.144	-	35	1.1 %
19.051	-	2	0.1 %
20.412	-	10	0.3 %
21.773	-	1	0.0 %
22.680	-	15	0.5 %
24.948	-	1	0.0 %
26.762	-	1	0.0 %
27.216	-	11	0.3 %
28.577	-	1	0.0 %
29.484	-	4	0.1 %
31.298	-	1	0.0 %
31.752	-	4	0.1 %
34.020	-	1	0.0 %
36.288	-	1	0.0 %

WTAFT50

Weight after preg #5

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
-8	Do not know	3	0.1 %
-1	N/A	2682	81.2 %
1	Much Thinner	99	3.0 %
2	Thinner	271	8.2 %
3	The Same	144	4.4 %
4	Heavier	81	2.5 %
5	Much Heavier	10	0.3 %
6	Pregnant	3	0.1 %

OUTCM60

Outcome of pregnancy #6

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	3001	90.9 %
1	Live Birth	172	5.2 %
2	Still Birth	3	0.1 %
3	Miscarriage	57	1.7 %
4	Abortion	56	1.7 %
5	Tubal (Ectopic) Pregnancy	5	0.2 %

DELVR60

Type of delivery #6

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	3123	94.6 %
1	Vaginal	138	4.2 %
2	Cesarean	34	1.0 %

BFMO60

How long breastfed #6

Location: 445-447 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	3123	94.6 %
0	-	82	2.5 %
1	-	4	0.1 %
2	-	6	0.2 %
3	-	12	0.4 %
4	-	8	0.2 %
6	-	16	0.5 %
7	-	3	0.1 %
8	-	4	0.1 %
10	-	2	0.1 %
12	-	16	0.5 %
14	-	1	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
18	-	7	0.2 %
21	-	1	0.0 %
24	-	4	0.1 %
30	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36	-	2	0.1 %
72	-	1	0.0 %

WTBFR60

Weight before preg #6

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	3002	90.9 %
1	Much Thinner	56	1.7 %
2	Thinner	141	4.3 %
3	The Same	62	1.9 %
4	Heavier	31	0.9 %
5	Much Heavier	3	0.1 %

KGGN60

How much weight gained (kgs) #6

Location: 450-455 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.000	Missing	10	0.3 %
-8.000	Do not know	9	0.3 %
-1.000	N/A	3002	90.9 %
0.000	-	72	2.2 %
1.361	-	5	0.2 %
1.814	-	1	0.0 %
2.268	-	9	0.3 %
3.175	-	1	0.0 %
3.629	-	3	0.1 %
4.082	-	1	0.0 %
4.536	-	22	0.7 %
4.990	-	1	0.0 %
5.443	-	3	0.1 %
5.897	-	1	0.0 %
6.350	-	1	0.0 %
6.804	-	8	0.2 %
7.000	-	1	0.0 %
7.711	-	1	0.0 %
8.165	-	8	0.2 %
8.618	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9.072	-	28	0.8 %
11.340	-	24	0.7 %
11.794	-	2	0.1 %
12.247	-	1	0.0 %
12.701	-	3	0.1 %
13.608	-	28	0.8 %
14.515	-	1	0.0 %
15.876	-	12	0.4 %
16.329	-	2	0.1 %
18.144	-	11	0.3 %
20.412	-	4	0.1 %
22.680	-	9	0.3 %
24.948	-	3	0.1 %
25.855	-	1	0.0 %
26.762	-	1	0.0 %
27.216	-	4	0.1 %
29.484	-	1	0.0 %
31.752	-	3	0.1 %
33.113	-	1	0.0 %
34.020	-	1	0.0 %
43.092	-	1	0.0 %
45.360	-	1	0.0 %

WTAFT60

Weight after preg #6

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	3002	90.9 %
1	Much Thinner	34	1.0 %
2	Thinner	131	4.0 %
3	The Same	85	2.6 %
4	Heavier	34	1.0 %
5	Much Heavier	7	0.2 %
6	Pregnant	1	0.0 %

OUTCM70

Outcome of pregnancy #7

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	3149	95.4 %
1	Live Birth	72	2.2 %
2	Still Birth	1	0.0 %
3	Miscarriage	33	1.0 %
4	Abortion	35	1.1 %
5	Tubal (Ectopic) Pregnancy	4	0.1 %

DELVR70 Type of delivery #7

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
-1	N/A	3222	97.6 %
1	Vaginal	56	1.7 %
2	Cesarean	15	0.5 %

BFMO70 How long breastfed #7

Location: 462-464 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	3222	97.6 %
0	-	26	0.8 %
1	-	3	0.1 %
2	-	5	0.2 %
3	-	6	0.2 %
4	-	4	0.1 %
5	-	2	0.1 %
6	-	7	0.2 %
8	-	1	0.0 %
9	-	2	0.1 %
11	-	1	0.0 %
12	-	5	0.2 %
13	-	1	0.0 %
14	-	1	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
24	-	4	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
36	-	1	0.0 %
48	-	1	0.0 %

WTBFR70

Weight before preg #7

Location: 465-466 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
-8	Do not know	1	0.0 %
-1	N/A	3149	95.4 %
1	Much Thinner	25	0.8 %
2	Thinner	73	2.2 %
3	The Same	26	0.8 %
4	Heavier	15	0.5 %
5	Much Heavier	4	0.1 %

KGGN70

How much weight gained (kgs) #7

Location: 467-472 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.000	Missing	9	0.3 %
-8.000	Do not know	7	0.2 %
-1.000	N/A	3150	95.4 %
0.000	-	47	1.4 %
0.907	-	1	0.0 %
1.361	-	1	0.0 %
1.814	-	1	0.0 %
2.268	-	5	0.2 %
2.722	-	1	0.0 %
4.536	-	9	0.3 %
6.804	-	5	0.2 %
9.072	-	10	0.3 %
9.979	-	1	0.0 %
10.000	-	1	0.0 %
10.886	-	1	0.0 %
11.340	-	12	0.4 %
12.701	-	2	0.1 %
13.608	-	11	0.3 %
14.062	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14.515	-	3	0.1 %
15.876	-	4	0.1 %
16.329	-	1	0.0 %
17.237	-	1	0.0 %
18.144	-	9	0.3 %
20.412	-	1	0.0 %
22.680	-	5	0.2 %
27.216	-	2	0.1 %
45.360	-	1	0.0 %

WTAFT70 **Weight after preg #7**

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	3150	95.4 %
1	Much Thinner	18	0.5 %
2	Thinner	73	2.2 %
3	The Same	30	0.9 %
4	Heavier	17	0.5 %
5	Much Heavier	5	0.2 %
6	Pregnant	1	0.0 %

OUTCM80 **Outcome of pregnancy #8**

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3223	97.6 %
1	Live Birth	36	1.1 %
2	Still Birth	1	0.0 %
3	Miscarriage	19	0.6 %
4	Abortion	15	0.5 %
5	Tubal (Ectopic) Pregnancy	2	0.1 %

DELVR80 **Type of delivery #8**

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3260	98.7 %
1	Vaginal	27	0.8 %
2	Cesarean	9	0.3 %

BFMO80

How long breastfed #8

Location: 479-481 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3260	98.7 %
0	-	18	0.5 %
1	-	3	0.1 %
3	-	3	0.1 %
6	-	5	0.2 %
12	-	3	0.1 %
13	-	1	0.0 %
18	-	1	0.0 %
24	-	1	0.0 %
36	-	1	0.0 %

WTBFR80

Weight before preg #8

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	3223	97.6 %
1	Much Thinner	17	0.5 %
2	Thinner	34	1.0 %
3	The Same	13	0.4 %
4	Heavier	6	0.2 %
5	Much Heavier	1	0.0 %

KGGN80

How much weight gained (kgs) #8

Location: 484-489 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.000	Missing	8	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8.000	Do not know	5	0.2 %
-1.000	N/A	3223	97.6 %
0.000	-	28	0.8 %
2.268	-	2	0.1 %
3.175	-	1	0.0 %
4.536	-	3	0.1 %
5.443	-	3	0.1 %
6.804	-	4	0.1 %
8.165	-	1	0.0 %
9.072	-	2	0.1 %
10.886	-	1	0.0 %
11.340	-	4	0.1 %
13.608	-	6	0.2 %
15.876	-	1	0.0 %
18.144	-	4	0.1 %
22.680	-	2	0.1 %
27.216	-	2	0.1 %
34.020	-	1	0.0 %
36.288	-	1	0.0 %

WTAFT80

Weight after preg #8

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	3223	97.6 %
1	Much Thinner	15	0.5 %
2	Thinner	29	0.9 %
3	The Same	17	0.5 %
4	Heavier	7	0.2 %
5	Much Heavier	3	0.1 %

OUTCM90

Outcome of pregnancy #9

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3251	98.5 %
1	Live Birth	24	0.7 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Miscarriage	10	0.3 %
4	Abortion	11	0.3 %

DELVR90 **Type of delivery #9**

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3272	99.1 %
1	Vaginal	19	0.6 %
2	Cesarean	5	0.2 %

BFMO90 **How long breastfed #9**

Location: 496-498 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3272	99.1 %
0	-	10	0.3 %
2	-	1	0.0 %
3	-	4	0.1 %
6	-	1	0.0 %
9	-	1	0.0 %
12	-	3	0.1 %
24	-	1	0.0 %
30	-	1	0.0 %
36	-	1	0.0 %
42	-	1	0.0 %

WTBFR90 **Weight before preg #9**

Location: 499-500 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	3251	98.5 %
1	Much Thinner	11	0.3 %
2	Thinner	24	0.7 %
3	The Same	6	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Heavier	1	0.0 %
5	Much Heavier	1	0.0 %

KGGN90 **How much weight gained (kgs) #9**

Location: 501-506 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.000	Missing	7	0.2 %
-8.000	Do not know	4	0.1 %
-1.000	N/A	3251	98.5 %
0.000	-	12	0.4 %
1.814	-	1	0.0 %
2.268	-	1	0.0 %
4.536	-	4	0.1 %
6.350	-	1	0.0 %
6.804	-	3	0.1 %
9.072	-	3	0.1 %
11.794	-	1	0.0 %
13.608	-	6	0.2 %
15.876	-	2	0.1 %
18.144	-	2	0.1 %
20.412	-	1	0.0 %
27.669	-	1	0.0 %
36.288	-	2	0.1 %

WTAFT90 **Weight after preg #9**

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	3251	98.5 %
1	Much Thinner	12	0.4 %
2	Thinner	14	0.4 %
3	The Same	11	0.3 %
4	Heavier	5	0.2 %
5	Much Heavier	1	0.0 %

OUTCM100 **Outcome of pregnancy #10**

Location: 509-510 (width: 2; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3272	99.1 %
1	Live Birth	11	0.3 %
3	Miscarriage	6	0.2 %
4	Abortion	7	0.2 %

DELVR100 **Type of delivery #10**

Location: 511-512 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3285	99.5 %
1	Vaginal	10	0.3 %
2	Cesarean	1	0.0 %

BFMO100 **How long breastfed #10**

Location: 513-515 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	3285	99.5 %
0	-	4	0.1 %
1	-	2	0.1 %
2	-	1	0.0 %
3	-	2	0.1 %
9	-	1	0.0 %
12	-	1	0.0 %

WTBFR100 **Weight before preg #10**

Location: 516-517 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	3272	99.1 %
1	Much Thinner	7	0.2 %
2	Thinner	9	0.3 %
3	The Same	3	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Heavier	3	0.1 %
5	Much Heavier	1	0.0 %

KGGN100 **How much weight gained (kgs) #10**

Location: 518-523 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.000	Missing	6	0.2 %
-8.000	Do not know	1	0.0 %
-1.000	N/A	3272	99.1 %
0.000	-	8	0.2 %
4.536	-	6	0.2 %
6.804	-	1	0.0 %
8.165	-	1	0.0 %
9.072	-	1	0.0 %
13.608	-	4	0.1 %
15.876	-	2	0.1 %

WTAFT100 **Weight after preg #10**

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	3272	99.1 %
1	Much Thinner	8	0.2 %
2	Thinner	6	0.2 %
3	The Same	3	0.1 %
4	Heavier	3	0.1 %
5	Much Heavier	3	0.1 %

AGFIRPR0 **Age of first pregnancy**

Location: 526-528 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	4	0.1 %
-1	N/A	365	11.1 %
13	-	9	0.3 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	-	23	0.7 %
15	-	60	1.8 %
16	-	109	3.3 %
17	-	171	5.2 %
18	-	202	6.1 %
19	-	286	8.7 %
20	-	234	7.1 %
21	-	216	6.5 %
22	-	175	5.3 %
23	-	162	4.9 %
24	-	160	4.8 %
25	-	167	5.1 %
26	-	132	4.0 %
27	-	127	3.8 %
28	-	130	3.9 %
29	-	132	4.0 %
30	-	94	2.8 %
31	-	63	1.9 %
32	-	54	1.6 %
33	-	37	1.1 %
34	-	48	1.5 %
35	-	44	1.3 %
36	-	23	0.7 %
37	-	17	0.5 %
38	-	16	0.5 %
39	-	9	0.3 %
40	-	13	0.4 %
41	-	5	0.2 %
43	-	2	0.1 %
44	-	2	0.1 %

AGLASPR0

Age of last pregnancy

Location: 529-531 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
-8	Do not know	7	0.2 %
-1	N/A	365	11.1 %
14	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	2	0.1 %
16	-	8	0.2 %
17	-	13	0.4 %
18	-	20	0.6 %
19	-	39	1.2 %
20	-	49	1.5 %
21	-	56	1.7 %
22	-	69	2.1 %
23	-	67	2.0 %
24	-	95	2.9 %
25	-	111	3.4 %
26	-	117	3.5 %
27	-	131	4.0 %
28	-	148	4.5 %
29	-	174	5.3 %
30	-	179	5.4 %
31	-	165	5.0 %
32	-	183	5.5 %
33	-	174	5.3 %
34	-	182	5.5 %
35	-	177	5.4 %
36	-	148	4.5 %
37	-	129	3.9 %
38	-	122	3.7 %
39	-	116	3.5 %
40	-	72	2.2 %
41	-	56	1.7 %
42	-	47	1.4 %
43	-	31	0.9 %
44	-	14	0.4 %
45	-	16	0.5 %
46	-	3	0.1 %
47	-	3	0.1 %
49	-	1	0.0 %

AGFIRKI0

Age first child born

Location: 532-534 (width: 3; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-8	Do not know	1	0.0 %
-1	N/A	563	17.1 %
13	-	4	0.1 %
14	-	12	0.4 %
15	-	28	0.8 %
16	-	74	2.2 %
17	-	102	3.1 %
18	-	165	5.0 %
19	-	169	5.1 %
20	-	236	7.1 %
21	-	173	5.2 %
22	-	145	4.4 %
23	-	151	4.6 %
24	-	147	4.5 %
25	-	149	4.5 %
26	-	157	4.8 %
27	-	123	3.7 %
28	-	135	4.1 %
29	-	132	4.0 %
30	-	121	3.7 %
31	-	98	3.0 %
32	-	68	2.1 %
33	-	71	2.2 %
34	-	56	1.7 %
35	-	53	1.6 %
36	-	47	1.4 %
37	-	29	0.9 %
38	-	25	0.8 %
39	-	19	0.6 %
40	-	20	0.6 %
41	-	14	0.4 %
42	-	3	0.1 %
43	-	3	0.1 %
45	-	1	0.0 %

AGLASKI0

Age last child born

Location: 535-537 (width: 3; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	2	0.1 %
-1	N/A	563	17.1 %
14	-	1	0.0 %
15	-	3	0.1 %
16	-	3	0.1 %
17	-	11	0.3 %
18	-	25	0.8 %
19	-	36	1.1 %
20	-	53	1.6 %
21	-	53	1.6 %
22	-	69	2.1 %
23	-	89	2.7 %
24	-	85	2.6 %
25	-	103	3.1 %
26	-	112	3.4 %
27	-	133	4.0 %
28	-	141	4.3 %
29	-	159	4.8 %
30	-	182	5.5 %
31	-	164	5.0 %
32	-	189	5.7 %
33	-	143	4.3 %
34	-	166	5.0 %
35	-	158	4.8 %
36	-	153	4.6 %
37	-	130	3.9 %
38	-	95	2.9 %
39	-	97	2.9 %
40	-	72	2.2 %
41	-	48	1.5 %
42	-	24	0.7 %
43	-	13	0.4 %
44	-	7	0.2 %
45	-	5	0.2 %
46	-	3	0.1 %
48	-	1	0.0 %

NOGETPR0

12 mos attempting but not getting preg

Location:

538-539 (width: 2; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	3	0.1 %
1	No	2440	73.9 %
2	Yes	765	23.2 %
3	Never Tried	26	0.8 %
. (M)	-	57	1.7 %

TRYPREG0 Currently trying to get pregnant

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
1	No	3195	96.8 %
2	Yes	91	2.8 %

BOTHER0 Bothered past week

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Rarely/None Of The Time (< 1 Day)	1788	54.1 %
2	Some/A Little Of The Time (1-2 Days)	918	27.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	422	12.8 %
4	Most/All Of The Time (5-7 Days)	169	5.1 %

APPETIT0 Lost appetite past week

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Rarely/None Of The Time (< 1 Day)	2481	75.1 %
2	Some/A Little Of The Time (1-2 Days)	502	15.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	228	6.9 %
4	Most/All Of The Time (5-7 Days)	86	2.6 %

BLUES0 Had blues past week

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Rarely/None Of The Time (< 1 Day)	2282	69.1 %
2	Some/A Little Of The Time (1-2 Days)	612	18.5 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	249	7.5 %
4	Most/All Of The Time (5-7 Days)	154	4.7 %

GOOD0 As good as others past week

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
-8	Do not know	4	0.1 %
1	Rarely/None Of The Time (< 1 Day)	130	3.9 %
2	Some/A Little Of The Time (1-2 Days)	256	7.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	347	10.5 %
4	Most/All Of The Time (5-7 Days)	2555	77.4 %

KEEPMIN0 Mind on what doing past week

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Rarely/None Of The Time (< 1 Day)	1552	47.0 %
2	Some/A Little Of The Time (1-2 Days)	928	28.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	626	19.0 %
4	Most/All Of The Time (5-7 Days)	191	5.8 %

DEPRESS0 Felt depressed past week

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Rarely/None Of The Time (< 1 Day)	1849	56.0 %
2	Some/A Little Of The Time (1-2 Days)	891	27.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	372	11.3 %
4	Most/All Of The Time (5-7 Days)	185	5.6 %

EFFORT0 Everything an effort past week

Location: 554-555 (width: 2; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	Rarely/None Of The Time (< 1 Day)	1650	50.0 %
2	Some/A Little Of The Time (1-2 Days)	953	28.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	407	12.3 %
4	Most/All Of The Time (5-7 Days)	286	8.7 %

HOPEFUL0 Hopeful about future past week

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-8	Do not know	3	0.1 %
1	Rarely/None Of The Time (< 1 Day)	209	6.3 %
2	Some/A Little Of The Time (1-2 Days)	426	12.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	674	20.4 %
4	Most/All Of The Time (5-7 Days)	1979	59.9 %

FAILURE0 Life has been failure past week

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-8	Do not know	1	0.0 %
1	Rarely/None Of The Time (< 1 Day)	2692	81.5 %
2	Some/A Little Of The Time (1-2 Days)	368	11.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	148	4.5 %
4	Most/All Of The Time (5-7 Days)	86	2.6 %

FEARFUL0 Felt fearful past week

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.5 %
1	Rarely/None Of The Time (< 1 Day)	2649	80.2 %
2	Some/A Little Of The Time (1-2 Days)	486	14.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	79	2.4 %
4	Most/All Of The Time (5-7 Days)	41	1.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	28	0.8 %
. (M)	-	1	0.0 %

RESTLES0 Sleep was restless past week

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	Rarely/None Of The Time (< 1 Day)	1558	47.2 %
2	Some/A Little Of The Time (1-2 Days)	948	28.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	453	13.7 %
4	Most/All Of The Time (5-7 Days)	336	10.2 %

HAPPY0 Happy past week

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Rarely/None Of The Time (< 1 Day)	185	5.6 %
2	Some/A Little Of The Time (1-2 Days)	489	14.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	884	26.8 %
4	Most/All Of The Time (5-7 Days)	1739	52.7 %

TALKLES0 Talked less than usual past week

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	Rarely/None Of The Time (< 1 Day)	2179	66.0 %
2	Some/A Little Of The Time (1-2 Days)	680	20.6 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	337	10.2 %
4	Most/All Of The Time (5-7 Days)	97	2.9 %

LONELY0 Felt lonely past week

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	2205	66.8 %
2	Some/A Little Of The Time (1-2 Days)	711	21.5 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	242	7.3 %
4	Most/All Of The Time (5-7 Days)	139	4.2 %

UNFRNDL0

People unfriendly past week

Location: 570-571 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-8	Do not know	1	0.0 %
1	Rarely/None Of The Time (< 1 Day)	2697	81.7 %
2	Some/A Little Of The Time (1-2 Days)	414	12.5 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	127	3.8 %
4	Most/All Of The Time (5-7 Days)	55	1.7 %

ENJOY0

Enjoyed life past week

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-8	Do not know	1	0.0 %
1	Rarely/None Of The Time (< 1 Day)	183	5.5 %
2	Some/A Little Of The Time (1-2 Days)	402	12.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	627	19.0 %
4	Most/All Of The Time (5-7 Days)	2082	63.1 %

CRYING0

Crying spells past week

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	Rarely/None Of The Time (< 1 Day)	2544	77.0 %
2	Some/A Little Of The Time (1-2 Days)	460	13.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	213	6.5 %
4	Most/All Of The Time (5-7 Days)	76	2.3 %

SAD0

Felt sad past week

Location: 576-577 (width: 2; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Rarely/None Of The Time (< 1 Day)	1910	57.8 %
2	Some/A Little Of The Time (1-2 Days)	968	29.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	306	9.3 %
4	Most/All Of The Time (5-7 Days)	113	3.4 %

DISLIKE0 People disliked me past week

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	Rarely/None Of The Time (< 1 Day)	2791	84.5 %
2	Some/A Little Of The Time (1-2 Days)	360	10.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	101	3.1 %
4	Most/All Of The Time (5-7 Days)	43	1.3 %

GETGOIN0 Could not get going past week

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	Rarely/None Of The Time (< 1 Day)	1813	54.9 %
2	Some/A Little Of The Time (1-2 Days)	957	29.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	374	11.3 %
4	Most/All Of The Time (5-7 Days)	151	4.6 %

HSWRKHR0 Housework hours/wk

Location: 582-584 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-8	Do not know	2	0.1 %
0	-	18	0.5 %
1	-	24	0.7 %
2	-	92	2.8 %
3	-	100	3.0 %
4	-	123	3.7 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	151	4.6 %
6	-	100	3.0 %
7	-	92	2.8 %
8	-	153	4.6 %
9	-	15	0.5 %
10	-	412	12.5 %
11	-	7	0.2 %
12	-	148	4.5 %
13	-	14	0.4 %
14	-	212	6.4 %
15	-	212	6.4 %
16	-	46	1.4 %
17	-	7	0.2 %
18	-	41	1.2 %
19	-	3	0.1 %
20	-	359	10.9 %
21	-	134	4.1 %
22	-	9	0.3 %
23	-	2	0.1 %
24	-	36	1.1 %
25	-	103	3.1 %
26	-	7	0.2 %
27	-	5	0.2 %
28	-	95	2.9 %
29	-	1	0.0 %
30	-	152	4.6 %
31	-	2	0.1 %
32	-	13	0.4 %
33	-	1	0.0 %
35	-	104	3.1 %
36	-	6	0.2 %
38	-	3	0.1 %
39	-	1	0.0 %
40	-	122	3.7 %
41	-	1	0.0 %
42	-	21	0.6 %
43	-	1	0.0 %
45	-	14	0.4 %
46	-	1	0.0 %
48	-	7	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
49	-	5	0.2 %
50	-	23	0.7 %
51	-	1	0.0 %
52	-	1	0.0 %
55	-	2	0.1 %
56	-	14	0.4 %
60	-	26	0.8 %
63	-	2	0.1 %
64	-	1	0.0 %
70	-	22	0.7 %
72	-	2	0.1 %
75	-	3	0.1 %
80	-	7	0.2 %
84	-	6	0.2 %
85	-	1	0.0 %
91	-	1	0.0 %
98	-	1	0.0 %
99	-	5	0.2 %

JOB0 Work in past 2 wks

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	No	649	19.7 %
2	Yes	2643	80.0 %

DAYSHFT0 Day shift (6AM - 6PM)

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
-1	N/A	654	19.8 %
1	No	167	5.1 %
2	Yes	2472	74.9 %

EVESHFT0 Evening/Swing shift (3PM - 11PM)

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	19	0.6 %
-1	N/A	654	19.8 %
1	No	1911	57.9 %
2	Yes	718	21.7 %

NGHTSHF0

Night shift (9PM - 9AM)

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	20	0.6 %
-1	N/A	654	19.8 %
1	No	2373	71.9 %
2	Yes	255	7.7 %

ROTSHFT0

Rotating (alternating weekly/monthly)

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	22	0.7 %
-1	N/A	654	19.8 %
1	No	2400	72.7 %
2	Yes	226	6.8 %

PHYSWOR0

Work physical compared to other women same age

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
-8	Do not know	29	0.9 %
-1	N/A	654	19.8 %
1	Much Lighter	158	4.8 %
2	Lighter	612	18.5 %
3	The Same	1102	33.4 %
4	Heavier	553	16.7 %
5	Much Heavier	184	5.6 %

SIT0

How often sit in current job

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	654	19.8 %
1	Never	268	8.1 %
2	Less Than Half Of The Time	730	22.1 %
3	About Half Of The Time	508	15.4 %
4	More Than Half Of The Time	780	23.6 %
5	Always	354	10.7 %

STAND0 **How often stand in current job**

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	654	19.8 %
1	Never	192	5.8 %
2	Less Than Half Of The Time	1075	32.6 %
3	About Half Of The Time	509	15.4 %
4	More Than Half Of The Time	541	16.4 %
5	Always	324	9.8 %

WALK0 **How often walk in current job**

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	654	19.8 %
1	Never	135	4.1 %
2	Less Than Half Of The Time	1292	39.1 %
3	About Half Of The Time	481	14.6 %
4	More Than Half Of The Time	475	14.4 %
5	Always	258	7.8 %

LIFT0 **How often lift > 15 lbs in current job**

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	654	19.8 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never	1492	45.2 %
2	Less Than Half Of The Time	800	24.2 %
3	About Half Of The Time	154	4.7 %
4	More Than Half Of The Time	114	3.5 %
5	Always	82	2.5 %

STOOP0 **How often stoop/bend in current job**

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	654	19.8 %
1	Never	582	17.6 %
2	Less Than Half Of The Time	1235	37.4 %
3	About Half Of The Time	357	10.8 %
4	More Than Half Of The Time	278	8.4 %
5	Always	190	5.8 %

PUSH0 **How often push heavy equip in current job**

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	654	19.8 %
1	Never	1760	53.3 %
2	Less Than Half Of The Time	654	19.8 %
3	About Half Of The Time	90	2.7 %
4	More Than Half Of The Time	74	2.2 %
5	Always	63	1.9 %

SWEAT0 **How often sweat from exertion in current job**

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	654	19.8 %
1	Never	1805	54.7 %
2	Less Than Half Of The Time	559	16.9 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	About Half Of The Time	123	3.7 %
4	More Than Half Of The Time	66	2.0 %
5	Always	89	2.7 %

LANGREA0

What language read/speak

Location: 611-613 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Only English	2700	81.8 %
2	Only Chinese	44	1.3 %
3	English more than Chinese	44	1.3 %
4	Chinese more than English	36	1.1 %
5	Chinese & English Equally	29	0.9 %
6	Only Japanese	86	2.6 %
7	English more than Japanese	8	0.2 %
8	Japanese more than English	19	0.6 %
9	Japanese & English Equally	16	0.5 %
10	Only Spanish	202	6.1 %
11	English more than Spanish	25	0.8 %
12	Spanish more than English	19	0.6 %
13	Spanish & English Equally	45	1.4 %
14	Other	23	0.7 %
. (M)	-	1	0.0 %

READSPE0

What language read/speak - other

Location: 614-628 (width: 15; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	3275	99.2 %
-9	6	0.2 %
ARMENIAN	1	0.0 %
CREOLE	2	0.1 %
ENG,PORTUG,SPAN	1	0.0 %
ENG,SPAN,FRENCH	1	0.0 %
ENG. & POLISH	1	0.0 %
ENGL & SWEDISH	1	0.0 %
ENGLISH+GERMAN	1	0.0 %
ENGLISH	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
ENGLISH, ITAL	1	0.0 %
ENGLISH, MORE	1	0.0 %
ENGLISH,GERMAN	1	0.0 %
FARSI	1	0.0 %
FRENCH	1	0.0 %
FRENCH AND	1	0.0 %
FRENCH, CREOLE,	1	0.0 %
GAELICK	1	0.0 %
GERMAN	1	0.0 %
PORTUGUESE	1	0.0 %
SEE COMMENT	1	0.0 %
YORUBA &ENGLISH	1	0.0 %

LANGTHN0

What language think

Location: 629-631 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-8	Do not know	1	0.0 %
1	Only English	2722	82.4 %
2	Only Chinese	90	2.7 %
3	English more than Chinese	20	0.6 %
4	Chinese more than English	24	0.7 %
5	Chinese & English Equally	18	0.5 %
6	Only Japanese	115	3.5 %
7	English more than Japanese	2	0.1 %
9	Japanese & English Equally	9	0.3 %
10	Only Spanish	220	6.7 %
11	English more than Spanish	12	0.4 %
12	Spanish more than English	11	0.3 %
13	Spanish & English Equally	29	0.9 %
14	Other	23	0.7 %
. (M)	-	1	0.0 %

THNKSPE0

What language think - other

Location: 632-646 (width: 15; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	3275	99.2 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	5	0.2 %
ARMENIAN	1	0.0 %
CREOLE	3	0.1 %
CREOLE MORE OFT	1	0.0 %
ENG,PORTUG,SPAN	1	0.0 %
ENG. & POLISH	1	0.0 %
ENGLISH+GERMAN	1	0.0 %
ENGLISH+ITALIAN	1	0.0 %
ENGLISH,GERMAN	1	0.0 %
FARSI	1	0.0 %
FRENCH	1	0.0 %
GAELICK	1	0.0 %
ITALIAN	1	0.0 %
POLISH	1	0.0 %
POLISH &RUSSIAN	1	0.0 %
PORT; CREOLE	1	0.0 %
PORTUGUES	1	0.0 %
PORTUGUESE	1	0.0 %
RUSSIAN	1	0.0 %
SEE D.3 COMMENT	1	0.0 %
YORUBA	1	0.0 %

LANGSPE0

What language speak w/friends

Location: 647-649 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Only English	2717	82.3 %
2	Only Chinese	80	2.4 %
3	English more than Chinese	18	0.5 %
4	Chinese more than English	25	0.8 %
5	Chinese & English Equally	29	0.9 %
6	Only Japanese	83	2.5 %
7	English more than Japanese	5	0.2 %
8	Japanese more than English	18	0.5 %
9	Japanese & English Equally	20	0.6 %
10	Only Spanish	206	6.2 %
11	English more than Spanish	14	0.4 %
12	Spanish more than English	17	0.5 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	Spanish & English Equally	43	1.3 %
14	Other	21	0.6 %
. (M)	-	1	0.0 %

SPEKSPE0 **What language speak w/friends - other**

Location: 650-664 (width: 15; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	3277	99.2 %
-9	5	0.2 %
AMHARIC	1	0.0 %
BASSA & ENGLISH	1	0.0 %
BURMESE	1	0.0 %
CHNSE & INDONES	1	0.0 %
CREOLE	2	0.1 %
CREOLE MORE THA	1	0.0 %
ENG. & POLISH	1	0.0 %
ENGLISH+GERMAN	1	0.0 %
ENGLISH+ITALIAN	1	0.0 %
ENGLISH, MORE	1	0.0 %
ENGLISH,GERMAN	1	0.0 %
FARSI	1	0.0 %
FRENCH	2	0.1 %
GAELICK	1	0.0 %
POLISH &RUSSIAN	1	0.0 %
PORTUGUESE	1	0.0 %
RUSSIAN	1	0.0 %
SIGN	1	0.0 %

LANGPRO0 **What language TV/radio program prefer**

Location: 665-667 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
1	Only English	2758	83.5 %
2	Only Chinese	51	1.5 %
3	English more than Chinese	32	1.0 %
4	Chinese more than English	20	0.6 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	Chinese & English Equally	33	1.0 %
6	Only Japanese	68	2.1 %
7	English more than Japanese	9	0.3 %
8	Japanese more than English	11	0.3 %
9	Japanese & English Equally	17	0.5 %
10	Only Spanish	190	5.8 %
11	English more than Spanish	33	1.0 %
12	Spanish more than English	17	0.5 %
13	Spanish & English Equally	40	1.2 %
14	Other	15	0.5 %
. (M)	-	1	0.0 %

PROGSPE0 What language TV/radio - other

Location: 668-682 (width: 15; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	3282	99.4 %
-9	6	0.2 %
BRITISH ENGLISH	1	0.0 %
CREOLE3	1	0.0 %
ENG,PORTUG,SPAN	1	0.0 %
ENG,SPAN,HAITIA	1	0.0 %
ENG. & POLISH	1	0.0 %
ENGL,ITAL,FRNCH	1	0.0 %
ENGL. MORE THAN	1	0.0 %
ENGLISH,GERMAN	1	0.0 %
FRENCH	2	0.1 %
ITALIAN	1	0.0 %
NO TV OR RADIO	1	0.0 %
NOTE	1	0.0 %
SPANISH/CHINESE	1	0.0 %

HOUSEHLO Anyone other than self in household

Location: 683-684 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-7	Refused	1	0.0 %
1	No	327	9.9 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	2967	89.9 %

MALEPAR0

Male partner/husband in hh

Location: 685-686 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
1	No	757	22.9 %
2	Yes	2210	66.9 %

FEMPART0

Female partner in hh

Location: 687-688 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
1	No	2926	88.6 %
2	Yes	41	1.2 %

MOTHER0

Mother in hh

Location: 689-690 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
1	No	2814	85.2 %
2	Yes	153	4.6 %

FATHER0

Father in hh

Location: 691-692 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
1	No	2911	88.2 %
2	Yes	56	1.7 %

- Study 28762 -

MOTINLA0 **Mother-in-law in hh**

Location: 693-694 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
1	No	2935	88.9 %
2	Yes	32	1.0 %

FATINLA0 **Father-in-law in hh**

Location: 695-696 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
1	No	2958	89.6 %
2	Yes	9	0.3 %

DAUGHTE0 **Daughter(s) in hh**

Location: 697-698 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
0	-	1373	41.6 %
1	-	1087	32.9 %
2	-	404	12.2 %
3	-	85	2.6 %
4	-	12	0.4 %
5	-	4	0.1 %
7	-	2	0.1 %

SON0 **Son(s) in hh**

Location: 699-700 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
0	-	1292	39.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1085	32.9 %
2	-	465	14.1 %
3	-	103	3.1 %
4	-	18	0.5 %
5	-	4	0.1 %

SISTER0

Sister(s) in hh

Location: 701-702 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
0	-	2898	87.8 %
1	-	63	1.9 %
2	-	5	0.2 %
4	-	1	0.0 %

BROTHER0

Brother(s) in hh

Location: 703-704 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
0	-	2911	88.2 %
1	-	51	1.5 %
2	-	4	0.1 %
3	-	1	0.0 %

OTHFEMA0

Other female(s) in hh

Location: 705-706 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	330	10.0 %
0	-	2735	82.8 %
1	-	182	5.5 %
2	-	34	1.0 %
3	-	12	0.4 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	4	0.1 %

OTHRMAL0

Other male(s) in hh

Location: 707-708 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	330	10.0 %
0	-	2708	82.0 %
1	-	217	6.6 %
2	-	30	0.9 %
3	-	6	0.2 %
4	-	5	0.2 %

LANGUAG0

Language of Interview

Location: 709-710 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	English	2851	86.3 %
2	Spanish	231	7.0 %
3	Cantonese	97	2.9 %
4	Japanese	115	3.5 %
. (M)	-	5	0.2 %

SAADAY0

Self-administered-Part A Day

Location: 711-714 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-92	1	0.0 %
-77	1	0.0 %
-71	1	0.0 %
-57	1	0.0 %
-46	2	0.1 %
-36	1	0.0 %
-35	1	0.0 %
-32	1	0.0 %
-30	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-25	1	0.0 %
-22	1	0.0 %
-18	1	0.0 %
-17	1	0.0 %
-15	1	0.0 %
-13	1	0.0 %
-12	1	0.0 %
-11	1	0.0 %
-10	2	0.1 %
-9	2	0.1 %
-8	3	0.1 %
-7	3	0.1 %
-6	5	0.2 %
-5	4	0.1 %
-4	4	0.1 %
-3	7	0.2 %
-2	5	0.2 %
-1	28	0.8 %
0	3096	93.8 %
1	19	0.6 %
2	7	0.2 %
3	6	0.2 %
4	6	0.2 %
5	4	0.1 %
6	5	0.2 %
7	7	0.2 %
8	1	0.0 %
9	1	0.0 %
11	2	0.1 %
12	2	0.1 %
13	2	0.1 %
14	3	0.1 %
15	3	0.1 %
16	2	0.1 %
18	1	0.0 %
19	2	0.1 %
20	2	0.1 %
21	2	0.1 %
22	1	0.0 %
23	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	1	0.0 %
28	4	0.1 %
30	1	0.0 %
31	1	0.0 %
34	1	0.0 %
40	1	0.0 %
49	1	0.0 %
51	1	0.0 %
53	1	0.0 %
55	2	0.1 %
64	1	0.0 %
68	1	0.0 %
69	1	0.0 %
72	1	0.0 %
77	2	0.1 %
78	1	0.0 %
79	1	0.0 %
84	1	0.0 %
85	2	0.1 %
89	1	0.0 %
102	1	0.0 %
106	1	0.0 %
127	1	0.0 %
154	1	0.0 %
157	1	0.0 %
161	2	0.1 %
163	1	0.0 %
167	2	0.1 %
192	1	0.0 %
197	1	0.0 %
223	1	0.0 %
260	1	0.0 %
. (M)	6	0.2 %

LANGSA0 **Language of Self-Administeread, Part A**

Location: 715-716 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	2853	86.4 %
2	Spanish	233	7.1 %
3	Cantonese	96	2.9 %
4	Japanese	115	3.5 %
. (M)	-	2	0.1 %

OVERHLT0 Overall health compared to 12 mos ago

Location: 717-718 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	26	0.8 %
1	Much Better Now Than Yr Ago	263	8.0 %
2	Somewhat Better Now Than Yr Ago	445	13.5 %
3	About The Same Now As Yr Ago	2045	61.9 %
4	Somewhat Worse Now Than Yr Ago	485	14.7 %
5	Much Worse Now Than Yr Ago	36	1.1 %
. (M)	-	2	0.1 %

HOSPSTA0 Hospital stays last 12 mos

Location: 719-720 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	32	1.0 %
0	-	3077	93.2 %
1	-	130	3.9 %
2	-	28	0.8 %
3	-	23	0.7 %
4	-	5	0.2 %
5	-	4	0.1 %
6	-	1	0.0 %
. (M)	-	2	0.1 %

MDTALK0 # times talk to dr last 12 mos

Location: 721-723 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	42	1.3 %
0	-	476	14.4 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	637	19.3 %
2	-	624	18.9 %
3	-	442	13.4 %
4	-	350	10.6 %
5	-	154	4.7 %
6	-	178	5.4 %
7	-	43	1.3 %
8	-	75	2.3 %
9	-	24	0.7 %
10	-	90	2.7 %
11	-	4	0.1 %
12	-	59	1.8 %
13	-	1	0.0 %
14	-	4	0.1 %
15	-	13	0.4 %
16	-	9	0.3 %
17	-	3	0.1 %
18	-	1	0.0 %
20	-	19	0.6 %
21	-	1	0.0 %
22	-	3	0.1 %
23	-	1	0.0 %
24	-	11	0.3 %
25	-	6	0.2 %
26	-	1	0.0 %
28	-	3	0.1 %
30	-	11	0.3 %
35	-	1	0.0 %
36	-	3	0.1 %
37	-	1	0.0 %
40	-	2	0.1 %
41	-	1	0.0 %
50	-	3	0.1 %
52	-	1	0.0 %
80	-	1	0.0 %
99	-	2	0.1 %
. (M)	-	2	0.1 %

BPTAKEN0

How long since BP taken

Location:

724-725 (width: 2; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	14	0.4 %
1	Within Past Year	2833	85.8 %
2	Within Past 2 Yrs	272	8.2 %
3	Within Past 3 Yrs	86	2.6 %
4	More than 3 Yrs Ago	89	2.7 %
5	Never	4	0.1 %
. (M)	-	2	0.1 %

CHOLCHC0 **How long since cholesterol checked**

Location: 726-727 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-8	Do not know	175	5.3 %
1	Within Past Year	1453	44.0 %
2	Within Past 2 Yrs	665	20.1 %
3	Within Past 3 Yrs	291	8.8 %
4	More than 3 Yrs Ago	379	11.5 %
5	Never	334	10.1 %
. (M)	-	2	0.1 %

PAPSMEA0 **How long since Pap smear**

Location: 728-729 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	24	0.7 %
1	Within Past Year	2019	61.1 %
2	Within Past 2 Yrs	679	20.6 %
3	Within Past 3 Yrs	208	6.3 %
4	More than 3 Yrs Ago	327	9.9 %
5	Never	42	1.3 %
. (M)	-	2	0.1 %

BRSTEXA0 **How long since breast exam**

Location: 730-731 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	19	0.6 %
1	Within Past Year	2147	65.0 %
2	Within Past 2 Yrs	631	19.1 %
3	Within Past 3 Yrs	186	5.6 %
4	More than 3 Yrs Ago	258	7.8 %
5	Never	58	1.8 %
. (M)	-	2	0.1 %

MAMOGRA0 **How long since mammogram**

Location: 732-733 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	13	0.4 %
1	Within Past Year	1498	45.4 %
2	Within Past 2 Yrs	820	24.8 %
3	Within Past 3 Yrs	310	9.4 %
4	More than 3 Yrs Ago	309	9.4 %
5	Never	349	10.6 %
. (M)	-	2	0.1 %

PREPAID0 **Pre-paid private insurance**

Location: 734-735 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
1	No	1346	40.8 %
2	Yes	1952	59.1 %
. (M)	-	2	0.1 %

OTHRPRI0 **Other private insurance**

Location: 736-737 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
1	No	2455	74.3 %
2	Yes	843	25.5 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2	0.1 %

MEDICAR0

Medicare

Location: 738-739 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
1	No	3233	97.9 %
2	Yes	65	2.0 %
. (M)	-	2	0.1 %

MEDICA10

Medicaid

Location: 740-741 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
1	No	3186	96.5 %
2	Yes	112	3.4 %
. (M)	-	2	0.1 %

MILITAR0

Military/VA sponsored

Location: 742-743 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
1	No	3289	99.6 %
2	Yes	9	0.3 %
. (M)	-	2	0.1 %

NOINSUR0

No insurance

Location: 744-745 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
1	No	3025	91.6 %
2	Yes	273	8.3 %
. (M)	-	2	0.1 %

- Study 28762 -

OTHINSU0 Other insurance

Location: 746-747 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	No	3092	93.6 %
2	Yes	202	6.1 %
. (M)	-	2	0.1 %

HSWTKG0 Weight in high school - kg

Location: 748-754 (width: 7; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
-9	Missing
-8	Do not know
-7	Refused
-1	N/A

* Frequencies not displayed for this variable.

GAIN10L0 # times gained >=10 pounds

Location: 755-756 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	19	0.6 %
1	Never	462	14.0 %
2	1-5 Times	1917	58.1 %
3	6-10 Times	509	15.4 %
4	More Than 10 Times	392	11.9 %
. (M)	-	3	0.1 %

LOSE10L0 # times lost >=10 pounds

Location: 757-758 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	Never	854	25.9 %
2	1-5 Times	1923	58.2 %
3	6-10 Times	298	9.0 %
4	More Than 10 Times	217	6.6 %
. (M)	-	3	0.1 %

- Study 28762 -

SMOKERE0

Ever smoked regularly

Location: 759-760 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
-8	Do not know	10	0.3 %
1	No	1876	56.8 %
2	Yes	1397	42.3 %
. (M)	-	4	0.1 %

STRTSMO0

Age began smoking

Location: 761-763 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	1903	57.6 %
5	-	1	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
9	-	9	0.3 %
10	-	9	0.3 %
11	-	11	0.3 %
12	-	33	1.0 %
13	-	67	2.0 %
14	-	92	2.8 %
15	-	127	3.8 %
16	-	199	6.0 %
17	-	157	4.8 %
18	-	260	7.9 %
19	-	97	2.9 %
20	-	104	3.1 %
21	-	45	1.4 %
22	-	41	1.2 %
23	-	17	0.5 %
24	-	12	0.4 %
25	-	21	0.6 %
26	-	13	0.4 %
27	-	12	0.4 %
28	-	12	0.4 %
29	-	7	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
30	-	11	0.3 %
31	-	6	0.2 %
32	-	6	0.2 %
33	-	3	0.1 %
34	-	2	0.1 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	3	0.1 %
39	-	4	0.1 %
40	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.1 %
46	-	1	0.0 %
. (M)	-	5	0.2 %

AVCIGDA0 Avg cigarettes/day since started

Location: 764-766 (width: 3; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-8	Do not know	125	3.8 %
-1	N/A	1903	57.6 %
0	-	3	0.1 %
1	-	36	1.1 %
2	-	36	1.1 %
3	-	63	1.9 %
4	-	40	1.2 %
5	-	87	2.6 %
6	-	39	1.2 %
7	-	14	0.4 %
8	-	39	1.2 %
9	-	3	0.1 %
10	-	265	8.0 %
11	-	3	0.1 %
12	-	27	0.8 %
13	-	2	0.1 %
14	-	3	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	126	3.8 %
16	-	2	0.1 %
17	-	3	0.1 %
18	-	9	0.3 %
19	-	1	0.0 %
20	-	301	9.1 %
21	-	3	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	2	0.1 %
25	-	27	0.8 %
28	-	1	0.0 %
30	-	63	1.9 %
34	-	1	0.0 %
35	-	6	0.2 %
40	-	49	1.5 %
50	-	3	0.1 %
60	-	5	0.2 %
70	-	1	0.0 %
. (M)	-	2	0.1 %

SMOKEN00 **Do you smoke now**

Location: 767-768 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-1	N/A	1903	57.6 %
1	No	825	25.0 %
2	Yes	569	17.2 %
. (M)	-	2	0.1 %

STOPSM00 **Age stopped smoking**

Location: 769-771 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.5 %
-1	N/A	2472	74.9 %
5	-	1	0.0 %
13	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	2	0.1 %
16	-	3	0.1 %
17	-	5	0.2 %
18	-	5	0.2 %
19	-	7	0.2 %
20	-	19	0.6 %
21	-	27	0.8 %
22	-	31	0.9 %
23	-	22	0.7 %
24	-	29	0.9 %
25	-	41	1.2 %
26	-	25	0.8 %
27	-	27	0.8 %
28	-	34	1.0 %
29	-	28	0.8 %
30	-	56	1.7 %
31	-	23	0.7 %
32	-	30	0.9 %
33	-	21	0.6 %
34	-	33	1.0 %
35	-	47	1.4 %
36	-	31	0.9 %
37	-	19	0.6 %
38	-	21	0.6 %
39	-	25	0.8 %
40	-	44	1.3 %
41	-	20	0.6 %
42	-	18	0.5 %
43	-	17	0.5 %
44	-	22	0.7 %
45	-	18	0.5 %
46	-	21	0.6 %
47	-	11	0.3 %
48	-	17	0.5 %
49	-	4	0.1 %
50	-	2	0.1 %
. (M)	-	5	0.2 %

CIGSNOW0

Avg cigarettes/day now

Location:

772-774 (width: 3; decimal: 0)

- Study 28762 -

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-8	Do not know	14	0.4 %
-1	N/A	2731	82.7 %
1	-	15	0.5 %
2	-	18	0.5 %
3	-	12	0.4 %
4	-	16	0.5 %
5	-	45	1.4 %
6	-	16	0.5 %
7	-	13	0.4 %
8	-	23	0.7 %
9	-	4	0.1 %
10	-	90	2.7 %
11	-	1	0.0 %
12	-	12	0.4 %
14	-	1	0.0 %
15	-	62	1.9 %
16	-	1	0.0 %
17	-	2	0.1 %
18	-	7	0.2 %
20	-	137	4.1 %
21	-	2	0.1 %
22	-	1	0.0 %
25	-	15	0.5 %
30	-	29	0.9 %
32	-	1	0.0 %
35	-	7	0.2 %
38	-	1	0.0 %
40	-	20	0.6 %
. (M)	-	2	0.1 %

SMOKEYR0

How long smoked current amt

Location:

775-777 (width: 3; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	30	0.9 %
-1	N/A	2745	83.1 %
0	-	3	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	59	1.8 %
2	-	43	1.3 %
3	-	36	1.1 %
4	-	17	0.5 %
5	-	37	1.1 %
6	-	6	0.2 %
7	-	4	0.1 %
8	-	3	0.1 %
9	-	1	0.0 %
10	-	63	1.9 %
11	-	2	0.1 %
12	-	5	0.2 %
13	-	3	0.1 %
14	-	2	0.1 %
15	-	26	0.8 %
16	-	4	0.1 %
17	-	2	0.1 %
18	-	5	0.2 %
19	-	2	0.1 %
20	-	66	2.0 %
21	-	2	0.1 %
22	-	5	0.2 %
23	-	6	0.2 %
24	-	7	0.2 %
25	-	33	1.0 %
26	-	3	0.1 %
27	-	6	0.2 %
28	-	8	0.2 %
29	-	5	0.2 %
30	-	34	1.0 %
31	-	2	0.1 %
32	-	3	0.1 %
33	-	4	0.1 %
34	-	6	0.2 %
35	-	6	0.2 %
36	-	2	0.1 %
37	-	1	0.0 %
38	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2	0.1 %

HHMEMSM0 Household members who smoke

Location: 778-779 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	35	1.1 %
0	-	2441	73.9 %
1	-	653	19.8 %
2	-	126	3.8 %
3	-	31	0.9 %
4	-	9	0.3 %
5	-	1	0.0 %
7	-	2	0.1 %
9	-	2	0.1 %
. (M)	-	2	0.1 %

HOMEXPD0 Days exposed to smoke in home past week

Location: 780-781 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	62	1.9 %
0	-	2482	75.2 %
1	-	84	2.5 %
2	-	69	2.1 %
3	-	48	1.5 %
4	-	27	0.8 %
5	-	28	0.8 %
6	-	8	0.2 %
7	-	489	14.8 %
. (M)	-	5	0.2 %

HOMEXPH0 Hrs exposed to smoke in home past week

Location: 782-784 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
-1	N/A	2545	77.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	23	0.7 %
1	-	181	5.5 %
2	-	107	3.2 %
3	-	90	2.7 %
4	-	85	2.6 %
5	-	39	1.2 %
6	-	43	1.3 %
7	-	15	0.5 %
8	-	64	1.9 %
9	-	2	0.1 %
10	-	16	0.5 %
12	-	27	0.8 %
13	-	1	0.0 %
14	-	6	0.2 %
15	-	6	0.2 %
16	-	8	0.2 %
18	-	4	0.1 %
20	-	3	0.1 %
24	-	17	0.5 %
. (M)	-	4	0.1 %

WRKEXP0 Days exposed to smoke at work past week

Location: 785-786 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	58	1.8 %
-8	Do not know	1	0.0 %
0	-	2781	84.2 %
1	-	71	2.2 %
2	-	54	1.6 %
3	-	39	1.2 %
4	-	47	1.4 %
5	-	169	5.1 %
6	-	14	0.4 %
7	-	63	1.9 %
. (M)	-	5	0.2 %

WRKEXP0 Hrs exposed to smoke at work past week

Location: 787-789 (width: 3; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	2841	86.0 %
0	-	29	0.9 %
1	-	210	6.4 %
2	-	49	1.5 %
3	-	22	0.7 %
4	-	32	1.0 %
5	-	20	0.6 %
6	-	19	0.6 %
7	-	9	0.3 %
8	-	39	1.2 %
9	-	2	0.1 %
10	-	6	0.2 %
12	-	6	0.2 %
14	-	1	0.0 %
18	-	1	0.0 %
24	-	1	0.0 %
. (M)	-	7	0.2 %

WRKEXPE0

Exposed to smoke at work-# people smoking

Location: 790-792 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
-1	N/A	2841	86.0 %
0	-	29	0.9 %
1	-	138	4.2 %
2	-	98	3.0 %
3	-	61	1.8 %
4	-	42	1.3 %
5	-	22	0.7 %
6	-	7	0.2 %
7	-	7	0.2 %
8	-	5	0.2 %
9	-	1	0.0 %
10	-	14	0.4 %
12	-	2	0.1 %
13	-	2	0.1 %
15	-	2	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	8	0.2 %
30	-	2	0.1 %
40	-	3	0.1 %
50	-	1	0.0 %
99	-	1	0.0 %
. (M)	-	1	0.0 %

TOTEXPH0 **Hrs exposed to smoke other places past week**

Location: 793-795 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	54	1.6 %
0	-	1881	57.0 %
1	-	469	14.2 %
2	-	334	10.1 %
3	-	165	5.0 %
4	-	131	4.0 %
5	-	78	2.4 %
6	-	46	1.4 %
7	-	19	0.6 %
8	-	32	1.0 %
9	-	2	0.1 %
10	-	22	0.7 %
11	-	1	0.0 %
12	-	10	0.3 %
14	-	6	0.2 %
15	-	7	0.2 %
16	-	3	0.1 %
18	-	2	0.1 %
20	-	6	0.2 %
21	-	2	0.1 %
24	-	5	0.2 %
. (M)	-	27	0.8 %

PHYCTDW0 **Cut down on activ/work past mo due to health**

Location: 796-797 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2624	79.5 %
2	Yes	671	20.3 %
. (M)	-	2	0.1 %

PHYACCO0 Accomplished less past mo due to health

Location: 798-799 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	No	2257	68.4 %
2	Yes	1038	31.4 %
. (M)	-	2	0.1 %

PHYLIM0 Limited in activ/work past mo due to health

Location: 800-801 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	No	2601	78.8 %
2	Yes	696	21.1 %
. (M)	-	2	0.1 %

PHYDFCL0 Difficulty perf activ/work past mo due to health

Location: 802-803 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	No	2406	72.9 %
2	Yes	891	27.0 %
. (M)	-	2	0.1 %

EMOCTDW0 Cut down on activ/work past mo due to emot prob

Location: 804-805 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	No	2671	80.9 %
2	Yes	622	18.8 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2	0.1 %

EMOACCO0 Accomplished less past mo due to emot prob

Location: 806-807 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
1	No	2328	70.5 %
2	Yes	968	29.3 %
. (M)	-	2	0.1 %

EMOCARE0 Activ/work less carefully past mo due to emot prob

Location: 808-809 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
1	No	2613	79.1 %
2	Yes	683	20.7 %
. (M)	-	2	0.1 %

INTERFR0 Phys health/emot prob interfered w/normal social activ

Location: 810-811 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Not At All	1638	49.6 %
2	Slightly	977	29.6 %
3	Moderately	467	14.1 %
4	Quite A Bit	177	5.4 %
5	Extremely	36	1.1 %
. (M)	-	2	0.1 %

BODYPAI0 Bodily pain past mo

Location: 812-813 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	None	558	16.9 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Very Mild	1060	32.1 %
3	Mild	709	21.5 %
4	Moderately	731	22.1 %
5	Severe	190	5.8 %
6	Very Severe	46	1.4 %
. (M)	-	2	0.1 %

PAINTRF0 Pain interfere w/work past mo

Location: 814-815 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
1	Not At All	1665	50.4 %
2	A Little Bit	967	29.3 %
3	Moderately	429	13.0 %
4	Quite A Bit	201	6.1 %
5	Extremely	30	0.9 %
. (M)	-	2	0.1 %

PEP0 Full of pep last mo

Location: 816-817 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
1	All Of The Time	79	2.4 %
2	Most Of The Time	701	21.2 %
3	A Good Bit Of The Time	836	25.3 %
4	Some Of The Time	904	27.4 %
5	A Little Of The Time	580	17.6 %
6	None Of The Time	192	5.8 %
. (M)	-	2	0.1 %

ENERGY0 Lots energy last mo

Location: 818-819 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	All Of The Time	79	2.4 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Most Of The Time	727	22.0 %
3	A Good Bit Of The Time	765	23.2 %
4	Some Of The Time	952	28.8 %
5	A Little Of The Time	590	17.9 %
6	None Of The Time	177	5.4 %
. (M)	-	2	0.1 %

WORNOUT0

Felt worn out last mo

Location: 820-821 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	All Of The Time	73	2.2 %
2	Most Of The Time	325	9.8 %
3	A Good Bit Of The Time	494	15.0 %
4	Some Of The Time	1014	30.7 %
5	A Little Of The Time	1101	33.3 %
6	None Of The Time	283	8.6 %
. (M)	-	2	0.1 %

TIREDO

Felt tired last mo

Location: 822-823 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	95	2.9 %
-1	N/A	2599	78.7 %
1	No	488	14.8 %
2	Yes	95	2.9 %
. (M)	-	25	0.8 %

SOCIAL0

Phys health/emot prob interfered w/social activ/visiting

Location: 824-825 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	All Of The Time	73	2.2 %
2	Most Of The Time	168	5.1 %
3	Some Of The Time	554	16.8 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	A Little Of The Time	817	24.7 %
5	None Of The Time	1682	50.9 %
. (M)	-	2	0.1 %

CHLDCAR0 Time spent past yr caring for child

Location: 826-827 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	None Or Less Than 1 Hr/Wk	2294	69.5 %
2	At Least 1 hr But < 20 Hrs/Wk	556	16.8 %
3	20 Hrs Or More/Wk	440	13.3 %
. (M)	-	2	0.1 %

PREPMEA0 Time spent past yr preparing meals

Location: 828-829 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
1	1 Hour Or Less Per Day	902	27.3 %
2	Between 1 And 2 Hrs/Day	1541	46.7 %
3	More Than 2 Hrs/Day	849	25.7 %
. (M)	-	2	0.1 %

LGTCHOR0 Time spent past yr light chores

Location: 830-831 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	Once/Wk Or Less	554	16.8 %
2	More Than Once/Wk But < Daily	1577	47.8 %
3	Daily Or More	1162	35.2 %
. (M)	-	2	0.1 %

MODCHOR0 Time spent past yr moderate chores

Location: 832-833 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	Once A Month Or Less	648	19.6 %
2	2-3 Times/Month	904	27.4 %
3	4 Or More Times/Month	1738	52.6 %
. (M)	-	2	0.1 %

VIGCHOR0 Time spent past yr vigorous chores

Location: 834-835 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
-1	N/A	2	0.1 %
1	Once A Month Or Less	2681	81.2 %
2	2-3 Times/Month	435	13.2 %
3	4 Or More Times/Month	170	5.1 %
. (M)	-	2	0.1 %

RECACTI0 Recreational activity compared to other women same age

Location: 836-837 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	Much Less	495	15.0 %
2	Somewhat Less	888	26.9 %
3	The Same	970	29.4 %
4	Somewhat More	734	22.2 %
5	Much More	202	6.1 %
. (M)	-	2	0.1 %

WATCHTV0 Time spent past yr watching TV

Location: 838-839 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
1	Never Or Less Than 1 Hr/Wk	184	5.6 %
2	At Least 1 Hr/Wk But < 1 Hr/Day	674	20.4 %
3	1-2 Hrs/Day	1241	37.6 %
4	2-4 Hrs/Day	856	25.9 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	More Than 4 Hrs/Day	337	10.2 %
. (M)	-	2	0.1 %

WALKBIK0

Time spent past yr walk/bike

Location: 840-841 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	Never/ < 5 Minutes Per Day	1706	51.7 %
2	5-15 Minutes/Day	689	20.9 %
3	16-30 Minutes/Day	520	15.7 %
4	31-45 Minutes/Day	193	5.8 %
5	More Than 45 Minutes/Day	179	5.4 %
. (M)	-	3	0.1 %

SWEATPA0

Time spent past yr sweat from exertion

Location: 842-843 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.4 %
1	Never/Less Than Once A Month	1188	36.0 %
2	Once A Month	424	12.8 %
3	2-3 Times A Month	417	12.6 %
4	Once/Wk	372	11.3 %
5	More Than Once/Wk	885	26.8 %
. (M)	-	2	0.1 %

SPORTS0

Time spent past yr sport/exercise

Location: 844-845 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	32	1.0 %
1	Never	900	27.3 %
2	Less Than Once A Month	425	12.9 %
3	Once A Month	175	5.3 %
4	2-3 Times A Month	357	10.8 %
5	Once A Week	357	10.8 %
6	More Than Once A Week	1054	31.9 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2	0.1 %

SPORT10 Sport (#1) done most freq past yr

Location: 846-865 (width: 20; decimal: 0)

Variable Type: character

HARTRT10 Incr heart rate sport 1

Location: 866-867 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	951	28.8 %
1	No	151	4.6 %
2	Yes, A Small Increase	785	23.8 %
3	Yes, A Moderate Increase	1062	32.2 %
4	Yes, A Large Increase	342	10.4 %
. (M)	-	3	0.1 %

SPORT1M0 Sport 1 # months

Location: 868-869 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	951	28.8 %
1	Less Than 1 Month	161	4.9 %
2	1-3 Months	447	13.5 %
3	4-6 Months	482	14.6 %
4	7-9 Months	316	9.6 %
5	More Than 9 Months	937	28.4 %
. (M)	-	2	0.1 %

SPORT1W0 Sport 1 hrs/wk

Location: 870-871 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	951	28.8 %
1	Less Than 1 Hour	482	14.6 %
2	At Least 1 But < 2 Hrs	591	17.9 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	At Least 2 But < 3 Hrs	479	14.5 %
4	At Least 3 But < 4 Hrs	386	11.7 %
5	More Than 4 Hours	405	12.3 %
. (M)	-	2	0.1 %

OTHSPOR0

Other sports done past yr

Location: 872-873 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	39	1.2 %
-1	N/A	900	27.3 %
1	No	1164	35.3 %
2	Yes	1197	36.3 %
. (M)	-	2	0.1 %

SPORT20

Sport (#2) second most freq past yr

Location: 874-893 (width: 20; decimal: 0)

Variable Type: character

HARTRT20

Incr heart rate sport 2

Location: 894-895 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-1	N/A	2109	63.9 %
1	No	79	2.4 %
2	Yes, A Small Increase	396	12.0 %
3	Yes, A Moderate Increase	524	15.9 %
4	Yes, A Large Increase	189	5.7 %
. (M)	-	2	0.1 %

SPORT2M0

Sport 2 # months

Location: 896-897 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2109	63.9 %
1	Less Than 1 Month	128	3.9 %
2	1-3 Months	377	11.4 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	4-6 Months	271	8.2 %
4	7-9 Months	112	3.4 %
5	More Than 9 Months	302	9.1 %
. (M)	-	2	0.1 %

SPORT2W0

Sport 2 hrs/wk

Location: 898-899 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2109	63.9 %
1	Less Than 1 Hour	273	8.3 %
2	At Least 1 But < 2 Hrs	371	11.2 %
3	At Least 2 But < 3 Hrs	291	8.8 %
4	At Least 3 But < 4 Hrs	139	4.2 %
5	More Than 4 Hours	115	3.5 %
. (M)	-	2	0.1 %

STIFF0

Stiffness/soreness past 2 wks

Location: 900-901 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.4 %
1	Not At All	866	26.2 %
2	1-5 Days	1471	44.5 %
3	6-8 Days	236	7.1 %
4	9-13 Days	149	4.5 %
5	Every Day	564	17.1 %
. (M)	-	2	0.1 %

COLDSWE0

Cold sweats past 2 wks

Location: 902-903 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	37	1.1 %
1	Not At All	2841	86.0 %
2	1-5 Days	283	8.6 %
3	6-8 Days	34	1.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	9-13 Days	16	0.5 %
5	Every Day	32	1.0 %
. (M)	-	59	1.8 %

NITESWE0 Night sweats past 2 wks

Location: 904-905 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
1	Not At All	2321	70.3 %
2	1-5 Days	745	22.6 %
3	6-8 Days	96	2.9 %
4	9-13 Days	49	1.5 %
5	Every Day	73	2.2 %
. (M)	-	2	0.1 %

VAGINDR0 Vaginal dryness past 2 wks

Location: 906-907 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	23	0.7 %
1	Not At All	2640	80.0 %
2	1-5 Days	462	14.0 %
3	6-8 Days	60	1.8 %
4	9-13 Days	44	1.3 %
5	Every Day	71	2.2 %
. (M)	-	2	0.1 %

FEELBLU0 Feeling blue past 2 wks

Location: 908-909 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.5 %
1	Not At All	1278	38.7 %
2	1-5 Days	1596	48.3 %
3	6-8 Days	194	5.9 %
4	9-13 Days	120	3.6 %
5	Every Day	94	2.8 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2	0.1 %

LEAKURI0 Leaking urine past 2 wks

Location: 910-911 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
1	Not At All	2262	68.5 %
2	1-5 Days	704	21.3 %
3	6-8 Days	103	3.1 %
4	9-13 Days	62	1.9 %
5	Every Day	153	4.6 %
. (M)	-	2	0.1 %

DIZZY0 Dizzy spells past 2 wks

Location: 912-913 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	19	0.6 %
1	Not At All	2518	76.3 %
2	1-5 Days	679	20.6 %
3	6-8 Days	45	1.4 %
4	9-13 Days	20	0.6 %
5	Every Day	19	0.6 %
. (M)	-	2	0.1 %

IRRITAB0 Irritability past 2 wks

Location: 914-915 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
1	Not At All	912	27.6 %
2	1-5 Days	1919	58.1 %
3	6-8 Days	271	8.2 %
4	9-13 Days	115	3.5 %
5	Every Day	67	2.0 %
. (M)	-	2	0.1 %

NRVOUS0 Tense/nervous past 2 wks

- Study 28762 -

Location: 916-917 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	19	0.6 %
1	Not At All	1149	34.8 %
2	1-5 Days	1636	49.5 %
3	6-8 Days	285	8.6 %
4	9-13 Days	105	3.2 %
5	Every Day	106	3.2 %
. (M)	-	2	0.1 %

FORGET0 Forgetfulness past 2 wks

Location: 918-919 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
1	Not At All	1244	37.7 %
2	1-5 Days	1440	43.6 %
3	6-8 Days	276	8.4 %
4	9-13 Days	132	4.0 %
5	Every Day	192	5.8 %
. (M)	-	2	0.1 %

MOODCHG0 Freq mood changes past 2 wks

Location: 920-921 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.5 %
1	Not At All	1608	48.7 %
2	1-5 Days	1295	39.2 %
3	6-8 Days	215	6.5 %
4	9-13 Days	98	3.0 %
5	Every Day	66	2.0 %
. (M)	-	2	0.1 %

HARTRAC0 Heart pounding/racing past 2 wks

Location: 922-923 (width: 2; decimal: 0)
Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
1	Not At All	2272	68.8 %
2	1-5 Days	823	24.9 %
3	6-8 Days	112	3.4 %
4	9-13 Days	42	1.3 %
5	Every Day	35	1.1 %
. (M)	-	2	0.1 %

HDACHE0

Headaches past 2 wks

Location: 924-925 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
1	Not At All	1257	38.1 %
2	1-5 Days	1641	49.7 %
3	6-8 Days	212	6.4 %
4	9-13 Days	106	3.2 %
5	Every Day	69	2.1 %
. (M)	-	2	0.1 %

HOTFLAS0

Hot flashes past 2 wks

Location: 926-927 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
1	Not At All	2407	72.9 %
2	1-5 Days	624	18.9 %
3	6-8 Days	108	3.3 %
4	9-13 Days	70	2.1 %
5	Every Day	76	2.3 %
. (M)	-	2	0.1 %

FLASHPH0

Hot flash makes uncomfortable

Location: 928-929 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.4 %
-1	N/A	2422	73.3 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	187	5.7 %
2	Yes	677	20.5 %
. (M)	-	2	0.1 %

FLASHEB0 Hot flash makes emotionally upset

Location: 930-931 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	52	1.6 %
-1	N/A	2423	73.4 %
1	No	640	19.4 %
2	Yes	184	5.6 %
. (M)	-	3	0.1 %

FLASHEM0 Hot flash makes embarrassed

Location: 932-933 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	50	1.5 %
-1	N/A	2423	73.4 %
1	No	635	19.2 %
2	Yes	191	5.8 %
. (M)	-	3	0.1 %

TRBLSLE0 Trouble falling asleep past 2 wks

Location: 934-935 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No, Not In The Past 2 Wks	1869	56.6 %
2	Yes, < Once A Wk	613	18.6 %
3	Yes, 1-2 Times/Wk	462	14.0 %
4	Yes, 3-4 Times/Wk	186	5.6 %
5	Yes, 5 or More Times/Wk	158	4.8 %
. (M)	-	2	0.1 %

WAKEUP0 Wake up several times/night past 2 wks

Location: 936-937 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
1	No, Not In The Past 2 Wks	1049	31.8 %
2	Yes, < Once A Wk	734	22.2 %
3	Yes, 1-2 Times/Wk	643	19.5 %
4	Yes, 3-4 Times/Wk	432	13.1 %
5	Yes, 5 or More Times/Wk	426	12.9 %
. (M)	-	2	0.1 %

WAKEARL0

Wake up early past 2 wks

Location: 938-939 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.4 %
1	No, Not In The Past 2 Wks	1608	48.7 %
2	Yes, < Once A Wk	716	21.7 %
3	Yes, 1-2 Times/Wk	541	16.4 %
4	Yes, 3-4 Times/Wk	243	7.4 %
5	Yes, 5 or More Times/Wk	179	5.4 %
. (M)	-	2	0.1 %

TYPNIGH0

Typical night's sleep past 2 wks

Location: 940-941 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.4 %
1	Very sound or restful	373	11.3 %
2	Sound or restful	879	26.6 %
3	Average quality	1353	41.0 %
4	Restless	570	17.3 %
5	Very restless	112	3.4 %
. (M)	-	2	0.1 %

GETUPUR0

How often get up to urinate

Location: 942-943 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	Never	522	15.8 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Rarely (< Once A Wk)	810	24.5 %
3	Once/Wk	241	7.3 %
4	A Few Times/Wk	611	18.5 %
5	Once A Night, Every Night	760	23.0 %
6	More Than Once Per Night	345	10.4 %
. (M)	-	2	0.1 %

INVOLEA0

Involuntary leakage past yr

Location: 944-945 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	42	1.3 %
1	No	1404	42.5 %
2	Yes	1854	56.1 %
. (M)	-	2	0.1 %

NOTILEA0

How long ago notice leakage

Location: 946-947 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
-1	N/A	1446	43.8 %
1	Within past year	670	20.3 %
2	1-2 Years Ago	540	16.4 %
3	3-4 Years Ago	318	9.6 %
4	5-9 Years Ago	161	4.9 %
5	0 or more Years Ago	155	4.7 %
. (M)	-	2	0.1 %

DAYSLEA0

Leakage days past mo

Location: 948-949 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	1446	43.8 %
1	Never	355	10.8 %
2	Less Than 1 Day/Week	996	30.2 %
3	Several Days/Week	321	9.7 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Almost Daily/Daily	175	5.3 %
. (M)	-	2	0.1 %

COUGHIN0 Coughing caused leakage

Location: 950-951 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	1446	43.8 %
1	No	808	24.5 %
2	Yes	1042	31.6 %
. (M)	-	2	0.1 %

LAUGHIN0 Laughing caused leakage

Location: 952-953 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	1446	43.8 %
1	No	1373	41.6 %
2	Yes	477	14.4 %
. (M)	-	2	0.1 %

SNEEZIN0 Sneezing caused leakage

Location: 954-955 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	1446	43.8 %
1	No	834	25.3 %
2	Yes	1016	30.8 %
. (M)	-	2	0.1 %

JOGGING0 Jogging caused leakage

Location: 956-957 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1446	43.8 %
1	No	1670	50.6 %
2	Yes	180	5.5 %
. (M)	-	2	0.1 %

PICKUP0 Picking up object caused leakage

Location: 958-959 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	1446	43.8 %
1	No	1717	52.0 %
2	Yes	133	4.0 %
. (M)	-	2	0.1 %

URGEVOI0 Urge to void caused leakage

Location: 960-961 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	1446	43.8 %
1	No	1093	33.1 %
2	Yes	757	22.9 %
. (M)	-	2	0.1 %

OTHRLEA0 Other causes of leakage

Location: 962-963 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
-1	N/A	1446	43.8 %
1	No	1671	50.6 %
2	Yes	171	5.2 %
. (M)	-	2	0.1 %

AMTLEAK0 Amount of leakage

Location: 964-965 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.5 %
-1	N/A	1446	43.8 %
1	A Drop Or Two	1134	34.3 %
2	Enough to Change Underwear/Wear Liner	647	19.6 %
3	Enough to Wet Outer Clothing	50	1.5 %
4	Enough to Wet Floor	6	0.2 %
. (M)	-	2	0.1 %

LEAKBOT0 Leakage bothers (scale 0-10)

Location: 966-968 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
-1	N/A	1446	43.8 %
0	-	121	3.7 %
1	-	250	7.6 %
2	-	202	6.1 %
3	-	198	6.0 %
4	-	151	4.6 %
5	-	314	9.5 %
6	-	102	3.1 %
7	-	115	3.5 %
8	-	111	3.4 %
9	-	76	2.3 %
10	-	203	6.1 %
. (M)	-	2	0.1 %

RMDYLEA0 Measures taken to remedy leakage

Location: 969-970 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
-1	N/A	1446	43.8 %
1	No	1133	34.3 %
2	Yes	705	21.4 %
. (M)	-	2	0.1 %

DISCLEA0 Discussed leakage w/dr

Location: 971-972 (width: 2; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2595	78.6 %
1	No	495	15.0 %
2	Yes	210	6.4 %
. (M)	-	2	0.1 %

MEDILEA0 Medication for leakage

Location: 973-974 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2595	78.6 %
1	No	679	20.6 %
2	Yes	26	0.8 %
. (M)	-	2	0.1 %

KEGELEX0 Kegel/pelvic floor exercise for leakage

Location: 975-976 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2595	78.6 %
1	No	370	11.2 %
2	Yes	335	10.1 %
. (M)	-	2	0.1 %

WEARPRO0 Wear protection for leakage

Location: 977-978 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2595	78.6 %
1	No	377	11.4 %
2	Yes	326	9.9 %
. (M)	-	2	0.1 %

WETPADS0 # of wet pads/day for leakage

Location: 979-981 (width: 3; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	28	0.8 %
-1	N/A	2975	90.1 %
0	-	5	0.2 %
1	-	180	5.5 %
2	-	72	2.2 %
3	-	22	0.7 %
4	-	13	0.4 %
5	-	2	0.1 %
6	-	2	0.1 %
10	-	1	0.0 %
. (M)	-	2	0.1 %

URINOFT0 Urinate more often for leakage

Location: 982-983 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2595	78.6 %
1	No	399	12.1 %
2	Yes	306	9.3 %
. (M)	-	2	0.1 %

RESTRAC0 Restrict activity for leakage

Location: 984-985 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2595	78.6 %
1	No	655	19.8 %
2	Yes	50	1.5 %
. (M)	-	2	0.1 %

SURGLEA0 Surgery for leakage

Location: 986-987 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2595	78.6 %
1	No	689	20.9 %
2	Yes	16	0.5 %
. (M)	-	2	0.1 %

- Study 28762 -

OTHRMEA0 Other measures for leakage

Location: 988-989 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2595	78.6 %
1	No	641	19.4 %
2	Yes	63	1.9 %
. (M)	-	2	0.1 %

BROKBON0 Ever had broken bone

Location: 990-991 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
-8	Do not know	3	0.1 %
1	No	2680	81.2 %
2	Yes	601	18.2 %
. (M)	-	2	0.1 %

HIPBRK0 Broken hip

Location: 992-993 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	28	0.8 %
-1	N/A	2699	81.7 %
1	No	565	17.1 %
2	Yes	8	0.2 %
. (M)	-	2	0.1 %

HIPAGE0 Broken hip - age

Location: 994-996 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	3291	99.7 %
21	-	2	0.1 %
22	-	1	0.0 %
30	-	2	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	-	2	0.1 %
47	-	1	0.0 %
. (M)	-	2	0.1 %

BACKBRK0 Broken back

Location: 997-998 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	29	0.9 %
-1	N/A	2699	81.7 %
1	No	541	16.4 %
2	Yes	31	0.9 %
. (M)	-	2	0.1 %

BACKAGE0 Broken back - age

Location: 999-1000 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	1	0.0 %
21	-	2	0.1 %
23	-	1	0.0 %
25	-	3	0.1 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	3	0.1 %
32	-	3	0.1 %
34	-	3	0.1 %
35	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.1 %
42	-	1	0.0 %
46	-	1	0.0 %
51	-	1	0.0 %
. (M)	-	3273	99.1 %

UPARMBR0 Broken upper arm

- Study 28762 -

Location: 1001-1002 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	28	0.8 %
-1	N/A	2699	81.7 %
1	No	535	16.2 %
2	Yes	38	1.2 %
. (M)	-	2	0.1 %

UPARMAG0 Broken upper arm - age

Location: 1003-1004 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	2	0.1 %
21	-	2	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
25	-	4	0.1 %
26	-	3	0.1 %
29	-	2	0.1 %
30	-	4	0.1 %
35	-	4	0.1 %
37	-	1	0.0 %
39	-	2	0.1 %
40	-	1	0.0 %
43	-	2	0.1 %
44	-	3	0.1 %
45	-	2	0.1 %
47	-	1	0.0 %
. (M)	-	3267	98.9 %

LOARMBR0 Broken lower arm

Location: 1005-1006 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	34	1.0 %
-1	N/A	2699	81.7 %
1	No	480	14.5 %
2	Yes	87	2.6 %
. (M)	-	2	0.1 %

- Study 28762 -

LOARMAG0

Broken lower arm - age

Location: 1007-1008 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	3	0.1 %
21	-	2	0.1 %
22	-	3	0.1 %
23	-	4	0.1 %
24	-	2	0.1 %
25	-	5	0.2 %
26	-	3	0.1 %
27	-	5	0.2 %
29	-	1	0.0 %
30	-	8	0.2 %
32	-	2	0.1 %
33	-	5	0.2 %
34	-	5	0.2 %
35	-	3	0.1 %
36	-	2	0.1 %
37	-	2	0.1 %
39	-	5	0.2 %
40	-	6	0.2 %
41	-	1	0.0 %
42	-	3	0.1 %
43	-	3	0.1 %
44	-	4	0.1 %
45	-	1	0.0 %
48	-	2	0.1 %
50	-	1	0.0 %
91	-	1	0.0 %
. (M)	-	3220	97.5 %

LOLEGBR0

Broken lower leg

Location: 1009-1010 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	29	0.9 %
-1	N/A	2699	81.7 %
1	No	421	12.7 %
2	Yes	151	4.6 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2	0.1 %

LOLEGAG0

Broken lower leg - age

Location: 1011-1012 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	2	0.1 %
21	-	5	0.2 %
22	-	3	0.1 %
23	-	3	0.1 %
24	-	7	0.2 %
25	-	7	0.2 %
26	-	3	0.1 %
27	-	3	0.1 %
28	-	1	0.0 %
29	-	3	0.1 %
30	-	14	0.4 %
31	-	3	0.1 %
32	-	3	0.1 %
33	-	3	0.1 %
34	-	8	0.2 %
35	-	6	0.2 %
36	-	3	0.1 %
37	-	5	0.2 %
38	-	3	0.1 %
39	-	6	0.2 %
40	-	17	0.5 %
41	-	6	0.2 %
42	-	9	0.3 %
43	-	5	0.2 %
44	-	5	0.2 %
45	-	4	0.1 %
46	-	2	0.1 %
47	-	3	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
52	-	1	0.0 %
92	-	1	0.0 %
. (M)	-	3156	95.6 %

- Study 28762 -

FOOTBRK0

Broken foot (not toe)

Location: 1013-1014 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	32	1.0 %
-1	N/A	2699	81.7 %
1	No	475	14.4 %
2	Yes	94	2.8 %
. (M)	-	2	0.1 %

FOOTAGE0

Broken foot - age

Location: 1015-1017 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	3205	97.1 %
21	-	1	0.0 %
22	-	5	0.2 %
23	-	5	0.2 %
24	-	4	0.1 %
25	-	3	0.1 %
26	-	4	0.1 %
27	-	2	0.1 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	5	0.2 %
31	-	3	0.1 %
32	-	3	0.1 %
33	-	3	0.1 %
34	-	6	0.2 %
35	-	9	0.3 %
36	-	4	0.1 %
37	-	2	0.1 %
39	-	1	0.0 %
40	-	10	0.3 %
41	-	2	0.1 %
42	-	6	0.2 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	7	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
47	-	3	0.1 %
48	-	1	0.0 %
. (M)	-	2	0.1 %

OTHBOBR0 Other broken bone

Location: 1018-1019 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	52	1.6 %
-1	N/A	2699	81.7 %
1	No	276	8.4 %
2	Yes	273	8.3 %
. (M)	-	2	0.1 %

OTHBOAG0 Other broken bone - age

Location: 1020-1021 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	-	5	0.2 %
21	-	4	0.1 %
22	-	9	0.3 %
23	-	5	0.2 %
24	-	7	0.2 %
25	-	16	0.5 %
26	-	10	0.3 %
27	-	6	0.2 %
28	-	11	0.3 %
29	-	10	0.3 %
30	-	13	0.4 %
31	-	4	0.1 %
32	-	4	0.1 %
33	-	7	0.2 %
34	-	6	0.2 %
35	-	19	0.6 %
36	-	11	0.3 %
37	-	16	0.5 %
38	-	7	0.2 %
39	-	8	0.2 %
40	-	18	0.5 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
41	-	7	0.2 %
42	-	13	0.4 %
43	-	9	0.3 %
44	-	9	0.3 %
45	-	5	0.2 %
46	-	6	0.2 %
47	-	2	0.1 %
48	-	2	0.1 %
49	-	3	0.1 %
50	-	2	0.1 %
51	-	1	0.0 %
70	-	1	0.0 %
. (M)	-	3046	92.2 %

BACKPN0 **Back pain consulted dr**

Location: 1022-1023 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	20	0.6 %
-8	Do not know	9	0.3 %
1	No	1822	55.2 %
2	Yes	1449	43.9 %
. (M)	-	2	0.1 %

BCKPNAG0 **Back pain - age**

Location: 1024-1026 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	20	0.6 %
-1	N/A	1851	56.1 %
4	-	1	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	3	0.1 %
12	-	5	0.2 %
13	-	3	0.1 %
14	-	2	0.1 %
15	-	9	0.3 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
16	-	19	0.6 %
17	-	9	0.3 %
18	-	10	0.3 %
19	-	18	0.5 %
20	-	21	0.6 %
21	-	12	0.4 %
22	-	21	0.6 %
23	-	19	0.6 %
24	-	19	0.6 %
25	-	55	1.7 %
26	-	30	0.9 %
27	-	32	1.0 %
28	-	38	1.2 %
29	-	22	0.7 %
30	-	92	2.8 %
31	-	22	0.7 %
32	-	36	1.1 %
33	-	35	1.1 %
34	-	31	0.9 %
35	-	103	3.1 %
36	-	50	1.5 %
37	-	31	0.9 %
38	-	54	1.6 %
39	-	51	1.5 %
40	-	152	4.6 %
41	-	52	1.6 %
42	-	78	2.4 %
43	-	54	1.6 %
44	-	41	1.2 %
45	-	64	1.9 %
46	-	40	1.2 %
47	-	38	1.2 %
48	-	25	0.8 %
49	-	10	0.3 %
50	-	15	0.5 %
51	-	2	0.1 %
52	-	2	0.1 %
. (M)	-	2	0.1 %

BACKSUR0

Back pain surgery

- Study 28762 -

Location: 1027-1028 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
-8	Do not know	1	0.0 %
-1	N/A	1851	56.1 %
1	No	1375	41.6 %
2	Yes	64	1.9 %
. (M)	-	2	0.1 %

BKSRGAG0 Back pain surgery - age

Location: 1029-1031 (width: 3; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
-1	N/A	3235	98.0 %
10	-	1	0.0 %
11	-	2	0.1 %
16	-	2	0.1 %
18	-	1	0.0 %
19	-	2	0.1 %
21	-	1	0.0 %
23	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	2	0.1 %
28	-	1	0.0 %
30	-	1	0.0 %
31	-	3	0.1 %
32	-	5	0.2 %
34	-	3	0.1 %
36	-	3	0.1 %
38	-	8	0.2 %
39	-	2	0.1 %
40	-	1	0.0 %
41	-	2	0.1 %
42	-	3	0.1 %
43	-	3	0.1 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	3	0.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
47	-	3	0.1 %
. (M)	-	2	0.1 %

BACKPRO0 Nature of back problem

Location: 1032-1033 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	59	1.8 %
-8	Do not know	84	2.5 %
-1	N/A	1851	56.1 %
1	Disk	191	5.8 %
2	Injury	283	8.6 %
3	Pain	521	15.8 %
4	Other Back Problem	311	9.4 %
. (M)	-	2	0.1 %

BACKTRE0 Back pain being treated

Location: 1034-1035 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	1851	56.1 %
1	No	1225	37.1 %
2	Yes	218	6.6 %
. (M)	-	2	0.1 %

TUBETIE0 Had tubes tied

Location: 1036-1037 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	30	0.9 %
1	No	2161	65.4 %
2	Yes	1109	33.6 %
. (M)	-	2	0.1 %

DANDC0 Had D & C

Location: 1038-1039 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	30	0.9 %
-8	Do not know	17	0.5 %
1	No	1716	52.0 %
2	Yes	1537	46.5 %
. (M)	-	2	0.1 %

DANDCNU0 # times had D & C

Location: 1040-1042 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	89	2.7 %
-1	N/A	1762	53.4 %
1	-	847	25.7 %
2	-	373	11.3 %
3	-	145	4.4 %
4	-	49	1.5 %
5	-	19	0.6 %
6	-	10	0.3 %
7	-	2	0.1 %
8	-	1	0.0 %
10	-	1	0.0 %
22	-	1	0.0 %
. (M)	-	3	0.1 %

INFALLO0 Had infected fallopian tubes

Location: 1043-1044 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	46	1.4 %
-8	Do not know	21	0.6 %
1	No	3084	93.4 %
2	Yes	149	4.5 %
. (M)	-	2	0.1 %

UTERPRO0 Had uterine procedures

Location: 1045-1046 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	52	1.6 %
-8	Do not know	37	1.1 %
1	No	2905	88.0 %
2	Yes	306	9.3 %
. (M)	-	2	0.1 %

THYRDRM0 Had thyroid gland removed

Location: 1047-1048 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	52	1.6 %
-8	Do not know	3	0.1 %
1	No	3171	96.0 %
2	Yes	74	2.2 %
. (M)	-	2	0.1 %

NUTRIRE0 Nutritional remedies past yr

Location: 1049-1050 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	No	2239	67.8 %
2	Yes	1052	31.9 %
. (M)	-	2	0.1 %

NUTRSYM0 Nutritional remedies for pd/menopause

Location: 1051-1052 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	39	1.2 %
-1	N/A	2248	68.1 %
1	No	857	26.0 %
2	Yes	156	4.7 %
. (M)	-	2	0.1 %

HERBREMO Herbal remedies past yr

Location: 1053-1054 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	2694	81.6 %
2	Yes	594	18.0 %
. (M)	-	2	0.1 %

HERBSYM0 Herbal remedies for pd/menopause

Location: 1055-1056 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	35	1.1 %
-1	N/A	2706	82.0 %
1	No	401	12.1 %
2	Yes	158	4.8 %
. (M)	-	2	0.1 %

PSYCMET0 Psychological methods past yr

Location: 1057-1058 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.4 %
1	No	2629	79.6 %
2	Yes	658	19.9 %
. (M)	-	2	0.1 %

PSYCSYM0 Psychological methods for pd/menopause

Location: 1059-1060 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	31	0.9 %
-1	N/A	2642	80.0 %
1	No	542	16.4 %
2	Yes	85	2.6 %
. (M)	-	2	0.1 %

PHYSMET0 Physical methods past yr

Location: 1061-1062 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
1	No	2730	82.7 %
2	Yes	554	16.8 %
. (M)	-	2	0.1 %

PHYSSYM0 **Physical methods for pd/menopause**

Location: 1063-1064 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	21	0.6 %
-1	N/A	2746	83.2 %
1	No	481	14.6 %
2	Yes	52	1.6 %
. (M)	-	2	0.1 %

FOLKMED0 **Folk medicine past yr**

Location: 1065-1066 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.5 %
1	No	3101	93.9 %
2	Yes	182	5.5 %
. (M)	-	2	0.1 %

FOLKSYM0 **Folk medicine for pd/menopause**

Location: 1067-1068 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
-1	N/A	3118	94.4 %
1	No	130	3.9 %
2	Yes	40	1.2 %
. (M)	-	2	0.1 %

FAITH0 **How important is religious faith**

Location: 1069-1070 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
1	Not At All Important	219	6.6 %
2	Not Very Important	307	9.3 %
3	Somewhat Important	873	26.4 %
4	Very Important	1893	57.3 %
. (M)	-	2	0.1 %

SOURCOM0 **How much is religion a source of strength/comfort**

Location: 1071-1072 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	None	334	10.1 %
2	A Little	909	27.5 %
3	A Great Deal	2050	62.1 %
. (M)	-	2	0.1 %

RELIPRE0 **Religious preference**

Location: 1073-1075 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	31	0.9 %
1	Lutheran	81	2.5 %
2	Methodist	154	4.7 %
3	Baptist	540	16.4 %
4	Episcopal	84	2.5 %
5	Presbyterian	100	3.0 %
6	Other Protestant	351	10.6 %
7	Roman Catholic	917	27.8 %
8	Jewish	70	2.1 %
9	Orthodox Christian	15	0.5 %
10	Islam	14	0.4 %
11	Buddhism	166	5.0 %
15	Spiritual, not religious	293	8.9 %
16	Other, incl agnostic/atheist	210	6.4 %
17	None	274	8.3 %
. (M)	-	2	0.1 %

PRAY0 **How often pray/meditate**

- Study 28762 -

Location: 1076-1077 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	Never	288	8.7 %
2	< Once a Yr	124	3.8 %
3	Yearly/Few Times a Yr	290	8.8 %
4	Monthly/Few Times a Mon	326	9.9 %
5	At Least Once/Wk - 1-3 times/wk	637	19.3 %
6	Nearly every day - >=4 times/wk	1628	49.3 %
. (M)	-	2	0.1 %

RELISRV0 **How often attend religious services**

Location: 1078-1079 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	Never	554	16.8 %
2	< Once a Yr	405	12.3 %
3	Yearly/Few Times a Yr	639	19.4 %
4	Monthly/Few Times a Mon	527	16.0 %
5	At Least Once/Wk - 1-3 times/wk	1101	33.3 %
6	Nearly every day - >=4 times/wk	68	2.1 %
. (M)	-	2	0.1 %

RELICOM0 **Can turn to religious community w/problems**

Location: 1080-1081 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	27	0.8 %
1	Strongly Disagree	809	24.5 %
2	Somewhat Disagree	389	11.8 %
3	Somewhat Agree	890	27.0 %
4	Strongly Agree	975	29.5 %
. (M)	-	212	6.4 %

COURTES0 **Treated w/less courtesy than others**

Location: 1082-1083 (width: 2; decimal: 0)
Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	Often	68	2.1 %
2	Sometimes	794	24.0 %
3	Rarely	1656	50.2 %
4	Never	772	23.4 %
. (M)	-	2	0.1 %

RESPECT0 **Treated w/less respect than others**

Location: 1084-1085 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	Often	58	1.8 %
2	Sometimes	681	20.6 %
3	Rarely	1704	51.6 %
4	Never	846	25.6 %
. (M)	-	2	0.1 %

POORSER0 **Received poorer service than others**

Location: 1086-1087 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	Often	33	1.0 %
2	Sometimes	458	13.9 %
3	Rarely	1687	51.1 %
4	Never	1116	33.8 %
. (M)	-	2	0.1 %

NOTSMAR0 **People think not as smart as others**

Location: 1088-1089 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
1	Often	71	2.2 %
2	Sometimes	520	15.7 %
3	Rarely	1447	43.8 %
4	Never	1254	38.0 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2	0.1 %

AFRAID00

People act as if afraid of you

Location: 1090-1091 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	Often	49	1.5 %
2	Sometimes	419	12.7 %
3	Rarely	1090	33.0 %
4	Never	1735	52.5 %
. (M)	-	2	0.1 %

DISHONS0

People think you are dishonest

Location: 1092-1093 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.2 %
1	Often	25	0.8 %
2	Sometimes	154	4.7 %
3	Rarely	878	26.6 %
4	Never	2235	67.7 %
. (M)	-	2	0.1 %

BETTER0

People act as if better than you

Location: 1094-1095 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	Often	82	2.5 %
2	Sometimes	854	25.9 %
3	Rarely	1487	45.0 %
4	Never	871	26.4 %
. (M)	-	2	0.1 %

INSULTE0

Insulted by other people

Location: 1096-1097 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	Often	24	0.7 %
2	Sometimes	208	6.3 %
3	Rarely	866	26.2 %
4	Never	2195	66.5 %
. (M)	-	2	0.1 %

HARASSE0

Harrassed by other people

Location: 1098-1099 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	Often	30	0.9 %
2	Sometimes	144	4.4 %
3	Rarely	740	22.4 %
4	Never	2380	72.1 %
. (M)	-	2	0.1 %

IGNORED0

Ignored by other people

Location: 1100-1101 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Often	33	1.0 %
2	Sometimes	480	14.5 %
3	Rarely	1322	40.0 %
4	Never	1459	44.2 %
. (M)	-	3	0.1 %

MAINREA0

Main reason for experiences

Location: 1102-1103 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	154	4.7 %
-1	N/A	1634	49.5 %
1	Race	426	12.9 %
2	Ethnicity	49	1.5 %
3	Gender	202	6.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Age	77	2.3 %
5	Income Level	90	2.7 %
6	Language	61	1.8 %
7	Physical Appearance	184	5.6 %
8	Sexual Orientation	24	0.7 %
9	Other reason	398	12.1 %
. (M)	-	3	0.1 %

TREATBA0 Treated badly receiving health care past yr

Location: 1104-1105 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	40	1.2 %
-8	Do not know	37	1.1 %
1	No	2842	86.1 %
2	Yes	150	4.5 %
3	Didn't receive any health care	231	7.0 %
. (M)	-	2	0.1 %

INCOME0 Total family income

Location: 1106-1107 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
-8	Do not know	30	0.9 %
-7	Refused	42	1.3 %
1	Less Than \$19,999	490	14.8 %
2	\$20,000 to \$49,999	1088	32.9 %
3	\$50,000 to \$99,999	1162	35.2 %
4	\$100,000 or More	472	14.3 %
. (M)	-	2	0.1 %

STARTNE0 Started new job/school upsetting past yr

Location: 1108-1109 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.5 %
1	No	2380	72.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes, Not At All Upsetting	477	14.4 %
3	Yes, Somewhat Upsetting	362	11.0 %
4	Yes, Very Upsetting	63	1.9 %
. (M)	-	2	0.1 %

WORKTRB0 Work problems upsetting past yr

Location: 1110-1111 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.5 %
-1	N/A	1	0.0 %
1	No	1992	60.3 %
2	Yes, Not At All Upsetting	203	6.1 %
3	Yes, Somewhat Upsetting	782	23.7 %
4	Yes, Very Upsetting	305	9.2 %
. (M)	-	2	0.1 %

QUITJOB0 Quit job upsetting past yr

Location: 1112-1113 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.5 %
1	No	2950	89.3 %
2	Yes, Not At All Upsetting	123	3.7 %
3	Yes, Somewhat Upsetting	103	3.1 %
4	Yes, Very Upsetting	107	3.2 %
. (M)	-	2	0.1 %

WORKLOA0 Increase work load upsetting past yr

Location: 1114-1115 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	21	0.6 %
1	No	2130	64.5 %
2	Yes, Not At All Upsetting	459	13.9 %
3	Yes, Somewhat Upsetting	582	17.6 %
4	Yes, Very Upsetting	108	3.3 %
. (M)	-	2	0.1 %

- Study 28762 -

PRTUNEM0 Partner unemployed upsetting past yr

Location: 1116-1117 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
-1	N/A	1	0.0 %
1	No	3027	91.7 %
2	Yes, Not At All Upsetting	43	1.3 %
3	Yes, Somewhat Upsetting	130	3.9 %
4	Yes, Very Upsetting	83	2.5 %
. (M)	-	2	0.1 %

MONEYPRO0 Money problems upsetting past yr

Location: 1118-1119 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	19	0.6 %
1	No	2153	65.2 %
2	Yes, Not At All Upsetting	164	5.0 %
3	Yes, Somewhat Upsetting	624	18.9 %
4	Yes, Very Upsetting	340	10.3 %
. (M)	-	2	0.1 %

WORSRELO0 Worsening relationship upsetting past yr

Location: 1120-1121 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	24	0.7 %
-1	N/A	1	0.0 %
1	No	2739	82.9 %
2	Yes, Not At All Upsetting	91	2.8 %
3	Yes, Somewhat Upsetting	279	8.4 %
4	Yes, Very Upsetting	166	5.0 %
. (M)	-	2	0.1 %

RELATEN0 Ended relationship upsetting past yr

Location: 1122-1123 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
-1	N/A	1	0.0 %
1	No	3041	92.1 %
2	Yes, Not At All Upsetting	37	1.1 %
3	Yes, Somewhat Upsetting	92	2.8 %
4	Yes, Very Upsetting	114	3.5 %
. (M)	-	2	0.1 %

SERIPRO0 **Serious family problem upsetting past yr**

Location: 1124-1125 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	2155	65.3 %
2	Yes, Not At All Upsetting	93	2.8 %
3	Yes, Somewhat Upsetting	575	17.4 %
4	Yes, Very Upsetting	466	14.1 %
. (M)	-	2	0.1 %

CHILDMO0 **Child moved upsetting past yr**

Location: 1126-1127 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.5 %
1	No	2646	80.1 %
2	Yes, Not At All Upsetting	257	7.8 %
3	Yes, Somewhat Upsetting	270	8.2 %
4	Yes, Very Upsetting	110	3.3 %
. (M)	-	2	0.1 %

HURT0 **Hurt by someone close upsetting past yr**

Location: 1128-1129 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	3182	96.4 %
2	Yes, Not At All Upsetting	9	0.3 %
3	Yes, Somewhat Upsetting	36	1.1 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Yes, Very Upsetting	62	1.9 %
. (M)	-	2	0.1 %

RESPCAR0 Responsibility for care upsetting past yr

Location: 1130-1131 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	2730	82.7 %
2	Yes, Not At All Upsetting	264	8.0 %
3	Yes, Somewhat Upsetting	226	6.8 %
4	Yes, Very Upsetting	69	2.1 %
. (M)	-	2	0.1 %

LEGALPR0 Legal problems upsetting past yr

Location: 1132-1133 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	No	2789	84.5 %
2	Yes, Not At All Upsetting	93	2.8 %
3	Yes, Somewhat Upsetting	239	7.2 %
4	Yes, Very Upsetting	170	5.1 %
. (M)	-	2	0.1 %

MOVEHOM0 Moved to new home upsetting past yr

Location: 1134-1135 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	3065	92.8 %
2	Yes, Not At All Upsetting	106	3.2 %
3	Yes, Somewhat Upsetting	80	2.4 %
4	Yes, Very Upsetting	38	1.2 %
. (M)	-	2	0.1 %

STARTRE0 Reconciled/married/new relat upsetting past yr

Location: 1136-1137 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.3 %
1	No	3113	94.3 %
2	Yes, Not At All Upsetting	117	3.5 %
3	Yes, Somewhat Upsetting	44	1.3 %
4	Yes, Very Upsetting	15	0.5 %
. (M)	-	2	0.1 %

HUSB DIE0 Husband/partner died upsetting past yr

Location: 1138-1139 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	94	2.8 %
1	No	3165	95.9 %
2	Yes, Not At All Upsetting	2	0.1 %
3	Yes, Somewhat Upsetting	12	0.4 %
4	Yes, Very Upsetting	27	0.8 %
. (M)	-	2	0.1 %

CHLDDIE0 Child died upsetting past yr

Location: 1140-1141 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	124	3.8 %
1	No	3145	95.2 %
2	Yes, Not At All Upsetting	3	0.1 %
3	Yes, Somewhat Upsetting	8	0.2 %
4	Yes, Very Upsetting	19	0.6 %
. (M)	-	3	0.1 %

PRNTDIE0 Parent died upsetting past yr

Location: 1142-1143 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	93	2.8 %
1	No	2967	89.9 %
2	Yes, Not At All Upsetting	13	0.4 %
3	Yes, Somewhat Upsetting	72	2.2 %
4	Yes, Very Upsetting	154	4.7 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	3	0.1 %

OTHRDIE0 Other close relative died upsetting past yr

Location: 1144-1145 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	168	5.1 %
1	No	2762	83.6 %
2	Yes, Not At All Upsetting	31	0.9 %
3	Yes, Somewhat Upsetting	154	4.7 %
4	Yes, Very Upsetting	184	5.6 %
. (M)	-	3	0.1 %

FRDDIED0 Close friend died upsetting past yr

Location: 1146-1147 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	65	2.0 %
1	No	2830	85.7 %
2	Yes, Not At All Upsetting	31	0.9 %
3	Yes, Somewhat Upsetting	201	6.1 %
4	Yes, Very Upsetting	172	5.2 %
. (M)	-	3	0.1 %

OTHRELD0 Other relative died upsetting past yr

Location: 1148-1149 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	108	3.3 %
1	No	2716	82.3 %
2	Yes, Not At All Upsetting	95	2.9 %
3	Yes, Somewhat Upsetting	255	7.7 %
4	Yes, Very Upsetting	125	3.8 %
. (M)	-	3	0.1 %

OTH2DIE0 Other person died upsetting past yr

Location: 1150-1151 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	210	6.4 %
1	No	2845	86.2 %
2	Yes, Not At All Upsetting	27	0.8 %
3	Yes, Somewhat Upsetting	140	4.2 %
4	Yes, Very Upsetting	76	2.3 %
. (M)	-	4	0.1 %

SELFVIO0 Violent event to self upsetting past yr

Location: 1152-1153 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	25	0.8 %
1	No	3068	92.9 %
2	Yes, Not At All Upsetting	9	0.3 %
3	Yes, Somewhat Upsetting	78	2.4 %
4	Yes, Very Upsetting	119	3.6 %
. (M)	-	3	0.1 %

HUSBVIO0 Violent event to partner upsetting past yr

Location: 1154-1155 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	63	1.9 %
1	No	3161	95.7 %
2	Yes, Not At All Upsetting	4	0.1 %
3	Yes, Somewhat Upsetting	34	1.0 %
4	Yes, Very Upsetting	36	1.1 %
. (M)	-	4	0.1 %

CHLDVIO0 Violent event to child upsetting past yr

Location: 1156-1157 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	60	1.8 %
1	No	3047	92.3 %
2	Yes, Not At All Upsetting	16	0.5 %
3	Yes, Somewhat Upsetting	69	2.1 %
4	Yes, Very Upsetting	107	3.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	3	0.1 %

OTHFMV10 Violent event to other fam mem upsetting past yr

Location: 1158-1159 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	72	2.2 %
1	No	3095	93.7 %
2	Yes, Not At All Upsetting	9	0.3 %
3	Yes, Somewhat Upsetting	61	1.8 %
4	Yes, Very Upsetting	61	1.8 %
. (M)	-	4	0.1 %

OTHVIOLO Violent event other person upsetting past yr

Location: 1160-1161 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	166	5.0 %
1	No	3075	93.1 %
2	Yes, Not At All Upsetting	3	0.1 %
3	Yes, Somewhat Upsetting	25	0.8 %
4	Yes, Very Upsetting	29	0.9 %
. (M)	-	4	0.1 %

HUSBILLO Serious illness partner upsetting past yr

Location: 1162-1163 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	36	1.1 %
1	No	2999	90.8 %
2	Yes, Not At All Upsetting	12	0.4 %
3	Yes, Somewhat Upsetting	120	3.6 %
4	Yes, Very Upsetting	132	4.0 %
. (M)	-	3	0.1 %

CHILDILO Serious illness child upsetting past yr

Location: 1164-1165 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	66	2.0 %
1	No	3006	91.0 %
2	Yes, Not At All Upsetting	15	0.5 %
3	Yes, Somewhat Upsetting	88	2.7 %
4	Yes, Very Upsetting	123	3.7 %
. (M)	-	4	0.1 %

PRNTILLO **Serious illness parent upsetting past yr**

Location: 1166-1167 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	65	2.0 %
1	No	2872	87.0 %
2	Yes, Not At All Upsetting	23	0.7 %
3	Yes, Somewhat Upsetting	171	5.2 %
4	Yes, Very Upsetting	167	5.1 %
. (M)	-	4	0.1 %

FRNDILLO **Serious illness close friend upsetting past yr**

Location: 1168-1169 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	70	2.1 %
1	No	2977	90.2 %
2	Yes, Not At All Upsetting	17	0.5 %
3	Yes, Somewhat Upsetting	149	4.5 %
4	Yes, Very Upsetting	85	2.6 %
. (M)	-	4	0.1 %

OTHRELIO **Serious illness other fam mem upsetting past yr**

Location: 1170-1171 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	68	2.1 %
1	No	2807	85.0 %
2	Yes, Not At All Upsetting	36	1.1 %
3	Yes, Somewhat Upsetting	236	7.1 %
4	Yes, Very Upsetting	152	4.6 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	3	0.1 %

OTHILL0 **Serious illness oth person upsetting past yr**

Location: 1172-1173 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	206	6.2 %
1	No	2991	90.6 %
2	Yes, Not At All Upsetting	10	0.3 %
3	Yes, Somewhat Upsetting	46	1.4 %
4	Yes, Very Upsetting	45	1.4 %
. (M)	-	4	0.1 %

MAJEVEN0 **Other major event upsetting past yr**

Location: 1174-1175 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	181	5.5 %
1	No	2787	84.4 %
2	Yes, Not At All Upsetting	30	0.9 %
3	Yes, Somewhat Upsetting	125	3.8 %
4	Yes, Very Upsetting	176	5.3 %
. (M)	-	3	0.1 %

TAKEORD0 **Take orders from knowledgeable**

Location: 1176-1177 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.5 %
1	False	2100	63.6 %
2	True	1183	35.8 %
. (M)	-	2	0.1 %

BADLUCK0 **People make bad luck for sympathy**

Location: 1178-1179 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	22	0.7 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	False	2270	68.7 %
2	True	1008	30.5 %
. (M)	-	2	0.1 %

ARGUMEN0 Takes argument to convince people of truth

Location: 1180-1181 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	27	0.8 %
-8	Do not know	1	0.0 %
1	False	2288	69.3 %
2	True	984	29.8 %
. (M)	-	2	0.1 %

HONEST0 People honest for fear of being caught

Location: 1182-1183 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	26	0.8 %
-8	Do not know	1	0.0 %
-1	N/A	1	0.0 %
1	False	2303	69.7 %
2	True	969	29.3 %
. (M)	-	2	0.1 %

PROFIT0 Unfair means for profit

Location: 1184-1185 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	28	0.8 %
-8	Do not know	1	0.0 %
-1	N/A	1	0.0 %
1	False	1955	59.2 %
2	True	1315	39.8 %
. (M)	-	2	0.1 %

NONECAR0 No one cares what happens to you

Location: 1186-1187 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.5 %
1	False	2836	85.9 %
2	True	448	13.6 %
. (M)	-	2	0.1 %

NOTRUST0 Trust nobody

Location: 1188-1189 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	31	0.9 %
1	False	2681	81.2 %
2	True	588	17.8 %
. (M)	-	2	0.1 %

FRIENDS0 Friends are useful

Location: 1190-1191 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	28	0.8 %
1	False	2660	80.6 %
2	True	612	18.5 %
. (M)	-	2	0.1 %

PUTOUT0 Most don't want to put self out

Location: 1192-1193 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	22	0.7 %
1	False	2298	69.6 %
2	True	980	29.7 %
. (M)	-	2	0.1 %

EXPERTS0 Experts no better than I

Location: 1194-1195 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	34	1.0 %
1	False	1736	52.6 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	True	1530	46.3 %
. (M)	-	2	0.1 %

RIGHTS0 **Respect for rights**

Location: 1196-1197 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	27	0.8 %
1	False	1203	36.4 %
2	True	2070	62.7 %
. (M)	-	2	0.1 %

SEXBEHA0 **Bad sexual behavior common**

Location: 1198-1199 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	62	1.9 %
1	False	2334	70.7 %
2	True	903	27.3 %
. (M)	-	3	0.1 %

GETAHEA0 **Most would lie to get ahead**

Location: 1200-1201 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	34	1.0 %
1	False	2137	64.7 %
2	True	1129	34.2 %
. (M)	-	2	0.1 %

SABDAY0 **Self-administered-Part B Day**

Location: 1202-1205 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-105	1	0.0 %
-77	1	0.0 %
-46	2	0.1 %
-38	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-35	1	0.0 %
-32	1	0.0 %
-30	1	0.0 %
-15	1	0.0 %
-12	1	0.0 %
-11	1	0.0 %
-10	3	0.1 %
-9	2	0.1 %
-8	1	0.0 %
-7	1	0.0 %
-6	4	0.1 %
-5	2	0.1 %
-4	2	0.1 %
-3	1	0.0 %
-2	4	0.1 %
-1	7	0.2 %
0	3131	94.8 %
1	16	0.5 %
2	4	0.1 %
3	5	0.2 %
4	3	0.1 %
5	3	0.1 %
6	2	0.1 %
7	6	0.2 %
8	2	0.1 %
9	1	0.0 %
10	1	0.0 %
11	3	0.1 %
12	2	0.1 %
13	3	0.1 %
14	4	0.1 %
15	3	0.1 %
16	3	0.1 %
18	1	0.0 %
19	3	0.1 %
20	2	0.1 %
21	1	0.0 %
22	2	0.1 %
23	1	0.0 %
25	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	1	0.0 %
27	1	0.0 %
28	2	0.1 %
30	1	0.0 %
40	1	0.0 %
49	1	0.0 %
50	1	0.0 %
51	1	0.0 %
53	2	0.1 %
55	2	0.1 %
69	1	0.0 %
77	2	0.1 %
78	1	0.0 %
84	1	0.0 %
85	2	0.1 %
89	1	0.0 %
90	2	0.1 %
161	1	0.0 %
. (M)	37	1.1 %

LANGSB0 **Language of Self-Administered, Part B**

Location: 1206-1207 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	English	2832	85.8 %
2	Spanish	233	7.1 %
3	Cantonese	95	2.9 %
4	Japanese	114	3.5 %
. (M)	-	25	0.8 %

IMPORSE0 **Importance of Sex**

Location: 1208-1209 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	20	0.6 %
1	Extremely Important	229	6.9 %
2	Quite Important	820	24.8 %
3	Moderately Important	1448	43.9 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Not Very Important	603	18.3 %
5	Not At All Important	157	4.8 %
. (M)	-	25	0.8 %

DESIRSE0 **Desire to Engage in Sex**

Location: 1210-1211 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	24	0.7 %
1	Not At All	246	7.5 %
2	Once or Twice/Mon	1107	33.5 %
3	About Once/Wk	948	28.7 %
4	More than Once/Wk	843	25.5 %
5	Daily	109	3.3 %
. (M)	-	25	0.8 %

ENGAGSE0 **Engaged in Sexual Activity**

Location: 1212-1213 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	131	4.0 %
1	No	676	20.5 %
2	Yes	2470	74.8 %
. (M)	-	25	0.8 %

NOPARTN0 **No Sex Last 6 Mos: No Partner**

Location: 1214-1215 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	46	1.4 %
-1	N/A	2598	78.7 %
1	No	201	6.1 %
2	Yes	432	13.1 %
. (M)	-	25	0.8 %

PARTPRO0 **No Sex Last 6 Mos: Partner Phys Prob**

Location: 1216-1217 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	102	3.1 %
-1	N/A	2600	78.7 %
1	No	511	15.5 %
2	Yes	64	1.9 %
. (M)	-	25	0.8 %

PHYSPRO0 **No Sex Last 6 Mos: Phys Prob**

Location: 1218-1219 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	95	2.9 %
-1	N/A	2599	78.7 %
1	No	559	16.9 %
2	Yes	24	0.7 %
. (M)	-	25	0.8 %

PARTIRE0 **No Sex Last 6 Mos: Partner Tired/Busy**

Location: 1220-1221 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	109	3.3 %
-1	N/A	2600	78.7 %
1	No	497	15.1 %
2	Yes	71	2.2 %
. (M)	-	25	0.8 %

NOINTRS0 **No Sex Last 6 Mos: No Interest**

Location: 1222-1223 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	97	2.9 %
-1	N/A	2600	78.7 %
1	No	405	12.3 %
2	Yes	175	5.3 %
. (M)	-	25	0.8 %

PARTNOI0 **No Sex Last 6 Mos: Partner No Interest**

Location: 1224-1225 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	117	3.5 %
-1	N/A	2600	78.7 %
1	No	470	14.2 %
2	Yes	90	2.7 %
. (M)	-	25	0.8 %

NOSEXOT0 No Sex Last 6 Mos: Other Reason

Location: 1226-1227 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	301	9.1 %
-1	N/A	2599	78.7 %
1	No	293	8.9 %
2	Yes	84	2.5 %
. (M)	-	25	0.8 %

PHYSPLE0 Physically Pleasurable

Location: 1228-1229 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	30	0.9 %
-1	N/A	680	20.6 %
1	Extremely Pleasurable	402	12.2 %
2	Very Pleasurable	1095	33.2 %
3	Moderately Pleasurable	791	24.0 %
4	Slightly Pleasurable	236	7.1 %
5	Not At All Pleasurable	43	1.3 %
. (M)	-	25	0.8 %

SATISFY0 Emotionally Satisfying

Location: 1230-1231 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	32	1.0 %
-1	N/A	680	20.6 %
1	Extremely Satisfying	348	10.5 %
2	Very Satisfying	1042	31.6 %
3	Moderately Satisfying	818	24.8 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Slightly Satisfying	283	8.6 %
5	Not At All Satisfying	74	2.2 %
. (M)	-	25	0.8 %

LOVE0 Reasons for having sex: Love

Location: 1232-1233 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	116	3.5 %
-1	N/A	680	20.6 %
1	No	209	6.3 %
2	Yes	2272	68.8 %
. (M)	-	25	0.8 %

TENSION0 Reasons for having sex: Relieve Tension

Location: 1234-1235 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	184	5.6 %
-1	N/A	680	20.6 %
1	No	650	19.7 %
2	Yes	1763	53.4 %
. (M)	-	25	0.8 %

PARTWAN0 Reasons for having sex: Partner Wanted

Location: 1236-1237 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	188	5.7 %
-1	N/A	680	20.6 %
1	No	614	18.6 %
2	Yes	1795	54.4 %
. (M)	-	25	0.8 %

PLEASUR0 Reasons for having sex: Pleasure

Location: 1238-1239 (width: 2; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	165	5.0 %
-1	N/A	680	20.6 %
1	No	270	8.2 %
2	Yes	2162	65.5 %
. (M)	-	25	0.8 %

SEXOTH0 **Reasons for having sex: Other Reason**

Location: 1240-1241 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1372	41.6 %
-1	N/A	680	20.6 %
1	No	1168	35.4 %
2	Yes	57	1.7 %
. (M)	-	25	0.8 %

KISSING0 **Freq of Sexual Activity: Kissing**

Location: 1242-1243 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	72	2.2 %
-1	N/A	680	20.6 %
1	Not At All	71	2.2 %
2	Once or Twice/Mon	354	10.7 %
3	About Once/Wk	358	10.8 %
4	More than Once/Wk	606	18.4 %
5	Daily	1136	34.4 %
. (M)	-	25	0.8 %

TOUCHIN0 **Freq of Sexual Activity: Touching**

Location: 1244-1245 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	103	3.1 %
-1	N/A	680	20.6 %
1	Not At All	66	2.0 %
2	Once or Twice/Mon	583	17.7 %
3	About Once/Wk	613	18.6 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	More than Once/Wk	898	27.2 %
5	Daily	334	10.1 %
. (M)	-	25	0.8 %

ORALSEX0 Freq of Sexual Activity: Oral Sex

Location: 1246-1247 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	159	4.8 %
-1	N/A	680	20.6 %
1	Not At All	1007	30.5 %
2	Once or Twice/Mon	860	26.0 %
3	About Once/Wk	371	11.2 %
4	More than Once/Wk	185	5.6 %
5	Daily	15	0.5 %
. (M)	-	25	0.8 %

INTCOUR0 Freq of Sexual Activity: Intercourse

Location: 1248-1249 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	76	2.3 %
-1	N/A	680	20.6 %
1	Not At All	94	2.8 %
2	Once or Twice/Mon	847	25.7 %
3	About Once/Wk	809	24.5 %
4	More than Once/Wk	710	21.5 %
5	Daily	61	1.8 %
. (M)	-	25	0.8 %

AROUSED0 Freq of Arousal during sexual activity

Location: 1250-1251 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	36	1.1 %
-1	N/A	680	20.6 %
1	Always	753	22.8 %
2	Almost Always	1019	30.9 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Sometimes	644	19.5 %
4	Almost Never	120	3.6 %
5	Never	25	0.8 %
. (M)	-	25	0.8 %

PELVIC0 Vaginal or Pelvic Pain

Location: 1252-1253 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	35	1.1 %
-1	N/A	680	20.6 %
1	Always	14	0.4 %
2	Almost Always	45	1.4 %
3	Sometimes	475	14.4 %
4	Almost Never	553	16.7 %
5	Never	1417	42.9 %
6	No Intercourse In Last 6 Mons	58	1.8 %
. (M)	-	25	0.8 %

LUBRICN0 Use of Lubricants

Location: 1254-1255 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	35	1.1 %
-1	N/A	680	20.6 %
1	Always	84	2.5 %
2	Almost Always	100	3.0 %
3	Sometimes	247	7.5 %
4	Almost Never	190	5.8 %
5	Never	1894	57.4 %
6	No Intercourse In Last 6 Mons	47	1.4 %
. (M)	-	25	0.8 %

TUBALIG0 Tubal Ligation (Tubes Tied)

Location: 1256-1257 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	30	0.9 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	2	0.1 %
-1	N/A	680	20.6 %
1	No	1637	49.6 %
2	Yes	928	28.1 %
. (M)	-	25	0.8 %

VASECTM0

Vasectomy

Location: 1258-1259 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	39	1.2 %
-8	Do not know	16	0.5 %
-1	N/A	723	21.9 %
1	No	2084	63.1 %
2	Yes	415	12.6 %
. (M)	-	25	0.8 %

PRGNANC0

Methods to Prevent Pregnancy

Location: 1260-1261 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	129	3.9 %
-1	N/A	680	20.6 %
1	No	1763	53.4 %
2	Yes	705	21.4 %
. (M)	-	25	0.8 %

RHYTHM0

Prevent Preg: Rhythm

Location: 1262-1263 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	105	3.2 %
-1	N/A	2569	77.8 %
1	No	435	13.2 %
2	Yes	168	5.1 %
. (M)	-	25	0.8 %

FOAM0

Prevent Preg: Foam/Cream

Location: 1264-1265 (width: 2; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	118	3.6 %
-1	N/A	2569	77.8 %
1	No	492	14.9 %
2	Yes	98	3.0 %
. (M)	-	25	0.8 %

DIAPHRG0 Prevent Preg: Diaphragm

Location: 1266-1267 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	111	3.4 %
-1	N/A	2569	77.8 %
1	No	490	14.8 %
2	Yes	107	3.2 %
. (M)	-	25	0.8 %

PILL0 Prevent Preg: Pill

Location: 1268-1269 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	124	3.8 %
-1	N/A	2569	77.8 %
1	No	581	17.6 %
2	Yes	3	0.1 %
. (M)	-	25	0.8 %

IUD0 Prevent Preg: IUD

Location: 1270-1271 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	118	3.6 %
-1	N/A	2569	77.8 %
1	No	545	16.5 %
2	Yes	45	1.4 %
. (M)	-	25	0.8 %

WITHDRA0 Prevent Preg: Withdrawal

Location: 1272-1273 (width: 2; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	101	3.1 %
-1	N/A	2569	77.8 %
1	No	409	12.4 %
2	Yes	198	6.0 %
. (M)	-	25	0.8 %

CONDOM0 Prevent Preg: Condom

Location: 1274-1275 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	73	2.2 %
-1	N/A	2569	77.8 %
1	No	223	6.8 %
2	Yes	412	12.5 %
. (M)	-	25	0.8 %

ABSTAIN0 Prevent Preg: Abstinence

Location: 1276-1277 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	145	4.4 %
-1	N/A	2569	77.8 %
1	No	481	14.6 %
2	Yes	82	2.5 %
. (M)	-	25	0.8 %

MASTURB0 Freq of Masturbation

Location: 1278-1279 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	94	2.8 %
1	Not At All	1614	48.9 %
2	Less Than Once/Mon	676	20.5 %
3	Once or Twice/Mon	539	16.3 %
4	About Once/Wk	237	7.2 %
5	More than Once/Wk	109	3.3 %
6	Daily	8	0.2 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	25	0.8 %

WHOSEX0

Generally Had Sex w/whom

Location: 1280-1281 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	62	1.9 %
1	Never had sex	38	1.2 %
2	Sex with a woman	44	1.3 %
3	Sex with a man	3046	92.2 %
4	Sex sometimes w/woman & sometimes w/man	30	0.9 %
. (M)	-	82	2.5 %

PHYDAY0

Physical measures Day

Location: 1282-1285 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-105	1	0.0 %
-92	1	0.0 %
-88	1	0.0 %
-46	1	0.0 %
-38	1	0.0 %
-34	1	0.0 %
-12	1	0.0 %
-10	2	0.1 %
-9	1	0.0 %
-8	1	0.0 %
-7	1	0.0 %
-6	3	0.1 %
-4	1	0.0 %
-1	5	0.2 %
0	3185	96.5 %
1	7	0.2 %
2	5	0.2 %
4	3	0.1 %
5	4	0.1 %
6	3	0.1 %
7	4	0.1 %
8	3	0.1 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	1	0.0 %
10	1	0.0 %
11	1	0.0 %
12	2	0.1 %
13	5	0.2 %
14	4	0.1 %
15	2	0.1 %
16	1	0.0 %
17	1	0.0 %
18	2	0.1 %
19	2	0.1 %
20	4	0.1 %
21	1	0.0 %
22	1	0.0 %
24	1	0.0 %
25	1	0.0 %
26	1	0.0 %
28	2	0.1 %
40	1	0.0 %
41	1	0.0 %
42	3	0.1 %
44	1	0.0 %
46	1	0.0 %
52	1	0.0 %
55	1	0.0 %
58	2	0.1 %
65	1	0.0 %
67	1	0.0 %
68	2	0.1 %
69	2	0.1 %
72	1	0.0 %
73	1	0.0 %
77	2	0.1 %
78	1	0.0 %
88	1	0.0 %
99	1	0.0 %
100	1	0.0 %
105	1	0.0 %
108	1	0.0 %
228	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	6	0.2 %

PULSE0

Pulse, beats/30 seconds

Location: 1286-1287 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
17	1	0.0 %
18	2	0.1 %
19	1	0.0 %
20	1	0.0 %
22	1	0.0 %
23	3	0.1 %
24	11	0.3 %
25	16	0.5 %
26	18	0.5 %
27	33	1.0 %
28	72	2.2 %
29	106	3.2 %
30	276	8.4 %
31	201	6.1 %
32	293	8.9 %
33	209	6.3 %
34	295	8.9 %
35	349	10.6 %
36	277	8.4 %
37	183	5.5 %
38	209	6.3 %
39	144	4.4 %
40	183	5.5 %
41	91	2.8 %
42	100	3.0 %
43	47	1.4 %
44	56	1.7 %
45	30	0.9 %
46	26	0.8 %
47	22	0.7 %
48	11	0.3 %
49	2	0.1 %
50	13	0.4 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
51	3	0.1 %
52	5	0.2 %
53	3	0.1 %
68	1	0.0 %
84	1	0.0 %
. (M)	7	0.2 %

SYSBP10

Systolic BP #1

Location: 1288-1290 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
70	1	0.0 %
80	3	0.1 %
82	4	0.1 %
84	6	0.2 %
86	5	0.2 %
88	15	0.5 %
90	36	1.1 %
92	35	1.1 %
94	42	1.3 %
96	58	1.8 %
98	127	3.8 %
99	2	0.1 %
100	154	4.7 %
102	87	2.6 %
103	2	0.1 %
104	115	3.5 %
105	1	0.0 %
106	119	3.6 %
108	162	4.9 %
109	4	0.1 %
110	329	10.0 %
112	133	4.0 %
114	146	4.4 %
115	3	0.1 %
116	94	2.8 %
117	1	0.0 %
118	189	5.7 %
119	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
120	269	8.1 %
122	98	3.0 %
124	110	3.3 %
126	72	2.2 %
127	2	0.1 %
128	132	4.0 %
130	160	4.8 %
132	49	1.5 %
134	40	1.2 %
136	44	1.3 %
138	66	2.0 %
140	100	3.0 %
142	24	0.7 %
143	1	0.0 %
144	21	0.6 %
146	17	0.5 %
148	20	0.6 %
150	46	1.4 %
152	12	0.4 %
154	14	0.4 %
155	3	0.1 %
156	18	0.5 %
158	17	0.5 %
160	25	0.8 %
162	3	0.1 %
164	6	0.2 %
166	4	0.1 %
168	6	0.2 %
170	6	0.2 %
172	2	0.1 %
174	1	0.0 %
175	1	0.0 %
176	2	0.1 %
178	1	0.0 %
180	8	0.2 %
182	2	0.1 %
184	1	0.0 %
186	3	0.1 %
188	2	0.1 %
190	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
192	4	0.1 %
198	1	0.0 %
200	1	0.0 %
204	1	0.0 %
218	1	0.0 %
228	1	0.0 %
230	1	0.0 %
. (M)	9	0.3 %

DIABP10

Diastolic BP #1

Location: 1291-1293 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	4	0.1 %
42	5	0.2 %
44	2	0.1 %
46	1	0.0 %
48	5	0.2 %
50	12	0.4 %
52	11	0.3 %
54	22	0.7 %
55	1	0.0 %
56	29	0.9 %
58	50	1.5 %
60	139	4.2 %
62	96	2.9 %
63	1	0.0 %
64	133	4.0 %
65	3	0.1 %
66	112	3.4 %
68	225	6.8 %
70	431	13.1 %
71	1	0.0 %
72	159	4.8 %
74	183	5.5 %
75	1	0.0 %
76	148	4.5 %
77	1	0.0 %
78	216	6.5 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
79	1	0.0 %
80	477	14.4 %
82	106	3.2 %
83	1	0.0 %
84	118	3.6 %
86	88	2.7 %
87	1	0.0 %
88	112	3.4 %
90	187	5.7 %
92	37	1.1 %
94	36	1.1 %
95	1	0.0 %
96	24	0.7 %
98	36	1.1 %
100	33	1.0 %
102	9	0.3 %
104	3	0.1 %
106	3	0.1 %
108	9	0.3 %
110	9	0.3 %
112	2	0.1 %
116	1	0.0 %
118	1	0.0 %
122	2	0.1 %
140	1	0.0 %
. (M)	13	0.4 %

SYSBP20

Systolic BP #2

Location: 1294-1296 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
72	1	0.0 %
80	3	0.1 %
82	5	0.2 %
84	9	0.3 %
86	5	0.2 %
88	12	0.4 %
90	40	1.2 %
92	34	1.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
94	46	1.4 %
96	64	1.9 %
97	1	0.0 %
98	123	3.7 %
99	1	0.0 %
100	172	5.2 %
102	103	3.1 %
104	108	3.3 %
105	1	0.0 %
106	162	4.9 %
108	188	5.7 %
109	3	0.1 %
110	291	8.8 %
112	143	4.3 %
114	145	4.4 %
115	3	0.1 %
116	115	3.5 %
117	2	0.1 %
118	193	5.8 %
120	242	7.3 %
122	88	2.7 %
123	1	0.0 %
124	106	3.2 %
125	2	0.1 %
126	66	2.0 %
127	2	0.1 %
128	115	3.5 %
130	127	3.8 %
132	66	2.0 %
134	43	1.3 %
136	55	1.7 %
138	57	1.7 %
140	69	2.1 %
141	1	0.0 %
142	37	1.1 %
143	1	0.0 %
144	24	0.7 %
145	5	0.2 %
146	18	0.5 %
148	20	0.6 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
150	32	1.0 %
152	13	0.4 %
154	10	0.3 %
155	2	0.1 %
156	15	0.5 %
158	11	0.3 %
160	28	0.8 %
162	8	0.2 %
164	7	0.2 %
166	4	0.1 %
168	5	0.2 %
170	3	0.1 %
172	3	0.1 %
174	3	0.1 %
176	3	0.1 %
178	3	0.1 %
180	5	0.2 %
182	1	0.0 %
186	1	0.0 %
188	5	0.2 %
190	3	0.1 %
200	3	0.1 %
210	1	0.0 %
220	1	0.0 %
222	1	0.0 %
226	1	0.0 %
. (M)	12	0.4 %

DIABP20

Diastolic BP #2

Location: 1297-1299 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	5	0.2 %
42	1	0.0 %
44	3	0.1 %
48	4	0.1 %
50	10	0.3 %
52	9	0.3 %
54	22	0.7 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
56	19	0.6 %
58	73	2.2 %
60	124	3.8 %
62	118	3.6 %
63	1	0.0 %
64	138	4.2 %
65	1	0.0 %
66	118	3.6 %
67	1	0.0 %
68	225	6.8 %
69	1	0.0 %
70	380	11.5 %
72	186	5.6 %
74	209	6.3 %
76	166	5.0 %
78	235	7.1 %
79	1	0.0 %
80	439	13.3 %
82	111	3.4 %
83	2	0.1 %
84	118	3.6 %
85	1	0.0 %
86	89	2.7 %
87	1	0.0 %
88	129	3.9 %
90	151	4.6 %
92	43	1.3 %
94	24	0.7 %
95	2	0.1 %
96	28	0.8 %
98	28	0.8 %
100	35	1.1 %
102	5	0.2 %
104	9	0.3 %
106	3	0.1 %
108	2	0.1 %
110	6	0.2 %
112	2	0.1 %
114	2	0.1 %
120	4	0.1 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
128	1	0.0 %
146	1	0.0 %
. (M)	16	0.5 %

SYSBP30

Systolic BP #3

Location: 1300-1302 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
78	1	0.0 %
80	3	0.1 %
82	1	0.0 %
84	7	0.2 %
86	8	0.2 %
88	25	0.8 %
90	31	0.9 %
92	33	1.0 %
94	68	2.1 %
96	77	2.3 %
98	138	4.2 %
99	1	0.0 %
100	161	4.9 %
101	1	0.0 %
102	104	3.1 %
103	1	0.0 %
104	117	3.5 %
105	1	0.0 %
106	132	4.0 %
107	2	0.1 %
108	184	5.6 %
109	1	0.0 %
110	281	8.5 %
112	149	4.5 %
114	154	4.7 %
115	3	0.1 %
116	129	3.9 %
117	1	0.0 %
118	184	5.6 %
119	1	0.0 %
120	250	7.6 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
121	1	0.0 %
122	90	2.7 %
123	2	0.1 %
124	82	2.5 %
125	2	0.1 %
126	81	2.5 %
127	1	0.0 %
128	98	3.0 %
130	123	3.7 %
132	59	1.8 %
134	52	1.6 %
136	49	1.5 %
138	49	1.5 %
140	75	2.3 %
142	31	0.9 %
143	1	0.0 %
144	23	0.7 %
145	4	0.1 %
146	16	0.5 %
148	21	0.6 %
150	27	0.8 %
152	19	0.6 %
154	17	0.5 %
155	1	0.0 %
156	13	0.4 %
158	16	0.5 %
160	21	0.6 %
162	5	0.2 %
164	10	0.3 %
166	3	0.1 %
168	5	0.2 %
170	4	0.1 %
174	3	0.1 %
176	3	0.1 %
178	3	0.1 %
180	3	0.1 %
182	2	0.1 %
184	2	0.1 %
185	1	0.0 %
188	2	0.1 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
190	2	0.1 %
192	2	0.1 %
194	2	0.1 %
198	1	0.0 %
202	1	0.0 %
206	1	0.0 %
210	1	0.0 %
218	1	0.0 %
220	1	0.0 %
238	1	0.0 %
. (M)	20	0.6 %

DIABP30

Diastolic BP #3

Location: 1303-1305 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	3	0.1 %
42	3	0.1 %
44	4	0.1 %
46	3	0.1 %
48	1	0.0 %
50	11	0.3 %
52	6	0.2 %
54	20	0.6 %
56	24	0.7 %
58	61	1.8 %
60	135	4.1 %
62	115	3.5 %
63	1	0.0 %
64	109	3.3 %
66	121	3.7 %
67	1	0.0 %
68	225	6.8 %
69	1	0.0 %
70	416	12.6 %
72	192	5.8 %
74	212	6.4 %
76	149	4.5 %
78	239	7.2 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
80	432	13.1 %
82	120	3.6 %
83	2	0.1 %
84	118	3.6 %
85	1	0.0 %
86	88	2.7 %
87	1	0.0 %
88	97	2.9 %
90	167	5.1 %
92	45	1.4 %
94	40	1.2 %
95	2	0.1 %
96	23	0.7 %
98	23	0.7 %
100	30	0.9 %
102	11	0.3 %
104	3	0.1 %
106	3	0.1 %
108	2	0.1 %
110	6	0.2 %
112	1	0.0 %
114	3	0.1 %
116	1	0.0 %
118	2	0.1 %
120	1	0.0 %
130	1	0.0 %
146	1	0.0 %
. (M)	26	0.8 %

HEIGHT0	Height (in cm)
----------------	-----------------------

Location: 1306-1312 (width: 7; decimal: 2)

Variable Type: numeric

HTMETH00	Height Measurement Method
-----------------	----------------------------------

Location: 1313-1313 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Stadiometer	2478	75.0 %
2	Portable	776	23.5 %
. (M)	-	48	1.5 %

- Study 28762 -

WEIGHT0 Weight (in kg)

Location: 1314-1320 (width: 7; decimal: 3)

Variable Type: numeric

SCALE0 Weight Scale Type

Location: 1321-1321 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Balance Beam	1556	47.1 %
2	Clinic Digital	582	17.6 %
3	Portable	1124	34.0 %
. (M)	-	40	1.2 %

WAIST0 Waist Circumference

Location: 1322-1327 (width: 6; decimal: 1)

Variable Type: numeric

WASTMEA0 Waist measurement taken in:

Location: 1328-1328 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Undergarments	2520	76.3 %
2	Light Clothing	727	22.0 %
. (M)	-	55	1.7 %

HIP0 Hip Circumference

Location: 1329-1334 (width: 6; decimal: 1)

Variable Type: numeric

HIPMEA0 Hip Measurement taken in:

Location: 1335-1335 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Undergarments	2349	71.1 %
2	Light Clothing	891	27.0 %
. (M)	-	62	1.9 %

BMI0 Body Mass Index

Location: 1336-1341 (width: 6; decimal: 3)

Variable Type: numeric

FFQDAY0 Food Frequency Questionnaire Day

Location: 1342-1345 (width: 4; decimal: 0)

- Study 28762 -

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-366	2	0.1 %
-46	1	0.0 %
-32	2	0.1 %
-31	1	0.0 %
-14	1	0.0 %
-10	3	0.1 %
-6	1	0.0 %
-5	2	0.1 %
-3	2	0.1 %
-2	3	0.1 %
-1	10	0.3 %
0	3003	90.9 %
1	8	0.2 %
2	6	0.2 %
3	3	0.1 %
4	3	0.1 %
5	5	0.2 %
6	6	0.2 %
7	13	0.4 %
8	11	0.3 %
9	8	0.2 %
10	3	0.1 %
11	4	0.1 %
12	5	0.2 %
13	5	0.2 %
14	12	0.4 %
15	2	0.1 %
16	8	0.2 %
17	1	0.0 %
18	6	0.2 %
19	4	0.1 %
20	4	0.1 %
21	5	0.2 %
22	5	0.2 %
23	3	0.1 %
24	3	0.1 %
25	4	0.1 %
26	6	0.2 %
27	3	0.1 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
28	10	0.3 %
29	3	0.1 %
30	2	0.1 %
31	4	0.1 %
33	2	0.1 %
34	1	0.0 %
35	4	0.1 %
37	2	0.1 %
38	1	0.0 %
39	1	0.0 %
40	2	0.1 %
41	1	0.0 %
42	7	0.2 %
44	3	0.1 %
45	2	0.1 %
46	5	0.2 %
47	2	0.1 %
48	1	0.0 %
49	3	0.1 %
50	3	0.1 %
52	2	0.1 %
53	1	0.0 %
55	1	0.0 %
56	4	0.1 %
57	2	0.1 %
58	1	0.0 %
59	1	0.0 %
60	1	0.0 %
63	2	0.1 %
64	1	0.0 %
66	2	0.1 %
68	1	0.0 %
69	1	0.0 %
70	4	0.1 %
72	1	0.0 %
74	1	0.0 %
75	1	0.0 %
77	5	0.2 %
78	1	0.0 %
83	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
84	5	0.2 %
85	2	0.1 %
86	1	0.0 %
87	2	0.1 %
88	1	0.0 %
90	1	0.0 %
100	1	0.0 %
103	1	0.0 %
105	1	0.0 %
304	1	0.0 %
. (M)	16	0.5 %

LANGFFQ0 **FFQ Language**

Location: 1346-1346 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	12	0.4 %
C	Chinese	249	7.5 %
E	English	2476	75.0 %
J	Japanese	274	8.3 %
S	Spanish	291	8.8 %

LANGSPK0 **Lang used at home**

Location: 1347-1347 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	2692	81.5 %
2	Other	427	12.9 %
3	Both	167	5.1 %
. (M)	-	16	0.5 %

WLOSSDT0 **How many times on diet**

Location: 1348-1348 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Never	848	25.7 %
2	1-2 times	500	15.1 %
3	3-5 times	639	19.4 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	6-8 times	233	7.1 %
5	9-11 times	223	6.8 %
6	12 or more	676	20.5 %
. (M)	-	183	5.5 %

GLOBVEG0 Global vegetable servings, excl salad/potato

Location: 1349-1349 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< 1/wk	93	2.8 %
2	1-2/wk	349	10.6 %
3	3-4/wk	547	16.6 %
4	5-6/wk	454	13.7 %
5	1/day	696	21.1 %
6	1 1/2 /day	217	6.6 %
7	2/day	555	16.8 %
8	3/day	149	4.5 %
9	4+ /day	73	2.2 %
. (M)	-	169	5.1 %

GLOBFRT0 Global fruit servings, excl juices

Location: 1350-1350 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< 1/wk	254	7.7 %
2	1-2/wk	528	16.0 %
3	3-4/wk	525	15.9 %
4	5-6/wk	323	9.8 %
5	1/day	583	17.7 %
6	1 1/2 /day	180	5.5 %
7	2/day	497	15.1 %
8	3/day	184	5.6 %
9	4+ /day	57	1.7 %
. (M)	-	171	5.2 %

GLOBCER0 Global cereal servings

Location: 1351-1351 (width: 1; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< 1/wk	1519	46.0 %
2	1-2/wk	690	20.9 %
3	3-4/wk	354	10.7 %
4	5-6/wk	142	4.3 %
5	1/day	351	10.6 %
6	1 1/2 /day	24	0.7 %
7	2/day	29	0.9 %
8	3/day	3	0.1 %
9	4+ /day	2	0.1 %
. (M)	-	188	5.7 %

GLOBMLK0 Global milk servings by glass

Location: 1352-1352 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< 1/wk	1497	45.3 %
2	1-2/wk	424	12.8 %
3	3-4/wk	285	8.6 %
4	5-6/wk	155	4.7 %
5	1/day	412	12.5 %
6	1 1/2 /day	78	2.4 %
7	2/day	200	6.1 %
8	3/day	52	1.6 %
9	4+ /day	23	0.7 %
. (M)	-	176	5.3 %

OJCALC0 How often drink OJ w/Calcium

Location: 1353-1353 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Usually	577	17.5 %
2	Sometimes	539	16.3 %
3	Rarely	1499	45.4 %
. (M)	-	687	20.8 %

LFATCHS0 How often eat lowfat cheese

Location: 1354-1354 (width: 1; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Always low-fat	384	11.6 %
2	Sometimes low-fat	1045	31.6 %
3	Rarely low-fat	1554	47.1 %
. (M)	-	319	9.7 %

LFATICE0 **How often eat lowfat ice cream/yogurt**

Location: 1355-1355 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Always low-fat	823	24.9 %
2	Sometimes low-fat	1055	32.0 %
3	Rarely low-fat	1121	33.9 %
. (M)	-	303	9.2 %

LFATSAL0 **How often eat lowfat salad dressing**

Location: 1356-1356 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Always low-fat	776	23.5 %
2	Sometimes low-fat	1160	35.1 %
3	Rarely low-fat	1091	33.0 %
. (M)	-	275	8.3 %

LFATCAK0 **How often eat lowfat cake/cookies**

Location: 1357-1357 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Always low-fat	178	5.4 %
2	Sometimes low-fat	1120	33.9 %
3	Rarely low-fat	1716	52.0 %
. (M)	-	288	8.7 %

EATSALT0 **How often add table salt**

Location: 1358-1358 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Seldom	2083	63.1 %
2	Sometimes	545	16.5 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Often	496	15.0 %
. (M)	-	178	5.4 %

EATSKIN0

How often eat chicken skin

Location: 1359-1359 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Seldom	1660	50.3 %
2	Sometimes	709	21.5 %
3	Often	667	20.2 %
. (M)	-	266	8.1 %

EATFATM0

How often eat meat fat

Location: 1360-1360 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Seldom	2296	69.5 %
2	Sometimes	511	15.5 %
3	Often	180	5.5 %
. (M)	-	315	9.5 %

WELLDNE0

How do you like your meat cooked

Location: 1361-1361 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rare	332	10.1 %
2	Medium	1234	37.4 %
3	Well done	1445	43.8 %
. (M)	-	291	8.8 %

TAKEVIT0

Take vitamins/minerals regularly

Location: 1362-1362 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No, not reg	1470	44.5 %
2	Yes, fairly reg	1607	48.7 %
. (M)	-	225	6.8 %

- Study 28762 -

YRSONEA0 **How many yrs taken multiple vitamin**

Location: 1363-1363 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< yr	238	7.2 %
2	1 yr	165	5.0 %
3	2 yrs	174	5.3 %
4	3-4 yrs	131	4.0 %
5	5-9 yrs	132	4.0 %
6	10+ yrs	294	8.9 %
. (M)	-	2168	65.7 %

YRSAO0 **How many yrs taken antioxidant**

Location: 1364-1364 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< yr	80	2.4 %
2	1 yr	54	1.6 %
3	2 yrs	47	1.4 %
4	3-4 yrs	25	0.8 %
5	5-9 yrs	26	0.8 %
6	10+ yrs	48	1.5 %
. (M)	-	3022	91.5 %

YRSVITA0 **How many yrs taken vitamin A**

Location: 1365-1365 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< yr	17	0.5 %
2	1 yr	25	0.8 %
3	2 yrs	7	0.2 %
4	3-4 yrs	18	0.5 %
5	5-9 yrs	9	0.3 %
6	10+ yrs	20	0.6 %
. (M)	-	3206	97.1 %

YRSBETA0 **How many yrs taken beta-carotene**

Location: 1366-1366 (width: 1; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< yr	30	0.9 %
2	1 yr	24	0.7 %
3	2 yrs	20	0.6 %
4	3-4 yrs	17	0.5 %
5	5-9 yrs	19	0.6 %
6	10+ yrs	15	0.5 %
. (M)	-	3177	96.2 %

YRSVITC0 **How many yrs taken vitamin C**

Location: 1367-1367 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< yr	104	3.1 %
2	1 yr	80	2.4 %
3	2 yrs	87	2.6 %
4	3-4 yrs	97	2.9 %
5	5-9 yrs	88	2.7 %
6	10+ yrs	202	6.1 %
. (M)	-	2644	80.1 %

YRSVITE0 **How many yrs taken vitamin E**

Location: 1368-1368 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< yr	129	3.9 %
2	1 yr	71	2.2 %
3	2 yrs	80	2.4 %
4	3-4 yrs	84	2.5 %
5	5-9 yrs	71	2.2 %
6	10+ yrs	83	2.5 %
. (M)	-	2784	84.3 %

YRSCA0 **How many yrs taken calcium/Tums**

Location: 1369-1369 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< yr	142	4.3 %
2	1 yr	117	3.5 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	2 yrs	95	2.9 %
4	3-4 yrs	118	3.6 %
5	5-9 yrs	69	2.1 %
6	10+ yrs	72	2.2 %
. (M)	-	2689	81.4 %

YRSIRON0

How many yrs taken iron

Location: 1370-1370 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< yr	77	2.3 %
2	1 yr	41	1.2 %
3	2 yrs	31	0.9 %
4	3-4 yrs	34	1.0 %
5	5-9 yrs	27	0.8 %
6	10+ yrs	39	1.2 %
. (M)	-	3053	92.5 %

YRSZINC0

How many yrs taken zinc

Location: 1371-1371 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< yr	40	1.2 %
2	1 yr	14	0.4 %
3	2 yrs	13	0.4 %
4	3-4 yrs	19	0.6 %
5	5-9 yrs	16	0.5 %
6	10+ yrs	17	0.5 %
. (M)	-	3183	96.4 %

YRSSELE0

How many yrs taken selenium

Location: 1372-1372 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	< yr	34	1.0 %
2	1 yr	9	0.3 %
3	2 yrs	3	0.1 %
4	3-4 yrs	9	0.3 %

- Study 28762 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	5-9 yrs	7	0.2 %
6	10+ yrs	7	0.2 %
. (M)	-	3233	97.9 %

SUPVITA0 **Supplement Vitamin A, RE**

Location: 1373-1380 (width: 8; decimal: 1)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	1916	58.0 %
1429.0	254	7.7 %
2858.0	21	0.6 %
3572.5	164	5.0 %
4287.0	10	0.3 %
5000.0	703	21.3 %
6430.5	3	0.1 %
7145.0	5	0.2 %
7858.0	11	0.3 %
8574.0	1	0.0 %
10000.0	16	0.5 %
10717.5	3	0.1 %
11429.0	1	0.0 %
12145.0	2	0.1 %
15000.0	23	0.7 %
. (M)	169	5.1 %

SUPVITC0 **Supplement Vitamin_C, mg**

Location: 1381-1387 (width: 7; decimal: 1)

Variable Type: numeric

SUPVITD0 **Supplement Vitamin D, IU**

Location: 1388-1393 (width: 6; decimal: 1)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	1958	59.3 %
114.3	266	8.1 %
285.8	170	5.1 %
400.0	739	22.4 %
. (M)	169	5.1 %

SUPVITE0 **Supplement Vitamin_E, a-TE**

- Study 28762 -

Location: 1394-1400 (width: 7; decimal: 1)
Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	1669	50.5 %
5.7	188	5.7 %
14.4	121	3.7 %
19.1	10	0.3 %
20.1	464	14.1 %
24.9	12	0.4 %
33.5	3	0.1 %
38.3	21	0.6 %
39.2	7	0.2 %
44.0	18	0.5 %
47.9	2	0.1 %
52.7	5	0.2 %
53.6	1	0.0 %
57.4	5	0.2 %
58.4	6	0.2 %
62.2	2	0.1 %
63.2	5	0.2 %
67.0	16	0.5 %
68.0	5	0.2 %
72.7	1	0.0 %
76.6	11	0.3 %
77.5	2	0.1 %
82.3	12	0.4 %
87.1	20	0.6 %
91.0	3	0.1 %
95.7	12	0.4 %
96.7	12	0.4 %
101.5	1	0.0 %
110.1	10	0.3 %
114.9	2	0.1 %
115.8	2	0.1 %
120.6	6	0.2 %
129.3	1	0.0 %
134.0	66	2.0 %
135.0	2	0.1 %
139.7	3	0.1 %
143.6	1	0.0 %
148.4	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
153.2	1	0.0 %
154.1	66	2.0 %
158.0	2	0.1 %
158.9	2	0.1 %
173.2	1	0.0 %
173.3	1	0.0 %
186.7	1	0.0 %
191.5	15	0.5 %
197.2	3	0.1 %
201.0	7	0.2 %
202.0	1	0.0 %
205.8	13	0.4 %
210.6	4	0.1 %
211.6	6	0.2 %
221.1	8	0.2 %
229.8	2	0.1 %
230.7	1	0.0 %
249.8	1	0.0 %
249.9	1	0.0 %
268.0	64	1.9 %
269.0	1	0.0 %
273.7	8	0.2 %
282.4	2	0.1 %
287.2	1	0.0 %
288.1	81	2.5 %
301.6	2	0.1 %
306.3	2	0.1 %
307.3	1	0.0 %
335.0	1	0.0 %
345.6	2	0.1 %
355.1	1	0.0 %
383.0	2	0.1 %
383.8	1	0.0 %
388.7	2	0.1 %
397.3	1	0.0 %
402.0	17	0.5 %
422.1	20	0.6 %
478.7	3	0.1 %
536.0	8	0.2 %
541.7	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
550.4	1	0.0 %
556.1	12	0.4 %
574.5	2	0.1 %
632.8	1	0.0 %
670.0	9	0.3 %
675.7	2	0.1 %
684.4	1	0.0 %
690.1	10	0.3 %
765.7	1	0.0 %
804.0	2	0.1 %
809.7	1	0.0 %
824.1	2	0.1 %
971.8	1	0.0 %
1340.0	2	0.1 %
1360.1	1	0.0 %
. (M)	169	5.1 %

SUPCA0

Supplement Calcium, mg

Location: 1401-1407 (width: 7; decimal: 1)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	1785	54.1 %
37.2	172	5.2 %
92.9	101	3.1 %
130.0	457	13.8 %
285.8	65	2.0 %
323.0	64	1.9 %
378.7	22	0.7 %
415.8	42	1.3 %
714.5	30	0.9 %
751.7	8	0.2 %
807.4	35	1.1 %
844.5	22	0.7 %
1000.0	127	3.8 %
1037.2	10	0.3 %
1092.9	5	0.2 %
1130.0	188	5.7 %
. (M)	169	5.1 %

SUPBCAR0

Supplement BetaCarotene, mcg

- Study 28762 -

Location: 1408-1415 (width: 8; decimal: 1)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	1784	54.0 %
343.0	228	6.9 %
857.4	170	5.1 %
1200.0	606	18.4 %
1200.4	26	0.8 %
1714.8	4	0.1 %
2057.4	3	0.1 %
2143.5	15	0.5 %
2486.5	1	0.0 %
3000.0	85	2.6 %
3000.9	11	0.3 %
3343.0	1	0.0 %
3343.5	1	0.0 %
4200.0	77	2.3 %
7145.0	16	0.5 %
7488.0	7	0.2 %
8002.4	4	0.1 %
8345.0	8	0.2 %
8345.4	1	0.0 %
9202.4	2	0.1 %
11345.0	1	0.0 %
17862.5	9	0.3 %
18205.5	1	0.0 %
18719.9	2	0.1 %
19062.5	2	0.1 %
20006.0	3	0.1 %
20862.5	2	0.1 %
20863.4	3	0.1 %
22062.5	2	0.1 %
25000.0	11	0.3 %
25343.0	1	0.0 %
25857.4	1	0.0 %
26200.0	24	0.7 %
27057.4	1	0.0 %
28000.0	8	0.2 %
28343.5	1	0.0 %
29200.0	11	0.3 %
. (M)	169	5.1 %

- Study 28762 -

SUPB10 Supplement B1, mg

Location: 1416-1419 (width: 4; decimal: 1)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	1958	59.3 %
0.4	266	8.1 %
1.1	170	5.1 %
1.5	739	22.4 %
. (M)	169	5.1 %

SUPB60 Supplement B6, mg

Location: 1420-1423 (width: 4; decimal: 1)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	1958	59.3 %
0.6	266	8.1 %
1.4	170	5.1 %
2.0	739	22.4 %
. (M)	169	5.1 %

SUPB120 Supplement B12, mcg

Location: 1424-1427 (width: 4; decimal: 1)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	1958	59.3 %
1.7	266	8.1 %
4.3	170	5.1 %
6.0	739	22.4 %
. (M)	169	5.1 %

SUPFOL0 Supplement Folate, mcg

Location: 1428-1433 (width: 6; decimal: 1)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	1958	59.3 %
114.3	266	8.1 %
285.8	170	5.1 %
400.0	739	22.4 %
. (M)	169	5.1 %

- Study 28762 -

SUPCU0 Supplement Copper, mg

Location: 1434-1437 (width: 4; decimal: 1)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	2007	60.8 %
0.6	254	7.7 %
1.4	163	4.9 %
2.0	709	21.5 %
. (M)	169	5.1 %

SUPSELE0 Supplement Selenium, mcg

Location: 1438-1442 (width: 5; decimal: 1)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	3067	92.9 %
14.3	17	0.5 %
35.7	14	0.4 %
50.0	35	1.1 %
. (M)	169	5.1 %

SUPFE0 Supplement Iron, mg

Location: 1443-1448 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	1887	57.1 %
5.1	231	7.0 %
12.9	141	4.3 %
14.3	37	1.1 %
18.0	621	18.8 %
19.4	16	0.5 %
27.2	5	0.2 %
32.3	16	0.5 %
35.7	12	0.4 %
40.8	2	0.1 %
48.6	11	0.3 %
50.0	71	2.2 %
53.7	9	0.3 %
55.1	5	0.2 %
62.9	6	0.2 %
68.0	63	1.9 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	169	5.1 %

SUPZN0 Supplement Zinc, mg

Location: 1449-1454 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	1960	59.4 %
4.3	237	7.2 %
10.7	155	4.7 %
14.3	13	0.4 %
15.0	662	20.0 %
18.6	14	0.4 %
25.0	3	0.1 %
29.3	15	0.5 %
35.7	7	0.2 %
40.0	1	0.0 %
46.4	5	0.2 %
50.0	27	0.8 %
50.7	1	0.0 %
54.3	2	0.1 %
65.0	31	0.9 %
. (M)	169	5.1 %

DTTKCAL0 DDE KCAL - total caloric intake

Location: 1455-1462 (width: 8; decimal: 3)

Variable Type: numeric

DTTPROT0 DDE PROTEIN, gms

Location: 1463-1469 (width: 7; decimal: 3)

Variable Type: numeric

DTTCARB0 DDE CARB, gms

Location: 1470-1476 (width: 7; decimal: 3)

Variable Type: numeric

DTTFAT0 DDE Fat, gms

Location: 1477-1483 (width: 7; decimal: 3)

Variable Type: numeric

DTTCALC0 DDE CALCIUM, mg

Location: 1484-1491 (width: 8; decimal: 3)

Variable Type: numeric

DTTPHOS0 DDE PHOS, mg

- Study 28762 -

Location: 1492-1499 (width: 8; decimal: 3)

Variable Type: numeric

DTTFE0 DDE IRON, mg

Location: 1500-1505 (width: 6; decimal: 3)

Variable Type: numeric

DTTNA0 DDE SODIUM, mg

Location: 1506-1513 (width: 8; decimal: 3)

Variable Type: numeric

DTTPOTA0 DDE POTASSIUM, mg

Location: 1514-1521 (width: 8; decimal: 3)

Variable Type: numeric

DTTAIU0 DDE A_IU, international units

Location: 1522-1530 (width: 9; decimal: 3)

Variable Type: numeric

DTTARE0 DDE retinol equivalents

Location: 1531-1539 (width: 9; decimal: 3)

Variable Type: numeric

DTTB10 DDE B1, mg

Location: 1540-1544 (width: 5; decimal: 3)

Variable Type: numeric

DTTB60 DDE B6, mg

Location: 1545-1549 (width: 5; decimal: 3)

Variable Type: numeric

DTTRIBO0 DDE RIBOFLAVIN, mg

Location: 1550-1554 (width: 5; decimal: 3)

Variable Type: numeric

DTTNIAC0 DDE NIACIN, mg

Location: 1555-1560 (width: 6; decimal: 3)

Variable Type: numeric

DTTVITC0 DDE VITAMIN C, mg

Location: 1561-1567 (width: 7; decimal: 3)

Variable Type: numeric

DTTSFAT0 DDE Saturated Fat, gms

Location: 1568-1573 (width: 6; decimal: 3)

Variable Type: numeric

DTTOLEC0 DDE OLEIC ACID, gms

Location: 1574-1580 (width: 7; decimal: 3)

Variable Type: numeric

DTTLIN0 DDE LINOLEIC ACID, gms

- Study 28762 -

Location: 1581-1586 (width: 6; decimal: 3)

Variable Type: numeric

DTTCHOL0 DDE CHOLESTEROL, mg

Location: 1587-1592 (width: 6; decimal: 3)

Variable Type: numeric

DTTDFIB0 DDE Dietary Fiber, gms

Location: 1593-1598 (width: 6; decimal: 3)

Variable Type: numeric

DTTFOL0 DDE FOLATE, mcg

Location: 1599-1605 (width: 7; decimal: 3)

Variable Type: numeric

DTTVITE0 DDE VITAMIN E, a-TE

Location: 1606-1611 (width: 6; decimal: 3)

Variable Type: numeric

DTTZINC0 DDE ZINC, mg

Location: 1612-1617 (width: 6; decimal: 3)

Variable Type: numeric

DTTANZN0 DDE Animal ZINC, mg

Location: 1618-1623 (width: 6; decimal: 3)

Variable Type: numeric

DTTMG0 DDE MAGNESIUM, mg

Location: 1624-1630 (width: 7; decimal: 3)

Variable Type: numeric

DTTACAR0 DDE Alpha Carotene, mcg

Location: 1631-1638 (width: 8; decimal: 3)

Variable Type: numeric

DTTBCAR0 DDE Beta Carotene, mcg

Location: 1639-1647 (width: 9; decimal: 3)

Variable Type: numeric

DTTRET0 DDE RETINOL, mcg

Location: 1648-1656 (width: 9; decimal: 3)

Variable Type: numeric

DTTPROA0 DDE Pro-A Carotenes, mcg

Location: 1657-1665 (width: 9; decimal: 3)

Variable Type: numeric

FIBBEAN0 DDE Fiber from BEANS

Location: 1666-1671 (width: 6; decimal: 3)

Variable Type: numeric

FIBVEGF0 DDE Fiber from VEG/FRUIT

- Study 28762 -

Location: 1672-1677 (width: 6; decimal: 3)

Variable Type: numeric

FIBGRAI0 DDE Fiber from GRAINS

Location: 1678-1683 (width: 6; decimal: 3)

Variable Type: numeric

DTTALCH0 DDE KCAL from ALCOHOLIC BEV

Location: 1684-1691 (width: 8; decimal: 3)

Variable Type: numeric

DTTSWET0 DDE KCAL from SWEETS

Location: 1692-1699 (width: 8; decimal: 3)

Variable Type: numeric

GMSOLID0 DDE Grams Solid Food

Location: 1700-1708 (width: 9; decimal: 3)

Variable Type: numeric

DTCAFF0 Caffeine, mg

Location: 1709-1716 (width: 8; decimal: 2)

Variable Type: numeric

DTVITD0 Vitamin D, IU

Location: 1717-1723 (width: 7; decimal: 2)

Variable Type: numeric

DTB120 Vitamin B12, mcg

Location: 1724-1729 (width: 6; decimal: 2)

Variable Type: numeric

DTTRANS0 Trans fats, g

Location: 1730-1735 (width: 6; decimal: 2)

Variable Type: numeric

DTOMEG30 Omega-3 fatty acids, g

Location: 1736-1740 (width: 5; decimal: 2)

Variable Type: numeric

DTCOPP0 Copper, mg

Location: 1741-1745 (width: 5; decimal: 2)

Variable Type: numeric

DTMANG0 Manganese, mg

Location: 1746-1751 (width: 6; decimal: 2)

Variable Type: numeric

DTPANTO0 Pantothenic acid, mg

Location: 1752-1757 (width: 6; decimal: 2)

Variable Type: numeric

BATKCAL0 DDE KCAL before alcohol total

- Study 28762 -

Location: 1758-1765 (width: 8; decimal: 3)

Variable Type: numeric

BATPROT0 DDE PROTEIN before alcohol, gms

Location: 1766-1772 (width: 7; decimal: 3)

Variable Type: numeric

BATTFAT0 DDE Total Fat before alcohol, gms

Location: 1773-1779 (width: 7; decimal: 3)

Variable Type: numeric

BATCARB0 DDE CARB before alcohol total, gms

Location: 1780-1786 (width: 7; decimal: 3)

Variable Type: numeric

BATPHOS0 DDE PHOSPHORUS before alcohol, mg

Location: 1787-1794 (width: 8; decimal: 3)

Variable Type: numeric

BATPOTS0 DDE POTASSIUM before alcohol, mg

Location: 1795-1802 (width: 8; decimal: 3)

Variable Type: numeric

BATRIBO0 DDE RIBOFLAVIN before alcohol, mg

Location: 1803-1807 (width: 5; decimal: 3)

Variable Type: numeric

BATNIAC0 DDE NIACIN before alcohol total, mg

Location: 1808-1813 (width: 6; decimal: 3)

Variable Type: numeric

PCTALCH0 % KCAL from ALCOHOLIC BEVS

Location: 1814-1819 (width: 6; decimal: 2)

Variable Type: numeric

PCTSWET0 % KCAL from SWEETS

Location: 1820-1825 (width: 6; decimal: 2)

Variable Type: numeric

PCTFAT0 % KCAL from FAT

Location: 1826-1831 (width: 6; decimal: 3)

Variable Type: numeric

PCTPROT0 % KCAL from PROTEIN

Location: 1832-1837 (width: 6; decimal: 3)

Variable Type: numeric

PCTCARB0 % KCAL from CARB

Location: 1838-1843 (width: 6; decimal: 3)

Variable Type: numeric

FRUTSRV0 # servings fruit or fruit juice

- Study 28762 -

Location: 1844-1848 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	26	0.8 %
0.1	67	2.0 %
0.2	113	3.4 %
0.3	134	4.1 %
0.4	146	4.4 %
0.5	136	4.1 %
0.6	210	6.4 %
0.7	130	3.9 %
0.8	123	3.7 %
0.9	129	3.9 %
1.0	197	6.0 %
1.1	153	4.6 %
1.2	151	4.6 %
1.3	153	4.6 %
1.4	126	3.8 %
1.5	108	3.3 %
1.6	124	3.8 %
1.7	77	2.3 %
1.8	107	3.2 %
1.9	69	2.1 %
2.0	77	2.3 %
2.1	65	2.0 %
2.2	53	1.6 %
2.3	60	1.8 %
2.4	49	1.5 %
2.5	55	1.7 %
2.6	39	1.2 %
2.7	40	1.2 %
2.8	35	1.1 %
2.9	17	0.5 %
3.0	20	0.6 %
3.1	17	0.5 %
3.2	17	0.5 %
3.3	14	0.4 %
3.4	10	0.3 %
3.5	8	0.2 %
3.6	3	0.1 %
3.7	8	0.2 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.8	14	0.4 %
3.9	5	0.2 %
4.0	7	0.2 %
4.1	3	0.1 %
4.2	8	0.2 %
4.3	1	0.0 %
4.4	2	0.1 %
4.5	5	0.2 %
4.6	5	0.2 %
4.7	1	0.0 %
4.8	3	0.1 %
4.9	3	0.1 %
5.0	2	0.1 %
5.1	4	0.1 %
5.4	1	0.0 %
5.8	2	0.1 %
5.9	1	0.0 %
. (M)	169	5.1 %

FVFRQ0

Sum daily FREQ FRUIT + VEG

Location: 1849-1854 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.2	1	0.0 %
0.3	1	0.0 %
0.4	9	0.3 %
0.5	14	0.4 %
0.6	18	0.5 %
0.7	28	0.8 %
0.8	22	0.7 %
0.9	44	1.3 %
1.0	45	1.4 %
1.1	51	1.5 %
1.2	72	2.2 %
1.3	75	2.3 %
1.4	72	2.2 %
1.5	80	2.4 %
1.6	90	2.7 %
1.7	86	2.6 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.8	92	2.8 %
1.9	110	3.3 %
2.0	88	2.7 %
2.1	106	3.2 %
2.2	85	2.6 %
2.3	100	3.0 %
2.4	114	3.5 %
2.5	103	3.1 %
2.6	98	3.0 %
2.7	104	3.1 %
2.8	90	2.7 %
2.9	91	2.8 %
3.0	93	2.8 %
3.1	83	2.5 %
3.2	82	2.5 %
3.3	65	2.0 %
3.4	62	1.9 %
3.5	58	1.8 %
3.6	48	1.5 %
3.7	75	2.3 %
3.8	59	1.8 %
3.9	46	1.4 %
4.0	47	1.4 %
4.1	42	1.3 %
4.2	33	1.0 %
4.3	44	1.3 %
4.4	34	1.0 %
4.5	27	0.8 %
4.6	22	0.7 %
4.7	30	0.9 %
4.8	26	0.8 %
4.9	19	0.6 %
5.0	20	0.6 %
5.1	13	0.4 %
5.2	20	0.6 %
5.3	20	0.6 %
5.4	16	0.5 %
5.5	14	0.4 %
5.6	14	0.4 %
5.7	17	0.5 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5.8	9	0.3 %
5.9	9	0.3 %
6.0	9	0.3 %
6.1	9	0.3 %
6.2	9	0.3 %
6.3	4	0.1 %
6.4	10	0.3 %
6.5	4	0.1 %
6.6	5	0.2 %
6.7	4	0.1 %
6.8	3	0.1 %
6.9	7	0.2 %
7.0	3	0.1 %
7.1	2	0.1 %
7.2	6	0.2 %
7.3	1	0.0 %
7.4	3	0.1 %
7.5	1	0.0 %
7.6	4	0.1 %
7.8	3	0.1 %
7.9	2	0.1 %
8.0	2	0.1 %
8.1	1	0.0 %
8.2	1	0.0 %
8.3	1	0.0 %
8.9	1	0.0 %
9.5	1	0.0 %
10.1	1	0.0 %
. (M)	169	5.1 %

VEGSRV0 # servings VEG

Location: 1855-1860 (width: 6; decimal: 3)

Variable Type: numeric

VEGFRQ0 Sum daily FREQ VEG

Location: 1861-1865 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	2	0.1 %
0.1	3	0.1 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.2	15	0.5 %
0.3	35	1.1 %
0.4	63	1.9 %
0.5	83	2.5 %
0.6	115	3.5 %
0.7	163	4.9 %
0.8	166	5.0 %
0.9	195	5.9 %
1.0	183	5.5 %
1.1	177	5.4 %
1.2	179	5.4 %
1.3	184	5.6 %
1.4	184	5.6 %
1.5	168	5.1 %
1.6	141	4.3 %
1.7	122	3.7 %
1.8	123	3.7 %
1.9	91	2.8 %
2.0	85	2.6 %
2.1	86	2.6 %
2.2	76	2.3 %
2.3	72	2.2 %
2.4	52	1.6 %
2.5	43	1.3 %
2.6	44	1.3 %
2.7	29	0.9 %
2.8	38	1.2 %
2.9	37	1.1 %
3.0	24	0.7 %
3.1	18	0.5 %
3.2	19	0.6 %
3.3	14	0.4 %
3.4	16	0.5 %
3.5	14	0.4 %
3.6	6	0.2 %
3.7	8	0.2 %
3.8	9	0.3 %
3.9	3	0.1 %
4.0	5	0.2 %
4.1	8	0.2 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4.2	3	0.1 %
4.3	3	0.1 %
4.4	4	0.1 %
4.5	3	0.1 %
4.6	3	0.1 %
4.7	1	0.0 %
4.8	4	0.1 %
4.9	2	0.1 %
5.1	4	0.1 %
5.2	2	0.1 %
5.4	2	0.1 %
5.6	1	0.0 %
5.9	1	0.0 %
6.1	1	0.0 %
7.3	1	0.0 %
. (M)	169	5.1 %

GRANSRV0 # servings GRAINs

Location: 1866-1871 (width: 6; decimal: 3)

Variable Type: numeric

GRANFRQ0 Sum daily FREQ GRAINs

Location: 1872-1876 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.2	2	0.1 %
0.3	2	0.1 %
0.4	4	0.1 %
0.5	14	0.4 %
0.6	15	0.5 %
0.7	15	0.5 %
0.8	30	0.9 %
0.9	26	0.8 %
1.0	38	1.2 %
1.1	51	1.5 %
1.2	62	1.9 %
1.3	70	2.1 %
1.4	83	2.5 %
1.5	76	2.3 %
1.6	123	3.7 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1.7	117	3.5 %
1.8	127	3.8 %
1.9	143	4.3 %
2.0	136	4.1 %
2.1	105	3.2 %
2.2	112	3.4 %
2.3	138	4.2 %
2.4	138	4.2 %
2.5	127	3.8 %
2.6	133	4.0 %
2.7	113	3.4 %
2.8	134	4.1 %
2.9	108	3.3 %
3.0	102	3.1 %
3.1	95	2.9 %
3.2	84	2.5 %
3.3	60	1.8 %
3.4	85	2.6 %
3.5	64	1.9 %
3.6	49	1.5 %
3.7	52	1.6 %
3.8	51	1.5 %
3.9	36	1.1 %
4.0	29	0.9 %
4.1	34	1.0 %
4.2	24	0.7 %
4.3	24	0.7 %
4.4	12	0.4 %
4.5	11	0.3 %
4.6	14	0.4 %
4.7	5	0.2 %
4.8	7	0.2 %
4.9	7	0.2 %
5.0	10	0.3 %
5.1	8	0.2 %
5.2	5	0.2 %
5.3	7	0.2 %
5.4	3	0.1 %
5.5	1	0.0 %
5.6	1	0.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5.7	3	0.1 %
5.8	1	0.0 %
5.9	2	0.1 %
6.0	1	0.0 %
6.3	2	0.1 %
6.5	1	0.0 %
7.1	1	0.0 %
. (M)	169	5.1 %

MEATSRV0 # servings MEAT

Location: 1877-1881 (width: 5; decimal: 3)

Variable Type: numeric

MEATFRQ0 Sum daily FREQ MEAT

Location: 1882-1886 (width: 5; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.1	1	0.0 %
0.3	3	0.1 %
0.4	7	0.2 %
0.5	12	0.4 %
0.6	25	0.8 %
0.7	39	1.2 %
0.8	49	1.5 %
0.9	60	1.8 %
1.0	100	3.0 %
1.1	111	3.4 %
1.2	134	4.1 %
1.3	142	4.3 %
1.4	156	4.7 %
1.5	175	5.3 %
1.6	157	4.8 %
1.7	170	5.1 %
1.8	150	4.5 %
1.9	167	5.1 %
2.0	168	5.1 %
2.1	122	3.7 %
2.2	133	4.0 %
2.3	112	3.4 %
2.4	103	3.1 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2.5	96	2.9 %
2.6	98	3.0 %
2.7	77	2.3 %
2.8	67	2.0 %
2.9	68	2.1 %
3.0	52	1.6 %
3.1	48	1.5 %
3.2	51	1.5 %
3.3	41	1.2 %
3.4	35	1.1 %
3.5	32	1.0 %
3.6	12	0.4 %
3.7	21	0.6 %
3.8	18	0.5 %
3.9	18	0.5 %
4.0	15	0.5 %
4.1	19	0.6 %
4.2	6	0.2 %
4.3	8	0.2 %
4.4	4	0.1 %
4.5	6	0.2 %
4.6	9	0.3 %
4.7	6	0.2 %
4.8	6	0.2 %
4.9	2	0.1 %
5.0	5	0.2 %
5.1	4	0.1 %
5.2	2	0.1 %
5.3	1	0.0 %
5.4	2	0.1 %
5.7	3	0.1 %
5.9	1	0.0 %
6.1	1	0.0 %
6.2	1	0.0 %
6.6	1	0.0 %
8.2	1	0.0 %
. (M)	169	5.1 %

DARYSRV0

servings DAIRY

Location:

1887-1892 (width: 6; decimal: 3)

- Study 28762 -

Variable Type: numeric

DARYFRQ0 Sum daily FREQ DAIRY

Location: 1893-1898 (width: 6; decimal: 3)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	32	1.0 %
0.1	58	1.8 %
0.2	65	2.0 %
0.3	68	2.1 %
0.4	70	2.1 %
0.5	99	3.0 %
0.6	88	2.7 %
0.7	65	2.0 %
0.8	78	2.4 %
0.9	59	1.8 %
1.0	99	3.0 %
1.1	101	3.1 %
1.2	101	3.1 %
1.3	87	2.6 %
1.4	70	2.1 %
1.5	90	2.7 %
1.6	71	2.2 %
1.7	72	2.2 %
1.8	62	1.9 %
1.9	63	1.9 %
2.0	63	1.9 %
2.1	66	2.0 %
2.2	86	2.6 %
2.3	79	2.4 %
2.4	58	1.8 %
2.5	68	2.1 %
2.6	69	2.1 %
2.7	53	1.6 %
2.8	79	2.4 %
2.9	56	1.7 %
3.0	58	1.8 %
3.1	43	1.3 %
3.2	51	1.5 %
3.3	58	1.8 %
3.4	42	1.3 %
3.5	51	1.5 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3.6	49	1.5 %
3.7	40	1.2 %
3.8	31	0.9 %
3.9	36	1.1 %
4.0	21	0.6 %
4.1	26	0.8 %
4.2	28	0.8 %
4.3	24	0.7 %
4.4	27	0.8 %
4.5	26	0.8 %
4.6	24	0.7 %
4.7	16	0.5 %
4.8	19	0.6 %
4.9	16	0.5 %
5.0	15	0.5 %
5.1	11	0.3 %
5.2	9	0.3 %
5.3	13	0.4 %
5.4	14	0.4 %
5.5	18	0.5 %
5.6	13	0.4 %
5.7	16	0.5 %
5.8	16	0.5 %
5.9	8	0.2 %
6.0	14	0.4 %
6.1	11	0.3 %
6.2	7	0.2 %
6.3	5	0.2 %
6.4	8	0.2 %
6.5	9	0.3 %
6.6	7	0.2 %
6.7	4	0.1 %
6.8	5	0.2 %
6.9	4	0.1 %
7.0	10	0.3 %
7.1	4	0.1 %
7.2	3	0.1 %
7.3	4	0.1 %
7.4	8	0.2 %
7.5	2	0.1 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7.6	2	0.1 %
7.7	2	0.1 %
7.8	1	0.0 %
7.9	3	0.1 %
8.0	3	0.1 %
8.1	2	0.1 %
8.2	2	0.1 %
8.3	1	0.0 %
8.4	3	0.1 %
8.8	1	0.0 %
8.9	2	0.1 %
9.2	1	0.0 %
9.4	1	0.0 %
9.5	2	0.1 %
10.1	1	0.0 %
10.2	2	0.1 %
10.3	1	0.0 %
10.9	1	0.0 %
11.0	1	0.0 %
11.2	1	0.0 %
11.7	1	0.0 %
. (M)	169	5.1 %

FVSRV0 # servings FRUIT + VEG

Location: 1899-1904 (width: 6; decimal: 3)

Variable Type: numeric

FATSRV0 Servings of fats/sweets/snacks

Location: 1905-1910 (width: 6; decimal: 3)

Variable Type: numeric

ALCHSRV0 # servings of ALCOHOLIC Beverages

Location: 1911-1914 (width: 4; decimal: 1)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.0	1553	47.0 %
0.1	720	21.8 %
0.2	130	3.9 %
0.3	54	1.6 %
0.4	133	4.0 %
0.5	140	4.2 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.6	16	0.5 %
0.7	8	0.2 %
0.8	94	2.8 %
0.9	52	1.6 %
1.0	58	1.8 %
1.1	49	1.5 %
1.2	25	0.8 %
1.3	3	0.1 %
1.4	7	0.2 %
1.5	18	0.5 %
1.6	3	0.1 %
1.7	1	0.0 %
1.8	3	0.1 %
2.0	23	0.7 %
2.1	11	0.3 %
2.2	8	0.2 %
2.4	3	0.1 %
2.5	1	0.0 %
2.6	1	0.0 %
2.8	1	0.0 %
3.0	1	0.0 %
3.1	2	0.1 %
3.4	1	0.0 %
4.0	7	0.2 %
4.1	3	0.1 %
4.2	1	0.0 %
5.0	1	0.0 %
5.1	1	0.0 %
8.0	1	0.0 %
. (M)	169	5.1 %

FRUTWK0

Wkly variability FRUIT

Location: 1915-1916 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	323	9.8 %
1	630	19.1 %
2	759	23.0 %
3	663	20.1 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	430	13.0 %
5	199	6.0 %
6	76	2.3 %
7	35	1.1 %
8	15	0.5 %
9	2	0.1 %
11	1	0.0 %
. (M)	169	5.1 %

FRUTMON0

Monthly variability FRUIT

Location: 1917-1918 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	25	0.8 %
1	75	2.3 %
2	178	5.4 %
3	368	11.1 %
4	483	14.6 %
5	563	17.1 %
6	465	14.1 %
7	392	11.9 %
8	294	8.9 %
9	194	5.9 %
10	74	2.2 %
11	19	0.6 %
12	3	0.1 %
. (M)	169	5.1 %

FATWK0

Wkly variability FAT/SWEET

Location: 1919-1920 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	16	0.5 %
1	129	3.9 %
2	226	6.8 %
3	353	10.7 %
4	440	13.3 %
5	481	14.6 %
6	450	13.6 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	387	11.7 %
8	257	7.8 %
9	189	5.7 %
10	124	3.8 %
11	55	1.7 %
12	19	0.6 %
13	6	0.2 %
14	1	0.0 %
. (M)	169	5.1 %

FATMON0 **Monthly variability FAT/SWEET**

Location: 1921-1922 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	3	0.1 %
1	7	0.2 %
2	32	1.0 %
3	65	2.0 %
4	116	3.5 %
5	178	5.4 %
6	259	7.8 %
7	279	8.4 %
8	355	10.8 %
9	409	12.4 %
10	419	12.7 %
11	368	11.1 %
12	300	9.1 %
13	165	5.0 %
14	112	3.4 %
15	52	1.6 %
16	12	0.4 %
17	2	0.1 %
. (M)	169	5.1 %

ALCHWK0 **Wkly variability ALCOHOL**

Location: 1923-1923 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2220	67.2 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	611	18.5 %
2	261	7.9 %
3	41	1.2 %
. (M)	169	5.1 %

ALCHMON0 **Monthly variability ALCOHOL**

Location: 1924-1924 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1553	47.0 %
1	749	22.7 %
2	592	17.9 %
3	239	7.2 %
. (M)	169	5.1 %

VEGWK0 **Wkly variability VEG**

Location: 1925-1926 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	159	4.8 %
1	483	14.6 %
2	596	18.0 %
3	531	16.1 %
4	397	12.0 %
5	348	10.5 %
6	197	6.0 %
7	184	5.6 %
8	99	3.0 %
9	61	1.8 %
10	43	1.3 %
11	16	0.5 %
12	11	0.3 %
13	2	0.1 %
14	5	0.2 %
16	1	0.0 %
. (M)	169	5.1 %

VEGMON0 **Monthly variability VEG**

Location: 1927-1928 (width: 2; decimal: 0)

- Study 28762 -

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	1	0.0 %
1	6	0.2 %
2	11	0.3 %
3	56	1.7 %
4	89	2.7 %
5	166	5.0 %
6	210	6.4 %
7	283	8.6 %
8	332	10.1 %
9	335	10.1 %
10	369	11.2 %
11	356	10.8 %
12	294	8.9 %
13	209	6.3 %
14	166	5.0 %
15	118	3.6 %
16	55	1.7 %
17	38	1.2 %
18	26	0.8 %
19	9	0.3 %
20	3	0.1 %
21	1	0.0 %
. (M)	169	5.1 %

GRANWK0

Wkly variability GRAINs

Location:

1929-1930 (width: 2; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	9	0.3 %
1	76	2.3 %
2	210	6.4 %
3	338	10.2 %
4	459	13.9 %
5	509	15.4 %
6	479	14.5 %
7	389	11.8 %
8	257	7.8 %
9	186	5.6 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	131	4.0 %
11	51	1.5 %
12	27	0.8 %
13	10	0.3 %
14	2	0.1 %
. (M)	169	5.1 %

GRANMON0

Monthly variability GRAINS

Location: 1931-1932 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2	0.1 %
2	2	0.1 %
3	19	0.6 %
4	32	1.0 %
5	45	1.4 %
6	90	2.7 %
7	122	3.7 %
8	179	5.4 %
9	279	8.4 %
10	374	11.3 %
11	443	13.4 %
12	501	15.2 %
13	432	13.1 %
14	350	10.6 %
15	199	6.0 %
16	36	1.1 %
17	24	0.7 %
18	4	0.1 %
. (M)	169	5.1 %

MEATWK0

Wkly variability MEAT

Location: 1933-1934 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	41	1.2 %
1	117	3.5 %
2	195	5.9 %
3	317	9.6 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	406	12.3 %
5	449	13.6 %
6	392	11.9 %
7	362	11.0 %
8	282	8.5 %
9	215	6.5 %
10	142	4.3 %
11	86	2.6 %
12	56	1.7 %
13	32	1.0 %
14	14	0.4 %
15	19	0.6 %
16	5	0.2 %
17	1	0.0 %
19	2	0.1 %
. (M)	169	5.1 %

MEATMON0

Monthly variability MEAT

Location: 1935-1936 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1	0.0 %
3	4	0.1 %
4	10	0.3 %
5	27	0.8 %
6	38	1.2 %
7	53	1.6 %
8	97	2.9 %
9	119	3.6 %
10	168	5.1 %
11	236	7.1 %
12	273	8.3 %
13	304	9.2 %
14	304	9.2 %
15	310	9.4 %
16	331	10.0 %
17	250	7.6 %
18	231	7.0 %
19	130	3.9 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	90	2.7 %
21	62	1.9 %
22	32	1.0 %
23	24	0.7 %
24	18	0.5 %
25	10	0.3 %
26	9	0.3 %
27	1	0.0 %
28	1	0.0 %
. (M)	169	5.1 %

DARYWK0 **Wkly variability DAIRY**

Location: 1937-1937 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	143	4.3 %
1	504	15.3 %
2	801	24.3 %
3	807	24.4 %
4	533	16.1 %
5	248	7.5 %
6	81	2.5 %
7	14	0.4 %
8	2	0.1 %
. (M)	169	5.1 %

DARYMON0 **Monthly variability DAIRY**

Location: 1938-1939 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	18	0.5 %
1	73	2.2 %
2	174	5.3 %
3	346	10.5 %
4	609	18.4 %
5	787	23.8 %
6	639	19.4 %
7	340	10.3 %
8	103	3.1 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	38	1.2 %
10	5	0.2 %
11	1	0.0 %
. (M)	169	5.1 %

FVWK0

Wkly variability FRUIT+VEG

Location: 1940-1941 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	38	1.2 %
1	122	3.7 %
2	231	7.0 %
3	366	11.1 %
4	373	11.3 %
5	403	12.2 %
6	364	11.0 %
7	328	9.9 %
8	254	7.7 %
9	169	5.1 %
10	162	4.9 %
11	106	3.2 %
12	74	2.2 %
13	55	1.7 %
14	36	1.1 %
15	22	0.7 %
16	13	0.4 %
17	7	0.2 %
18	5	0.2 %
19	3	0.1 %
20	2	0.1 %
. (M)	169	5.1 %

FVMON0

Monthly variability FRUIT+VEG

Location: 1942-1943 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	2	0.1 %
3	6	0.2 %
4	10	0.3 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	24	0.7 %
6	32	1.0 %
7	46	1.4 %
8	83	2.5 %
9	146	4.4 %
10	162	4.9 %
11	168	5.1 %
12	209	6.3 %
13	269	8.1 %
14	250	7.6 %
15	283	8.6 %
16	253	7.7 %
17	252	7.6 %
18	234	7.1 %
19	182	5.5 %
20	141	4.3 %
21	115	3.5 %
22	91	2.8 %
23	71	2.2 %
24	40	1.2 %
25	32	1.0 %
26	14	0.4 %
27	11	0.3 %
28	5	0.2 %
29	1	0.0 %
30	1	0.0 %
. (M)	169	5.1 %

ALLIRON0	Diet + Suppl Iron, mg
-----------------	------------------------------

Location: 1944-1949 (width: 6; decimal: 3)

Variable Type: numeric

ALLZINC0	Diet + Suppl Zinc, mg
-----------------	------------------------------

Location: 1950-1955 (width: 6; decimal: 3)

Variable Type: numeric

ALLFOL0	Diet + Suppl Folic acid, mcg
----------------	-------------------------------------

Location: 1956-1963 (width: 8; decimal: 3)

Variable Type: numeric

ALLVITC0	Diet + Suppl Vitamin_C, mg
-----------------	-----------------------------------

Location: 1964-1971 (width: 8; decimal: 3)

Variable Type: numeric

- Study 28762 -

ALLCALC0 Diet + Suppl Calcium, mg

Location: 1972-1979 (width: 8; decimal: 3)

Variable Type: numeric

ALLARE0 Diet + Suppl Vitamin A, retinol equiv.

Location: 1980-1988 (width: 9; decimal: 3)

Variable Type: numeric

ALLBCAR0 Diet + Suppl BetaCarotene, mcg

Location: 1989-1997 (width: 9; decimal: 3)

Variable Type: numeric

ALLB10 Diet + Suppl B1, mg

Location: 1998-2002 (width: 5; decimal: 3)

Variable Type: numeric

ALLB20 Diet[Ribo] + Suppl[B1 (B1=B2)], mg

Location: 2003-2007 (width: 5; decimal: 3)

Variable Type: numeric

ALLB60 Diet + Suppl B6, mg

Location: 2008-2012 (width: 5; decimal: 3)

Variable Type: numeric

ALLVITE0 Diet + Suppl Vitamin_E, a-TE

Location: 2013-2020 (width: 8; decimal: 3)

Variable Type: numeric

EATMEAT0 Eat meat/fish/poultry

Location: 2021-2021 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	22	0.7 %
2	Yes	3039	92.0 %
. (M)	-	241	7.3 %

ADD1XWK0 Additional foods eaten 1x wk

Location: 2022-2022 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2323	70.4 %
2	Yes	747	22.6 %
. (M)	-	232	7.0 %

NUMADDS0 # of Additional Foods

Location: 2023-2023 (width: 1; decimal: 0)

- Study 28762 -

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	458	13.9 %
2	131	4.0 %
3	78	2.4 %
4	38	1.2 %
5	15	0.5 %
6	34	1.0 %
7	1	0.0 %
. (M)	2547	77.1 %

NSKIP0 # foods missing or double-marked

Location: 2024-2024 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2756	83.5 %
1	314	9.5 %
2	45	1.4 %
3	11	0.3 %
4	4	0.1 %
5	1	0.0 %
6	1	0.0 %
9	1	0.0 %
. (M)	169	5.1 %

HRMDAY0 Hormone measures Day

Location: 2025-2028 (width: 4; decimal: 0)

Variable Type: numeric

CYCDAY0 Day of cycle

Location: 2029-2029 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	459	13.9 %
3	734	22.2 %
4	743	22.5 %
5	645	19.5 %
6	139	4.2 %
7	65	2.0 %
. (M)	517	15.7 %

- Study 28762 -

DHAS0 Dehydroepiandrosterone sulfate (ug/dL)

Location: 2030-2036 (width: 7; decimal: 3)

Variable Type: numeric

FSH0 Follicle-stimulating hormone (mIU/mL)

Location: 2037-2043 (width: 7; decimal: 3)

Variable Type: numeric

SHBG0 Sex hormone-binding globulin (nM)

Location: 2044-2050 (width: 7; decimal: 2)

Variable Type: numeric

T0 Testosterone (ng/dL)

Location: 2051-2057 (width: 7; decimal: 3)

Variable Type: numeric

TSH0 Thyroid-stimulating hormone (uIU/mL)

Location: 2058-2064 (width: 7; decimal: 2)

Variable Type: numeric

E2AVE0 Estradiol (average, pg/mL)

Location: 2065-2072 (width: 8; decimal: 3)

Variable Type: numeric

FLGCV0 Both E2>20 pg/mL & CV>15%

Location: 2073-2073 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3138	95.0 %
1	Yes	155	4.7 %
. (M)	-	9	0.3 %

FLGDIF0 1 or both E2<=20 pg/mL & dif>10

Location: 2074-2074 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3291	99.7 %
1	Yes	2	0.1 %
. (M)	-	9	0.3 %

CVRDAY0 Cardiovascular measures Day

Location: 2075-2078 (width: 4; decimal: 0)

Variable Type: numeric

PROTDAY0 Protein measures Day

Location: 2079-2082 (width: 4; decimal: 0)

- Study 28762 -

Variable Type: numeric

FLAGCO20 Cardiovasc meas dt NE Protein meas dt

Location: 2083-2083 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3286	99.5 %
1	Yes	5	0.2 %
. (M)	-	11	0.3 %

FLAGSER0 Lipids measured on serum not plasma

Location: 2084-2084 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	3288	99.6 %
1	Yes	3	0.1 %
. (M)	-	11	0.3 %

CHOLRES0 Total cholesterol (mg/dl)

Location: 2085-2087 (width: 3; decimal: 0)

Variable Type: numeric

TRIGRES0 Triglycerides (mg/dl)

Location: 2088-2091 (width: 4; decimal: 0)

Variable Type: numeric

LDLRESU0 Estimated LDL (mg/dl)

Location: 2092-2094 (width: 3; decimal: 0)

Variable Type: numeric

HDLRESU0 HDL (mg/dl)

Location: 2095-2097 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	1	0.0 %
20	1	0.0 %
22	1	0.0 %
24	4	0.1 %
26	7	0.2 %
27	3	0.1 %
28	11	0.3 %
29	6	0.2 %
30	25	0.8 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	8	0.2 %
32	18	0.5 %
33	19	0.6 %
34	30	0.9 %
35	35	1.1 %
36	46	1.4 %
37	37	1.1 %
38	56	1.7 %
39	41	1.2 %
40	67	2.0 %
41	68	2.1 %
42	69	2.1 %
43	76	2.3 %
44	82	2.5 %
45	87	2.6 %
46	91	2.8 %
47	78	2.4 %
48	105	3.2 %
49	101	3.1 %
50	100	3.0 %
51	89	2.7 %
52	123	3.7 %
53	93	2.8 %
54	103	3.1 %
55	93	2.8 %
56	81	2.5 %
57	96	2.9 %
58	94	2.8 %
59	66	2.0 %
60	86	2.6 %
61	86	2.6 %
62	66	2.0 %
63	66	2.0 %
64	69	2.1 %
65	49	1.5 %
66	60	1.8 %
67	45	1.4 %
68	52	1.6 %
69	46	1.4 %
70	40	1.2 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
71	36	1.1 %
72	39	1.2 %
73	37	1.1 %
74	34	1.0 %
75	35	1.1 %
76	39	1.2 %
77	28	0.8 %
78	31	0.9 %
79	25	0.8 %
80	21	0.6 %
81	18	0.5 %
82	16	0.5 %
83	15	0.5 %
84	11	0.3 %
85	8	0.2 %
86	12	0.4 %
87	13	0.4 %
88	11	0.3 %
89	4	0.1 %
90	7	0.2 %
91	10	0.3 %
92	3	0.1 %
93	5	0.2 %
94	3	0.1 %
95	3	0.1 %
96	4	0.1 %
97	6	0.2 %
98	1	0.0 %
99	2	0.1 %
100	3	0.1 %
101	3	0.1 %
102	2	0.1 %
103	1	0.0 %
105	2	0.1 %
106	1	0.0 %
107	1	0.0 %
109	3	0.1 %
113	1	0.0 %
116	1	0.0 %
117	2	0.1 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
118	2	0.1 %
133	1	0.0 %
138	1	0.0 %
144	1	0.0 %
166	1	0.0 %
. (M)	23	0.7 %

LPARESU0	Lipoprotein Lp(a) (mg/dl)
-----------------	----------------------------------

Location: 2098-2100 (width: 3; decimal: 0)

Variable Type: numeric

FIBRESU0	Fibrinogen (mg/dl)
-----------------	---------------------------

Location: 2101-2103 (width: 3; decimal: 0)

Variable Type: numeric

FACRESU0	Factor VII (%)
-----------------	-----------------------

Location: 2104-2106 (width: 3; decimal: 0)

Variable Type: numeric

PAIRESU0	PAI-1 (ng/ml)
-----------------	----------------------

Location: 2107-2112 (width: 6; decimal: 1)

Variable Type: numeric

TPARESU0	tPA (ng/ml)
-----------------	--------------------

Location: 2113-2117 (width: 5; decimal: 1)

Variable Type: numeric

GLUCRES0	Glucose (mg/dl)
-----------------	------------------------

Location: 2118-2120 (width: 3; decimal: 0)

Variable Type: numeric

INSURES0	Insulin (uIU/ml)
-----------------	-------------------------

Location: 2121-2126 (width: 6; decimal: 1)

Variable Type: numeric

LPA1RES0	Lipoprotein A-1 (mg/dl)
-----------------	--------------------------------

Location: 2127-2129 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	1	0.0 %
21	1	0.0 %
23	8	0.2 %
24	3	0.1 %
25	3	0.1 %
26	7	0.2 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
27	6	0.2 %
28	7	0.2 %
29	9	0.3 %
30	15	0.5 %
31	39	1.2 %
32	35	1.1 %
33	45	1.4 %
34	54	1.6 %
35	77	2.3 %
36	64	1.9 %
37	76	2.3 %
38	101	3.1 %
39	105	3.2 %
40	88	2.7 %
41	128	3.9 %
42	121	3.7 %
43	104	3.1 %
44	115	3.5 %
45	115	3.5 %
46	115	3.5 %
47	100	3.0 %
48	134	4.1 %
49	100	3.0 %
50	108	3.3 %
51	119	3.6 %
52	108	3.3 %
53	97	2.9 %
54	104	3.1 %
55	101	3.1 %
56	66	2.0 %
57	77	2.3 %
58	77	2.3 %
59	59	1.8 %
60	52	1.6 %
61	50	1.5 %
62	73	2.2 %
63	55	1.7 %
64	41	1.2 %
65	31	0.9 %
66	32	1.0 %

- Study 28762 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
67	23	0.7 %
68	48	1.5 %
69	8	0.2 %
70	39	1.2 %
71	8	0.2 %
72	21	0.6 %
73	4	0.1 %
74	19	0.6 %
76	17	0.5 %
77	2	0.1 %
78	16	0.5 %
80	9	0.3 %
82	4	0.1 %
84	6	0.2 %
86	1	0.0 %
88	3	0.1 %
90	5	0.2 %
92	2	0.1 %
94	1	0.0 %
96	2	0.1 %
102	3	0.1 %
122	1	0.0 %
. (M)	34	1.0 %

APOARES0 Apolipoprotein A-1 (mg/dl)

Location: 2130-2132 (width: 3; decimal: 0)

Variable Type: numeric

APOBRES0 Apolipoprotein B (mg/dl)

Location: 2133-2135 (width: 3; decimal: 0)

Variable Type: numeric

CRPRESU0 C-reactive protein (mg/l)

Location: 2136-2141 (width: 6; decimal: 3)

Variable Type: numeric

SPSCDAY0 Spine Scan Day

Location: 2142-2145 (width: 4; decimal: 0)

Variable Type: numeric

SPSCTIM0 Spine Scan Time

Location: 2146-2153 (width: 8; decimal: 0)

Variable Type: character

- Study 28762 -

SPSCMOD0 Spine Scan Mode

Location: 2154-2155 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	2000 machine	888	26.9 %
11	4500 machine	1388	42.0 %
. (M)	-	1026	31.1 %

HPSCDAY0 Hip Scan Day

Location: 2156-2159 (width: 4; decimal: 0)

Variable Type: numeric

HPSCTIM0 Hip Scan Time

Location: 2160-2167 (width: 8; decimal: 0)

Variable Type: character

HPSCMOD0 Hip Scan Mode

Location: 2168-2169 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	2000 machine	900	27.3 %
11	4500 machine	1430	43.3 %
. (M)	-	972	29.4 %

SPBMDT0 Total Spine BMD w/cross-calibration applied

Location: 2170-2175 (width: 6; decimal: 3)

Variable Type: numeric

HPBMDT0 Total Hip BMD w/cross-calibration applied

Location: 2176-2181 (width: 6; decimal: 3)

Variable Type: numeric

BMDFLG0 flg 1:spine not reanalyzed; 2:hip not reanalyzed; 3: spine das not send; 4: hip das not send; 5: PI recommended for spine exclusion

Location: 2182-2182 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	3	0.1 %
. (M)	3299	99.9 %

OCCUP0 Occupation - Job 1

Location: 2183-2185 (width: 3; decimal: 0)

Variable Type: numeric

- Study 28762 -

<i>Value</i>	<i>Label</i>
4	Chief executives/gen administrators, public admin.
5	Administrators/officials, public admin
6	Administrators, protective services
7	Financial managers
8	Personnel/labor relations managers
9	Purchasing managers
13	Managers, marketing, advertising, & pub relations
14	Administrators, education/related fields
15	Managers, medicine & health
17	Managers, food serving & lodging establishments
18	Managers, properties and real estate
21	Managers, service organizations, n.e.c.
22	Managers & administrators, n.e.c.
23	Accountants & auditors
25	Other financial officers
26	Management analysts
27	Personnel, training, & labor rel specialists
28	Purchasing agents & buyers, farm products
33	Purchasing agents & buyers, n.e.c.
35	Construction inspectors
36	Inspectors/compliance officers, exc. construct
37	Management related occupations, n.e.c.
43	Architects
53	Civil engineers
55	Electrical & electronic engineers
56	Industrial engineers
57	Mechanical engineers
59	Engineers, n.e.c.
64	Computer systems analysts/scientists
65	Operations/systems researchers & analysts
73	Chemists, except biochemists
75	Geologists & geodesists
76	Physical scientists, n.e.c.
77	Agricultural & food scientists
78	Biological & life scientists
83	Medical scientists
84	Physicians
87	Optometrists
89	Health diagnosing practitioners, n.e.c.
95	Registered nurses
96	Pharmacists

- Study 28762 -

<i>Value</i>	<i>Label</i>
97	Dietitians
98	Respiratory therapists
99	Occupational therapists
103	Physical therapists
104	Speech therapists
105	Therapists, n.e.c.
106	Physicians' assistants
114	Biological science teachers
117	Natural science teachers, n.e.c.
125	Sociology teachers
127	Engineering teachers
128	Mathematical science teachers
129	Computer science teachers
134	Health specialties teachers
137	Art, drama, & music teachers
138	Physical education teachers
143	English teachers
144	Foreign language teachers
154	Postsecondary teachers, subj not spec
155	Teachers, prekinder & kindergarten
156	Teachers, elementary school
157	Teachers, secondary school
158	Teachers, special education
159	Teachers, n.e.c.
163	Counselors, educational & vocational
164	Librarians
165	Archivists & curators
166	Economists
167	Psychologists
173	Urban planners
174	Social workers
175	Recreation workers
176	Clergy
177	Religious workers, n.e.c.
178	Lawyers
179	Judges
183	Authors
184	Technical writers
185	Designers
186	Musicians & composers
187	Actors & directors

- Study 28762 -

<i>Value</i>	<i>Label</i>
188	Painters/sculptors/craft-artists, & printmakers
189	Photographers
194	Artists, performers, & related workers, n.e.c.
195	Editors & reporters
197	Public relations specialists
199	Athletes
203	Clinical lab technologists & technicians
204	Dental hygienists
205	Health record technologists & technicians
206	Radiologic technicians
207	Licensed practical nurses
208	Health technologists & technicians, n.e.c.
213	Electrical & electronic technicians
214	Industrial engineering technicians
216	Engineering technicians, n.e.c.
225	Science technicians, n.e.c.
227	Air traffic controllers
229	Computer programmers
234	Legal assistants
235	Technicians, n.e.c.
243	Supervisors & proprietors, sales
253	Insurance sales occupations
254	Real estate sales occupations
255	Securities/financial services sales
256	Advertising & related sales
257	Sales occupations, other business services
259	Sales rep, mining, manufacturing, & wholesale
263	Sales workers, motor vehicles & boats
264	Sales workers, apparel
266	Sales workers, furniture & home furnishings
267	Sales workers; radio/TV/hi-fi/appliances
274	Sales workers, other commodities
275	Sales counter clerks
276	Cashiers
277	Street & door-to-door sales workers
278	News vendors
283	Demonstrators, promoters & models, sales
303	Supervisors, general office
305	Supervisors, financial records processing
307	Supervisors; distrib/sched/adjusting clerks
308	Computer operators

- Study 28762 -

<i>Value</i>	<i>Label</i>
313	Secretaries
314	Stenographers
315	Typists
316	Interviewers
318	Transportation ticket/reservation agents
319	Receptionists
323	Information clerks, n.e.c.
327	Order clerks
328	Personnel clerks, exc payroll/timekeeping
329	Library clerks
335	File clerks
336	Records clerks
337	Bookkeepers, accounting, & auditing clerks
338	Payroll & timekeeping clerks
339	Billing clerks
343	Cost & rate clerks
344	Billing/posting/calculating mach operators
345	Duplicating machine operators
346	Mail preparing/paper handling mach op
347	Office machine operators, n.e.c.
348	Telephone operators
354	Postal clerks, exc. mail carriers
355	Mail carriers, postal service
356	Mail clerks, exc. postal service
359	Dispatchers
363	Production coordinators
364	Traffic/shipping/receiving clerks
365	Stock & inventory clerks
373	Expeditors
374	Material recording/sched/distrib clerks, n.e.c.
375	Insurance adjusters/examiners/investigators
376	Investigators & adjusters, exc insurance
377	Eligibility clerks, social welfare
378	Bill & account collectors
379	General office clerks
383	Bank tellers
384	Proofreaders
385	Data-entry keyers
386	Statistical clerks
387	Teachers' aides
389	Administrative support occ, n.e.c.

- Study 28762 -

<i>Value</i>	<i>Label</i>
406	Child care workers, private hh
407	Private hh cleaners & servants
414	Supervisors, police & detectives
415	Supervisors, guards
418	Police & detectives, public service
423	Sheriffs/bailiffs/other law enf officers
424	Correctional institution officers
425	Crossing guards
426	Guards & police, exc. public service
433	Supervisors, food prep & service occ
434	Bartenders
435	Waiters & waitresses
436	Cooks
438	Food counter, fountain & related occ
439	Kitchen workers, food preparation
443	Waiters'/waitresses' assistants
444	Miscellaneous food prep occ
445	Dental assistants
446	Health aides, exc nursing
447	Nursing aides, orderlies, & attendants
448	Supervisors, cleaning & building service workers
449	Maids & housemen
453	Janitors & cleaners
456	Supervisors, personal service occ
458	Hairdressers & cosmetologists
459	Attendants, amusement & rec facilities
461	Guides
462	Ushers
463	Public transportation attendants
464	Baggage porters & bellhops
465	Welfare service aides
466	Family child care providers
467	Early childhood teachers' assistants
468	Child care workers, n.e.c.
469	Personal service occupations, n.e.c.
484	Nursery workers
485	Supervisors, related agricultural occ
486	Groundskeepers & gardeners, exc farm
488	Graders & sorters, agricultural products
523	Electronic repairers, commun & industrial equip.
527	Telephone line installers & repairers

- Study 28762 -

<i>Value</i>	<i>Label</i>
529	Telephone installers & repairers
575	Electricians
579	Painters, construction & maintenance
628	Supervisors, production occupations
634	Tool & die makers
636	Precision assemblers, metal
647	Precious stones & metals workers (jewelers)
666	Dressmakers
668	Upholsterers
674	Miscellaneous precision apparel & fabric workers
679	Bookbinders
683	Electrical & electronic equipment assemblers
684	Miscellaneous precision workers, n.e.c.
686	Butchers & meat cutters
687	Bakers
688	Food batchmakers
689	Inspectors, testers, & graders
696	Stationary engineers
706	Punching & stamping press machine operators
723	Metal plating machine operators
734	Printing press operators
739	Knitting, looping, taping, and weaving machine operators
744	Textile sewing machine operators
747	Pressing machine operators
748	Laundering & dry cleaning machine operators
754	Packaging & filling machine operators
769	Slicing & cutting machine operators
774	Photographic process machine operators
777	Miscellaneous machine operators, n.e.c.
783	Welders & cutters
785	Assemblers
787	Hand molding, casting, & forming occ
796	Production inspectors, checkers, & examiners
797	Production testers
798	Production samplers & weighers
804	Truck drivers
808	Bus drivers
809	Taxicab drivers & chauffeurs
856	Industrial truck & tractor equipment operators
875	Garbage collectors
877	Stock handlers & baggers

- Study 28762 -

<i>Value</i>	<i>Label</i>
883	Freight, stock, & material handlers, n.e.c.
887	Vehicle washers & equipment cleaners
888	Hand packers & packagers
889	Laborers, exc construction
905	Military occupation, rank not spec
915	STUDENT

* Frequencies not displayed for this variable.

STATUS0	Menopausal Status
----------------	--------------------------

Location: 2186-2186 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Early Peri	1498	45.4 %
5	Pre-menopausal	1727	52.3 %
. (M)	-	77	2.3 %

LMPDAY0	Last Menstrual Period Day
----------------	----------------------------------

Location: 2187-2190 (width: 4; decimal: 0)

Variable Type: numeric

Baseline bibliography

Crawford SL, Johannes CB, Stellato RK. **Assessment of Digit Preference in Self-reported Year at Menopause: Choice of an Appropriate Reference Distribution.** American Journal of Epidemiology. 2002;156(7):676-683.

Primary Question: Is self-reported year at natural or surgical menopause accurate, or does it exhibit terminal digit preference for years ending in "0" and "5"?

Summary of Findings: Terminal digit for year at hysterectomy was more evenly distributed across all 10 digits than was terminal digit for year at natural menopause. The latter, however, was similar to a reference distribution based on prevalence data, suggesting that self-report is accurate. Results did not differ by ethnicity.

Avis NE, Ory M, Matthews KA, Schocken M, Bromberger J, Colvin A. **Health-Related Quality of Life in a Multiethnic Sample of Middle-Aged Women: Study of Women's Health Across the Nation (SWAN).** Medical Care. 2003;41(11):1262-1276.

Primary Question: Are ethnicity and/or menopausal status related to impaired functioning on five health-related quality of life domains (role limitations due to physical health, bodily pain, role limitations due to emotional problems, vitality, and social functioning) among women in mid-life? What additional variables (including demographics, health status, lifestyle, and psychosocial factors) are related to impaired functioning for each domain. Are ethnicity/menopausal status related to impaired functioning after adjusting for other important health and lifestyle predictors?

Summary of Findings: In unadjusted analyses, perimenopausal women were more likely to have impaired functioning on all 5 domains. However, in analyses adjusting for other variables, menopausal status was no longer significantly related to impaired functioning. Ethnicity was also related to impaired functioning on all 5 domains in unadjusted analyses and remained significant in adjusted analyses for all domains but role-physical. In general, health and psychosocial factors for most related to all 5 health-related quality of life domains.

Sowers MF. **Studying the Complexity of the Menopause Transition from an Epidemiological Perspective.** Textbook of Perimenopausal Gynecology. 2003:27-35.

Primary Question: What are the stages of the menopausal transition period and the implications of those transition stages for short-term health or health status?

Summary of Findings: The stages of the menopausal transition can be defined based on menstrual bleeding, symptoms, hormone concentrations or health status. Integral to the menopause transition itself include duration of the transition and age at menopause as well as a marker of the intensity of the experience, observed as symptoms, shifts in hormone concentrations and ovarian function. The SWAN study provides prospective data of the menopausal transition stages using a multi-ethnic population.

Bromberger JT, Assmann SF, Avis NE, Schocken M, Kravitz HM, Cordal A. **Persistent Mood Symptoms in a Multiethnic Community Cohort of Pre- and Perimenopausal Women.** American Journal of Epidemiology. 2003;158(4):347-356.

Primary Question: Are early perimenopausal women more likely than premenopausal women to experience frequent mood symptoms? Is the effect of being perimenopausal on dysphoric mood greater among women with certain characteristics?

Summary of Findings: Rates of frequent mood symptoms were higher among early perimenopausal (14.9%-18.4%) than among premenopausal (8%-12%) women. Early perimenopausal women had higher odds of irritability, nervousness, and frequent mood

changes, but not feeling blue. The effect of being early perimenopausal on overall dysphoric mood was greatest among women with less than a high school/GED education and with no “possible PMS” in the previous year.

Torrens JI, Skurnick J, Davidow AL, Korenman SG, Santoro N, Soto-Greene M, Lasser N, Weiss G. **Ethnic Differences in Insulin Sensitivity and B-cell Function in Premenopausal or Early Perimenopausal Women Without Diabetes: the Study of Women's Health Across the Nation (SWAN).** Diabetes Care. 2004;27(2):354-361.

Primary Question: To look for differences in two of the major risk factors for the development of type 2 diabetes between non-Hispanic whites and the other ethnic groups enrolled in SWAN.

Summary of Findings: Chinese Americans, Japanese Americans and African Americans are less insulin sensitive than non-Hispanic white women. The non-Mexican American Latino women have a similar level of insulin sensitivity as non-Hispanic white women. Chinese American and Japanese American women do not have the compensatory increase in beta cell function seen in African American women. Beta cell function in non-Mexican American Women is similar to that of non-Hispanic white women.

Santoro N, Lasley B, McConnell D, Allsworth J, Crawford S, Gold EB, Finkelstein JS, Greendale GA, Kelsey J, Korenman S, Luborsky JL, Matthews K, Midgley R, Powell L, Sabatine J, Schocken M, Sowers MF, Weiss G. **Body Size and Ethnicity are Associated with Menstrual Cycle Alterations in Women in the Early Menopausal Transition: The Study of Women's Health across the Nation (SWAN) Daily Hormone Study.** Journal of Clinical Endocrinology and Metabolism. 2004;89(6):2622-2631.

Primary Question: What demographic features predict luteal activity in the SWAN subcohort DHS baseline?

Summary of Findings: Older age, larger body size, and Hispanic ethnic background were all associated with a greater likelihood of having an anovulatory cycle in women in the early stages of the menopause transition. Cigarette smoking, although known to affect the age at menopause, was not associated with major menstrual cycle alterations in this sample.

Gold EB, Block G, Crawford S, Lachance L, FitzGerald G, Miracle H, Sherman S. **Lifestyle and Demographic Factors in Relation to Vasomotor Symptoms: Baseline Results from the Study of Women's Health Across the Nation (SWAN).** American Journal of Epidemiology. 2004;159(12):1189-1199.

Primary Question: How does dietary intake (fiber, alcohol, calorie, etc.) affect the physical symptoms of menopause? Are active and passive smoke exposure associated with menopausal symptoms?

Summary of Findings: Significantly more African American and Hispanic women and significantly less Chinese and Japanese women reported vasomotor symptoms. Increased reporting of vasomotor symptoms was also significantly independently associated with passive smoke exposure and increased dietary cholesterol, as well as a history of premenstrual symptoms or gynecologic surgery

Avis NE, Colvin A. **Disentangling cultural issues in quality of life data.** Menopause. 2007;14(4):708-716.

Primary Question: Can ethnic differences in quality of life be explained by translation or acculturation?

Summary of Findings: We found that controlling for covariates explained the majority of ethnic differences in HRQL. Degree of acculturation was related to several of the outcomes and may reflect cultural differences in the impact of physical and mental health on quality of life.

Troxel WM, Buysse DJ, Hall M, Matthews KA. **Marital Happiness and Sleep Disturbances in a Multi-Ethnic Sample of Middle-Aged Women.** Behavioral Sleep Medicine. 2009;7(1):2-19.

Primary Question: Is marital happiness associated with sleep disturbance in women from different ethnic groups?

Summary of Findings: Happily married, Caucasian women had fewer sleep disturbances as compared to their unhappily married counterparts. This association was independent of other risk factors, suggesting that marital happiness is not merely a proxy for being a “happy” person. There was no association between marital happiness and sleep disturbance in African American, Hispanic, Chinese, or Japanese women.