

ICPSR 29221

**Study of Women's Health Across
the Nation (SWAN), 1997-1999: Visit
01 Dataset**

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Study of Women's Health Across the Nation (SWAN), 1997-1999: Visit 01 Dataset

Kim Sutton-Tyrrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran Sowers
University of Michigan

Robert Neer
Massachusetts General Hospital, Boston

Lynda Powell
Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen Gold
University of California-Davis

Gail Greendale
University of California-Los Angeles

Gerson Weiss
University of Medicine and Dentistry - New Jersey Medical School

Karen Matthews
University of Pittsburgh

Sonja McKinlay
New England Research Institutes

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/29221.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



FOLLOW-UP VISIT 01

CODEBOOK

PAGE INTENTIONALLY BLANK

TABLE OF CONTENTS

Documentation for the SWAN Visit 1 Dataset	4
Interview Questionnaire.....	6
Self-Administered Questionnaire Part A	31
Self-Administered Questionnaire Part B	54
Physical Measures	59
Additional Measures.....	61

DOCUMENTATION FOR THE PUBLIC-USE SWAN VISIT 01 DATASET

1. Who is included in the public use dataset:

The dataset contains the first follow-up visit information for 2,881 women of the 3,302 women from the 7 clinical sites participating in the SWAN longitudinal study. The sites include Boston, MA, Pittsburgh, PA, Oakland and Los Angeles, CA, Detroit, MI, Newark, NJ, and Chicago, IL.

2. How this codebook is constructed:

Following this documentation section are copies of each of the questionnaires that were used at the first follow-up visit. A list of additional variables is also provided. The questionnaires include the variables available for public use next to the question in bold red uppercase underlined letters. Those variables not available for public use have a # before the variable and are in blue. Any special notes are indicated with footnotes at the bottom of the page.

The assigned participant ID has been replaced with a randomly generated SWANID in order to protect participant privacy. The *baseline* interview date is denoted as day 0 and is used as the basis for all other dates. All other questionnaires or data collected that have a date attached have been converted to the number of days from the baseline interview. For example, if the Visit 1 Self-Administered Questionnaire Part A was collected a year after the baseline interview, the day for the Self-Administered Part A would be day 365 and the Interview would be day 0.

All variables for visit 1 have a 1 at the end of the variable name.

3. Missing data coding:

The following coding convention is used to indicate different forms of missing data:

- 9 = Missing
- 8 = Do not know
- 7 = Refused
- 1 = Not Applicable

4. Ways this data can be used and additional notes

Interview Questionnaire

The date of the specimen mentioned in A.15 is in the variable SPEDAY1. Several questions were added or changed with the 9/15/1997 version of the interview form, and these are detailed on the last page of the interview form in the codebook. Question C4 was asked as one question with six responses in the 9/15/1997 version, rather than six separate questions with a Yes/No answer in the original version. Question C10 was added, and contained the variables used to create the perceived stress variable. Question E5 had an additional response (response 8) added for the 9/15/1997 version of the form. An osteoporosis variable was created based on text fields in the other prescription medication questions.

- o A menopausal status variable STATUS1 was derived for all analyses of the SWAN data for the patient at visit 1.
- o Age (AGE1) was calculated from date of birth and when the form was completed, and is rounded to the next lowest integer.
- o A social support score can be calculated from the questions in C.9.a-d after recoding them from a 1-5 range to a 0-4 range.
- o CES-D scores can be created from the questions in C.10 (C.11 in the 9/15/1997 version of the form).
- o A perceived stress score can be created from questions in C.10 in the 9/15/1997 version of the form.

Self-Administered Questionnaire Part A

In general, any 'Other, specify' text field is not included in the dataset. The income question I.1 was condensed so that the income ranges were more broadly defined.

- o Current smoking is defined as anyone who answered 'yes' to question B.8 (SMOKERE1) and an answer greater than 0 for B.8.a (AVGCIGDA1). The created variable SMOKER1 is 'yes' for current smokers.

Variable Excluded from Public Use Data File

- SF-36 scores can be derived based on questions B.14-20 according to the SF-36 User's Manual. Responses may need to be reversed where necessary so that all items are positively scored, so that a higher value indicates better functioning. The Role-Physical scale uses the variables from question B.14a-d. The Bodily Pain Score is calculated from questions B.17 and B.18. Item recoding depends on whether both questions were answered or one of the items has missing data. After recoding, all the items are positively scored so that a higher score indicates less pain. The SF-36 Vitality Score is calculated from questions B.19a-d. Questions B.19.a and B.19.b should be reversed so that all items are positively scored; for the resulting index a higher score indicates greater energy (and less fatigue). The Social Functioning Score is calculated using questions B.16 and B.20. Question B.16 is reversed so that all items are positively scored; for the resulting index a higher score indicates better social functioning. The Role-Emotional Score is calculated using questions B.15a-c. All items are positively scored, so a higher score indicates better role-emotional functioning.

Self-Administered Questionnaire Part B

One participant completed the questionnaire after the Visit 1 cut-off date of January 31, 1999, and the variable FLGSABV1 indicates this.

Physical Measures

In addition to the variables on the form, BMI1 was also calculated as weight in kilograms divided by the square of height in meters.

Additional Measures

Serum Hormone Measures

The visit 1 hormone results are included. Of special note is that the estradiol assay was run in duplicate. The average (E2AVE1) is the within-person arithmetic average of the two assays. A flag indicates if the estradiol results differed by > 10 pg/mL where one or both results <= 20 pg/mL. Hormone results below the lower level of detection (LLD- see table in the Additional Measures section) were recoded to an .L value.

Cardiovascular Measures

A flag (FLAGSER1) indicates that the lipids were measured on serum rather than plasma because plasma was not available. One participant had samples collected after the Visit 1 cut-off date of January 31, 1999, and the flag FLGCVRV1 indicates this.

Bone Mineral Density Measures

Five of the seven sites participated in the bone study – Detroit, MI, Boston, MA, Oakland and Los Angeles, CA, and Pittsburgh, PA. Total spine and total hip bone mineral density (BMD) measures are provided. The spinal BMDs of two participants were recommended for exclusion by the Principal Investigator, and the flag BMDFLG1 indicates this.

Study of Women's Health Across the Nation

ANNUAL FOLLOW-UP INTERVIEW

Study of Women's Health Across the Nation

ANNUAL FOLLOW-UP INTERVIEW

SECTION A. GENERAL INFORMATION

A1. RESPONDENT ID:	<div style="border: 1px solid black; width: 200px; height: 40px; margin: 0 auto;"></div>	<u>SWANID</u> [~]
A2. SWAN STUDY VISIT #	____ _	<u>VISIT</u>
A3. FORM VERSION:	<div style="display: flex; justify-content: space-around; align-items: center;"> $\frac{0}{M}$ $\frac{2}{M}$ / $\frac{1}{D}$ $\frac{0}{D}$ / $\frac{1}{Y}$ $\frac{9}{Y}$ $\frac{9}{Y}$ $\frac{7}{Y}$ </div>	#FORM_V
A4. DATE FORM COMPLETED:	<div style="display: flex; justify-content: space-around; align-items: center;"> ____ ____ / ____ ____ / ____ ____ ____ ____ </div> <div style="display: flex; justify-content: space-around; align-items: center;"> M M D D Y Y Y Y </div>	<u>INTDAY1</u> [†]
A5. INTERVIEWER'S INITIALS:	____ _	#INITS
A6. RESPONDENT'S DOB:	<div style="display: flex; justify-content: space-around; align-items: center;"> ____ ____ / ____ ____ / ____ ____ </div> <div style="display: flex; justify-content: space-around; align-items: center;"> M M D D Y Y </div>	#DOB

A7. INTERVIEW COMPLETED IN:	#LOCATIO1
RESPONDENT'S HOME	1
CLINIC/OFFICE	2
RESPONDENT'S HOME BY PROXY	3
CLINIC/OFFICE BY PROXY	4

A7.1 INTERVIEW LANGUAGE: LANGINT1

ENGLISH.....	1
SPANISH.....	2
CANTONESE	3
JAPANESE.....	4

A8. Are you currently pregnant? **PREGNANT**

NO	1
YES	2
DON'T KNOW	-8

A9. WAS BLOOD FOR THIS ANNUAL FOLLOW-UP ALREADY DRAWN? **PREVBLO1**

NO	1
YES	2

(GO TO PAGE 3)

~ A randomly generated ID will be provided that is different from the original ID
 † This date is given in days since the initial baseline interview, which is day zero.
 Before we draw a blood sample I need to ask you a few questions.

A10. Have you had anything to eat or drink, other than water, in the last 12 hours? That is, since ____ : ____ last night ? **EATDRIN1**

NO..... 1
YES..... 2

A11. Did you start a menstrual period in the last 5 days? **STRTPER1**

NO..... 1 (A13)
YES..... 2 (A12)

A12. What is the date that you started to bleed? **DAYBLE1[†]**

____ / ____ / ____
M M D D Y Y Y Y

A13. BLOOD DRAW ATTEMPTED? **BLDRWAT1**

YES, AS PER PROTOCOL 1 (A14)
YES, MENSES TOO VARIABLE..... 2 (A14)
YES, LAST ATTEMPT 3 (A14)
YES, RESPONDENT PREGNANT..... 4 (A14)
NO, NOT FASTING AND/OR NOT IN WINDOW - RESCHEDULE 5 (A13.1)

A13.1 Unfortunately this is not the best time to draw a blood sample. In order to get the best possible information for this study, we need you to fast for 12 hours and to be within 5 days of starting a menstrual period. We need to reschedule a good day to draw your blood.
[INTERVIEWER HAND INSTRUCTION CARD TO RESPONDENT AND EXPLAIN]
GO TO SECTION B ON THE NEXT PAGE

A14. FOLLOW BLOOD DRAW PROTOCOL
RECORD COLLECTION TUBES FILLED ON SPECIMEN COLLECTION FORM

A15. BLOOD DRAWN? **BLDDRAW1**

NO..... 1
YES..... 2

[†] This date is given in days since the initial baseline interview, which is day zero.

ASK RESPONDENT TO GATHER PRESCRIPTION MEDICATIONS SO THEY ARE WITHIN REACH.
REMEMBER, DO NOT READ OUT LOUD ANY SCRIPT IN CAPITAL LETTERS.

I would like to begin the interview by asking you some questions about medications.

The medications you take, both those prescribed and from over-the-counter (OTC), can have a major influence on how well you feel, how you respond to events in your life, and the continued maintenance of your health. We want to know about any medications you have taken since your last study visit.

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit.

IF YES TO ANY, RECORD
MEDICATION NAME IN THE SPACES
PROVIDED

PRESCRIPTION DRUGS

IF YES:

			a.		b.		c.	
	NO	YES	What is the name of the medication?		Have you been taking it at least two times per week for the last month?		INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?	
Since your last study visit....								
B1. Have you taken any medication, pills or other medicine to thin your blood (anticoagulants)? <u>ANTICO11</u>	1	2	<u>#ACOAMD11</u>	1	<u>ACOATW11</u>	1	<u>#ACOVR11</u>	2
<u>ANTICO21</u>	1	2	<u>#ACOAMD21</u>	1	<u>ACOATW21</u>	1	<u>#ACOVR21</u>	2
B2. Anything for your heart or heart beat, including pills or patches? <u>HEART11</u>	1	2	<u>#HARTMD11</u>	1	<u>HARTTW11</u>	1	<u>#HARTVR11</u>	2
<u>HEART21</u>	1	2	<u>#HARTMD21</u>	1	<u>HARTTW21</u>	1	<u>#HARTVR21</u>	2
B3. Any medications for cholesterol or fats in your blood? <u>CHOLST11</u>	1	2	<u>#CHOLMD11</u>	1	<u>CHOLTW11</u>	1	<u>#CHOLVR11</u>	2
<u>CHOLST21</u>	1	2	<u>#CHOLMD21</u>	1	<u>CHOLTW21</u>	1	<u>#CHOLVR21</u>	2
B4. Blood pressure pills? <u>BP11</u>	1	2	<u>#BPMED11</u>	1	<u>BPTW11</u>	1	<u>#BPVER11</u>	2
<u>BP21</u>	1	2	<u>#BPMED21</u>	1	<u>BPTW21</u>	1	<u>#BPVER21</u>	2

a. What is the name of the medication?

b. Have you been taking it at least two times per week for the last month?

c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?

Since your last study visit, have you taken...

	NO	YES		NO	YES	NO	YES
B5. Diuretics for water retention?	1	2		1	2	1	2
<u>DIURET11</u>			<u>#DIURMD11</u>	<u>DIURTW11</u>		<u>#DIURVR11</u>	
<u>DIURET21</u>	1	2	<u>#DIURMD21</u>	<u>DIURTW21</u>		<u>#DIURVR21</u>	
B6. Thyroid pills?	1	2		1	2	1	2
<u>THYROI11</u>			<u>#THYRMD11</u>	<u>THYRTW11</u>		<u>#THYRVR11</u>	
<u>THYROI21</u>	1	2	<u>#THYRMD21</u>	<u>THYRTW21</u>		<u>#THYRVR21</u>	
B7. Insulin or pills for sugar in your blood?	1	2		1	2	1	2
<u>INSULN11</u>			<u>#INSUMD11</u>	<u>INSUTW11</u>		<u>#INSUVR11</u>	
<u>INSULN21</u>	1	2	<u>#INSUMD21</u>	<u>INSUTW21</u>		<u>#INSUVR21</u>	
B8. Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?	1	2		1	2	1	2
<u>NERVS11, NERVS21</u>			<u>#NERVMD11</u>	<u>NERVTW11</u>		<u>#NERVVR11</u>	
	1	2	<u>#NERVMD21</u>	<u>NERVTW21</u>		<u>#NERVVR21</u>	
B9. Steroid pills such as Prednisone, or cortisone?	1	2		1	2	1	2
<u>STEROI11</u>			<u>#STERMD11</u>	<u>STERTW11</u>		<u>#STERVR11</u>	
<u>STEROI21</u>	1	2	<u>#STERMD21</u>	<u>STERTW21</u>		<u>#STERVR21</u>	
B10. Fertility medications to help you get pregnant (Pergonal, Clomid)?	1	2		1	2	1	2
<u>FERTIL11</u>			<u>#FRTLMD11</u>	<u>FRTLTW11</u>		<u>#FRTLVR11</u>	
<u>FERTIL21</u>	1	2	<u>#FRTLMD21</u>	<u>FRTLTW21</u>		<u>#FRTLVR21</u>	
B11. Birth Control pills?	1	2		1	2	1	2
<u>BCP11</u>			<u>#BCPMED11</u>	<u>BCPTWI11</u>		<u>#BCPVER11</u>	
<u>BCP21</u>	1	2	<u>#BCPMED21</u>	<u>BCPTWI21</u>		<u>#BCPVER21</u>	

HORMONE QUESTIONS B12-15:

Since your last study visit, have you taken...

a. What is the name of the medication?

b. Have you been taking it during the past month?

c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?

	NO	YES		NO	YES	NO	YES
B12. Estrogen pills (such as Premarin, Estrace, Ogen, etc)?	1 (B13)	2		1	2	1	2
<u>ESTROG11</u>	1	2	#ESTRMD11	<u>ESTRTW11</u>		#ESTRVR11	
<u>ESTROG21</u>			#ESTRMD21	<u>ESTRTW21</u>		#ESTRVR21	
B12.d IF YES: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle? [IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]							
<u>ESTRDA11</u>			<u>ESTRDA21</u>				
1. EVERY DAY1			2. EVERY DAY..... 1				
OFF AND ON2			OFF AND ON..... 2				
DON'T KNOW -8			DON'T KNOW..... -8				

Since your last study visit, have you taken...

B13. Estrogen by injection or patch (such as Estraderm)?	1	2		1	2	1	2
<u>ESTRNJ11</u>	1	2	#EINJMD11	<u>EINJTW11</u>		#EINJVR11	
<u>ESTRNJ21</u>			#EINJMD21	<u>EINJTW21</u>		#EINJVR21	
B14. Combination estrogen/progestin (such as Premphase or Prempro)?	1	2		1	2	1	2
<u>COMBIN11</u>	1	2	#COMBMD11	<u>COMBTW11</u>		#COMBVR11	
<u>COMBIN21</u>			#COMBMD21	<u>COMBTW21</u>		#COMBVR21	
B15. Progestin pills (such as Provera)?	1 (B16)	2		1	2	1	2
<u>PROGES11</u>	1	2	#PROGMD11	<u>PROGTW11</u>		#PROGVR11	
<u>PROGES21</u>			#PROGMD21	<u>PROGTW21</u>		#PROGVR21	
B15.d IF YES: Does/Did your prescription have you take progestin daily or on and off on a monthly cycle? [IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]							
<u>PROGDA11</u>			<u>PROGDA21</u>				
1. EVERY DAY1			2. EVERY DAY..... 1				
OFF AND ON2			OFF AND ON..... 2				
DON'T KNOW -8			DON'T KNOW..... -8				

- a. What is the name of the medication?
- b. Have you been taking it at least two times per week for the last month?
- c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?

Since your last study visit...

	NO	YES		NO	YES	NO	YES
B16. Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (PLEASE LIST)	1	2		1	2	1	2
	1	2	<u>#OTHRMD11</u>	<u>OTHRTW11</u>		<u>#OTHRVR11</u>	
	1	2	-	1	2	1	2
	1	2	<u>#OTHRMD91</u>	↓		↓	
	1	2		1	2	1	2
<u>OTHMED11 – OTHMED91</u>	1	2	<u>#OTHRM101</u>				
<u>OTHME101 – OTHME151</u>	1	2	-	1	2	1	2
			<u>#OTHRM151</u>	<u>OTHTW151</u>		<u>#OTHVR151</u>	

IF RESPONDENT HAS TAKEN ANY HORMONES (IF YES TO ANY OF B 12 -15) ASK B17, OTHERWISE GO TO B19.

B17. I am going to read a list of some reasons why women start taking hormones. For each one, please tell me if it is a reason why you started taking hormones. (READ LIST a THROUGH i)

	NO	YES	
a. To reduce the risk of heart disease	1	2	<u>REDUHAR1</u>
b. To reduce the risk of osteoporosis (brittle bones)	1	2	<u>OSTEOP01</u>
c. To relieve menopausal symptoms	1	2	<u>MENOSYM1</u>
d. To stay young-looking	1	2	<u>YOUNGLK1</u>
e. A health care provider advised me to take them	1	2	<u>HCPADV11</u>
f. A friend or relative advised me to take them	1	2	<u>FRNADV11</u>
g. To improve my memory	1	2	<u>IMPRMEM1</u>
h. To regulate periods	1	2	<u>REGPER11</u>
i. Any other? SPECIFY _____	1	2	<u>HORMOTH1</u>
			<u>#HORMSPE1</u>
j. DON'T KNOW/REMEMBER	1	2	<u>DONTKNO1</u>

IF RESPONDENT STARTED TAKING ANY HORMONES, BUT IS NOT CURRENTLY TAKING ANY, (THAT IS, "YES" TO ANY OF B12-15 **AND** "NO" TO ALL OF B12b - 15b) ASK B18, OTHERWISE GO TO PAGE 8.

B18. Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping? PROBE: Any Others?

[DO NOT READ THE LIST. CODE 1 (NO) OR 2 (YES) FOR EACH ITEM.]

	NO	YES	
a. PROBLEMS WITH BLEEDING	1	2	<u>PRBBLEE1</u>
b. DIDN'T LIKE HAVING PERIODS	1	2	<u>HAVEPER1</u>
c. DIDN'T LIKE HOW I FELT ON THEM	1	2	<u>LIKEFEL1</u>
d. WORRIED ABOUT POSSIBLE SIDE EFFECTS	1	2	<u>SIDEEFF1</u>
e. WORRIED ABOUT CANCER	1	2	<u>CANCER1</u>
f. MY HEALTH CARE PROVIDER ADVISED ME TO STOP (FOR MEDICAL REASONS)	1	2	<u>ADVISTO1</u>
g. TOO EXPENSIVE	1	2	<u>EXPENSI1</u>
h. DON'T LIKE TO TAKE ANY MEDICATIONS	1	2	<u>NOLIKE1</u>
i. COULDN'T REMEMBER TO TAKE THEM	1	2	<u>NOREMB1</u>
j. DON'T KNOW	1	2	<u>DNTKNOW1</u>
k. OTHER, SPECIFY: _____	1	2	<u>STOPOTH1</u>
			<u>#STOPSPE1</u>
l. NO REASON GIVEN	1	2	<u>NOREASO1</u>

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit.

IF YES TO ANY, RECORD
MEDICATION NAME IN THE SPACES
PROVIDED

a.
What is the
name of the
medication?

b.
Have you been
taking it at least
two times per
week for the last
month?

Since your last study visit, have you
taken.....

NO YES

NO YES

B19. Any over-the-counter medications
for pain including headaches and
arthritis?

1 2

PAIN11

#PAINMD11

1 2

PAINTW11

1 2

PAIN21

#PAINMD21

1 2

PAINTW21

B20. Anything for problems sleeping?

1 2

SLEEP11

#SLEPMD11

1 2

SLEPTW11

1 2

SLEEP21

#SLEPMD21

1 2

SLEPTW21

B21. Have you taken any other over-the-
counter pills or other medications
(including liquids or ointments) that
I haven't asked you about?
(PLEASE LIST)

1 2

OTC11-OTC91
OTC101-OTC151

#OTCMD11

#OTCMD91

OTCTW11-

1 2

OTCTW91

1 2

#OTCMD101-

#OTCMD151

1 2

OTCTW101-

1 2

1 2

OTCTW151

1 2

1 2

B22. Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

REGVITA1

NO..... 1 (GO TO PAGE 10)
YES..... 2

B23. IF YES: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? [HAND RESPONDENT CARD "A" AND READ RESPONSE CATEGORIES.]

	Don't take any	1-3 days per week	4-6 days per week	Every day
Multi-Vitamins, how often do you take...				
a. Regular Once-A-Day, Centrum, or Thera type <u>ONCEADA1</u>	1	2	3	4
b. Antioxidant combination type <u>ANTIOXI1</u>	1	2	3	4
c. Any others? <u>#VTMSPE11, VTMOTH11</u>	1	2	3	4
<u>#VTMSPE21, VTMOTH21</u>	1	2	3	4
<u>#VTMSPE31, VTMOTH31</u>	1	2	3	4
<u>#VTMSPE41, VTMOTH41</u>	1	2	3	4
Single Vitamins, not part of multi- vitamins, how often do you take...				
d. Vitamin A, not beta carotene <u>VITAMNA1</u>	1	2	3	4
e. Beta-carotene <u>BETACAR1</u>	1	2	3	4
f. Vitamin C <u>VITAMNC1</u>	1	2	3	4
g. Vitamin D <u>VITAMND1</u>	1	2	3	4
h. Vitamin E <u>VITAMNE1</u>	1	2	3	4
i. Calcium or Tums <u>CALCTUM1</u>	1	2	3	4
j. Iron <u>IRON1</u>	1	2	3	4
k. Any others? <u>#VITSPE11, VITOTH11</u> SPECIFY: _____	1	2	3	4
<u>#VITSPE21, VITOTH21</u>	1	2	3	4
<u>#VITSPE31, VITOTH31</u>	1	2	3	4
<u>#VITSPE41, VITOTH41</u>	1	2	3	4

B23.1 IF MULTIPLE VITAMIN USE REPORTED, Do you usually take multiple vitamins that: MULTVIT1

Contain minerals (iron, calcium) 1
Do not contain minerals 2
DON'T KNOW -8

IF BLOOD WAS DRAWN (A15 IS YES), GO TO B24. OTHERWISE GO TO B26.

In order to interpret your blood tests, we need to ask you the following questions.

B24. We’ve just talked about your prescription medications, over-the-counter medications, vitamins, and minerals you have taken since your last study visit. What did you take in the last 24 hours?
[REVIEW SHADED COLUMNS AFTER RESPONDENT ANSWERS.
IF CURRENT MEDICATION USE REPORTED (YES TO ANY SHADED COLUMN IN B1b-B21b)
BUT NOT REPORTED HERE, PROBE FOR USE IN LAST 24 HOURS.]

- a. _____ #TAKEMDA1
- b. _____ #TAKEMDB1
- c. _____ #TAKEMDC1
- d. _____ #TAKEMDD1
- e. _____ #TAKEMDE1
- f. _____ #TAKEMDF1
- g. _____ #TAKEMDG1
- h. _____ #TAKEMDH1
- i. _____ #TAKEMDI1
- j. _____ #TAKEMDJ1

B25. Have you had any alcohol in the last 24 hours? ALCHL241

NO..... 1
YES..... 2

Now, I'm going to ask you some questions about your health and medical conditions.

B26. **Since your last study visit**, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

		NO	YES	DON'T KNOW
a. Anemia?	<u>ANEMIA1</u>	1	2	-8
b. Diabetes?	<u>DIABETE1</u>	1	2	-8
c. High blood pressure or hypertension?	<u>HIGHBP1</u>	1	2	-8
d. High cholesterol?	<u>HBCHOLE1</u>	1	2	-8
e. Migraines?	<u>MIGRAIN1</u>	1	2	-8
f. Stroke?	<u>STROKE1</u>	1	2	-8
g. Arthritis or osteoarthritis (degenerative joint disease)?	<u>OSTEOAR1</u>	1	2	-8
h. Overactive or underactive thyroid?	<u>THYROID1</u>	1	2	-8
i. Heart attack?	<u>HEARTAT1</u>	1	2	-8
j. Angina?	<u>ANGINA1</u>	1	2	-8
k. Osteoporosis (brittle or thinning bones)?	<u>OSTEOPR1</u>	1	2	-8
l. Fibroids, benign growths of the uterus or womb?	<u>FIBROID1</u>	1	2	-8
m. Cancer, other than skin cancer?	<u>CANCERS1</u>	1 (B28)	2	-8 (B28)

B27. What was the primary site of the cancer? **SITESPE1**

SPECIFY: _____

a. IF BREAST CANCER: Have you taken Tamoxifen since your last study visit?

TAMOXIF1
 NO..... 1
 YES..... 2
 DON'T KNOW -8
 NOT APPLICABLE -1

b. Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

CHEMOTH1
 NO..... 1
 YES..... 2
 DON'T KNOW -8

ASK ONLY AT FOLLOW-UP VISIT YEAR 01:

B28. When your mother was pregnant with you, did she take DES (diethylstilbestrol) to prevent miscarriage?

TAKEDES1

NO..... 1
 YES..... 2
 DON'T KNOW.....-8

B29. **Since your last study visit**, how many times did you break or fracture a bone?

[IF MORE THAN ONE BONE WAS BROKEN DURING THE SAME EVENT COUNT AS ONE TIME.]

_____ # of times broken bones (IF NONE, GO TO B30)

BROKEBO1

a. Which bones did you break or fracture?
 LIST BELOW. [IF BONE WAS BROKEN MORE
 THAN ONCE, RECORD EACH BREAK AND
 SPECIFY WHEN "REBROKEN".
 BE SPECIFIC IN IDENTIFYING WHICH BONE
 WAS BROKEN (I.E. RIGHT TIBIA).]

b. How did it happen? Was it for any of the following
 reasons? [HAND RESPONDENT CARD "B"
 AND READ RESPONSE CATEGORIES.]

- after a fall from a height above the ground
greater than six inches,
- in a motor vehicle accident,
- while moving fast, like running, bicycling or
skating,
- while playing sports,
- **or** because something heavy fell on you or
struck you.

NO

YES

1. _____
BONES11
 2. _____
BONES21
 3. _____
BONES31

1
HAPPEN11
 1
HAPPEN21
 1
HAPPEN31

2
 2
 2

B30. **Since your last study visit**, have you consulted a doctor, nurse practitioner, chiropractor, or other health care
 provider for back pain? **BCKPAIN1**

NO..... 1
 YES..... 2
 DON'T KNOW.....-8

Since your last study visit, have you had any of the following surgeries or procedures?

	NO	YES	DON'T KNOW
B31. D and C, a scraping of the uterus for any reason, including abortion?	1 (B32)	2	-8 (B32)
<u>DANDC1</u>			
a. Since your last study visit, how many times have you had a D and C?			
_____ # TIMES			
<u>NUMDAND1</u>			
B32. Hysterectomy (an operation to remove your uterus or womb)?	1 (B33)	2	-8 (B33)
<u>HYSTERE1</u>			
a. When was this performed?			
_____ / _____			
M M Y Y Y Y			
B33. Did you have one or both ovaries removed (an oophorectomy)?	1 (B34)	2	-8 (B34)
<u>OOPHORE1</u>			
a. Was one ovary removed or were both ovaries removed?			
<u>ONEOVAR1</u>			
ONE OVARY REMOVED.....			1
BOTH OVARIES REMOVED.....			2
DON'T KNOW.....			-8
B34. Uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy?	1	2	-8
<u>UTERPRO1</u>			
B35. Thyroid gland removed?	1	2	-8
<u>THYRREM1</u>			

[†] This date is given in days since the initial baseline interview.

Now I would like to ask you about your menstrual periods.

- C1. Did you have any menstrual bleeding since your last study visit? **BLEEDNG1**
- NO..... 1 (C6)
- YES..... 2
- C2. Did you have any menstrual bleeding in the last 3 months? **BLD3MO1**
- NO..... 1
- YES..... 2
- C3. What was the date that you started your most recent menstrual bleeding? [PROMPT FOR MONTH AND YEAR, EVEN IF DAY IS UNKNOWN. ENTER -8 FOR DAY FIELD IF UNKNOWN]
- / / **LMPDAY1[†]**
- M M D D Y Y Y Y

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control pills or other hormone medications.

- C4. Since your last study visit, have your periods: [ASK EACH QUESTION]

		NO	YES	DON'T KNOW
a. Become less predictable	<u>LESSPRE1</u>	1	2	-8
b. Become farther apart?	<u>FARTHER1</u>	1	2	-8
c. Become closer together?	<u>CLOSER1</u>	1	2	-8
d. Occurred at more variable intervals?	<u>VARIABLE1</u>	1	2	-8
e. Stayed the same?	<u>SAME1</u>	1	2	-8
f. Become more regular?	<u>REGULAR1</u>	1	2	-8

- C5. Since your last study visit, have you ever had a menstrual flow that lasted more than 10 days? **MENSFLO1**
- NO..... 1
- YES..... 2
- DON'T KNOW..... -8
- REFUSED..... -7
- C6. Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies. **PRGNANT1**
- NO..... 1 (C7)
- YES..... 2
- a. IF YES: [HAND RESPONDENT CARD "C"] What was the outcome of the pregnancy?
[READ RESPONSE CATEGORIES. IF RESPONDENT WAS PREGNANT MORE THAN ONCE
SINCE LAST VISIT, RECORD OUTCOME OF MOST RECENT PREGNANCY.] **OUTCOME1**
- Live birth 1
- Still birth 2 (C7)
- Miscarriage 3 (C7)
- Abortion 4 (C7)
- Tubal/ectopic pregnancy 5 (C7)
- Still pregnant 6 (C7)
- b. FOR LIVE BIRTHS ONLY: Are you currently breastfeeding? **BRSTFEE1**
- NO 1
- YES 2

[†] This date is given in days since the initial baseline interview, which is day zero.
See 9/15/1997 version of question C4 at the end of the interview.

The next few questions focus on some other personal aspects of your life

- C7. Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. [HAND RESPONDENT CARD "D"] Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10.

QLTYLIF1

0	1	2	3	4	5	6	7	8	9	10
Worst					Best					
Possible					Possible					
Quality					Quality					

- C8. About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind? **CLOSE1**

WRITE IN NUMBER OF CLOSE FRIENDS AND RELATIVES: ____ ____
 DON'T KNOW..... -8
 REFUSED..... -7

- C9. People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it?
 [HAND RESPONDENT CARD "E" AND READ RESPONSE CATEGORIES]

	None of the the time	A little of the time	Some of the time	Most of the time	All of the time
a. Someone you can count on to listen to you when you need to talk? <u>LISTEN1</u>	1	2	3	4	5
b. Someone to take you to the doctor if you needed it? <u>TAKETOM1</u>	1	2	3	4	5
c. Someone to confide in or talk to about yourself or your problems? <u>CONFIDE1</u>	1	2	3	4	5
d. Someone to help with daily chores if you were sick? <u>HELPSIC1</u>	1	2	3	4	5

C10. I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved **this way during the past week.** [HAND RESPONDENT CARD “F” AND READ RESPONSE CATEGORIES]

* [READ STEM INSTRUCTIONS]

During the past week:

Rarely or none of the time (less than 1 DAY)	Some or a little of the time (1-2 DAYS)	Occasionally or a moderate amount of the time (3-4 DAYS)	Most or all of the time (5-7 DAYS)
---	--	--	--

*a. I was bothered by things that usually don't bother me <u>BOTHER1</u>	1	2	3	4
*b. I did not feel like eating; my appetite was poor <u>APPETIT1</u>	1	2	3	4
*c. I felt that I could not shake off the blues even with help from my friends <u>BLUES1</u>	1	2	3	4
d. I felt that I was just as good as other people <u>GOOD1</u>	1	2	3	4
e. I had trouble keeping my mind on what I was doing <u>KEEPMIN1</u>	1	2	3	4
f. I felt depressed <u>DEPRESS1</u>	1	2	3	4
*g. I felt that everything I did was an effort <u>EFFORT1</u>	1	2	3	4
h. I felt hopeful about the future <u>HOPEFUL1</u>	1	2	3	4
i. I thought my life had been a failure <u>FAILURE1</u>	1	2	3	4
j. I felt fearful <u>FEARFUL1</u>	1	2	3	4
*k. My sleep was restless <u>RESTLES1</u>	1	2	3	4
l. I was happy <u>HAPPY1</u>	1	2	3	4
m. I talked less than usual <u>TALKLES1</u>	1	2	3	4
n. I felt lonely <u>LONELY1</u>	1	2	3	4
*o. People were unfriendly <u>UNFRNDL1</u>	1	2	3	4
p. I enjoyed life <u>ENJOY1</u>	1	2	3	4
q. I had crying spells <u>CRYING1</u>	1	2	3	4
r. I felt sad <u>SAD1</u>	1	2	3	4
*s. I felt that people disliked me <u>DISLIKE1</u>	1	2	3	4
t. I could not get going <u>GETGOIN1</u>	1	2	3	4

OCCUPATIONAL QUESTIONS

These next few questions concern employment. Since many people have more than one job at any given time, we will ask you to tell us about all of your jobs.

- D1. Since your last study visit, has there been a change in any of your jobs, that is where you work, the usual hours you worked, or your usual job tasks? **CHNGJOB1**

NO 1 **(D6)**
YES 2

- D2. During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job. **JOB1**

NO 1 **(D6)**
YES 2

- a. For each paid job you have had in the last two weeks, what was your job title?

#JOBTIT11

JOB #1 _____

#JOBTIT21

JOB #2 _____

#JOBTIT31

JOB #3 _____

- b. Briefly, what are your usual job activities?

[IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer for each job.]

#JOBACT11

JOB #1 _____

#JOBACT21

JOB #2 _____

#JOBACT31

JOB #3 _____

D3. What are your usual hours of work each day?

START TIME: : A.M. 1. P.M. 2. STRAMP11- -31

STOP TIME: : A.M. 1. P.M. 2. STPAMP11- -31

ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) ROTAT11- -31

NO 1

YES 2

D4. On average, how many total hours a week do you work, for pay? HOURSPA1

≤ 10 1

11-19 2

20-34 3

35-40 4

41-60 5

>60 6

D5. What does the company or your part of the company, do or make? (For example, education, health care, automobile manufacturing, state labor department, retail shoe sales.)

[IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer this for each job.]

NERI USE ONLY
CODE

JOB #1 _____ #JBMAKE11

JOB #2 _____ #JBMAKE21

JOB #3 _____ #JBMAKE31

D6. Do you do volunteer work? **VOLUNTE1**

NO..... 1 (D7)
YES..... 2

a. What type of volunteer work do you do? How many hours a week do you spend doing it?

TYPE OF VOLUNTEER WORK #TYPVOL11	HRS/WK <u>VLNTHR11</u>
1. _____	_____

2. _____	<u>VLNTHR21</u>

3. _____	<u>VLNTHR31</u>

D7. What is your current marital status? Would you say... **MARITAL1**

Single/never married..... 1
Currently married or living as married 2
Separated..... 3
Widowed..... 4
Divorced..... 5
DON'T KNOW..... -8
REFUSED..... -7

IF A PARTNER OR SPOUSE IS REPORTED (2 OR 4 in D7), ASK D8, OTHERWISE GO TO PAGE 20.

D8. What is/ was your partner or spouse's job title for their primary, usual job or occupation?

NERI USE ONLY CODE

PARTNJO1

D9. What does the company or part of the company, that your spouse or partner works for, do or make? (For example, education, health care, automobile manufacturing, state labor department, retail shoe sales.)

NERI USE ONLY CODE

#PRTNRMA1

Now I am going to ask you some questions about your heritage. In order to help us interpret the information we gather from the study more accurately, it is important that we understand how your ethnic/cultural background or heritage might affect your life experiences, health and health practices. The following set of questions will help us in this effort.

- E1. Were you born in the United States? **BORNUS1**
- NO..... 1
- YES..... 2 (E2)

- a. Where were you born? **WHERBRN1**

- b. How old were you when you moved to the United States? **OLDMOVE1**

____ YEARS

- E2. In what country was your mother born? **MOMBORN1**

SPECIFY: _____

- E3. In what country was your father born? **DADBORN1**

SPECIFY: _____

IF RESPONDENT WAS BORN OUTSIDE THE U.S. (E1. IS NO), ASK E4, OTHERWISE GO TO E5.
--

- E4. How frequently do you have contact with your home country where you were raised or spent the significant part of your youth? [HAND RESPONDENT CARD "G" AND READ RESPONSE CATEGORIES] **CONTCT11**

- Weekly..... 1 (E6)
- Monthly..... 2 (E6)
- Infrequently (less than monthly, but at least several times a year)..... 3 (E6)
- Yearly..... 4 (E6)
- Rarely (less than once a year)..... 5 (E6)
- Never..... 6 (E7)

- E5. How frequently do you have contact with the geographic region of the United States where you were raised or spent the significant part of your youth? [HAND RESPONDENT CARD "H" AND READ RESPONSE CATEGORIES]

- CONTCT21**
- Weekly..... 1
- Monthly..... 2
- Infrequently (less than monthly, but at least several times a year)..... 3
- Yearly..... 4
- Rarely (less than once a year)..... 5
- Never..... 6 (E7)
- Have not moved..... 7 (E7)
- Currently live in area, after leaving and returning..... 8 (E7)

Response 8 to question E5 was only asked on the 9/15/1997 version of the interview.

E6. What is the usual type of contact you have with friends or family back home?

	NO	YES	
a. Phone?	1	2	<u>FRNDPHO1</u>
b. You visit them?	1	2	<u>YOUVISI1</u>
c. They visit you?	1	2	<u>THEYVIS1</u>
d. Any other?	1	2	<u>FRNDOTH1</u>
SPECIFY: _____			<u>#FRNDSPE1</u>

E7. How frequently does your daily life involve contact with your primary ethnic group (e. g. ethnic group activities or organizations, newsletter, meetings, social functions, or neighborhood involvement)?

[HAND RESPONDENT CARD "I" AND READ RESPONSE CATEGORIES]

CONTETH1

Daily.....	1
Weekly	2
Monthly.....	3
Infrequently (less than monthly, but at least several times a year).....	4
Yearly.....	5
Rarely (less than once a year).....	6
Never.....	7

E8. Approximately what percentage of your neighborhood is of your same primary ethnic group (excluding your immediate family)?

NGHBRET1

0%	1
less than 25%	2
less than 50%	3
less than 75%	4
less than 100%	5
100%	6

E9. Approximately what percentage of your workplace or volunteer activity or organization is comprised of members of your primary ethnic group?

ETHNWOR1

0%	1
less than 25%	2
less than 50%	3
less than 75%	4
less than 100%	5
100%	6
NOT APPLICABLE	-1

E10. [HAND RESPONDENT CARD 'J'.] Looking at this scale, where 1 represents completely and 10 represents not at all, how much does your ethnicity or cultural background affect your daily life? [CIRCLE ONE NUMBER]

CULTRLI1

1	2	3	4	5	6	7	8	9	10
Completely									Not at all

E11. [HAND RESPONDENT CARD 'K'.] Looking at this scale, where 1 represents totally and 10 represents not relevant at all, how much is your cultural background a part of your sense of who you are?
[CIRCLE ONE NUMBER] CLRTLSN1

CLRTLSN1

1	2	3	4	5	6	7	8	9	10
Totally									Not relevant at all

We have a few final questions for you concerning your household.

F1. Other than yourself, is there anyone else living in your household? **HOUSEHL1**

NO..... 1 **(END)**
 YES..... 2
 REFUSED..... -7 **(END)**

F2. Please tell me their relationship to you, their gender, and their age.

	a. RELATIONSHIP TO YOURSELF	b. SEX	c. AGE
1.	<u>RELAT11^Δ</u>	<u>SEX11</u>	<u>AGE11</u>
2.	<u>RELAT21</u>	<u>SEX21</u>	<u>AGE21</u>
3.	<u>RELAT31</u>	<u>SEX31</u>	<u>AGE31</u>
4.	<u>RELAT41</u>	<u>SEX41</u>	<u>AGE41</u>
5.	<u>RELAT51</u>	<u>SEX51</u>	<u>AGE51</u>
6.	<u>RELAT61</u>	<u>SEX61</u>	<u>AGE61</u>
7.	<u>RELAT71</u>	<u>SEX71</u>	<u>AGE71</u>
8.	<u>RELAT81</u>	<u>SEX81</u>	<u>AGE81</u>
9.	<u>RELAT91</u>	<u>SEX91</u>	<u>AGE91</u>
10.	<u>RELAT101</u>	<u>SEX101</u>	<u>AGE101</u>
11.	<u>RELAT111</u>	<u>SEX111</u>	<u>AGE111</u>
12.	<u>RELAT121</u>	<u>SEX121</u>	<u>AGE121</u>

Thank you. This ends this portion of the interview

^Δ If an actual name was used, it was replaced with -8 (unknown).

ADDITIONAL QUESTIONS FROM THE 09/15/1997 FORM VERSION

The following questions were only on the 09/15/1997 form version:

1580 participants answered this question at visit 1:

- C4. Which of the following best describes your menstrual periods since your last study visit? Have they:
[HAND RESPONDENT CARD "C4"] **DESCPER1**

Become farther apart? 1
 Become closer together? 2
 Occurred at more variable intervals? 3
 Stayed the same? 4
 Become more regular? 5
 DON'T KNOW -8

1626 participants answered this question at visit 1:

- C10. I would now like to ask you about your feelings over the past two weeks. Tell me how often you have felt or thought this way. [HAND RESPONDENT CARD "C10" AND READ RESPONSE CATEGORIES]

*[READ STEM INSTRUCTIONS]		Never	Almost Never	Sometimes	Fairly Often	Very Often
In the past two weeks you have:						
*a.	Felt unable to control important things in your life? <u>CONTROL1</u>	1	2	3	4	5
*b.	Felt confident about your ability to handle your personal problems? <u>ABILITY1</u>	1	2	3	4	5
c.	Felt that things were going your way? <u>YOURWAY1</u>	1	2	3	4	5
d.	Felt difficulties were piling so high that you could not overcome them? <u>PILING1</u>	1	2	3	4	5

Question E5 had another response (response 8) added in the 09/15/1997 version of the form:

- E5. How frequently do you have contact with the geographic region of the United States where you were raised or spent the significant part of your youth? [HAND RESPONDENT CARD "H" AND READ RESPONSE CATEGORIES]

Weekly 1
 Monthly 2
 Infrequently (less than monthly, but at least several times a year) 3
 Yearly 4
 Rarely (less than once a year) 5
 Never 6 (E7)
 Have not moved 7 (E7)
 Currently live in area, after leaving and returning 8 (E7)

ADDITIONAL VARIABLE TRACKING OSTEOPOROSIS

The question below was not asked, but was created from the medication text fields in the other prescription medication question when a participant indicated they took a drug for osteoporosis. One participant answered yes to this question.

	NO	YES
Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol)?	1	2
<u>OSTEPR11</u>		

Study of Women's Health Across the Nation
SELF-ADMINISTERED QUESTIONNAIRE PART A
ANNUAL FOLLOW-UP

SECTION A. GENERAL INFORMATION

- A1. RESPONDENT ID: AFFIX ID LABEL HERE **SWANID**
- A2. SWAN STUDY VISIT # _____ **#VISIT**
- A3. FORM VERSION: $\frac{0}{M} \frac{2}{M} / \frac{1}{D} \frac{0}{D} / \frac{1}{Y} \frac{9}{Y} \frac{9}{Y} \frac{7}{Y}$ **#FORM_V**
- A4. DATE FORM COMPLETED: _____ / _____ / _____ **SAADAY1[†]**
M M D D Y Y Y Y
- A5. INTERVIEWER'S INITIALS: _____ **#INTS**
- A6. RESPONDENT'S DOB: _____ / _____ / _____ **#DOB**
M M D D Y Y
- VERIFY WITH RESPONDENT**

- A7. COMPLETED IN: **#LOCATION**
- RESPONDENT'S HOME 1
CLINIC / OFFICE 2
RESPONDENT'S HOME W/ PROXY 3
CLINIC/OFFICE W/ PROXY 4
- A8. INTERVIEW LANGUAGE: **LANGSAA1**
- ENGLISH..... 1
SPANISH..... 2
CANTONESE..... 3
JAPANESE..... 4
- A9. INTERVIEWER-ADMINISTERED? **#INTADMI1**
- NO..... 1
YES..... 2

[†] This date is given in days since the initial baseline interview, which is day zero.

We have some questions that we are asking you to complete on your own. If anything is unclear to you, please feel free to ask questions. Study representatives are available and happy to help you. Please take as much time as you need with each question. It is very important to us that you complete the entire questionnaire. Please find the most appropriate response to each question and circle the number for the answer you choose.

Thank you for your participation in this important study.

We are interested in learning more about women's health during their 40's and 50's. This first set of questions ask about your health and use of health care.

- B1. In general, would you say your health is excellent, very good, good, fair or poor?
(PLEASE CIRCLE ONE RESPONSE.) **OVERHLT1**

Excellent 1
Very good 2
Good..... 3
Fair..... 4
Poor..... 5
Don't know -8

- B2. Since your last study visit, how many different times did you stay in the hospital overnight or longer?

___ # TIMES **HOSPSTA1**

- B3. Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count health care providers that you have seen during a visit for this study.)

___ # TIMES **MDTALK1**

Since your last study visit, have you had:
(PLEASE CIRCLE 1 FOR NO OR 2 FOR YES FOR EACH QUESTION.)

		NO	YES
B4.	A Pap Smear (a routine medical test in which the doctor examines the cervix)? <u>PAPSMEA1</u>	1	2
B5.	A breast physical examination (a doctor or medical assistant feels for lumps in the breast)? <u>BRSTEXA1</u>	1	2
B6.	A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)? <u>MAMOGRA1</u>	1	2

B7. Since your last study visit, are there any health services that you needed but did not receive?

HLTHSER1

No..... 1 (GO TO B8)
Yes 2 (GO TO B7a)

IF YES:

B7a. What kind of health services? **HLTHSV11**

1. _____

HLTHSV21

2. _____

HLTHSV31

3. _____

B7b. What is the **primary** reason for not receiving these health services?
(PLEASE CIRCLE ONLY ONE RESPONSE.) **PRIMREA1**

Insurance or health plan does not cover 1
Cannot afford 2
Travel distance / lack of transportation 3
No health care provider 4
Too busy/ didn't have the time 5
Other 6

Please specify _____

#REASSPE1

B8. Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

SMOKERE1

No..... 1 (GO TO B9)
Yes 2 (GO TO B8a)

B8a. IF YES: How many cigarettes, on average, do you smoke per day now?
(If NONE, please indicate with a (0) zero and answer B8b.)

_____ CIGARETTES PER DAY **AVCIGDA1**

B8b. IF NONE, (You stopped smoking), What was the last month you smoked?

_____ MONTH **#LASTSMO1**

If you are a smoker, please do not include yourself when answering question B9, B9a-b.

B9. Since your last study visit, how many other members of your household have smoked tobacco, inside the house (at least 1 cigarette, cigar or pipe bowl per day)?

_____ # PERSONS (IF ZERO, GO TO B10) **HHMEMSM1**

B9a. **During the past 7 days**, how many days were you exposed to tobacco smoke in your home?

_____ # DAYS (IF 0 DAYS, GO TO B10) **HOMEXPD1**

B9b. **Over the past 7 days**, when you were exposed to tobacco smoke in your home, how many hours were you exposed during a typical day?

_____ # HOURS **HOMEXPH1**

The next questions are about your consumption of alcoholic beverages.

B10. Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks? **DRNKBEE1**

No..... 1 (GO TO B16)
Yes 2 (GO TO B13)

B11. How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week or month? (PLEASE CIRCLE ONLY ONE RESPONSE.) **GLASBEE1**

None or less than one per month 1
1-3 per month..... 2
1 per week..... 3
2-4 per week..... 4
5-6 per week..... 5
1 per day..... 6
2-3 per day 7
4 per day..... 8
5 or more per day 9

B12. How many glasses of wine or wine coolers, (a medium glass or serving of wine is 4 to 6 ounces), did you drink on average per day, week or month? (CIRCLE ONE NUMBER) **GLASWIN1**

None or less than one per month 1
1-3 per month..... 2
1 per week..... 3
2-4 per week..... 4
5-6 per week..... 5
1 per day..... 6
2-3 per day 7
4 per day..... 8
5 or more per day 9

B13. How many glasses of liquor or mixed drinks, (a medium serving is one shot), did you drink on average, per day, week or month? (CIRCLE ONE NUMBER) **GLASLIQ1**

None or less than once per month..... 1
1-3 per month..... 2
1 per week..... 3
2-4 per week..... 4
5-6 per week..... 5
1 per day..... 6
2-3 per day 7
4 per day..... 8
5 or more per day 9

The next series of questions (B14 to B20) focus on common events in some of our lives.

B14. During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of your physical health?**

(CIRCLE ONE NUMBER ON EACH LINE)

		NO	YES
a. Cut down the amount of time you spent on work or other activities?	<u>PHYCTDW1</u>	1	2
b. Accomplished less than you would like?	<u>PHYACCO1</u>	1	2
c. Were limited in the kind of work or other activities?	<u>PHYLIMI1</u>	1	2
d. Had difficulty performing the work or other activities (for example, it took extra effort)?	<u>PHYDFCL1</u>	1	2

B15. During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of any emotional problems** (such as feeling depressed or anxious)? (CIRCLE ONE NUMBER ON EACH LINE)

		NO	YES
a. Cut down the amount of time you spent on work or other activities?		1	2
	<u>EMOCTDW1</u>		
b. Accomplished less than you would like?	<u>EMOACCO1</u>	1	2
c. Didn't do work or other activities as carefully as usual?	<u>EMOCARE1</u>	1	2

B16. During the **past 4 weeks**, to what extent has your **physical health or emotional problems** interfered with your normal social activities with family, friends, neighbors, or groups?

(CIRCLE ONE NUMBER)

INTERFR1

1	2	3	4	5
Not at all	Slightly	Moderately	Quite a bit	Extremely

B17. How much bodily pain have you had during the **past 4 weeks**? (CIRCLE ONE NUMBER) **BODYPAI1**

1	2	3	4	5	6
None	Very mild	Mild	Moderate	Severe	Very Severe

B18. During the **past 4 weeks**, how much did **pain** interfere with your normal work (including both work outside the home and housework)? (CIRCLE ONE NUMBER) **PAINTRF1**

1	2	3	4	5
Not at all	A little bit	Moderately	Quite a bit	Extremely

B19. These next questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling. (CIRCLE ONE NUMBER ON EACH LINE)

During the past 4 weeks , <u>how much time...</u>	All of the time	Most of the time	A good bit of the time	Some of the time	A little of the time	None of the time
a. Did you feel "full of pep"? <u>PEP1</u>	1	2	3	4	5	6
b. Did you have a lot of energy? <u>ENERGY1</u>	1	2	3	4	5	6
c. Did you feel worn out? <u>WORNOUT1</u>	1	2	3	4	5	6
d. Did you feel tired? <u>TIRED1</u>	1	2	3	4	5	6

B20. During the **past 4 weeks**, how much of the time has your **physical health or emotional problems** interfered with your social activities (like visiting with friends, relatives, etc.)? (CIRCLE ONE NUMBER) **SOCIAL1**

1	2	3	4	5
All of the time	Most of the time	Some of the time	A little of the time	None of the time

Physical Activity Questions: Please circle only one number for each question.

- C1. In comparison with other women your age, is your usual level of physical activity:
(CIRCLE ONE ANSWER) **PHYSACT1**

Much less than other women your age 1
Somewhat less..... 2
About the same as other women your age 3
Somewhat more 4
Much more than other women your age 5

These next questions are about your physical activity since your last study visit.

- C2. Since your last study visit, did you watch television...(CIRCLE ONE ANSWER)

WATCHTV1

Never or less than 1 hour a week 1
At least 1 hour/week but less than 1 hour a day 2
1-2 hours a day..... 3
2-4 hours a day..... 4
More than 4 hours a day 5

- C3. Did you walk or bike to and from work, school or errands... (CIRCLE ONE ANSWER)

WALKBIK1

Never or less than 5 minutes per day 1
5-15 minutes per day..... 2
16-30 minutes per day..... 3
31-45 minutes per day..... 4
more than 45 minutes per day 5

- C4. Did you sweat from exertion...
(CIRCLE ONE ANSWER)

SWEATPA1

Never or less than once a month 1
Once a month 2
2-3 times a month..... 3
Once a week..... 4
More than once a week 5

C5. Did you play sports or exercise... (CIRCLE ONE ANSWER) **SPORTS1**

Never or less than once a month..... 1
Once a month..... 2
2-3 times a month..... 3
Once a week..... 4
More than once a week..... 5

C6. Since your last study visit, is your current level of physical activity doing chores around your home (such as cleaning, laundry, childcare, care of elders, etc., not performed for pay.) **CHORES1**

Much greater now..... 1
Greater now..... 2
About the same..... 3
Less now..... 4
Much less now..... 5

C7. Since your last study visit, is your current level of physical activity at work performed for pay: **WORKPHY1**

Much greater now..... 1
Greater now..... 2
About the same..... 3
Less now..... 4
Much less now..... 5
Doesn't Apply..... -1

C8. Since your last study visit, is your current level of physical activity in planned sports (such as volleyball, softball or tennis) and exercise (such as aerobics or jogging): **PLANSPO1**

Much greater now..... 1
Greater now..... 2
About the same..... 3
Less now..... 4
Much less now..... 5

C9. Since your last study visit, is your current level of other routine physical activity (such as walking, gardening, climbing stairs, etc.): **ROUTINE1**

Much greater now..... 1
Greater now..... 2
About the same..... 3
Less now..... 4
Much less now..... 5

The following questions are about specific health problems you may have had over the past two weeks.

D1. Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following.

How often have you had...	Not at all	1-5 days	6-8 days	9-13 days	Every day
a. Stiffness or soreness in joints, neck or shoulder? <u>STIFF1</u>	1	2	3	4	5
b. Back aches or pains? <u>ACHES1</u>	1	2	3	4	5
c. Cold sweats? <u>COLDSWE1</u>	1	2	3	4	5
d. Night sweats? <u>NITESWE1</u>	1	2	3	4	5
e. Vaginal dryness? <u>VAGINDR1</u>	1	2	3	4	5
f. Feeling blue or depressed? <u>FEELBLU1</u>	1	2	3	4	5
g. Dizzy spells? <u>DIZZY1</u>	1	2	3	4	5
h. Irritability or grouchiness? <u>IRRITAB1</u>	1	2	3	4	5
i. Feeling tense or nervous? <u>NRVOUS1</u>	1	2	3	4	5
j. Forgetfulness? <u>FORGET1</u>	1	2	3	4	5
k. Frequent mood changes? <u>MOODCHG1</u>	1	2	3	4	5
l. Heart pounding or racing? <u>HARTRAC1</u>	1	2	3	4	5
m. Feeling fearful for no reason? <u>FEARFULA1</u>	1	2	3	4	5
n. Headaches? <u>HDACHE1</u>	1	2	3	4	5
o. Hot flashes or flushes? <u>HOTFLAS1</u>	1	2	3	4	5

D2. These questions (a - d) are about your sleep habits over the past two weeks. Please circle one answer for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 2 weeks.

No, not in the past 2 weeks	Yes, less than once a week	Yes, 1 or 2 times a week	Yes, 3 or 4 times per week	Yes, 5 or more times a week
--------------------------------------	-------------------------------------	-----------------------------------	-------------------------------------	---

In the past two weeks...

a. Did you have trouble falling asleep?	1	2	3	4	5
---	---	---	---	---	---

TRBLSLE1

b. Did you wake up several times a night?	1	2	3	4	5
---	---	---	---	---	---

WAKEUP1

c. Did you wake up earlier than you had planned to, and were unable to fall asleep again?	1	2	3	4	5
---	---	---	---	---	---

WAKEARL1

d. Overall, was your typical night's sleep during the <u>past 2 weeks</u> :	<u>TYPNIGH1</u>
---	------------------------

1	2	3	4	5
Very Sound or Restful	Sound or Restful	Average Quality	Restless	Very Restless

A common complaint among women is having to urinate a lot or the involuntary loss of urine.

D3. How often do you usually get up from bed at night to urinate? (CIRCLE ONLY ONE ANSWER)

GETUPUR1

Never.....	1
Rarely (less than once a week)	2
Once per week	3
A few times per week	4
Once a night, every night.....	5
More than once per night.....	6

D4. Since your last study visit, have you had any urinary tract infections?

UTH1

No.....	1
Yes	2

D5. Since your last study visit, have you ever leaked, even a very small amount, of urine involuntarily?

INVOLEA1

No 1 (GO TO D15)
 Yes 2

↓

IF YES:

- a. **In the last month**, about how many days have you lost any urine, even a small amount, beyond your control? (CIRCLE ONLY ONE ANSWER)

DAYSLEA1

Never 1
 Less than one day per week 2
 Several days per week 3
 Almost daily/daily 4

- b. Under what circumstances does it occur?
 (CIRCLE 1 FOR NO OR 2 FOR YES FOR EACH QUESTION)

		NO	YES
1. Coughing	<u>COUGHIN1</u>	1	2
2. Laughing	<u>LAUGHIN1</u>	1	2
3. Sneezing	<u>SNEEZIN1</u>	1	2
4. Jogging	<u>JOGGING1</u>	1	2
5. Picking up an object from the floor	<u>PICKUP1</u>	1	2
6. When you have an urge to void and can't get to a toilet fast enough.	<u>URGEVOI1</u>	1	2
7. Other	<u>OTHRLEA1</u>	1	2
Specify: _____	<u>#LEAKSPE1</u>		

- c. How much urine do you lose when you leak? (CIRCLE ONLY ONE ANSWER.)

AMTLEAK1

A drop or two 1
 Enough to change undergarments or wear a liner or pad 2
 Enough to wet outer clothing 3
 Enough to wet the floor 4

- d. On a scale from 0 to 10, where 0 = Not at all bothered and 10 = Extremely bothered, how much does the leakage of urine bother you? (CIRCLE ONE NUMBER): **LEAKBOT1**

0	1	2	3	4	5	6	7	8	9	10
Not at all bothered					Somewhat bothered					Extremely bothered

Dietary and behavioral therapies are often used to treat conditions or to maintain good health. Please tell us about any of these therapies you may have used.

D6. In the past 12 months, have you used any of the following for any reason?
(CIRCLE ONLY ONE NUMBER FOR EACH)

	NO	YES
a. Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy?	1	2
<u>NUTRIRE1</u>		
b. Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas?	1	2
<u>HERBREM1</u>		
c. Psychological methods, such as meditation, mental imagery, or relaxation techniques?	1	2
<u>PSYCMET1</u>		
d. Physical methods, such as massage, acupressure, acupuncture, or chiropractic therapy?	1	2
<u>PHYSMET1</u>		
e. Folk medicine or traditional Chinese medicine?	1	2
<u>FOLKMED1</u>		
f. Any others?	1	2
<u>OTHRTHE1</u>		

IF YES, please specify:

SPECOTH1

E1. These next questions ask about events that we sometimes experience in our lives. **Since your last study visit**, have you experienced any of the following: If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4 . If you have and it was very upsetting and is still upsetting, circle 5. (PLEASE CIRCLE ONE ANSWER FOR EACH QUESTION.)

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very Upsetting and still upsetting
a. Started school, a training program, or new job? <u>STARTNE1</u>	1	2	3	4	5
b. Had trouble with a boss or conditions at work got worse? <u>WORKTRB1</u>	1	2	3	4	5
c. Quit, fired or laid off from a job? <u>QUITJOB1</u>	1	2	3	4	5
d. Took on a greatly increased work load at job? <u>WORKLOA1</u>	1	2	3	4	5
e. Husband/partner became unemployed? <u>PRTUNEM1</u>	1	2	3	4	5
f. Major money problems? <u>MONEYPR1</u>	1	2	3	4	5
g. Relations with husband/partner changed for the worse but without separation or divorce? <u>WORSREL1</u>	1	2	3	4	5
h. Were separated or divorced or a long-term relationship ended? <u>RELATEN1</u>	1	2	3	4	5
i. Had a serious problem with child or family member (other than husband/partner) or with a close friend? <u>SERIPRO1</u>	1	2	3	4	5
j. A child moved out of the house or left the area? <u>CHILDMO1</u>	1	2	3	4	5
k. Took on responsibility for the care of another child, grandchild, parent, other family member or friend? <u>RESPCAR1</u>	1	2	3	4	5
l. Family member had legal problems or a problem with police? <u>LEGALPR1</u>	1	2	3	4	5

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very Upsetting and still upsetting
m. A close relative (husband/partner, child or parent) died. . .					
1. husband/partner? <u>HUSBDIE1</u>	1	2	3	4	5
2. child? <u>CHLDDIE1</u>	1	2	3	4	5
3. parent? <u>PRNTDIE1</u>	1	2	3	4	5
n. A close friend or family member <u>other than</u> a husband/partner, child or parent died? <u>CLOSDIE1</u>	1	2	3	4	5
o. Major accident, assault, disaster, robbery or other violent event happened to yourself? <u>SELFVIO1</u>	1	2	3	4	5
p. Major accident, assault, disaster, robbery or other violent event happened to a family member? <u>FAMLVIO1</u>	1	2	3	4	5
q. Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend? <u>PHYSILL1</u>	1	2	3	4	5
r. Other major event not included above? <u>MAJEVEN1</u>	1	2	3	4	5
Specify: _____					

F1. Please indicate the extent you personally agree or disagree with the following statements about yourself.

	Strongly Agree	Agree	Neither agree nor disagree	Disagree	Strongly Disagree
a. I have never dreaded the day I would look in the mirror and see gray hairs. <u>GRAYHAI1</u>	1	2	3	4	5
b. It doesn't bother me at all to imagine myself being old. <u>IMAGNOL1</u>	1	2	3	4	5
c. When I look in the mirror, it doesn't bother me to see how my looks have changed with age. <u>LOOKSAG1</u>	1	2	3	4	5
d. I expect to feel good about life when I am old. <u>GOODOLD1</u>	1	2	3	4	5
e. I fear it will be very hard for me to find contentment in old age. <u>FEAROLD1</u>	1	2	3	4	5
f. I will have plenty to occupy my time when I am old. <u>PLNTYOC1</u>	1	2	3	4	5
g. As I age I feel worse about myself. <u>AGEWORS1</u>	1	2	3	4	5

- G1. A number of **statements** that people have used to describe themselves are given below. Please read each statement and circle the number that represents **how you generally feel**. There are no right or wrong answers. Do not spend too much time on any one statement, but give the answer that seems to describe how you generally feel.

		Not at all like me	A little like me	Somewhat like me	A lot like me
a. I am a steady person.	<u>STEADY1</u>	1	2	3	4
b. I feel satisfied with myself.	<u>SATISMY1</u>	1	2	3	4
c. I feel nervous and restless.	<u>NERVRES1</u>	1	2	3	4
d. I wish I could be as happy as others seem to be.	<u>HAPPYAS1</u>	1	2	3	4
e. I feel like a failure.	<u>FAILUREA1</u>	1	2	3	4
f. I get in a state of turmoil or tension as I think over my recent concerns and interests.	<u>TURMOIL1</u>	1	2	3	4
g. I feel secure.	<u>SECURE1</u>	1	2	3	4
h. I lack self-confidence.	<u>LACKCON1</u>	1	2	3	4
i. I feel inadequate.	<u>ADEQUAT1</u>	1	2	3	4
j. I worry too much over something that does not matter.	<u>WORYMUC1</u>	1	2	3	4

These next questions concern different aspects (or roles) of your life and how you feel about them.

H1. Are you currently employed for pay?

EMPLYPA1

No..... 1 (GO TO H2)
Yes 2

a. How rewarding is your job? (CIRCLE ONE NUMBER)

REWRDJO1

Not at all 1
A little 2
Somewhat 3
Quite a bit 4
Extremely 5

b. How stressful is your job? (CIRCLE ONE NUMBER)

STRSSJO1

Not at all 1
A little 2
Somewhat 3
Quite a bit 4
Extremely 5

H2. Are you currently caring for an older or disabled family member?

CRNTCAR1

No..... 1 (GO TO H3)
Yes 2

a. How rewarding is your role as caregiver? (CIRCLE ONE NUMBER)

RWRDCAR1

Not at all 1
A little 2
Somewhat 3
Quite a bit 4
Extremely 5

b. How stressful is your role as caregiver? (CIRCLE ONE NUMBER)

STRSCAR1

Not at all 1
A little 2
Somewhat 3
Quite a bit 4
Extremely 5

H3. Are you currently married or in a committed relationship?

CRNTMARI

No..... 1 (GO TO H4)
Yes 2

a. How rewarding is this relationship? (CIRCLE ONE NUMBER)

RWRDREL1

Not at all 1
A little..... 2
Somewhat 3
Quite a bit 4
Extremely 5

b. How stressful is this relationship? (CIRCLE ONE NUMBER)

STRSREL1

Not at all 1
A little..... 2
Somewhat 3
Quite a bit 4
Extremely 5

H4. Do you have any children or stepchildren?

CHILDRE1

No..... 1 (GO TO I1)
Yes 2

a. How rewarding is your role as a mother? (CIRCLE ONE NUMBER)

REWRDMO1

Not at all 1
A little..... 2
Somewhat 3
Quite a bit 4
Extremely 5

b. How stressful is your role as a mother? (CIRCLE ONE NUMBER)

STRSSMO1

Not at all 1
A little..... 2
Somewhat 3
Quite a bit 4
Extremely 5

We would like to ask you for some important information that will help us to understand your answers better. Please remember that all of your answers will of course remain confidential.

- I1. What is your total family income (before taxes) from all sources within your household in the last year?
(Circle the answer that is your best guess.)

INCOME1^{\$}

LESS THAN \$19,999	1
\$20,000 TO \$49,999	2
\$50,000 TO \$99,999	3
\$100,000 OR MORE	4
REFUSED	-7
DON'T KNOW	-8

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is TRUE OF YOU in general.

- J1. Please circle the number that corresponds to your answer for each statement below:

(CIRCLE ONLY ONE ANSWER FOR EACH QUESTION)

	Not at all True	A little bit true	Moderately true	Quite a bit true	Extremely true
a. I am often aware of various things happening within my body.	1	2	3	4	5
<u>AWAREBO1</u>					
b. Sudden loud noises really bother me.	1	2	3	4	5
<u>NOISES1</u>					
c. I hate to be too hot or too cold. <u>HOTCOLD1</u>	1	2	3	4	5
d. I am quick to sense the hunger contractions in my stomach. <u>HUNGER1</u>	1	2	3	4	5
e. I can't stand pain. <u>STNDPA11</u>	1	2	3	4	5

^{\$} I.1 Income categories have been condensed from the original questionnaire

Variable Excluded from Public Use Data File

K1. Please read the following statements about yourself and indicate how much the statement describes the way you usually are. (CIRCLE ONE NUMBER ON EACH LINE)

	A lot like me	Somewhat like me	A little like me	Not at all like me
a. In uncertain times, I usually expect the best. <u>EXPBEST1</u>	3	2	1	0
b. If something can go wrong for me, it will. <u>GOWRONG1</u>	3	2	1	0
c. I'm always optimistic about my future. <u>OPTIMIS1</u>	3	2	1	0
d. I hardly ever expect things to go my way. <u>HRDLEXP1</u>	3	2	1	0
e. I rarely count on good things happening to me <u>GOODTHI1</u>	3	2	1	0
f. Overall, I expect more good things to happen to me than bad. <u>MOREGOO1</u>	3	2	1	0

The following section will ask you about personal feelings. These questions are important, as our feelings may directly affect our health or influence how we respond to health issues.

L1. In your day-to-day life have you had the following experiences: (CIRCLE ONE ANSWER FOR EACH)

	Often	Sometimes	Rarely	Never
a. You are treated with less courtesy than other people. <u>COURTES1</u>	1	2	3	4
b. You are treated with less respect than other people. <u>RESPECT1</u>	1	2	3	4
c. You receive poorer service than other people at restaurants or stores. <u>POORSER1</u>	1	2	3	4
d. People act as if they think you are not smart. <u>NOTSMAR1</u>	1	2	3	4
e. People act as if they are afraid of you. <u>AFRAIDO1</u>	1	2	3	4
f. People act as if they think you are dishonest. <u>DISHONS1</u>	1	2	3	4
g. People act as if they're better than you are. <u>BETTER1</u>	1	2	3	4
h. You or your family members are called names or insulted. <u>INSULTE1</u>	1	2	3	4
i. You are threatened or harassed. <u>HARASSE1</u>	1	2	3	4
j. People ignore you or act as if you are not there. <u>IGNORED1</u>	1	2	3	4

IF YOU ANSWERED "OFTEN" OR "SOMETIMES", TO ONE OR MORE STATEMENTS IN L1, PLEASE ANSWER QUESTION L2.

L2. Were any of the following reasons why you "sometimes" or "often" had these experiences? (CIRCLE ONE ANSWER FOR EACH.)

		NO	YES
a. Race	<u>BCRACE1</u>	1	2
b. Ethnicity	<u>BCETHN1</u>	1	2
c. Gender	<u>BCGENDR1</u>	1	2
d. Age	<u>BCAGE1</u>	1	2
e. Income Level	<u>BCINCML1</u>	1	2
f. Language	<u>BCLANG1</u>	1	2
g. Body Weight	<u>BCWGHT1</u>	1	2
h. Physical Appearance (other than body weight)	<u>BCPHAPP1</u>	1	2
i. Sexual Orientation	<u>BCORIEN1</u>	1	2
j. Other	<u>OTHEREX1</u>	1	2
Specify: _____	<u>#OTHRSP1</u>		

Thank you for your time. This ends this questionnaire.
Please give it to the study personnel.

Study of Women's Health Across the Nation
SELF-ADMINISTERED QUESTIONNAIRE PART B
ANNUAL FOLLOW-UP

SECTION A. GENERAL INFORMATION

- A1. RESPONDENT ID: AFFIX ID LABEL HERE
SWANID
- A2. SWAN STUDY VISIT # _____ #VISIT
- A3. FORM VERSION:

0	2	/	0	1	/	1	9	9	7
M	M		D	D		Y	Y	Y	Y

#FORM_V
- A4. DATE FORM COMPLETED:

_	_	/	_	_	/	_	_	_	_
M	M		D	D		Y	Y	Y	Y

SABDAY1[†]
- A5. INTERVIEWER'S INITIALS: _ _ _ #INITS
- A6. RESPONDENT'S DOB:

_	_	/	_	_	/	_	_
M	M		D	D		Y	Y

#DOB
- VERIFY WITH RESPONDENT**

-
- A7. COMPLETED IN: #LOCATIO1
- RESPONDENT'S HOME 1
CLINIC/OFFICE 2
RESPONDENT'S HOME W/ PROXY 3
CLINIC/ OFFICE W/ PROXY 4
- A8. INTERVIEW LANGUAGE: LANGSAB1
- ENGLISH..... 1
SPANISH..... 2
CANTONESE 3
JAPANESE..... 4
- A9. INTERVIEWER-ADMINISTERED? #ADMIN1
- NO..... 1
YES 2

[†] This date is given in days since the initial baseline interview, which is day zero.

Variable Excluded from Public Use Data File

This questionnaire covers material that is sensitive and personal. For some women, sexual activity is an important part of their lives, but for others, it is not. Everyone has different ideas on this subject. To help us understand how these matters affect women's lives and health, we would like you to answer the following questions from your own personal viewpoint. There are no right or wrong answers. Remember, confidentiality is assured. While we hope you are willing to answer all of the questions, if there are questions you would prefer not to answer, you are free to skip them. Please find the most appropriate response to each question, and circle the number for the answer you choose.

B1. How important is sex in your life? (CIRCLE ONE NUMBER) **IMPORSE1**

1	2	3	4	5
Extremely Important	Quite Important	Moderately Important	Not Very Important	Not At All Important

B2. During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner? (CIRCLE ONE NUMBER) **DESIRSE1**

1	2	3	4	5
Not At All	Once or Twice/Month	About Once/Week	More Than Once/Week	Daily

B3. During the past 6 months, have you engaged in sexual activities with a partner? (CIRCLE ONE NUMBER) **ENGAGSE1**

No.....1 (GO TO B3.a)
Yes2 (GO TO B4)

B3.a People do not engage in sexual activities with partners for many reasons. Please circle 1 (NO) or 2 (YES) for each reason listed below. Please answer all four questions.

I have not had sex in the last 6 months because:

	NO	YES
1) I do not have a partner at this time.	1	2
	<u>NOPARTN1</u>	
2) My partner has a physical problem that interferes with sex.	1	2
	<u>PARTPRO1</u>	
3) I have a physical problem that interferes with sex.	1	2
	<u>PHYSPRO1</u>	
4) Other: Please Specify_____	1	2
	<u>NOSEXOT1</u>	
	<u>#NOSEXSP1</u>	

PLEASE TURN TO PAGE 5, AND ANSWER QUESTION B10.

B4. In the past 6 months, how physically pleasurable was your relationship with your partner:

1	2	3	4	5
Extremely Pleasurable	Very Pleasurable	Moderately Pleasurable	Slightly Pleasurable	Not At All Pleasurable

PHYSPLE1

B5. In the past 6 months, how emotionally satisfying was your relationship with your partner?

1	2	3	4	5
Extremely	Very	Moderately	Slightly	Not At All
Satisfying	Satisfying	Satisfying	Satisfying	Satisfying
<u>SATISFY1</u>				

B6. During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? (CIRCLE ONE ANSWER FOR EACH QUESTION. IF AN ACTIVITY DOES NOT APPLY TO YOU, CIRCLE 1 [NOT AT ALL].)

	Not At All	Once or Twice/Month	About Once/Week	More Than Once/Week	Daily
a) Kissing or hugging?	1	2	3	4	5
<u>KISSING1</u>					
b) Sexual touching or caressing?	1	2	3	4	5
<u>TOUCHIN1</u>					
c) Oral sex?	1	2	3	4	5
<u>ORALSEX1</u>					
d) Sexual intercourse?	1	2	3	4	5
<u>INTCOUR1</u>					

B7. During the last 6 months, how often did you feel aroused during sexual activity? **AROUSED1**

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

B8. During the past 6 months, have you felt vaginal or pelvic pain during intercourse? **PELVIC1**

1	2	3	4	5	6
Always	Almost Always	Sometimes	Almost Never	Never	No intercourse in last 6 months

B9. During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable? **LUBRICN1**

1	2	3	4	5	6
Always	Almost Always	Sometimes	Almost Never	Never	No intercourse in last 6 months

B10. On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

1	2	3	4	5	6
Not at all	Less than once a Month	Once or Twice a Month	About once a week	More than once a week	Daily

MASTURB1

Thank you for helping us with this important research study.

Please place the completed questionnaire in the envelope provided, seal it, and give it to the study personnel.

Again, thank you for your help.

Study of Women's Health Across the Nation

PHYSICAL MEASURES

SECTION A. GENERAL INFORMATION

A1. RESPONDENT ID:	AFFIX ID LABEL HERE <div></div>	<u>SWANID</u>
A2. SWAN STUDY VISIT #	___ ___	#VISIT
A3. READING:	PRIMARY DATA COLLECTION.....1 QC DATA COLLECTION.....2	#FORM_V
A4. FORM VERSION:	<div><div>0</div><div>M</div></div> <div><div>2</div><div>M</div></div> <div>/</div> <div><div>0</div><div>D</div></div> <div><div>1</div><div>D</div></div> <div>/</div> <div><div>1</div><div>Y</div></div> <div><div>9</div><div>Y</div></div> <div><div>9</div><div>Y</div></div> <div><div>7</div><div>Y</div></div>	<u>PHYDAY1[†]</u>
A5. DATE FORM COMPLETED:	<div><div></div><div>M</div></div> <div><div></div><div>M</div></div> <div>/</div> <div><div></div><div>D</div></div> <div><div></div><div>D</div></div> <div>/</div> <div><div></div><div>Y</div></div> <div><div></div><div>Y</div></div> <div><div></div><div>Y</div></div> <div><div></div><div>Y</div></div>	
A6. RESPONDENT'S DOB:	<div><div></div><div>M</div></div> <div><div></div><div>M</div></div> <div>/</div> <div><div></div><div>D</div></div> <div><div></div><div>D</div></div> <div>/</div> <div><div></div><div>Y</div></div> <div><div></div><div>Y</div></div>	#DOB
VERIFY WITH RESPONDENT		
A7. MEASUREMENTS COMPLETED IN:	RESPONDENT'S HOME.....1 CLINIC/OFFICE.....2	#LOCATIO1
A8. TECHNICIAN'S INITIALS		
a. BLOOD PRESSURE	___ ___ ___	#INITSA1
b. HEIGHT/WEIGHT	___ ___ ___	#INITSB1
c. WAIST/HIP	___ ___ ___	#INITSC1

[†] This date is given in days since the initial baseline interview, which is day zero.

Variable Excluded from Public Use Data File

Section B. Measurements

B.1. ARM LENGTH . cm #ARMLNGT1

B.2. ARM CIRCUMFERENCE . cm #ARMCIRC1

B.3. CUFF SIZE USED (Circle one.) 1. Pediatric 3. Large Adult
#CUFFSIZ1 2. Adult 4. Thigh

Wait 5 minutes before measurements. Respondent is to sit quietly for 5 minutes with feet flat on the floor (legs uncrossed) and is to refrain from talking during the measurements.

WAIT 2 MINUTES BETWEEN EACH BLOOD PRESSURE READING.

B.4. PULSE PULSE1 beats/30 sec

B.5. BLOOD PRESSURE #1 (SYS./DIA. 5th Phase)
SYSBP11 / DIABP11 / mmHg

B.6. BLOOD PRESSURE #2 (SYS./DIA. 5th Phase)
SYSBP21 / DIABP21 / mmHg

Ask the respondent to remove her shoes before measuring height and weight.

B.7. HEIGHT HEIGHT1 . cm

B.7.1. Measurement Method HTMETHO1 1. Stadiometer 2. Portable

B.8. WEIGHT WEIGHT1 . kg

B.8.1. Scales SCALE1 1. Balance Beam 2. Clinic Digital
3. Portable

B.9. WAIST CIRCUMFERENCE WAIST1 . cm

B.9.1. Measurement taken in: WASTMEA1 1. Undergarments 2. Light clothing

B.10. HIP CIRCUMFERENCE HIP1 . cm

B.10.1. Measurement taken in: HIPMEAS1 1. Undergarments 2. Light clothing

B.11. Please note if there were any unusual circumstances or deviations from the protocol.

#DEVIATE1

ADDITIONAL MEASURES COLLECTED

The following measures that were collected at baseline have been included in the codebook:

SERUM HORMONE MEASURES

1. Variables for assays

<i>Variable</i>	<i>Assay</i>	<i>Units</i>
<u>DHAS1</u>	Dehydroepiandrosterone sulfate	ug/dL
<u>E2AVE1</u> *	Estradiol (see important note below)	pg/mL
<u>FSH1</u>	Follicle-stimulating hormone	mIU/mL
<u>SHBG1</u>	Sex hormone-binding globulin	nM
<u>T1</u>	Testosterone	ng/dL

*** IMPORTANT NOTE:** There were originally two estradiol result variables because estradiol was run in duplicate. E2AVE1 is the within-person arithmetic average of the two estradiol variables.

2. Flags and other variables

<i>Variable</i>	<i>Meaning</i>	<i>Codes</i>
<u>CYCDAY1</u>	Day of cycle	n/a
<u>FLGCV1</u>	Both Estradiol results are > 20 pg/mL and the within-subject coefficient of variation (CV) is > 15%.	0=no, 1=yes(flagged)
<u>FLGDIF1</u>	<p>One or both Estradiol results \leq 20 pg/mL and the difference between them is > 10 pg/mL.</p> <p>Note: Differences were found between some of the Estradiol duplicate measurements. The following guidelines were decided upon:</p> <ol style="list-style-type: none"> 1. If both E2 values > 20 pg/ml, CV must be \leq 15%. 2. If one or both E2 \leq 20 pg/ml, the two E2 results must agree within 10 pg/ml. <p>DATA WITH THESE FLAGS SHOULD BE OMITTED FROM DATA ANALYSES, OR USED WITH CAUTION IF INCLUDED IN ANALYSES.</p>	

3. Changes to the data:

- Lower limit of detection (LLD). Hormone results below the LLD were recoded to a value of '.L'.
- LLDs changed over time. The following LLDs were provided by the lab:

<i>Hormone</i>	<i>Time Window on hormone measurement corresponding to LLD</i>	<i>Lower Limit of Detection</i>
DHEAS	~ Sep. 15, 1997	<1.52 ug/dL (Initial value)
	Sep. 16, 1997 ~ Jan. 14, 1999	<0.304 ug/dL
	Jan. 15, 1999 ~	<1.5 ug/dL
E2	~ Aug. 11, 1999	<1.0 pg/mL (Initial value)
	Aug. 12, 1999 ~ Feb. 20, 2000	<1.0 pg/mL
	Feb. 21, 2000 ~ Aug. 27, 2001	<2.0 pg/mL
	Aug. 28, 2001 ~ May 03, 2009	<4.0 pg/mL
FSH	~ Aug. 05, 1999	<1.05 mIU/mL (Initial value)
	Aug. 06, 1999 ~ Nov. 10, 1999	<1.0 mIU/mL
	Nov. 11, 1999 ~ Jul. 19, 2000	<0.7 mIU/mL
	Jul. 20, 2000 ~ Oct. 29, 2002	<0.6 mIU/mL
SHBG	~ Sep. 15, 1997	<1.95 nM (Initial value)
	Sep. 16, 1997 ~ Aug. 05, 1999	<1.95 nM
	Aug. 06, 1999 ~ Oct. 31, 1999	<1.9 nM
	Nov. 01, 1999 ~ Mar. 22, 2006	<2.0 nM
T	~ Jun. 04, 1998	<2.19 ng/dL (Initial value)
	Jun. 05, 1998 ~ Jun. 17, 1999	<2.2 ng/dL
	Jun. 18, 1999 ~	<2.0 ng/dL

CARDIOVASCULAR MEASURES

1. Variables for assays

<i>Variable</i>	<i>Assay</i>	<i>Units</i>
<u>CHOLRES1</u>	Total cholesterol	mg/dl
<u>TRIGRES1</u>	Triglycerides	mg/dl
<u>LDLRESU1</u>	Low-density lipoprotein cholesterol (estimated)	mg/dl
<u>HDLRESU1</u>	High density lipoprotein cholesterol	mg/dl
<u>GLUCRES1</u>	Glucose	mg/dl
<u>INSURES1</u>	Insulin	uIU/ml
<u>FACRESU1</u>	Factor VII	%
<u>FIBRESU1</u>	Fibrinogen	mg/dl
<u>PAIRESU1</u>	PAI-1	ng/ml
<u>TPARESU1</u>	tPA	ng/ml
<u>LPARESU1</u>	Lipoprotein Lp(a)	mg/dl
<u>LPA1RES1</u>	Lipoprotein A-1	mg/dl
<u>APOARES1</u>	Apolipoprotein A-1	mg/dl
<u>APOBRES1</u>	Apolipoprotein B	mg/dl
<u>CRPRESU1</u>	C-reactive protein	mg/l

2. Flags and other variables

<i>Variable</i>	<i>Meaning</i>	<i>Codes</i>
<u>FLAGSER1</u>	Flag to indicate that lipids were measured on serum rather than plasma because plasma was not available. Lipids for these subjects were <u>not</u> set to missing.	0=no, 1=yes
<u>FLGCVRV1</u>	Flag to indicate the sample was collected after the cut-off date for Visit 1 (01/31/1999)	0=no, 1=yes

*1=yes means flagged

3. Changes to the data:

- Non-fasting Triglycerides, Insulin, & Glucose - If women were not fasting, triglycerides, insulin and glucose were set to missing in the frozen data set because these assays are not valid for non-fasting samples.
- Estimated vs. Direct LDL. LDL is estimated using the Friedewald equation for all women with triglycerides below 400 mg/dl. If triglycerides exceed 400 mg/dl, LDL is set to missing.
- Serum lipids. A few subjects had their lipids measured from serum rather than plasma. The results were left as is but subjects were flagged (FLAGSER1=1).

BONE MINERAL DENSITY MEASURES

Five of the seven clinical sites did DXA bone scans on the spine and hip. The total bone mineral density scores had to be calibrated in order to apply machine change calibration correction factors.

<i>Variable</i>	<i>Meaning</i>	<i>Codes</i>
<u>SPSCDAY1</u>	Spine Scan Day	
<u>SPSCTIM1</u>	Spine Scan Time	
<u>SPSCMOD1</u>	Spine Scan Mode	5 = 2000 machine 11=4500 machine
<u>HPSCDAY1</u>	Hip Scan Day	
<u>HPSCTIM1</u>	Hip Scan Time	
<u>HPSCMOD1</u>	Hip Scan Mode	5 = 2000 machine 11=4500 machine
<u>SPBMDT1</u>	Total Spine BMD w/cross-calibration applied	
<u>HPBMDT1</u>	Total Hip BMD w/cross-calibration applied	
<u>BMDFLG1</u>	PI recommended for spine exclusion	0=no 1=yes

ICPSR 29221

Study of Womens Health Across the Nation (SWAN), 1997-1999: Visit 01 Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Study of Womens Health Across the Nation (SWAN), 1997-1999: Visit 01 Dataset

SWANID SWANID

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

VISIT Study Visit

Location: 6-7 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	14	0.5 %
01	2867	99.5 %

INTDAY1 Interview Day

Location: 8-10 (width: 3; decimal: 0)

Variable Type: numeric

AGE1 Visit 1 Age

Location: 11-12 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
42	8	0.3 %
43	300	10.4 %
44	341	11.8 %
45	365	12.7 %
46	343	11.9 %
47	337	11.7 %
48	347	12.0 %
49	270	9.4 %
50	232	8.1 %
51	160	5.6 %
52	95	3.3 %
53	63	2.2 %
54	6	0.2 %
. (M)	14	0.5 %

LANGUAG1 Language of Interview

Location: 13-13 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	2478	86.0 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spanish	195	6.8 %
3	Cantonese	83	2.9 %
4	Japanese	111	3.9 %
. (M)	-	14	0.5 %

PREGNAN1 **Are you currently pregnant**

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	3	0.1 %
1	No	2716	94.3 %
2	Yes	6	0.2 %
. (M)	-	156	5.4 %

PREVBLO1 **Blood Drawn Previously**

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	862	29.9 %
. (M)	-	2019	70.1 %

EATDRIN1 **Eat/Drink in last 12 hrs**

Location: 17-17 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2596	90.1 %
2	Yes	122	4.2 %
. (M)	-	163	5.7 %

STRTPER1 **Start Period in Last Week**

Location: 18-18 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	761	26.4 %
2	Yes	1958	68.0 %
. (M)	-	162	5.6 %

DAYBLE1 **Day that you started to bleed**

- Study 29221 -

Location: 19-22 (width: 4; decimal: 0)
Variable Type: numeric

BLDRWAT1 Blood Draw Attempted

Location: 23-23 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, as per protocol	2046	71.0 %
2	Yes, menses too variable	223	7.7 %
3	Yes, Last attempt	449	15.6 %
5	No, Not fasting and/or not in window	1	0.0 %
. (M)	-	162	5.6 %

BLDDRAW1 Blood Drawn

Location: 24-24 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	2725	94.6 %
. (M)	-	156	5.4 %

SPEDAY1 Blood Specimen Day

Location: 25-27 (width: 3; decimal: 0)
Variable Type: numeric

ANTICO11 Anticoagulant #1

Location: 28-29 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	No	2829	98.2 %
2	Yes	37	1.3 %
. (M)	-	14	0.5 %

ACOATW11 Anticoagulant #1 taken 2x/wk for last mo

Location: 30-31 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2830	98.2 %
1	No	15	0.5 %
2	Yes	22	0.8 %
. (M)	-	14	0.5 %

ANTICO21 Anticoagulant #2

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2830	98.2 %
1	No	32	1.1 %
2	Yes	5	0.2 %
. (M)	-	14	0.5 %

ACOATW21 Anticoagulant #2 taken 2x/wk for last mo

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2862	99.3 %
1	No	1	0.0 %
2	Yes	4	0.1 %
. (M)	-	14	0.5 %

HEART11 Heart med #1

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	No	2797	97.1 %
2	Yes	69	2.4 %
. (M)	-	14	0.5 %

HARTTW11 Heart med #1 taken 2x/wk for last mo

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2798	97.1 %
1	No	16	0.6 %
2	Yes	53	1.8 %
. (M)	-	14	0.5 %

HEART21 Heart med #2

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2798	97.1 %
1	No	49	1.7 %
2	Yes	20	0.7 %
. (M)	-	14	0.5 %

HARTTW21 **Heart med #2 taken 2x/wk for last mo**

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2847	98.8 %
1	No	4	0.1 %
2	Yes	16	0.6 %
. (M)	-	14	0.5 %

CHOLST11 **Cholesterol med #1**

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	No	2811	97.6 %
2	Yes	55	1.9 %
. (M)	-	14	0.5 %

CHOLTW11 **Cholesterol med #1 taken 2x/wk for last mo**

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2812	97.6 %
1	No	9	0.3 %
2	Yes	46	1.6 %
. (M)	-	14	0.5 %

CHOLST21 **Cholesterol med #2**

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2812	97.6 %
1	No	49	1.7 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	6	0.2 %
. (M)	-	14	0.5 %

CHOLTW21 Cholesterol med #2 taken 2x/wk for last mo

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2861	99.3 %
1	No	2	0.1 %
2	Yes	4	0.1 %
. (M)	-	14	0.5 %

BP11 Blood pressure med #1

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	No	2480	86.1 %
2	Yes	386	13.4 %
. (M)	-	14	0.5 %

BPTW11 Blood pressure med #1 taken 2x/wk last mo

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2481	86.1 %
1	No	32	1.1 %
2	Yes	353	12.3 %
. (M)	-	14	0.5 %

BP21 Blood pressure med #2

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2481	86.1 %
1	No	282	9.8 %
2	Yes	104	3.6 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	14	0.5 %

BPTW21 **Blood pressure med #2 taken 2x/wk last mo**

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2763	95.9 %
1	No	18	0.6 %
2	Yes	85	3.0 %
. (M)	-	14	0.5 %

DIURET11 **Diuretic #1**

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2737	95.0 %
2	Yes	130	4.5 %
. (M)	-	14	0.5 %

DIURTW11 **Diuretic #1 taken 2x/wk for last mo**

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2737	95.0 %
1	No	59	2.0 %
2	Yes	70	2.4 %
. (M)	-	14	0.5 %

DIURET21 **Diuretic #2**

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2737	95.0 %
1	No	127	4.4 %
2	Yes	3	0.1 %
. (M)	-	14	0.5 %

DIURTW21 Diuretic #2 taken 2x/wk for last mo

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2864	99.4 %
1	No	1	0.0 %
2	Yes	2	0.1 %
. (M)	-	14	0.5 %

THYROI11 Thyroid med #1

Location: 67-67 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2674	92.8 %
2	Yes	193	6.7 %
. (M)	-	14	0.5 %

THYRTW11 Thyroid med #1 taken 2x/wk for last mo

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2674	92.8 %
1	No	16	0.6 %
2	Yes	177	6.1 %
. (M)	-	14	0.5 %

THYROI21 Thyroid med #2

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2674	92.8 %
1	No	189	6.6 %
2	Yes	4	0.1 %
. (M)	-	14	0.5 %

THYRTW21 Thyroid med #2 taken 2x/wk for last mo

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2863	99.4 %
1	No	1	0.0 %
2	Yes	3	0.1 %
. (M)	-	14	0.5 %

INSULN11

Insulin med #1

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2779	96.5 %
2	Yes	88	3.1 %
. (M)	-	14	0.5 %

INSUTW11

Insulin med #1 taken 2x/wk for last mo

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2779	96.5 %
1	No	8	0.3 %
2	Yes	79	2.7 %
. (M)	-	14	0.5 %

INSULN21

Insulin med #2

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2779	96.5 %
1	No	53	1.8 %
2	Yes	35	1.2 %
. (M)	-	14	0.5 %

INSUTW21

Insulin med #2 taken 2x/wk for last mo

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2832	98.3 %
1	No	4	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	31	1.1 %
. (M)	-	14	0.5 %

NERVS11 **Nervous cond med #1**

Location: 81-81 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2520	87.5 %
2	Yes	347	12.0 %
. (M)	-	14	0.5 %

NERVTW11 **Nervous cond med #1 taken 2x/wk last mo**

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2520	87.5 %
1	No	125	4.3 %
2	Yes	222	7.7 %
. (M)	-	14	0.5 %

NERVS21 **Nervous cond med #2**

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2520	87.5 %
1	No	231	8.0 %
2	Yes	116	4.0 %
. (M)	-	14	0.5 %

NERVTW21 **Nervous cond med #2 taken 2x/wk last mo**

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2751	95.5 %
1	No	40	1.4 %
2	Yes	76	2.6 %
. (M)	-	14	0.5 %

- Study 29221 -

STEROI11 Steroid #1

Location: 88-88 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2721	94.4 %
2	Yes	146	5.1 %
. (M)	-	14	0.5 %

STERTW11 Steroid #1 taken 2x/wk for last mo

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2721	94.4 %
1	No	106	3.7 %
2	Yes	40	1.4 %
. (M)	-	14	0.5 %

STEROI21 Steroid #2

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2721	94.4 %
1	No	128	4.4 %
2	Yes	18	0.6 %
. (M)	-	14	0.5 %

STERTW21 Steroid #2 taken 2x/wk for last mo

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2849	98.9 %
1	No	10	0.3 %
2	Yes	8	0.3 %
. (M)	-	14	0.5 %

FERTIL11 Fertility med #1

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2864	99.4 %
2	Yes	3	0.1 %
. (M)	-	14	0.5 %

FRTLW11 **Fertility med #1 taken 2x/wk last mo**

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2864	99.4 %
1	No	3	0.1 %
. (M)	-	14	0.5 %

FERTIL21 **Fertility med #2**

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2864	99.4 %
1	No	1	0.0 %
2	Yes	2	0.1 %
. (M)	-	14	0.5 %

FRTLW21 **Fertility med #2 taken 2x/wk last mo**

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2865	99.4 %
1	No	1	0.0 %
2	Yes	1	0.0 %
. (M)	-	14	0.5 %

BCP11 **Birth Control Pill #1**

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2832	98.3 %
2	Yes	35	1.2 %
. (M)	-	14	0.5 %

- Study 29221 -

BCPTWI11 Birth Control Pill #1 taken 2x/wk last mo

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2832	98.3 %
1	No	13	0.5 %
2	Yes	22	0.8 %
. (M)	-	14	0.5 %

BCP21 Birth Control Pill #2

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	34	1.2 %
2	Yes	1	0.0 %
. (M)	-	2846	98.8 %

BCPTWI21 Birth control pills #2 taken 2x/wk last mo

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2866	99.5 %
1	No	1	0.0 %
. (M)	-	14	0.5 %

ESTROG11 Estrogen pills #1

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2767	96.0 %
2	Yes	98	3.4 %
. (M)	-	16	0.6 %

ESTRTW11 Estrogen pills #1 taken 2x/wk for last mo

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2769	96.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	21	0.7 %
2	Yes	77	2.7 %
. (M)	-	14	0.5 %

ESTROG21 Estrogen pills #2

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	92	3.2 %
2	Yes	6	0.2 %
. (M)	-	2783	96.6 %

ESTRTW21 Estrogen pills #2 taken 2x/wk for last mo

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2861	99.3 %
1	No	1	0.0 %
2	Yes	5	0.2 %
. (M)	-	14	0.5 %

ESTRDA11 Estr #1 rx daily or off & on

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-1	N/A	2769	96.1 %
1	Every Day	72	2.5 %
2	Off and On	23	0.8 %
. (M)	-	14	0.5 %

ESTRDA21 Estr #2 rx daily or off & on

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2861	99.3 %
1	Every Day	4	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Off and On	1	0.0 %
. (M)	-	14	0.5 %

ESTRNJ11 Estrogen inj/patch #1

Location: 118-118 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2852	99.0 %
2	Yes	14	0.5 %
. (M)	-	15	0.5 %

EINJTW11 Estrogen inj/patch #1 taken 2x/wk last mo

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2853	99.0 %
1	No	8	0.3 %
2	Yes	6	0.2 %
. (M)	-	14	0.5 %

ESTRNJ21 Estrogen inj/patch #2

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	14	0.5 %
. (M)	-	2867	99.5 %

EINJTW21 Estrogen inj/patch #2 taken 2x/wk last mo

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

COMBIN11 Comb estrogen/progestin #1

Location: 124-124 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2818	97.8 %
2	Yes	48	1.7 %
. (M)	-	15	0.5 %

COMBTW11 **Comb estrogen/progestin #1 taken 2x/wk last mo**

Location: 125-126 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2819	97.8 %
1	No	7	0.2 %
2	Yes	41	1.4 %
. (M)	-	14	0.5 %

COMBIN21 **Comb estrogen/progestin #2**

Location: 127-127 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	48	1.7 %
. (M)	-	2833	98.3 %

COMBTW21 **Comb estrogen/progestin #2 taken 2x/wk last mo**

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

PROGES11 **Progestin pills #1**

Location: 130-130 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2779	96.5 %
2	Yes	87	3.0 %
. (M)	-	15	0.5 %

PROGTW11 **Progestin pills #1 taken 2x/wk last mo**

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2780	96.5 %
1	No	34	1.2 %
2	Yes	53	1.8 %
. (M)	-	14	0.5 %

PROGES21 Progestin pills #2

Location: 133-133 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	87	3.0 %
. (M)	-	2794	97.0 %

PROGTW21 Progestin pills #2 taken 2x/wk last mo

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

PROGDA11 Prog #1 rx daily or off & on

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	2	0.1 %
-1	N/A	2780	96.5 %
1	Every Day	33	1.1 %
2	Off and On	50	1.7 %
. (M)	-	14	0.5 %

PROGDA21 Prog #2 rx daily or off & on

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

OTHMED11 Other rx med #1

- Study 29221 -

Location: 140-141 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	No	1393	48.4 %
2	Yes	1473	51.1 %
. (M)	-	14	0.5 %

OTHRTW11 Other rx med #1 taken 2x/wk last mo

Location: 142-143 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	1394	48.4 %
1	No	878	30.5 %
2	Yes	593	20.6 %
. (M)	-	14	0.5 %

OTHMED21 Other rx med #2

Location: 144-145 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	1394	48.4 %
1	No	712	24.7 %
2	Yes	760	26.4 %
. (M)	-	14	0.5 %

OTHRTW21 Other rx med #2 taken 2x/wk last mo

Location: 146-147 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2107	73.1 %
1	No	441	15.3 %
2	Yes	319	11.1 %
. (M)	-	14	0.5 %

OTHMED31 Other rx med #3

Location: 148-149 (width: 2; decimal: 0)
Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2108	73.2 %
1	No	324	11.2 %
2	Yes	435	15.1 %
. (M)	-	14	0.5 %

OTHRTW31 **Other rx med #3 taken 2x/wk last mo**

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2432	84.4 %
1	No	261	9.1 %
2	Yes	174	6.0 %
. (M)	-	14	0.5 %

OTHMED41 **Other rx med #4**

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2432	84.4 %
1	No	211	7.3 %
2	Yes	224	7.8 %
. (M)	-	14	0.5 %

OTHRTW41 **Other rx med #4 taken 2x/wk last mo**

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2643	91.7 %
1	No	141	4.9 %
2	Yes	83	2.9 %
. (M)	-	14	0.5 %

OTHMED51 **Other rx med #5**

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2643	91.7 %
1	No	101	3.5 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	123	4.3 %
. (M)	-	14	0.5 %

OTHRTW51 **Other rx med #5 taken 2x/wk last mo**

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2744	95.2 %
1	No	74	2.6 %
2	Yes	49	1.7 %
. (M)	-	14	0.5 %

OTHMED61 **Other rx med #6**

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2744	95.2 %
1	No	52	1.8 %
2	Yes	71	2.5 %
. (M)	-	14	0.5 %

OTHRTW61 **Other rx med #6 taken 2x/wk last mo**

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2796	97.0 %
1	No	49	1.7 %
2	Yes	22	0.8 %
. (M)	-	14	0.5 %

OTHMED71 **Other rx med #7**

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2796	97.0 %
1	No	25	0.9 %
2	Yes	46	1.6 %
. (M)	-	14	0.5 %

OTHRTW71 Other rx med #7 taken 2x/wk last mo

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2821	97.9 %
1	No	28	1.0 %
2	Yes	18	0.6 %
. (M)	-	14	0.5 %

OTHMED81 Other rx med #8

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2821	97.9 %
1	No	16	0.6 %
2	Yes	30	1.0 %
. (M)	-	14	0.5 %

OTHRTW81 Other rx med #8 taken 2x/wk last mo

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2837	98.5 %
1	No	20	0.7 %
2	Yes	10	0.3 %
. (M)	-	14	0.5 %

OTHMED91 Other rx med #9

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2837	98.5 %
1	No	17	0.6 %
2	Yes	13	0.5 %
. (M)	-	14	0.5 %

OTHRTW91 Other rx med #9 taken 2x/wk last mo

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2854	99.1 %
1	No	6	0.2 %
2	Yes	7	0.2 %
. (M)	-	14	0.5 %

OTHME101 **Other rx med #10**

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2854	99.1 %
1	No	6	0.2 %
2	Yes	7	0.2 %
. (M)	-	14	0.5 %

OTHTW101 **Other rx med #10 taken 2x/wk last mo**

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2860	99.3 %
1	No	6	0.2 %
2	Yes	1	0.0 %
. (M)	-	14	0.5 %

OTHME111 **Other rx med #11**

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2860	99.3 %
1	No	1	0.0 %
2	Yes	6	0.2 %
. (M)	-	14	0.5 %

OTHTW111 **Other rx med #11 taken 2x/wk last mo**

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2861	99.3 %
1	No	4	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	2	0.1 %
. (M)	-	14	0.5 %

OTHME121 **Other rx med #12**

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2861	99.3 %
1	No	1	0.0 %
2	Yes	5	0.2 %
. (M)	-	14	0.5 %

OTHTW121 **Other rx med #12 taken 2x/wk last mo**

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2862	99.3 %
1	No	3	0.1 %
2	Yes	2	0.1 %
. (M)	-	14	0.5 %

OTHME131 **Other rx med #13**

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2862	99.3 %
1	No	3	0.1 %
2	Yes	2	0.1 %
. (M)	-	14	0.5 %

OTHTW131 **Other rx med #13 taken 2x/wk last mo**

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2865	99.4 %
2	Yes	2	0.1 %
. (M)	-	14	0.5 %

- Study 29221 -

OTHME141 Other rx med #14

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2862	99.3 %
2	Yes	2	0.1 %
. (M)	-	17	0.6 %

OTHWTW141 Other rx med #14 taken 2x/wk last mo

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2862	99.3 %
1	No	2	0.1 %
. (M)	-	17	0.6 %

OTHME151 Other rx med #15

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2862	99.3 %
1	No	2	0.1 %
. (M)	-	17	0.6 %

OTHWTW151 Other rx med #15 taken 2x/wk last mo

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2864	99.4 %
. (M)	-	17	0.6 %

REDUHAR1 Reduce risk of heart disease

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
1	No	130	4.5 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes	50	1.7 %
. (M)	-	14	0.5 %

OSTEOPO1 Reduce risk of osteoporosis

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
1	No	119	4.1 %
2	Yes	61	2.1 %
. (M)	-	14	0.5 %

MENOSYM1 Relieve menopausal symptoms

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-1	N/A	2685	93.2 %
1	No	51	1.8 %
2	Yes	128	4.4 %
. (M)	-	14	0.5 %

YOUNGLK1 Stay young-looking

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
1	No	160	5.6 %
2	Yes	20	0.7 %
. (M)	-	14	0.5 %

HCPADVI1 Health care provider advised

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2685	93.2 %
1	No	44	1.5 %
2	Yes	136	4.7 %
. (M)	-	14	0.5 %

FRNADVI1 **Friend/relative advised**

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
1	No	153	5.3 %
2	Yes	27	0.9 %
. (M)	-	14	0.5 %

IMPRMEM1 **Improve memory**

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
1	No	158	5.5 %
2	Yes	22	0.8 %
. (M)	-	14	0.5 %

REGPERI1 **Regulate periods**

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
1	No	104	3.6 %
2	Yes	76	2.6 %
. (M)	-	14	0.5 %

HORMOTH1 **Take hormones for other reasons**

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2685	93.2 %
1	No	137	4.8 %
2	Yes	43	1.5 %
. (M)	-	15	0.5 %

DONTKNO1 Don't know/rem why take hormones

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-1	N/A	2685	93.2 %
1	No	179	6.2 %
. (M)	-	14	0.5 %

PRBBLEE1 Problems w/bleeding

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %
1	No	42	1.5 %
2	Yes	4	0.1 %
. (M)	-	17	0.6 %

HAVEPER1 Did not like having periods

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %
1	No	44	1.5 %
2	Yes	2	0.1 %
. (M)	-	17	0.6 %

LIKEFEL1 Did not like how felt on them

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	36	1.2 %
2	Yes	10	0.3 %
. (M)	-	17	0.6 %

SIDEEFF1 **Worried about poss side effects**

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %
1	No	38	1.3 %
2	Yes	8	0.3 %
. (M)	-	17	0.6 %

CANCER1 **Worried about cancer**

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %
1	No	43	1.5 %
2	Yes	3	0.1 %
. (M)	-	17	0.6 %

ADVISTO1 **Health care prov advised to stop**

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %
1	No	37	1.3 %
2	Yes	9	0.3 %
. (M)	-	17	0.6 %

EXPENSI1 **Too expensive**

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %
1	No	46	1.6 %
. (M)	-	17	0.6 %

NOLIKE1 Do not like taking meds

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %
1	No	43	1.5 %
2	Yes	3	0.1 %
. (M)	-	17	0.6 %

NOREMEB1 Couldn't remember to take them

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %
1	No	45	1.6 %
2	Yes	1	0.0 %
. (M)	-	17	0.6 %

DNTKNOW1 Don't know why stopped hormones

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %
1	No	45	1.6 %
2	Yes	1	0.0 %
. (M)	-	17	0.6 %

STOPOTH1 Stopped hormones other reason

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %
1	No	17	0.6 %
2	Yes	29	1.0 %
. (M)	-	17	0.6 %

NOREASO1 Stopped hormones no reason given

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %
1	No	46	1.6 %
. (M)	-	17	0.6 %

PAIN11 **OTC Pain med #1**

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	No	1966	68.2 %
2	Yes	897	31.1 %
. (M)	-	17	0.6 %

PAINTW11 **OTC Pain med #1 taken 2x/wk last mo**

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-1	N/A	1968	68.3 %
1	No	357	12.4 %
2	Yes	536	18.6 %
. (M)	-	17	0.6 %

PAIN21 **OTC Pain med #2**

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1967	68.3 %
1	No	685	23.8 %
2	Yes	212	7.4 %
. (M)	-	17	0.6 %

PAINTW21 **OTC Pain med #2 taken 2x/wk last mo**

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2652	92.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	111	3.9 %
2	Yes	100	3.5 %
. (M)	-	17	0.6 %

SLEEP11 **OTC Sleep med #1**

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	No	2757	95.7 %
2	Yes	106	3.7 %
. (M)	-	17	0.6 %

SLEPTW11 **OTC Sleep med #1 taken 2x/wk last mo**

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2758	95.7 %
1	No	33	1.1 %
2	Yes	73	2.5 %
. (M)	-	17	0.6 %

SLEEP21 **OTC Sleep med #2**

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2758	95.7 %
1	No	96	3.3 %
2	Yes	10	0.3 %
. (M)	-	17	0.6 %

SLEPTW21 **OTC Sleep med #2 taken 2x/wk last mo**

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2854	99.1 %
1	No	5	0.2 %
2	Yes	5	0.2 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	17	0.6 %

OTC11 **Other OTC med #1**

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	No	2395	83.1 %
2	Yes	468	16.2 %
. (M)	-	17	0.6 %

OTCTW11 **Other OTC med #1 taken 2x/wk last mo**

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2396	83.2 %
1	No	119	4.1 %
2	Yes	348	12.1 %
. (M)	-	17	0.6 %

OTC21 **Other OTC med #2**

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2396	83.2 %
1	No	351	12.2 %
2	Yes	117	4.1 %
. (M)	-	17	0.6 %

OTCTW21 **Other OTC med #2 taken 2x/wk last mo**

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2747	95.3 %
1	No	37	1.3 %
2	Yes	79	2.7 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	17	0.6 %

OTC31 **Other OTC med #3**

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2747	95.3 %
1	No	82	2.8 %
2	Yes	35	1.2 %
. (M)	-	17	0.6 %

OTCTW31 **Other OTC med #3 taken 2x/wk last mo**

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2829	98.2 %
1	No	10	0.3 %
2	Yes	25	0.9 %
. (M)	-	17	0.6 %

OTC41 **Other OTC med #4**

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2829	98.2 %
1	No	21	0.7 %
2	Yes	14	0.5 %
. (M)	-	17	0.6 %

OTCTW41 **Other OTC med #4 taken 2x/wk last mo**

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2850	98.9 %
1	No	2	0.1 %
2	Yes	12	0.4 %
. (M)	-	17	0.6 %

- Study 29221 -

OTC51 **Other OTC med #5**

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2853	99.0 %
1	No	11	0.4 %
2	Yes	3	0.1 %
. (M)	-	14	0.5 %

OTCTW51 **Other OTC med #5 taken 2x/wk last mo**

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2864	99.4 %
1	No	1	0.0 %
2	Yes	2	0.1 %
. (M)	-	14	0.5 %

OTC61 **Other OTC med #6**

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2864	99.4 %
1	No	1	0.0 %
2	Yes	2	0.1 %
. (M)	-	14	0.5 %

OTCTW61 **Other OTC med #6 taken 2x/wk last mo**

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2865	99.4 %
2	Yes	2	0.1 %
. (M)	-	14	0.5 %

OTC71 **Other OTC med #7**

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2865	99.4 %
1	No	1	0.0 %
2	Yes	1	0.0 %
. (M)	-	14	0.5 %

OTCTW71 **Other OTC med #7 taken 2x/wk last mo**

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2866	99.5 %
2	Yes	1	0.0 %
. (M)	-	14	0.5 %

OTC81 **Other OTC med #8**

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2866	99.5 %
2	Yes	1	0.0 %
. (M)	-	14	0.5 %

OTCTW81 **Other OTC med #8 taken 2x/wk last mo**

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2866	99.5 %
2	Yes	1	0.0 %
. (M)	-	14	0.5 %

OTC91 **Other OTC med #9**

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2866	99.5 %
1	No	1	0.0 %
. (M)	-	14	0.5 %

OTCTW91 **Other OTC med #9 taken 2x/wk last mo**

- Study 29221 -

Location: 294-295 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

OTC101 **Other OTC med #10**

Location: 296-297 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

OTCTW101 **Other OTC med #10 taken 2x/wk last mo**

Location: 298-299 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

OTC111 **Other OTC med #11**

Location: 300-301 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

OTCTW111 **Other OTC med #11 taken 2x/wk last mo**

Location: 302-303 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

OTC121 **Other OTC med #12**

Location: 304-305 (width: 2; decimal: 0)
Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

OTCTW121 **Other OTC med #12 taken 2x/wk last mo**

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

OTC131 **Other OTC med #13**

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

OTCTW131 **Other OTC med #13 taken 2x/wk last mo**

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

OTC141 **Other OTC med #14**

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

OTCTW141 **Other OTC med #14 taken 2x/wk last mo**

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

- Study 29221 -

OTC151 Other OTC med #15

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

OTCTW151 Other OTC med #15 taken 2x/wk last mo

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2867	99.5 %
. (M)	-	14	0.5 %

REGVITA1 Take any vitamins/minerals 1x/wk

Location: 320-320 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	1241	43.1 %
2	Yes	1623	56.3 %
. (M)	-	17	0.6 %

ONCEADA1 How often take multi-vitamin

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1241	43.1 %
1	Do not take any	604	21.0 %
2	1-3 days/week	207	7.2 %
3	4-6 days/week	181	6.3 %
4	Every day	631	21.9 %
. (M)	-	17	0.6 %

ANTIOXI1 How often take antioxidant

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1241	43.1 %
1	Do not take any	1340	46.5 %
2	1-3 days/week	59	2.0 %
3	4-6 days/week	60	2.1 %
4	Every day	163	5.7 %
. (M)	-	17	0.6 %

VTMOTH11 **How often take other multi-vit #1**

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2574	89.3 %
1	Do not take any	84	2.9 %
2	1-3 days/week	36	1.2 %
3	4-6 days/week	26	0.9 %
4	Every day	143	5.0 %
. (M)	-	17	0.6 %

VTMOTH21 **How often take other multi-vit #2**

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2795	97.0 %
1	Do not take any	39	1.4 %
2	1-3 days/week	5	0.2 %
3	4-6 days/week	3	0.1 %
4	Every day	22	0.8 %
. (M)	-	17	0.6 %

VTMOTH31 **How often take other multi-vit #3**

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2818	97.8 %
1	Do not take any	35	1.2 %
2	1-3 days/week	1	0.0 %
3	4-6 days/week	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Every day	9	0.3 %
. (M)	-	17	0.6 %

VTMOTH41 **How often take other multi-vit #4**

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2825	98.1 %
1	Do not take any	35	1.2 %
2	1-3 days/week	1	0.0 %
3	4-6 days/week	1	0.0 %
4	Every day	2	0.1 %
. (M)	-	17	0.6 %

VITAMNA1 **How often take vitamin A**

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1241	43.1 %
1	Do not take any	1560	54.1 %
2	1-3 days/week	18	0.6 %
3	4-6 days/week	11	0.4 %
4	Every day	34	1.2 %
. (M)	-	17	0.6 %

BETACAR1 **How often take beta-carotene**

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1241	43.1 %
1	Do not take any	1541	53.5 %
2	1-3 days/week	26	0.9 %
3	4-6 days/week	18	0.6 %
4	Every day	38	1.3 %
. (M)	-	17	0.6 %

VITAMNC1 **How often take vitamin C**

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-1	N/A	1241	43.1 %
1	Do not take any	1012	35.1 %
2	1-3 days/week	155	5.4 %
3	4-6 days/week	107	3.7 %
4	Every day	347	12.0 %
. (M)	-	17	0.6 %

VITAMND1 How often take vitamin D

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1241	43.1 %
1	Do not take any	1528	53.0 %
2	1-3 days/week	31	1.1 %
3	4-6 days/week	15	0.5 %
4	Every day	49	1.7 %
. (M)	-	17	0.6 %

VITAMNE1 How often take vitamin E

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1241	43.1 %
1	Do not take any	1077	37.4 %
2	1-3 days/week	112	3.9 %
3	4-6 days/week	112	3.9 %
4	Every day	322	11.2 %
. (M)	-	17	0.6 %

CALCTUM1 How often take calcium/tums

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	1241	43.1 %
1	Do not take any	941	32.7 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	1-3 days/week	179	6.2 %
3	4-6 days/week	118	4.1 %
4	Every day	384	13.3 %
. (M)	-	17	0.6 %

IRON1 **How often take iron**

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	1241	43.1 %
1	Do not take any	1438	49.9 %
2	1-3 days/week	62	2.2 %
3	4-6 days/week	18	0.6 %
4	Every day	104	3.6 %
. (M)	-	17	0.6 %

VITOTH11 **How often take other vit #1**

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2241	77.8 %
1	Do not take any	65	2.3 %
2	1-3 days/week	106	3.7 %
3	4-6 days/week	95	3.3 %
4	Every day	356	12.4 %
. (M)	-	17	0.6 %

VITOTH21 **How often take other vit #2**

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2580	89.6 %
1	Do not take any	32	1.1 %
2	1-3 days/week	46	1.6 %
3	4-6 days/week	42	1.5 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Every day	163	5.7 %
. (M)	-	17	0.6 %

VITOTH31 **How often take other vit #3**

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2708	94.0 %
1	Do not take any	30	1.0 %
2	1-3 days/week	20	0.7 %
3	4-6 days/week	19	0.7 %
4	Every day	86	3.0 %
. (M)	-	17	0.6 %

VITOTH41 **How often take other vit #4**

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2764	95.9 %
1	Do not take any	26	0.9 %
2	1-3 days/week	11	0.4 %
3	4-6 days/week	11	0.4 %
4	Every day	51	1.8 %
. (M)	-	17	0.6 %

MULTVIT1 **If multi, w/wo minerals**

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	35	1.2 %
-1	N/A	1622	56.3 %
1	Contains minerals (iron/calc)	1155	40.1 %
2	Do not contain minerals	49	1.7 %
. (M)	-	14	0.5 %

ALCHL241 **Alcohol in Last 24 hrs**

- Study 29221 -

Location: 357-357 (width: 1; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2314	80.3 %
2	Yes	401	13.9 %
. (M)	-	166	5.8 %

ANEMIA1 Anemia since last visit

Location: 358-359 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	2	0.1 %
1	No	2638	91.6 %
2	Yes	224	7.8 %
. (M)	-	17	0.6 %

DIABETE1 Diabetes since last visit

Location: 360-361 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	4	0.1 %
1	No	2759	95.8 %
2	Yes	101	3.5 %
. (M)	-	17	0.6 %

HIGHBP1 Hypertension since last visit

Location: 362-363 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
1	No	2446	84.9 %
2	Yes	417	14.5 %
. (M)	-	17	0.6 %

HBCHOLE1 High cholesterol since last visit

Location: 364-365 (width: 2; decimal: 0)
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	2	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2560	88.9 %
2	Yes	302	10.5 %
. (M)	-	17	0.6 %

MIGRAIN1 **Migraines since last visit**

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
1	No	2683	93.1 %
2	Yes	180	6.2 %
. (M)	-	17	0.6 %

STROKE1 **Stroke since last visit**

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
1	No	2852	99.0 %
2	Yes	11	0.4 %
. (M)	-	17	0.6 %

OSTEOAR1 **Arthritis since last visit**

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	8	0.3 %
1	No	2554	88.6 %
2	Yes	302	10.5 %
. (M)	-	17	0.6 %

THYROID1 **Over/underactive Thyroid since last visit**

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	8	0.3 %
1	No	2681	93.1 %
2	Yes	175	6.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	17	0.6 %

HEARTAT1

Heart attack since last visit

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
1	No	2855	99.1 %
2	Yes	8	0.3 %
. (M)	-	17	0.6 %

ANGINA1

Angina since last visit

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
1	No	2842	98.6 %
2	Yes	21	0.7 %
. (M)	-	17	0.6 %

OSTEOPR1

Osteoporosis since last visit

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	6	0.2 %
1	No	2847	98.8 %
2	Yes	11	0.4 %
. (M)	-	17	0.6 %

FIBROID1

Fibroids since last visit

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	5	0.2 %
1	No	2585	89.7 %
2	Yes	274	9.5 %
. (M)	-	17	0.6 %

- Study 29221 -

CANCERS1 Cancer since last visit

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	1	0.0 %
1	No	2848	98.9 %
2	Yes	14	0.5 %
. (M)	-	17	0.6 %

SITESPE1 Primary site of cancer

Location: 384-413 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	2850	98.9 %
BRAIN	2	0.1 %
BREAST	5	0.2 %
CERVIX	1	0.0 %
LEFT BREAST	1	0.0 %
OVARIES	1	0.0 %
RIGHT BREAST	1	0.0 %
RT. SIDE OF CERVIX	1	0.0 %
UTERINE AND OVARIAN CANCER	1	0.0 %
VAGINAL	1	0.0 %

TAMOXIF1 Taken Tamoxifen since last visit

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2857	99.2 %
1	No	4	0.1 %
2	Yes	3	0.1 %
. (M)	-	17	0.6 %

CHEMOTH1 Chemotherapy/radiation for cancer

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2850	98.9 %
1	No	8	0.3 %
2	Yes	6	0.2 %
. (M)	-	17	0.6 %

TAKEDES1 Did mother take DES while preg w/you

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-8	Do not know	654	22.7 %
-1	N/A	1	0.0 %
1	No	2172	75.4 %
2	Yes	33	1.1 %
. (M)	-	17	0.6 %

BROKEBO1 # times broke bones since last visit

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %
0	-	2800	97.2 %
1	-	58	2.0 %
2	-	3	0.1 %
. (M)	-	17	0.6 %

BONES11 Bone #1 broken

Location: 422-451 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
"PINKY" FINGER BONE BROKE	1	0.0 %
-1	2802	97.3 %
1	1	0.0 %
4TH DIGIT CRUSH FINGER ALT C	1	0.0 %
4TH METACARPAL ON RIGHT HAND	1	0.0 %
BABY TOE	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
BABY TOE RIGHT FOOT	1	0.0 %
BIG TOE	2	0.1 %
BIG TOE OF HER RIGHT FOOT	1	0.0 %
BIG TOE ON LEFT FOOT	1	0.0 %
BIG TOE-LEFT FOOT	1	0.0 %
BONE (METATARSEL)	1	0.0 %
BROKEN TOE	1	0.0 %
CHIPPED BONES IN RIGHT ELBOW	1	0.0 %
COCCYX	1	0.0 %
DISLOCATED LEFT SHOULDER	1	0.0 %
FIBULA	1	0.0 %
FIFTH TOE	1	0.0 %
FOOT	1	0.0 %
FOOT BONE (FIBULA?)	1	0.0 %
FOOT[RIGHT SIDE OF RIGHT FOOT]	1	0.0 %
FRACTURE LOWER 2 RIGHT RIBS	1	0.0 %
FRACTURED PATELLA	1	0.0 %
L ANKLE	1	0.0 %
L MIDDLE HANDBONE & METACARPAL	1	0.0 %
LEFT ANKEL	1	0.0 %
LEFT ANKLE	2	0.1 %
LEFT ANKLE BONE	1	0.0 %
LEFT FIBULA	1	0.0 %
LEFT FOOT-NOT SURE WHICH BONE	1	0.0 %
LEFT FOREFINGER	1	0.0 %
LEFT HAND, 2 BONES - MORE	1	0.0 %
LEFT PATULA	1	0.0 %
LEFT RADIUS/LEFT ULNA COLLE'S	1	0.0 %
LEFT SMALL TOE	1	0.0 %
LEG	1	0.0 %
LITTLE FINGER (5TH DIGIT)	1	0.0 %
NONE	1	0.0 %
NOSE & CHEEK	1	0.0 %
PINKY (R-HAND)	1	0.0 %
RADIUS HEAD	1	0.0 %
RIB LEFT SIDE	1	0.0 %
RIGHT ANKLE	1	0.0 %
RIGHT FIBULA	1	0.0 %
RIGHT LITTLE TOE	1	0.0 %
RIGHT MIDDLE RIB CAGE	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
RIGHT PATELLA	1	0.0 %
RIGHT PINKY FINGER	1	0.0 %
RT FOOT-3RD META-STRESS FRACTU	1	0.0 %
SACRUM	1	0.0 %
SHOULDER	1	0.0 %
SM BONE AT BACK OF SHIN	1	0.0 %
SMALL TOE RIGHT FOOT	1	0.0 %
THIRD METATARSAL	1	0.0 %
TIP OF RIGHT FIBIA BONE	1	0.0 %
TOE	1	0.0 %
TOE (LT FOOT)	1	0.0 %
TOE 4TH ON RIGHT FOOT	1	0.0 %
TWO BONES IN RIGHT HAND	1	0.0 %
WRIST BONE	1	0.0 %
WRIST-LEST	1	0.0 %

HAPPEN11

How happened #1

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2802	97.3 %
1	No	30	1.0 %
2	Yes	32	1.1 %
. (M)	-	17	0.6 %

BONES21

Bone #2 broken

Location: 454-483 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	2858	99.2 %
-11	1	0.0 %
1	1	0.0 %
FRACTURED LEFT FOOT	1	0.0 %
RIGHT ANKLE	1	0.0 %
SMALL TOE RIGHT FOOT	1	0.0 %
TIBIA	1	0.0 %

HAPPEN21

How happened #2

- Study 29221 -

Location: 484-485 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2859	99.2 %
1	No	3	0.1 %
2	Yes	2	0.1 %
. (M)	-	17	0.6 %

BONES31 Bone #3 broken

Location: 486-515 (width: 30; decimal: 0)
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	2862	99.3 %
1	1	0.0 %
METATARSELS	1	0.0 %

HAPPEN31 How happened #3

Location: 516-517 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2862	99.3 %
1	No	1	0.0 %
2	Yes	1	0.0 %
. (M)	-	17	0.6 %

BCKPAIN1 Back pain since last visit

Location: 518-519 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	2	0.1 %
1	No	2295	79.7 %
2	Yes	566	19.6 %
. (M)	-	17	0.6 %

DANDC1 D & C since last visit

Location: 520-521 (width: 2; decimal: 0)
Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	2	0.1 %
1	No	2815	97.7 %
2	Yes	47	1.6 %
. (M)	-	17	0.6 %

NUMDAND1

D & C # of times

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2817	97.8 %
1	-	42	1.5 %
2	-	3	0.1 %
. (M)	-	17	0.6 %

HYSTERE1

Hysterectomy since last visit

Location: 524-524 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2833	98.3 %
2	Yes	31	1.1 %
. (M)	-	17	0.6 %

HYSTDAY1

Day of hysterectomy

Location: 525-527 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	1	0.0 %
47	1	0.0 %
61	1	0.0 %
65	1	0.0 %
84	1	0.0 %
88	1	0.0 %
104	1	0.0 %
107	1	0.0 %
112	1	0.0 %
114	1	0.0 %
116	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
137	1	0.0 %
143	1	0.0 %
147	1	0.0 %
167	1	0.0 %
172	1	0.0 %
179	1	0.0 %
234	1	0.0 %
262	1	0.0 %
279	1	0.0 %
303	1	0.0 %
320	1	0.0 %
332	1	0.0 %
333	1	0.0 %
363	1	0.0 %
375	1	0.0 %
382	1	0.0 %
384	1	0.0 %
395	1	0.0 %
495	1	0.0 %
588	1	0.0 %
. (M)	2850	98.9 %

OOPHORE1 **Ovaries removed since last visit**

Location: 528-528 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2840	98.6 %
2	Yes	24	0.8 %
. (M)	-	17	0.6 %

ONEOVAR1 **One or both ovaries removed**

Location: 529-529 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	6	0.2 %
2	Yes	17	0.6 %
. (M)	-	2858	99.2 %

UTERPRO1 **Uterine procedure since last visit**

- Study 29221 -

Location: 530-531 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	6	0.2 %
1	No	2732	94.8 %
2	Yes	126	4.4 %
. (M)	-	17	0.6 %

THYRREM1 **Thyroid gland removed since last visit**

Location: 532-532 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2855	99.1 %
2	Yes	9	0.3 %
. (M)	-	17	0.6 %

BLEEDNG1 **Menstrual bleeding since last visit**

Location: 533-533 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	63	2.2 %
2	Yes	2801	97.2 %
. (M)	-	17	0.6 %

BLD3MON1 **Menstrual bleeding in last 3 mos**

Location: 534-534 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	165	5.7 %
2	Yes	2636	91.5 %
. (M)	-	80	2.8 %

LMPDAY1 **Last Menstrual Period Day**

Location: 535-538 (width: 4; decimal: 0)
Variable Type: numeric

LESSPRE1 **Become less predictable**

Location: 539-539 (width: 1; decimal: 0)
Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	668	23.2 %
2	Yes	524	18.2 %
. (M)	-	1689	58.6 %

FARTHER1 **Become farther apart**

Location: 540-540 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	851	29.5 %
2	Yes	337	11.7 %
. (M)	-	1693	58.8 %

CLOSER1 **Become closer together**

Location: 541-541 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	813	28.2 %
2	Yes	374	13.0 %
. (M)	-	1694	58.8 %

VARIABLE1 **More variable intervals**

Location: 542-542 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	660	22.9 %
2	Yes	522	18.1 %
. (M)	-	1699	59.0 %

SAME1 **Stayed the same**

Location: 543-543 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	675	23.4 %
2	Yes	516	17.9 %
. (M)	-	1690	58.7 %

REGULAR1 **Become more regular**

Location: 544-544 (width: 1; decimal: 0)

- Study 29221 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	1091	37.9 %
2	Yes	98	3.4 %
. (M)	-	1692	58.7 %

MENSFLO1 **Menstrual flow lasted > 10 days**

Location: 545-546 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	4	0.1 %
-1	N/A	68	2.4 %
1	No	2450	85.0 %
2	Yes	341	11.8 %
. (M)	-	17	0.6 %

PRGNANT1 **Pregnant since last visit**

Location: 547-547 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2852	99.0 %
2	Yes	11	0.4 %
. (M)	-	18	0.6 %

OUTCOME1 **Outcome of pregnancy**

Location: 548-548 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Still Birth	1	0.0 %
3	Miscarriage	5	0.2 %
4	Abortion	3	0.1 %
6	Still Pregnant	2	0.1 %
. (M)	-	2870	99.6 %

BRSTFEE1 **Currently breastfeeding**

Location: 549-549 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2881	100.0 %

QLTYLIF1

Quality of life

Location: 550-552 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	1	0.0 %
0	10	0.3 %
1	6	0.2 %
2	7	0.2 %
3	51	1.8 %
4	77	2.7 %
5	209	7.3 %
6	214	7.4 %
7	592	20.5 %
8	951	33.0 %
9	501	17.4 %
10	245	8.5 %
. (M)	17	0.6 %

CLOSE1

How many close friends

Location: 553-555 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-8	Do not know	3	0.1 %
0	-	37	1.3 %
1	-	115	4.0 %
2	-	329	11.4 %
3	-	408	14.2 %
4	-	407	14.1 %
5	-	510	17.7 %
6	-	285	9.9 %
7	-	110	3.8 %
8	-	128	4.4 %
9	-	28	1.0 %
10	-	289	10.0 %
11	-	5	0.2 %
12	-	53	1.8 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	-	3	0.1 %
14	-	2	0.1 %
15	-	51	1.8 %
16	-	1	0.0 %
17	-	4	0.1 %
20	-	67	2.3 %
24	-	4	0.1 %
25	-	12	0.4 %
30	-	5	0.2 %
50	-	5	0.2 %
75	-	1	0.0 %
90	-	1	0.0 %
. (M)	-	17	0.6 %

LISTEN1 Support - someone to listen

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	None Of The Time	20	0.7 %
2	A Little Of The Time	91	3.2 %
3	Some Of The Time	282	9.8 %
4	Most Of The Time	1072	37.2 %
5	All Of The Time	1398	48.5 %
. (M)	-	17	0.6 %

TAKETOM1 Support - take to doctor

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	None Of The Time	77	2.7 %
2	A Little Of The Time	137	4.8 %
3	Some Of The Time	248	8.6 %
4	Most Of The Time	835	29.0 %
5	All Of The Time	1566	54.4 %
. (M)	-	17	0.6 %

CONFIDE1 Support - confide in

- Study 29221 -

Location: 560-560 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None Of The Time	36	1.2 %
2	A Little Of The Time	94	3.3 %
3	Some Of The Time	285	9.9 %
4	Most Of The Time	1030	35.8 %
5	All Of The Time	1419	49.3 %
. (M)	-	17	0.6 %

HELPSIC1 Support - help w/chores when sick

Location: 561-561 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	None Of The Time	128	4.4 %
2	A Little Of The Time	280	9.7 %
3	Some Of The Time	569	19.8 %
4	Most Of The Time	886	30.8 %
5	All Of The Time	1001	34.7 %
. (M)	-	17	0.6 %

BOTHER1 Bothered past week

Location: 562-563 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	Rarely/None Of The Time (< 1 Day)	1653	57.4 %
2	Some/A Little Of The Time (1-2 Days)	766	26.6 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	341	11.8 %
4	Most/All Of The Time (5-7 Days)	103	3.6 %
. (M)	-	17	0.6 %

APPETIT1 Lost appetite past week

Location: 564-565 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1	0.0 %
1	Rarely/None Of The Time (< 1 Day)	2223	77.2 %
2	Some/A Little Of The Time (1-2 Days)	419	14.5 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Occasionally/Mod Amt Of The Time (3-4 Days)	173	6.0 %
4	Most/All Of The Time (5-7 Days)	48	1.7 %
. (M)	-	17	0.6 %

BLUES1 Had blues past week

Location: 566-566 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	2084	72.3 %
2	Some/A Little Of The Time (1-2 Days)	517	17.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	175	6.1 %
4	Most/All Of The Time (5-7 Days)	88	3.1 %
. (M)	-	17	0.6 %

GOOD1 As good as others past week

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-8	Do not know	2	0.1 %
1	Rarely/None Of The Time (< 1 Day)	77	2.7 %
2	Some/A Little Of The Time (1-2 Days)	179	6.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	364	12.6 %
4	Most/All Of The Time (5-7 Days)	2238	77.7 %
. (M)	-	17	0.6 %

KEEPMIN1 Mind on what doing past week

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	Rarely/None Of The Time (< 1 Day)	1408	48.9 %
2	Some/A Little Of The Time (1-2 Days)	819	28.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	515	17.9 %
4	Most/All Of The Time (5-7 Days)	121	4.2 %
. (M)	-	17	0.6 %

DEPRESS1 Felt depressed past week

Location: 571-571 (width: 1; decimal: 0)

- Study 29221 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	1764	61.2 %
2	Some/A Little Of The Time (1-2 Days)	720	25.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	278	9.6 %
4	Most/All Of The Time (5-7 Days)	102	3.5 %
. (M)	-	17	0.6 %

EFFORT1 Everything an effort past week

Location: 572-572 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	1587	55.1 %
2	Some/A Little Of The Time (1-2 Days)	828	28.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	288	10.0 %
4	Most/All Of The Time (5-7 Days)	161	5.6 %
. (M)	-	17	0.6 %

HOPEFUL1 Hopeful about future past week

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Rarely/None Of The Time (< 1 Day)	110	3.8 %
2	Some/A Little Of The Time (1-2 Days)	312	10.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	584	20.3 %
4	Most/All Of The Time (5-7 Days)	1853	64.3 %
. (M)	-	17	0.6 %

FAILURE1 Life has been failure past week

Location: 575-575 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	2463	85.5 %
2	Some/A Little Of The Time (1-2 Days)	273	9.5 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	95	3.3 %
4	Most/All Of The Time (5-7 Days)	33	1.1 %
. (M)	-	17	0.6 %

FEARFUL1 Felt fearful past week

- Study 29221 -

Location: 576-576 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	2208	76.6 %
2	Some/A Little Of The Time (1-2 Days)	473	16.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	129	4.5 %
4	Most/All Of The Time (5-7 Days)	54	1.9 %
. (M)	-	17	0.6 %

RESTLES1 Sleep was restless past week

Location: 577-577 (width: 1; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	1411	49.0 %
2	Some/A Little Of The Time (1-2 Days)	805	27.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	377	13.1 %
4	Most/All Of The Time (5-7 Days)	271	9.4 %
. (M)	-	17	0.6 %

HAPPY1 Happy past week

Location: 578-579 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
1	Rarely/None Of The Time (< 1 Day)	120	4.2 %
2	Some/A Little Of The Time (1-2 Days)	404	14.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	774	26.9 %
4	Most/All Of The Time (5-7 Days)	1565	54.3 %
. (M)	-	17	0.6 %

TALKLES1 Talked less than usual past week

Location: 580-581 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	Rarely/None Of The Time (< 1 Day)	1955	67.9 %
2	Some/A Little Of The Time (1-2 Days)	588	20.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	249	8.6 %
4	Most/All Of The Time (5-7 Days)	71	2.5 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	17	0.6 %

LONELY1 **Felt lonely past week**

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
1	Rarely/None Of The Time (< 1 Day)	2031	70.5 %
2	Some/A Little Of The Time (1-2 Days)	567	19.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	187	6.5 %
4	Most/All Of The Time (5-7 Days)	77	2.7 %
. (M)	-	17	0.6 %

UNFRNDL1 **People unfriendly past week**

Location: 584-584 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	2437	84.6 %
2	Some/A Little Of The Time (1-2 Days)	319	11.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	77	2.7 %
4	Most/All Of The Time (5-7 Days)	31	1.1 %
. (M)	-	17	0.6 %

ENJOY1 **Enjoyed life past week**

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
1	Rarely/None Of The Time (< 1 Day)	102	3.5 %
2	Some/A Little Of The Time (1-2 Days)	336	11.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	553	19.2 %
4	Most/All Of The Time (5-7 Days)	1872	65.0 %
. (M)	-	17	0.6 %

CRYING1 **Crying spells past week**

Location: 587-587 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	2275	79.0 %
2	Some/A Little Of The Time (1-2 Days)	370	12.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	154	5.3 %
4	Most/All Of The Time (5-7 Days)	65	2.3 %
. (M)	-	17	0.6 %

SAD1 Felt sad past week

Location: 588-588 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	1733	60.2 %
2	Some/A Little Of The Time (1-2 Days)	816	28.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	222	7.7 %
4	Most/All Of The Time (5-7 Days)	93	3.2 %
. (M)	-	17	0.6 %

DISLIKE1 People disliked me past week

Location: 589-589 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	2505	86.9 %
2	Some/A Little Of The Time (1-2 Days)	280	9.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	57	2.0 %
4	Most/All Of The Time (5-7 Days)	22	0.8 %
. (M)	-	17	0.6 %

GETGOIN1 Could not get going past week

Location: 590-590 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Rarely/None Of The Time (< 1 Day)	1749	60.7 %
2	Some/A Little Of The Time (1-2 Days)	773	26.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	243	8.4 %
4	Most/All Of The Time (5-7 Days)	99	3.4 %
. (M)	-	17	0.6 %

CHNGJOB1 Change in job since last visit

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	No	1772	61.5 %
2	Yes	1091	37.9 %
. (M)	-	17	0.6 %

JOB1 **Work for pay past 2 wks**

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1773	61.5 %
1	No	111	3.9 %
2	Yes	980	34.0 %
. (M)	-	17	0.6 %

STRTIM11 **Work start time**

Location: 595-599 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	18	0.6 %
-1:	3	0.1 %
-1:-1	1959	68.0 %
-8:	1	0.0 %
-8:-8	2	0.1 %
-9:	1	0.0 %
-9:-9	5	0.2 %
00:00	2	0.1 %
01:00	2	0.1 %
01:30	1	0.0 %
02:00	8	0.3 %
02:15	1	0.0 %
02:30	1	0.0 %
02:31	1	0.0 %
03:00	9	0.3 %
03:30	5	0.2 %
03:45	4	0.1 %
04:00	11	0.4 %
04:30	5	0.2 %
05:00	8	0.3 %
05:15	2	0.1 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
05:30	5	0.2 %
05:45	1	0.0 %
06:00	35	1.2 %
06:30	21	0.7 %
06:45	2	0.1 %
07:00	94	3.3 %
07:15	9	0.3 %
07:20	1	0.0 %
07:30	79	2.7 %
07:45	13	0.5 %
08:00	201	7.0 %
08:10	1	0.0 %
08:15	11	0.4 %
08:30	124	4.3 %
08:35	1	0.0 %
08:45	1	0.0 %
09:00	127	4.4 %
09:05	1	0.0 %
09:15	3	0.1 %
09:30	20	0.7 %
09:45	3	0.1 %
10:00	44	1.5 %
10:15	1	0.0 %
10:30	4	0.1 %
10:45	1	0.0 %
11:00	13	0.5 %
11:30	3	0.1 %
12:00	12	0.4 %
12:30	1	0.0 %

STRAMP11

Work start AM/PM

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	2	0.1 %
-1	N/A	1962	68.1 %
0	-	3	0.1 %
1	AM	815	28.3 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	PM	76	2.6 %
. (M)	-	17	0.6 %

STPTIM11

Work stop time

Location:

602-606 (width: 5; decimal: 0)

Variable Type:

character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	18	0.6 %
-1:	3	0.1 %
-1:-1	1959	68.0 %
-8:	1	0.0 %
-8:-8	2	0.1 %
-9:	1	0.0 %
-9:-9	5	0.2 %
00:00	2	0.1 %
01:00	19	0.7 %
01:30	12	0.4 %
01:45	1	0.0 %
02:00	23	0.8 %
02:02	1	0.0 %
02:15	1	0.0 %
02:28	1	0.0 %
02:30	17	0.6 %
03:00	51	1.8 %
03:05	1	0.0 %
03:15	6	0.2 %
03:20	1	0.0 %
03:30	60	2.1 %
03:33	1	0.0 %
03:40	1	0.0 %
03:42	1	0.0 %
03:45	4	0.1 %
04:00	77	2.7 %
04:15	6	0.2 %
04:30	69	2.4 %
04:45	4	0.1 %
05:00	172	6.0 %
05:15	6	0.2 %
05:30	55	1.9 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
05:45	3	0.1 %
06:00	88	3.1 %
06:30	17	0.6 %
06:45	1	0.0 %
07:00	45	1.6 %
07:30	18	0.6 %
08:00	36	1.2 %
08:30	2	0.1 %
09:00	17	0.6 %
09:30	4	0.1 %
09:38	1	0.0 %
10:00	15	0.5 %
10:20	1	0.0 %
10:30	2	0.1 %
10:45	1	0.0 %
11:00	9	0.3 %
11:30	7	0.2 %
12:00	20	0.7 %
12:15	2	0.1 %
12:30	10	0.3 %
12:36	1	0.0 %

STPAMP11

Work stop AM/PM

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	2	0.1 %
-1	N/A	1962	68.1 %
0	-	3	0.1 %
1	AM	58	2.0 %
2	PM	833	28.9 %
. (M)	-	17	0.6 %

ROTAT11

Work rotating/alternating

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1886	65.5 %
1	No	844	29.3 %
2	Yes	126	4.4 %
. (M)	-	17	0.6 %

STRTIM21 **Work start time (2)**

Location: 611-615 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	844	29.3 %
-1:-1	2037	70.7 %

STRAMP21 **Work start AM/PM (2)**

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2037	70.7 %
0	-	1	0.0 %
. (M)	-	843	29.3 %

STPTIM21 **Work stop time (2)**

Location: 618-622 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	844	29.3 %
-1:-1	2037	70.7 %

STPAMP21 **Work stop AM/PM (2)**

Location: 623-624 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2037	70.7 %
0	-	1	0.0 %
. (M)	-	843	29.3 %

ROTAT21 **Work rotating/alternating (2)**

Location: 625-626 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2037	70.7 %
0	-	1	0.0 %
. (M)	-	843	29.3 %

STRTIM31 **Work start time (3)**

Location: 627-631 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	844	29.3 %
-1:-1	2037	70.7 %

STRAMP31 **Work start AM/PM (3)**

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2037	70.7 %
0	-	1	0.0 %
. (M)	-	843	29.3 %

STPTIM31 **Work stop time (3)**

Location: 634-638 (width: 5; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	844	29.3 %
-1:-1	2037	70.7 %

STPAMP31 **Work stop AM/PM (3)**

Location: 639-640 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2037	70.7 %
0	-	1	0.0 %
. (M)	-	843	29.3 %

ROTAT31 **Work rotating/alternating (3)**

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2037	70.7 %
0	-	1	0.0 %
. (M)	-	843	29.3 %

HOURSPA1 **How many hrs/wk work for pay**

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	1884	65.4 %
1	<= 10 hrs	33	1.1 %
2	11-19 hrs	43	1.5 %
3	20-34 hrs	181	6.3 %
4	35-40 hrs	384	13.3 %
5	41-60 hrs	297	10.3 %
6	>60 hrs	41	1.4 %
. (M)	-	17	0.6 %

VOLUNTE1 **Do volunteer work**

Location: 645-646 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	No	1776	61.6 %
2	Yes	1085	37.7 %
. (M)	-	17	0.6 %

VLNTHR11 **Volunteer (1) hrs/wk**

Location: 647-651 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.00	Missing	22	0.8 %
-8.00	Do not know	2	0.1 %
-1.00	N/A	1780	61.8 %
0.00	-	4	0.1 %
0.10	-	1	0.0 %
0.12	-	1	0.0 %
0.15	-	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0.19	-	1	0.0 %
0.20	-	1	0.0 %
0.23	-	1	0.0 %
0.25	-	12	0.4 %
0.31	-	1	0.0 %
0.33	-	1	0.0 %
0.42	-	1	0.0 %
0.50	-	17	0.6 %
0.57	-	1	0.0 %
0.60	-	1	0.0 %
0.75	-	3	0.1 %
1.00	-	256	8.9 %
1.25	-	2	0.1 %
1.30	-	1	0.0 %
1.50	-	14	0.5 %
1.73	-	1	0.0 %
2.00	-	254	8.8 %
2.50	-	6	0.2 %
3.00	-	134	4.7 %
3.50	-	4	0.1 %
4.00	-	75	2.6 %
4.50	-	2	0.1 %
5.00	-	74	2.6 %
5.50	-	1	0.0 %
6.00	-	33	1.1 %
6.50	-	2	0.1 %
7.00	-	13	0.5 %
8.00	-	31	1.1 %
9.00	-	3	0.1 %
10.00	-	42	1.5 %
12.00	-	4	0.1 %
14.00	-	2	0.1 %
15.00	-	18	0.6 %
16.00	-	1	0.0 %
17.00	-	1	0.0 %
18.00	-	1	0.0 %
20.00	-	17	0.6 %
23.00	-	1	0.0 %
24.00	-	5	0.2 %
25.00	-	4	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27.00	-	1	0.0 %
30.00	-	4	0.1 %
32.00	-	1	0.0 %
40.00	-	2	0.1 %
42.00	-	1	0.0 %
50.00	>=50 times	2	0.1 %
. (M)	-	17	0.6 %

VLNTHR21

Volunteer (2) hrs/wk

Location: 652-656 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.00	Missing	7	0.2 %
-8.00	Do not know	1	0.0 %
-1.00	N/A	2468	85.7 %
0.00	-	4	0.1 %
0.06	-	1	0.0 %
0.15	-	2	0.1 %
0.25	-	4	0.1 %
0.38	-	1	0.0 %
0.46	-	1	0.0 %
0.50	-	12	0.4 %
0.57	-	1	0.0 %
0.75	-	1	0.0 %
1.00	-	141	4.9 %
1.50	-	6	0.2 %
2.00	-	89	3.1 %
2.50	-	2	0.1 %
3.00	-	33	1.1 %
3.50	-	1	0.0 %
4.00	-	21	0.7 %
4.50	-	1	0.0 %
5.00	-	22	0.8 %
5.25	-	1	0.0 %
6.00	-	9	0.3 %
6.25	-	1	0.0 %
7.00	-	1	0.0 %
8.00	-	13	0.5 %
9.00	-	2	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10.00	-	9	0.3 %
12.00	-	1	0.0 %
15.00	-	1	0.0 %
16.00	-	1	0.0 %
20.00	-	1	0.0 %
25.00	-	1	0.0 %
30.00	-	3	0.1 %
50.00	>=50 times	1	0.0 %
. (M)	-	17	0.6 %

VLNTHR31 **Volunteer (3) hrs/wk**

Location: 657-661 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9.00	Missing	4	0.1 %
-1.00	N/A	2724	94.6 %
0.00	-	2	0.1 %
0.08	-	1	0.0 %
0.15	-	2	0.1 %
0.25	-	3	0.1 %
0.45	-	1	0.0 %
0.50	-	5	0.2 %
1.00	-	58	2.0 %
1.50	-	1	0.0 %
2.00	-	29	1.0 %
2.50	-	1	0.0 %
3.00	-	6	0.2 %
4.00	-	6	0.2 %
4.50	-	1	0.0 %
5.00	-	5	0.2 %
6.00	-	4	0.1 %
7.00	-	3	0.1 %
8.00	-	2	0.1 %
10.00	-	4	0.1 %
20.00	-	1	0.0 %
30.00	-	1	0.0 %
. (M)	-	17	0.6 %

MARITAL1 **Marital status**

Location: 662-663 (width: 2; decimal: 0)

- Study 29221 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %
1	Single/Never Married	364	12.6 %
2	Currently Married/Living as Married	1902	66.0 %
3	Separated	115	4.0 %
4	Widowed	67	2.3 %
5	Divorced	413	14.3 %
. (M)	-	17	0.6 %

PARTNJO1 Partner/spouse job title

Location: 664-693 (width: 30; decimal: 0)

Variable Type: character

BORNUS1 Born in US

Location: 694-695 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1	0.0 %
1	No	593	20.6 %
2	Yes	2270	78.8 %
. (M)	-	17	0.6 %

WHERBRN1 Where were you born

Location: 696-725 (width: 30; decimal: 0)

Variable Type: character

OLDMOVE1 How old when moved to US

Location: 726-728 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2272	78.9 %
0	-	2	0.1 %
1	-	6	0.2 %
2	-	9	0.3 %
3	-	7	0.2 %
4	-	1	0.0 %
5	-	5	0.2 %
6	-	8	0.3 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	-	7	0.2 %
8	-	7	0.2 %
9	-	5	0.2 %
10	-	3	0.1 %
11	-	7	0.2 %
12	-	7	0.2 %
13	-	6	0.2 %
14	-	7	0.2 %
15	-	8	0.3 %
16	-	14	0.5 %
17	-	18	0.6 %
18	-	27	0.9 %
19	-	17	0.6 %
20	-	16	0.6 %
21	-	22	0.8 %
22	-	16	0.6 %
23	-	19	0.7 %
24	-	25	0.9 %
25	-	28	1.0 %
26	-	19	0.7 %
27	-	22	0.8 %
28	-	21	0.7 %
29	-	16	0.6 %
30	-	22	0.8 %
31	-	14	0.5 %
32	-	21	0.7 %
33	-	21	0.7 %
34	-	17	0.6 %
35	-	20	0.7 %
36	-	18	0.6 %
37	-	12	0.4 %
38	-	15	0.5 %
39	-	11	0.4 %
40	-	11	0.4 %
41	-	4	0.1 %
42	-	10	0.3 %
43	-	4	0.1 %
44	-	6	0.2 %
45	-	4	0.1 %
46	-	4	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
47	-	1	0.0 %
49	-	1	0.0 %
. (M)	-	17	0.6 %

MOMBORN1 Country mother born

Location: 729-758 (width: 30; decimal: 0)

Variable Type: character

DADBORN1 Country father born

Location: 759-788 (width: 30; decimal: 0)

Variable Type: character

CONTCT11 Contact w/home country

Location: 789-790 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	2272	78.9 %
1	Weekly	140	4.9 %
2	Monthly	147	5.1 %
3	Infrequently(several x/yr)	145	5.0 %
4	Yearly	37	1.3 %
5	Rarely(< once/yr)	60	2.1 %
6	Never	59	2.0 %
. (M)	-	17	0.6 %

CONTCT21 Contact w/region of US

Location: 791-792 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	594	20.6 %
1	Weekly	308	10.7 %
2	Monthly	121	4.2 %
3	Infrequently(several x/yr)	180	6.2 %
4	Yearly	159	5.5 %
5	Rarely(< once/yr)	182	6.3 %
6	Never	95	3.3 %
7	Have not moved	1012	35.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	Curr live in area, after leav & ret	209	7.3 %
. (M)	-	17	0.6 %

FRNDPHO1 **Contact w/family & friends - phone**

Location: 793-794 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
-1	N/A	1381	47.9 %
1	No	90	3.1 %
2	Yes	1388	48.2 %
. (M)	-	14	0.5 %

YOUVIS1 **Contact w/family & friends - you visit**

Location: 795-796 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
-1	N/A	1382	48.0 %
1	No	368	12.8 %
2	Yes	1107	38.4 %
. (M)	-	14	0.5 %

THEYVIS1 **Contact w/family & friends - they visit you**

Location: 797-798 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
-1	N/A	1382	48.0 %
1	No	536	18.6 %
2	Yes	939	32.6 %
. (M)	-	14	0.5 %

FRNDOTH1 **Contact w/family & friends - other**

Location: 799-800 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	1382	48.0 %
1	No	793	27.5 %
2	Yes	682	23.7 %
. (M)	-	14	0.5 %

CONTETH1 Contact w/primary ethnic group frequency

Location: 801-802 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	2	0.1 %
-1	N/A	1	0.0 %
1	Daily	1754	60.9 %
2	Weekly	374	13.0 %
3	Monthly	116	4.0 %
4	Infrequently(several x/yr)	166	5.8 %
5	Yearly	44	1.5 %
6	Rarely(< once/yr)	141	4.9 %
7	Never	263	9.1 %
. (M)	-	14	0.5 %

NGHBRET1 % neighborhood same primary ethnicity

Location: 803-804 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	23	0.8 %
-8	Do not know	8	0.3 %
-1	N/A	3	0.1 %
1	0%	169	5.9 %
2	< 25%	729	25.3 %
3	< 50%	536	18.6 %
4	< 75%	567	19.7 %
5	< 100%	591	20.5 %
6	100%	238	8.3 %
. (M)	-	17	0.6 %

ETHNWOR1 % workplace same primary ethnicity

Location: 805-806 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
-8	Do not know	3	0.1 %
-1	N/A	368	12.8 %
1	0%	179	6.2 %
2	< 25%	735	25.5 %
3	< 50%	404	14.0 %
4	< 75%	457	15.9 %
5	< 100%	455	15.8 %
6	100%	251	8.7 %
. (M)	-	14	0.5 %

CULTRL1 **How much ethn/cult background affect daily life**

Location: 807-809 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	2	0.1 %
1	-	335	11.6 %
2	-	205	7.1 %
3	-	261	9.1 %
4	-	141	4.9 %
5	-	349	12.1 %
6	-	157	5.4 %
7	-	198	6.9 %
8	-	318	11.0 %
9	-	233	8.1 %
10	-	659	22.9 %
. (M)	-	17	0.6 %

CLRTLSN1 **How much cult bgrnd gives sense of who you are**

Location: 810-812 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	1	0.0 %
1	-	703	24.4 %
2	-	359	12.5 %
3	-	382	13.3 %
4	-	217	7.5 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	-	332	11.5 %
6	-	137	4.8 %
7	-	145	5.0 %
8	-	199	6.9 %
9	-	114	4.0 %
10	-	271	9.4 %
. (M)	-	17	0.6 %

HOUSEHL1 **Anyone living in your household**

Location: 813-814 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-7	Refused	2	0.1 %
1	No	299	10.4 %
2	Yes	2562	88.9 %
. (M)	-	17	0.6 %

RELAT11 **Relationship to yourself (1)**

Location: 815-844 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	301	10.4 %
-8	2	0.1 %
-9	1	0.0 %
AUNT	2	0.1 %
BABY	1	0.0 %
BABY(GRANDSON)	1	0.0 %
BOY (SON)	1	0.0 %
BOYFRIEND	20	0.7 %
BROTHER	11	0.4 %
CHILD	4	0.1 %
COMMON LAW HUSBAND	1	0.0 %
COMPANION	3	0.1 %
COUSIN	1	0.0 %
DAD	1	0.0 %
DAUGHER	2	0.1 %
DAUGHTER	282	9.8 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
DAUGHTER F	1	0.0 %
DAUGHTER'S GODFATHER (FRIEND)	1	0.0 %
DAUGHTER(P.)	1	0.0 %
DAUGHTERS	2	0.1 %
DAUGHTER	1	0.0 %
DAUHGTER	1	0.0 %
DOMESTIC PARTNER	1	0.0 %
DTR	1	0.0 %
EX-HUSBAND	2	0.1 %
FATHER	16	0.6 %
FEMALE FRIEND	1	0.0 %
FIANCE	11	0.4 %
FIANCEE	4	0.1 %
FORMER BOYFRIEND	1	0.0 %
FORMER SIGNIFICANT OTHER	1	0.0 %
FOSTER DAUGHTER	1	0.0 %
FRIEND	13	0.5 %
FRIEND MOTHER'S	1	0.0 %
GIRLFRIEND	1	0.0 %
GODMOTHER	1	0.0 %
GODSON	1	0.0 %
GRAND DAUGHTER	1	0.0 %
GRANDDAUGHTER	1	0.0 %
GRANDDDAUGHTER	2	0.1 %
GRANDMOTHER	3	0.1 %
GRANDSON	4	0.1 %
GREAT-AUNT	1	0.0 %
HOUSEMATE	4	0.1 %
HSUBAND	1	0.0 %
HUABAND	3	0.1 %
HUBAND	3	0.1 %
HUSBAND	1629	56.5 %
HUSBAND M	1	0.0 %
HUSBANT	1	0.0 %
HUSHBAND [SIC]	1	0.0 %
HYSBAND	1	0.0 %
LIFE PARTNER	2	0.1 %
LOVER	1	0.0 %
MALE PARTNER	1	0.0 %
MATE	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
MOM	3	0.1 %
MOTHER	63	2.2 %
NEICE	1	0.0 %
NEPHEW	4	0.1 %
NIECE	3	0.1 %
NUN-INCOMMUNAL LIVING	1	0.0 %
PARTNER	36	1.2 %
PARTNER SAME SEX	1	0.0 %
RELIGIOUS SISTERS	1	0.0 %
RENTER	1	0.0 %
ROOM MATE	1	0.0 %
ROOMATE	2	0.1 %
ROOMMATE	9	0.3 %
SIGNIFICANT OTHER	14	0.5 %
SISTER	14	0.5 %
SISTER-IN-LAW	2	0.1 %
SON	295	10.2 %
SON (ONLY IN THE SUMMER)	1	0.0 %
SON - ADOPTED	1	0.0 %
SONS	1	0.0 %
SPOUSAL EQUIVALENT	1	0.0 %
SPOUSAL UNIT	1	0.0 %
SPOUSE	45	1.6 %
STEPDAUGHTER	1	0.0 %
TENANT	1	0.0 %
TWIN SISTER	1	0.0 %
UNCLE	1	0.0 %
VISITOR	1	0.0 %

SEX11

Gender (1)

Location:

845-846 (width: 2; decimal: 0)

Variable Type:

character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	301	10.4 %
-9	Missing	1	0.0 %
F	-	446	15.5 %
M	-	2116	73.4 %

AGE11

Age (1)

- Study 29221 -

Location: 847-849 (width: 3; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
-1	N/A	301	10.4 %
0	-	1	0.0 %
1	-	2	0.1 %
2	-	3	0.1 %
3	-	3	0.1 %
4	-	8	0.3 %
5	-	11	0.4 %
6	-	9	0.3 %
7	-	8	0.3 %
8	-	12	0.4 %
9	-	11	0.4 %
10	-	19	0.7 %
11	-	11	0.4 %
12	-	25	0.9 %
13	-	23	0.8 %
14	-	34	1.2 %
15	-	23	0.8 %
16	-	47	1.6 %
17	-	57	2.0 %
18	-	35	1.2 %
19	-	22	0.8 %
20	-	55	1.9 %
21	-	25	0.9 %
22	-	26	0.9 %
23	-	37	1.3 %
24	-	27	0.9 %
25	-	26	0.9 %
26	-	20	0.7 %
27	-	19	0.7 %
28	-	13	0.5 %
29	-	6	0.2 %
30	-	3	0.1 %
31	-	10	0.3 %
32	-	5	0.2 %
33	-	9	0.3 %
34	-	4	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	-	8	0.3 %
36	-	9	0.3 %
37	-	10	0.3 %
38	-	16	0.6 %
39	-	15	0.5 %
40	-	30	1.0 %
41	-	26	0.9 %
42	-	63	2.2 %
43	-	69	2.4 %
44	-	97	3.4 %
45	-	118	4.1 %
46	-	106	3.7 %
47	-	145	5.0 %
48	-	164	5.7 %
49	-	140	4.9 %
50	-	156	5.4 %
51	-	115	4.0 %
52	-	106	3.7 %
53	-	71	2.5 %
54	-	78	2.7 %
55	-	57	2.0 %
56	-	46	1.6 %
57	-	37	1.3 %
58	-	26	0.9 %
59	-	20	0.7 %
60	-	17	0.6 %
61	-	14	0.5 %
62	-	15	0.5 %
63	-	10	0.3 %
64	-	6	0.2 %
65	-	7	0.2 %
66	-	6	0.2 %
67	-	7	0.2 %
68	-	4	0.1 %
69	-	4	0.1 %
70	-	7	0.2 %
71	-	4	0.1 %
72	-	7	0.2 %
73	-	11	0.4 %
74	-	4	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
75	-	4	0.1 %
76	-	10	0.3 %
77	-	5	0.2 %
78	-	7	0.2 %
79	-	3	0.1 %
80	-	2	0.1 %
81	-	3	0.1 %
82	-	4	0.1 %
83	-	4	0.1 %
84	-	1	0.0 %
85	-	1	0.0 %
87	-	2	0.1 %
88	-	2	0.1 %
89	-	1	0.0 %
92	-	2	0.1 %
93	-	1	0.0 %
94	-	2	0.1 %
95	-	2	0.1 %
. (M)	-	17	0.6 %

RELAT21

Relationship to yourself (2)

Location: 850-879 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
"OTHER HALF"	1	0.0 %
-1	977	33.9 %
-8	4	0.1 %
ADOPTED SON	1	0.0 %
AUNT	3	0.1 %
BABY BOY (SON)	1	0.0 %
BABY DAUGHTER	1	0.0 %
BOYFRIEND	6	0.2 %
BOYFRIEND/FIANCE	1	0.0 %
BROTHER	11	0.4 %
BROTHER - 2 NIGHTS A WEEK	1	0.0 %
BROTHER IN LAW	1	0.0 %
BROTHER-IN-LAW	2	0.1 %
CHILD	6	0.2 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
COMMON LAW HUSBAND	1	0.0 %
COMPANION	1	0.0 %
COUSIN	6	0.2 %
COUSIN'S HUSBAND	1	0.0 %
DAOUGHTER	1	0.0 %
DAUGHER	1	0.0 %
DAUGHTE	1	0.0 %
DAUGHTER	741	25.7 %
DAUGHTER (IN SUMMER ONLY)	1	0.0 %
DAUGHTER IN LAW	1	0.0 %
DAUGHTER-IN-LAW	1	0.0 %
DAUGHTERS	2	0.1 %
DAUGHTOR	1	0.0 %
DAUGTHER	2	0.1 %
DAUHGTER	1	0.0 %
DTR	2	0.1 %
DUAGHTER	8	0.3 %
DUAHGTER	1	0.0 %
EX-HUSBAND	1	0.0 %
EXCHANGE STUDENT	1	0.0 %
FAMALE	1	0.0 %
FATHER	12	0.4 %
FATHER-IN-LAW	2	0.1 %
FEMALE	1	0.0 %
FIANCE	2	0.1 %
FOSTER DAUGHTER	2	0.1 %
FOSTER-DAUGHTER	1	0.0 %
FRIEND	5	0.2 %
FRIEND OF MOTHER	1	0.0 %
GIRL (DAUGHTER)	1	0.0 %
GIRL CHILD	1	0.0 %
GIRLFRIEND	1	0.0 %
GOD-SON	1	0.0 %
GRAND DAUGHTER	1	0.0 %
GRAND-SON	2	0.1 %
GRANDDAUGHTER	1	0.0 %
GRANDCHILD	1	0.0 %
GRANDDAUGHTER	7	0.2 %
GRANDMOTHER'S SISTER'S COUSIN	1	0.0 %
GRANDSON	27	0.9 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
GREAT NEICE	1	0.0 %
GREAT-NEPHEW	1	0.0 %
HASBAND	1	0.0 %
HOUSEMATE	2	0.1 %
HUSBAND	48	1.7 %
LIVE IN SPOUSE	1	0.0 %
MALE	4	0.1 %
MALE FRIEND	1	0.0 %
MOTHER	29	1.0 %
MOTHER IN LAW	1	0.0 %
MOTHER-IN-LAW	10	0.3 %
NANNY	2	0.1 %
NEICE	2	0.1 %
NEPHEW	3	0.1 %
NEPHEW IN LAW	1	0.0 %
NIECE	4	0.1 %
NUN-IN COMMUNAL LIVING	1	0.0 %
PARTNER	1	0.0 %
PARTNER'S SON	1	0.0 %
RELIGIOUS SISTERS	1	0.0 %
ROOMATE	3	0.1 %
ROOMMATE	7	0.2 %
SIGNIFICANT OTHER	3	0.1 %
SISTER	8	0.3 %
SISTER-IN-LAW	1	0.0 %
SON	845	29.3 %
SON'S FRIEND	1	0.0 %
SON'S GIRLFRIEND	2	0.1 %
SON-IN-LAW	2	0.1 %
SONS	2	0.1 %
SPON	1	0.0 %
STEP DAUGHTER	1	0.0 %
STEP-DAUGHTER	2	0.1 %
STEP-FATHER	2	0.1 %
STEP-SON	2	0.1 %
STEPSON	3	0.1 %
TENANT	1	0.0 %
VISITOR	1	0.0 %

SEX21

Gender (2)

- Study 29221 -

Location: 880-881 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	977	33.9 %
F	-	874	30.3 %
M	-	1013	35.2 %

AGE21 **Age (2)**

Location: 882-884 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	977	33.9 %
0	-	1	0.0 %
1	-	11	0.4 %
2	-	7	0.2 %
3	-	13	0.5 %
4	-	19	0.7 %
5	-	20	0.7 %
6	-	23	0.8 %
7	-	40	1.4 %
8	-	42	1.5 %
9	-	47	1.6 %
10	-	55	1.9 %
11	-	64	2.2 %
12	-	76	2.6 %
13	-	91	3.2 %
14	-	89	3.1 %
15	-	102	3.5 %
16	-	134	4.7 %
17	-	141	4.9 %
18	-	109	3.8 %
19	-	104	3.6 %
20	-	123	4.3 %
21	-	90	3.1 %
22	-	74	2.6 %
23	-	63	2.2 %
24	-	53	1.8 %
25	-	33	1.1 %
26	-	31	1.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
27	-	19	0.7 %
28	-	13	0.5 %
29	-	8	0.3 %
30	-	6	0.2 %
31	-	4	0.1 %
32	-	8	0.3 %
33	-	2	0.1 %
35	-	2	0.1 %
36	-	5	0.2 %
37	-	4	0.1 %
38	-	1	0.0 %
39	-	4	0.1 %
40	-	3	0.1 %
42	-	3	0.1 %
43	-	4	0.1 %
44	-	2	0.1 %
45	-	2	0.1 %
46	-	7	0.2 %
47	-	10	0.3 %
48	-	12	0.4 %
49	-	7	0.2 %
50	-	8	0.3 %
51	-	9	0.3 %
52	-	4	0.1 %
53	-	5	0.2 %
54	-	1	0.0 %
55	-	4	0.1 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
60	-	2	0.1 %
61	-	5	0.2 %
62	-	1	0.0 %
63	-	3	0.1 %
64	-	2	0.1 %
65	-	2	0.1 %
66	-	1	0.0 %
67	-	1	0.0 %
68	-	3	0.1 %
69	-	2	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
71	-	2	0.1 %
72	-	2	0.1 %
73	-	3	0.1 %
74	-	6	0.2 %
75	-	6	0.2 %
76	-	7	0.2 %
77	-	3	0.1 %
78	-	5	0.2 %
79	-	1	0.0 %
80	-	3	0.1 %
81	-	1	0.0 %
82	-	3	0.1 %
83	-	1	0.0 %
84	-	1	0.0 %
85	-	1	0.0 %
86	-	1	0.0 %
88	-	1	0.0 %
90	-	1	0.0 %
. (M)	-	17	0.6 %

RELAT31

Relationship to yourself (3)

Location: 885-914 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	1639	56.9 %
-8	1	0.0 %
AUNT	2	0.1 %
BABYSITER	1	0.0 %
BOY (SON)	1	0.0 %
BOY CHILD	1	0.0 %
BOYFRIEND	3	0.1 %
BROTHER	5	0.2 %
BROTHER IN LAW	1	0.0 %
BROTHER-IN-LAW	2	0.1 %
CHILD	5	0.2 %
COMMON-LAW HUSBAND	1	0.0 %
COUSIN	1	0.0 %
DAUGHTER	483	16.8 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
DAUGHTER IN LAW	1	0.0 %
DAUGHTER'S FIANCE	1	0.0 %
DAUGHTER-IN-LAW	6	0.2 %
DAUGHThER	1	0.0 %
DAUGThER	2	0.1 %
DTR	3	0.1 %
DTR.	1	0.0 %
DUAGHTER	3	0.1 %
EX-HUSBAND	1	0.0 %
EXCHANGE STUDENT	1	0.0 %
FATHER	6	0.2 %
FATHER-IN-LAW	3	0.1 %
FEMALE	3	0.1 %
FEMALE FRIEND	1	0.0 %
FOSTER DAUGHTER	2	0.1 %
FOSTER MALE CHILD	1	0.0 %
FOSTER SON	3	0.1 %
FRIEND	4	0.1 %
FRIEND'S HUSBAND	1	0.0 %
FRIEND(CHILDREN)	1	0.0 %
GRAND DAUGHTER	2	0.1 %
GRAND-SON	1	0.0 %
GRANDDAUGHTER	2	0.1 %
GRANDBABY	1	0.0 %
GRANDCHILD	1	0.0 %
GRANDDAUGHTER	13	0.5 %
GRANDMOTHER	1	0.0 %
GRANDSON	27	0.9 %
GREAT NEPHEW	1	0.0 %
GREAT NIECE	1	0.0 %
HOUSEMATE	2	0.1 %
HUSBAND	35	1.2 %
LOVER	1	0.0 %
MALE	2	0.1 %
MOTHER	4	0.1 %
MOTHER-IN-LAW	3	0.1 %
NANNY'S SON	1	0.0 %
NEICE	1	0.0 %
NEPHEW	8	0.3 %
NIECE	7	0.2 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
NUN-IN COMMUNAL LIVING	1	0.0 %
OLDEST SON'S GIRLFRIEND	1	0.0 %
OTHER MALE	1	0.0 %
PARTNER	2	0.1 %
ROOMMATE'S SON	1	0.0 %
ROOMMATE	3	0.1 %
ROOMMATE'S DAUGHTER	1	0.0 %
ROOMMATES'S CHILD	1	0.0 %
SIGNIFICANT OTHER	1	0.0 %
SIGNIFICANT OTHER'S MOTHER	1	0.0 %
SISTER	12	0.4 %
SISTER-IN-LAW	1	0.0 %
SOM	1	0.0 %
SON	502	17.4 %
SON (ADOPTED)	1	0.0 %
SON IN LAW	1	0.0 %
SON M	1	0.0 %
SON'S FIANCEE	1	0.0 %
SON'S GIRLFRIEND	3	0.1 %
SON-IN LAW	1	0.0 %
SON-IN-LAW	5	0.2 %
SONS	1	0.0 %
SPOUSE	1	0.0 %
STEP SON	2	0.1 %
STEP-DAUGHTER	2	0.1 %
STEP-SON	2	0.1 %
STEPDAUGHTER	1	0.0 %
STEPSON	3	0.1 %
TENANT	3	0.1 %
UNCLE	1	0.0 %
VOLUNTEER	1	0.0 %

SEX31

Gender (3)

Location:

915-916 (width: 2; decimal: 0)

Variable Type:

character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	1639	56.9 %
F	-	578	20.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
M	-	647	22.5 %

AGE31

Age (3)

Location: 917-919 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	1639	56.9 %
0	-	2	0.1 %
1	-	9	0.3 %
2	-	12	0.4 %
3	-	22	0.8 %
4	-	22	0.8 %
5	-	24	0.8 %
6	-	28	1.0 %
7	-	42	1.5 %
8	-	43	1.5 %
9	-	38	1.3 %
10	-	66	2.3 %
11	-	58	2.0 %
12	-	64	2.2 %
13	-	59	2.0 %
14	-	67	2.3 %
15	-	83	2.9 %
16	-	83	2.9 %
17	-	61	2.1 %
18	-	63	2.2 %
19	-	61	2.1 %
20	-	46	1.6 %
21	-	34	1.2 %
22	-	35	1.2 %
23	-	29	1.0 %
24	-	20	0.7 %
25	-	19	0.7 %
26	-	13	0.5 %
27	-	4	0.1 %
28	-	6	0.2 %
29	-	3	0.1 %
30	-	6	0.2 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
31	-	2	0.1 %
32	-	1	0.0 %
33	-	4	0.1 %
35	-	3	0.1 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	4	0.1 %
39	-	1	0.0 %
41	-	2	0.1 %
42	-	4	0.1 %
43	-	3	0.1 %
44	-	4	0.1 %
45	-	3	0.1 %
46	-	6	0.2 %
47	-	7	0.2 %
48	-	10	0.3 %
49	-	2	0.1 %
50	-	6	0.2 %
51	-	6	0.2 %
52	-	2	0.1 %
53	-	2	0.1 %
54	-	1	0.0 %
55	-	1	0.0 %
57	-	1	0.0 %
58	-	3	0.1 %
60	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
68	-	1	0.0 %
69	-	1	0.0 %
70	-	2	0.1 %
77	-	2	0.1 %
78	-	5	0.2 %
79	-	1	0.0 %
80	-	1	0.0 %
81	-	2	0.1 %
82	-	1	0.0 %
83	-	2	0.1 %
84	-	1	0.0 %
. (M)	-	17	0.6 %

- Study 29221 -

RELAT41

Relationship to yourself (4)

Location: 920-949 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	2360	81.9 %
-8	1	0.0 %
ADOPTED DAUGHTER	1	0.0 %
AUNT	1	0.0 %
BOYFRIEND	3	0.1 %
BROTHER	4	0.1 %
BROTHER-IN-LAW	2	0.1 %
CHILD	4	0.1 %
COUSIN	2	0.1 %
DAUGHER	1	0.0 %
DAUGHTER	151	5.2 %
DAUGHTER IN LAW	1	0.0 %
DAUGHTER'S BOYFRIEND	1	0.0 %
DAUGHTER-IN-LAW	1	0.0 %
FAMILY FRIEND	1	0.0 %
FATHER-IN-LAW	2	0.1 %
FEMALE	3	0.1 %
FIANCE	1	0.0 %
FOSTER DAUGHTER	1	0.0 %
FOSTER MALE CHILD	1	0.0 %
FOSTER SON	4	0.1 %
FRIEND	1	0.0 %
GODCHILD	1	0.0 %
GRAND-DAUGHTER	2	0.1 %
GRANDDAUGHTER	2	0.1 %
GRANDCHILD	1	0.0 %
GRANDDAUGHER	1	0.0 %
GRANDDAUGHTER	18	0.6 %
GRANDFATHER - FATHER-IN-LAW	1	0.0 %
GRANDPA	1	0.0 %
GRANDSON	30	1.0 %
GREAT NEPHEW	1	0.0 %
GREAT NEPHEW (14 MONTHS OLD)	1	0.0 %
GREAT NIECE	2	0.1 %
HOUSEKEEPER	2	0.1 %
HOUSEMATE	2	0.1 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
HUSBAND	16	0.6 %
HUSBAND'S BROTHER	1	0.0 %
MALE	1	0.0 %
MALE FRIEND	1	0.0 %
MOTHER	9	0.3 %
MOTHER IN LAW	3	0.1 %
MOTHER-IN-LAW	6	0.2 %
NEICE	1	0.0 %
NEPHEW	12	0.4 %
NEPHEW (6 MONTHS OLD)	1	0.0 %
NIECE	8	0.3 %
OLD MAN	1	0.0 %
PARTNER	2	0.1 %
ROOMATE	1	0.0 %
ROOMATE'S SON	1	0.0 %
SISTER	2	0.1 %
SON	178	6.2 %
SON-IN-LAW	1	0.0 %
SPOUSE	1	0.0 %
STEP-DAUGHTER	1	0.0 %
STEP-GRANDSON	1	0.0 %
STEP-SON	1	0.0 %
STEPSON	1	0.0 %
TENANT	1	0.0 %
VISITOR	1	0.0 %

SEX41

Gender (4)

Location: 950-951 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	2360	81.9 %
F	-	226	7.8 %
M	-	278	9.6 %

AGE41

Age (4)

Location: 952-954 (width: 3; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Do not know	1	0.0 %
-1	N/A	2360	81.9 %
0	-	2	0.1 %
1	-	14	0.5 %
2	-	12	0.4 %
3	-	10	0.3 %
4	-	12	0.4 %
5	-	19	0.7 %
6	-	15	0.5 %
7	-	23	0.8 %
8	-	20	0.7 %
9	-	34	1.2 %
10	-	26	0.9 %
11	-	23	0.8 %
12	-	25	0.9 %
13	-	28	1.0 %
14	-	22	0.8 %
15	-	19	0.7 %
16	-	28	1.0 %
17	-	19	0.7 %
18	-	19	0.7 %
19	-	12	0.4 %
20	-	11	0.4 %
21	-	11	0.4 %
22	-	7	0.2 %
23	-	6	0.2 %
24	-	5	0.2 %
25	-	3	0.1 %
26	-	3	0.1 %
27	-	7	0.2 %
28	-	1	0.0 %
29	-	3	0.1 %
30	-	4	0.1 %
31	-	1	0.0 %
32	-	2	0.1 %
35	-	2	0.1 %
36	-	1	0.0 %
37	-	1	0.0 %
39	-	2	0.1 %
40	-	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
41	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
46	-	2	0.1 %
47	-	4	0.1 %
49	-	3	0.1 %
50	-	4	0.1 %
51	-	3	0.1 %
52	-	4	0.1 %
53	-	1	0.0 %
54	-	1	0.0 %
57	-	2	0.1 %
64	-	1	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
68	-	1	0.0 %
69	-	3	0.1 %
70	-	1	0.0 %
71	-	2	0.1 %
72	-	1	0.0 %
75	-	2	0.1 %
76	-	1	0.0 %
79	-	2	0.1 %
80	-	1	0.0 %
81	-	2	0.1 %
84	-	1	0.0 %
86	-	1	0.0 %
88	-	2	0.1 %
. (M)	-	17	0.6 %

RELAT51

Relationship to yourself (5)

Location: 955-984 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	2669	92.6 %
AUNT	1	0.0 %
AUNT'S STEPDAUGHTER	1	0.0 %
BROTHER'S FRIEND	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
BROTHER-IN-LAW	1	0.0 %
COUSIN'S EX-GIRLFRIEND	1	0.0 %
DAUGHTER	51	1.8 %
DAUGHTER'S FRIEND	1	0.0 %
DAUGTHER	2	0.1 %
FATHER	2	0.1 %
FATHER IN LAW	2	0.1 %
FATHER'S GIRLFRIEND	1	0.0 %
FATHER-IN-LAW	1	0.0 %
FEAMLE	1	0.0 %
FOREIGN STUDENT	1	0.0 %
FOSTER DAUGHTER	1	0.0 %
FOSTER GIRL CHILD	1	0.0 %
FOSTER SON	1	0.0 %
FRIEND	1	0.0 %
GODCHILD	1	0.0 %
GRANDDAUGHTER	1	0.0 %
GRANDDDAUGHTER	12	0.4 %
GRANDDUAGHTER	1	0.0 %
GRANDKID	2	0.1 %
GRANDSON	17	0.6 %
GRANTSON	1	0.0 %
GREAT NEICE	1	0.0 %
GREAT NIECE	1	0.0 %
HOUSEKEEPER	1	0.0 %
HOUSEMATE	1	0.0 %
HUSBAND	5	0.2 %
HUSBAND (SISTERS)	1	0.0 %
MALE RELATED TO GODMOTHER	1	0.0 %
MOTHER	3	0.1 %
MOTHER IN LAW	1	0.0 %
MOTHER-IN-LAW	2	0.1 %
NEPHEW	5	0.2 %
NIECE	1	0.0 %
SISTER	2	0.1 %
SISTER IN LAW	1	0.0 %
SON	56	1.9 %
SON'S FRIEND	1	0.0 %
SON'S GIRLFRIEND	1	0.0 %
SON-IN-LAW	2	0.1 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
STEP-SON	1	0.0 %
STEPSON	1	0.0 %
VISITOR	1	0.0 %

SEX51 **Gender (5)**

Location: 985-986 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	2669	92.6 %
F	-	93	3.2 %
M	-	102	3.5 %

AGE51 **Age (5)**

Location: 987-989 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2669	92.6 %
1	-	6	0.2 %
2	-	13	0.5 %
3	-	8	0.3 %
4	-	9	0.3 %
5	-	11	0.4 %
6	-	9	0.3 %
7	-	7	0.2 %
8	-	10	0.3 %
9	-	11	0.4 %
10	-	6	0.2 %
11	-	13	0.5 %
12	-	6	0.2 %
13	-	12	0.4 %
14	-	6	0.2 %
15	-	4	0.1 %
16	-	8	0.3 %
17	-	4	0.1 %
18	-	3	0.1 %
19	-	4	0.1 %
20	-	2	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	-	2	0.1 %
22	-	4	0.1 %
23	-	2	0.1 %
24	-	2	0.1 %
25	-	2	0.1 %
26	-	3	0.1 %
29	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
47	-	2	0.1 %
48	-	1	0.0 %
50	-	2	0.1 %
52	-	1	0.0 %
53	-	1	0.0 %
63	-	1	0.0 %
71	-	2	0.1 %
74	-	2	0.1 %
75	-	2	0.1 %
77	-	1	0.0 %
81	-	1	0.0 %
84	-	2	0.1 %
86	-	1	0.0 %
. (M)	-	17	0.6 %

RELAT61

Relationship to yourself (6)

Location: 990-1019 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	2805	97.4 %
BROTHER	1	0.0 %
CARETAKER	1	0.0 %
DAUGHTER	12	0.4 %
DAUGHTER	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
FATHER	1	0.0 %
FOSTER DAUGHTER	1	0.0 %
FOSTER GIRL CHILD	1	0.0 %
FOSTER SON	1	0.0 %
FRIEND	1	0.0 %
GODCHILD	1	0.0 %
GRANDDAUGHTER	2	0.1 %
GRANDDAUGHTER	7	0.2 %
GRANDKID	2	0.1 %
GRANDSON	6	0.2 %
GREAT NEPHEW	1	0.0 %
NEPHEW	4	0.1 %
NIECE	1	0.0 %
SON	14	0.5 %
SON'S GIRLFRIEND	1	0.0 %

SEX61

Gender (6)

Location: 1020-1021 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	2805	97.4 %
F	-	30	1.0 %
M	-	29	1.0 %

AGE61

Age (6)

Location: 1022-1024 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2805	97.4 %
1	-	4	0.1 %
2	-	5	0.2 %
3	-	3	0.1 %
4	-	1	0.0 %
5	-	3	0.1 %
6	-	4	0.1 %
7	-	5	0.2 %
8	-	2	0.1 %
9	-	3	0.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
10	-	6	0.2 %
11	-	2	0.1 %
12	-	3	0.1 %
13	-	2	0.1 %
14	-	1	0.0 %
15	-	2	0.1 %
16	-	2	0.1 %
19	-	2	0.1 %
20	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
37	-	2	0.1 %
38	-	1	0.0 %
77	-	1	0.0 %
. (M)	-	17	0.6 %

RELAT71

Relationship to yourself (7)

Location: 1025-1054 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	2829	98.2 %
BROTHER	1	0.0 %
DAUGHTER	7	0.2 %
DAUGHTER'S BOYFRIEND	1	0.0 %
FOSTER DAUGHTER	1	0.0 %
FOSTER SON	1	0.0 %
FRIEND	2	0.1 %
GODCHILD	1	0.0 %
GRANDDAUGHTER	1	0.0 %
GRANDDAUGHTER	2	0.1 %
GRANDKID	1	0.0 %
GRANDMOTHER	1	0.0 %
GRANDSON	6	0.2 %
HOUSEKEEPER	1	0.0 %
SON	7	0.2 %
SON-IN-LAW'S FATHER	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
STEPSON	1	0.0 %

SEX71 **Gender (7)**

Location: 1055-1056 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	2829	98.2 %
F	-	15	0.5 %
M	-	20	0.7 %

AGE71 **Age (7)**

Location: 1057-1059 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2829	98.2 %
1	-	5	0.2 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	2	0.1 %
5	-	2	0.1 %
6	-	3	0.1 %
7	-	4	0.1 %
9	-	3	0.1 %
10	-	1	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
45	-	1	0.0 %
55	-	1	0.0 %
83	-	1	0.0 %
. (M)	-	17	0.6 %

RELAT81 Relationship to yourself (8)

Location: 1060-1089 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	2847	98.8 %
BOYFRIEND	1	0.0 %
DAUGHTER	3	0.1 %
GIRLFRIEND	1	0.0 %
GODSON	1	0.0 %
GRANDSON	2	0.1 %
NIECE	1	0.0 %
SISTER	1	0.0 %
SON	5	0.2 %
SON-IN-LAW	1	0.0 %
STEPSON	1	0.0 %

SEX81 Gender (8)

Location: 1090-1091 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	2847	98.8 %
F	-	6	0.2 %
M	-	11	0.4 %

AGE81 Age (8)

Location: 1092-1094 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
-1	N/A	2847	98.8 %
2	-	1	0.0 %
3	-	2	0.1 %
4	-	2	0.1 %
6	-	1	0.0 %
7	-	1	0.0 %
13	-	1	0.0 %
16	-	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
28	-	1	0.0 %
40	-	1	0.0 %
53	-	1	0.0 %
. (M)	-	17	0.6 %

RELAT91 Relationship to yourself (9)

Location: 1095-1124 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	2855	99.1 %
BROTHER (GUARDIAN) (SEE NOTE)	1	0.0 %
DAUGHTER	2	0.1 %
DAUGHTER	1	0.0 %
GODDAUGHTER	1	0.0 %
GRANDDAUGHTER	1	0.0 %
HUSBAND	2	0.1 %
NIECE	1	0.0 %

SEX91 Gender (9)

Location: 1125-1126 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	2855	99.1 %
F	-	6	0.2 %
M	-	3	0.1 %

AGE91 Age (9)

Location: 1127-1129 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2855	99.1 %
1	-	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	-	1	0.0 %
4	-	1	0.0 %
11	-	1	0.0 %
19	-	1	0.0 %
21	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
46	-	1	0.0 %
. (M)	-	17	0.6 %

RELAT101 Relationship to yourself (10)

Location: 1130-1159 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	2861	99.3 %
DAUGHTER	1	0.0 %
GRANDSON	1	0.0 %
ROOMATE	1	0.0 %

SEX101 Gender (10)

Location: 1160-1161 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	2861	99.3 %
F	-	2	0.1 %
M	-	1	0.0 %

AGE101 Age (10)

Location: 1162-1164 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2861	99.3 %
3	-	2	0.1 %
60	-	1	0.0 %
. (M)	-	17	0.6 %

RELAT111 Relationship to yourself (11)

- Study 29221 -

Location: 1165-1194 (width: 30; decimal: 0)
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	2863	99.4 %
GRANDDAUGHTER	1	0.0 %

SEX111 Gender (11)

Location: 1195-1196 (width: 2; decimal: 0)
Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	2863	99.4 %
F	-	1	0.0 %

AGE111 Age (11)

Location: 1197-1198 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2863	99.4 %
1	-	1	0.0 %
. (M)	-	17	0.6 %

RELAT121 Relationship to yourself (12)

Location: 1199-1228 (width: 30; decimal: 0)
Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	17	0.6 %
-1	2863	99.4 %
FRIEND OF FAMILY	1	0.0 %

SEX121 Gender (12)

Location: 1229-1230 (width: 2; decimal: 0)
Variable Type: character

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
	-	17	0.6 %
-1	N/A	2863	99.4 %
M	-	1	0.0 %

- Study 29221 -

AGE121 Age (12)

Location: 1231-1233 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	2863	99.4 %
23	-	1	0.0 %
. (M)	-	17	0.6 %

DESCPER1 Describe your menstrual periods

Location: 1234-1234 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Become Farther Apart	241	8.4 %
2	Become Closer Together	247	8.6 %
3	Occurred At More Variable Intervals	391	13.6 %
4	Stayed The Same	664	23.0 %
5	Become More Regular	55	1.9 %
. (M)	-	1283	44.5 %

CONTROL1 Unable to control imp things in your life

Location: 1235-1236 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	396	13.7 %
1	Never	601	20.9 %
2	Almost Never	539	18.7 %
3	Sometimes	389	13.5 %
4	Fairly Often	85	3.0 %
5	Very Often	32	1.1 %
. (M)	-	839	29.1 %

ABILITY1 Confident in ability to handle problems

Location: 1237-1238 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	396	13.7 %
1	Never	16	0.6 %
2	Almost Never	57	2.0 %
3	Sometimes	251	8.7 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Fairly Often	603	20.9 %
5	Very Often	719	25.0 %
. (M)	-	839	29.1 %

YOURWAY1

Things were going your way

Location: 1239-1240 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	397	13.8 %
1	Never	23	0.8 %
2	Almost Never	67	2.3 %
3	Sometimes	447	15.5 %
4	Fairly Often	698	24.2 %
5	Very Often	410	14.2 %
. (M)	-	839	29.1 %

PILING1

Difficulties piling up

Location: 1241-1242 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-1	N/A	397	13.8 %
1	Never	650	22.6 %
2	Almost Never	568	19.7 %
3	Sometimes	324	11.2 %
4	Fairly Often	76	2.6 %
5	Very Often	27	0.9 %
. (M)	-	839	29.1 %

OSTEPR11

Osteoporosis medications

Location: 1243-1243 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2866	99.5 %
2	1	0.0 %
. (M)	14	0.5 %

STATUS1

Menopausal Status

Location: 1244-1244 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Hysterectomy/both ovaries removed	32	1.1 %
2	Post-menopausal	56	1.9 %
3	Late Peri	126	4.4 %
4	Early Peri	1732	60.1 %
5	Pre-menopausal	719	25.0 %
6	Pregnant/breastfeeding	2	0.1 %
7	Unknown due to HT use	192	6.7 %
. (M)	-	22	0.8 %

SAADAY1 Self-administered-Part A Day

Location: 1245-1247 (width: 3; decimal: 0)

Variable Type: numeric

LANGSAA1 Language of Self-A

Location: 1248-1249 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	English	2469	85.7 %
2	Spanish	198	6.9 %
3	Cantonese	82	2.8 %
4	Japanese	111	3.9 %
. (M)	-	18	0.6 %

OVERHLT1 Overall health

Location: 1250-1251 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
-8	Do not know	5	0.2 %
-1	N/A	2	0.1 %
1	Excellent	499	17.3 %
2	Very good	1114	38.7 %
3	Good	862	29.9 %
4	Fair	313	10.9 %
5	Poor	54	1.9 %
. (M)	-	19	0.7 %

HOSPSTA1 Hospital stays since last visit

Location: 1252-1254 (width: 3; decimal: 0)

- Study 29221 -

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
0	-	2664	92.5 %
1	-	135	4.7 %
2	-	35	1.2 %
3	-	9	0.3 %
4	-	6	0.2 %
5	-	1	0.0 %
10	-	1	0.0 %
. (M)	-	18	0.6 %

MDTALK1

times talk to dr since last visit

Location:

1255-1257 (width: 3; decimal: 0)

Variable Type:

numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	26	0.9 %
-1	N/A	1	0.0 %
0	-	358	12.4 %
1	-	473	16.4 %
2	-	514	17.8 %
3	-	379	13.2 %
4	-	301	10.4 %
5	-	207	7.2 %
6	-	151	5.2 %
7	-	45	1.6 %
8	-	71	2.5 %
9	-	10	0.3 %
10	-	112	3.9 %
11	-	9	0.3 %
12	-	55	1.9 %
13	-	3	0.1 %
14	-	12	0.4 %
15	-	28	1.0 %
16	-	9	0.3 %
17	-	1	0.0 %
18	-	8	0.3 %
20	-	30	1.0 %
23	-	1	0.0 %
24	-	8	0.3 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
25	-	8	0.3 %
26	-	1	0.0 %
28	-	1	0.0 %
30	-	17	0.6 %
35	-	4	0.1 %
40	-	4	0.1 %
41	-	1	0.0 %
48	-	1	0.0 %
50	-	5	0.2 %
52	-	1	0.0 %
53	-	1	0.0 %
60	-	4	0.1 %
64	-	1	0.0 %
80	-	1	0.0 %
95	-	1	0.0 %
. (M)	-	18	0.6 %

PAPSMEA1

Pap smear since last visit

Location: 1258-1259 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	No	996	34.6 %
2	Yes	1861	64.6 %
. (M)	-	18	0.6 %

BRSTEXA1

Breast exam since last visit

Location: 1260-1261 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	No	884	30.7 %
2	Yes	1976	68.6 %
. (M)	-	18	0.6 %

MAMOGRA1

Mammogram since last visit

Location: 1262-1263 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	No	1299	45.1 %
2	Yes	1559	54.1 %
. (M)	-	18	0.6 %

HLTHSER1 Health services did not receive

Location: 1264-1265 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.6 %
1	No	2511	87.2 %
2	Yes	334	11.6 %
. (M)	-	18	0.6 %

HLTHSV11 Health services (1)

Location: 1266-1295 (width: 30; decimal: 0)

Variable Type: character

HLTHSV21 Health services (2)

Location: 1296-1325 (width: 30; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	18	0.6 %
-1	2717	94.3 %
-9	7	0.2 %
1	1	0.0 %
A MAMMAGRAM	1	0.0 %
ANOTHER MAMMOGRAM	1	0.0 %
BACK PAIN	1	0.0 %
BAD RASH	1	0.0 %
BETTER NATIONAL HEALTH	1	0.0 %
BLOOD PRESSURE CHECK	1	0.0 %
BLOOD WORK	1	0.0 %
BOIL THAT NEEDS LANCING	1	0.0 %
BREAST EXAM	5	0.2 %
BREAST EXAM MAMAGRAM	1	0.0 %
BREAST PHYSICAL EXAM	2	0.1 %
CHECK HURT ARM & BACK	1	0.0 %
CHECK ON LOWER BACK PAIN	1	0.0 %
CHECK UP	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
CHEST X-RAY	1	0.0 %
CHIROPRACTIC	2	0.1 %
CHIROPRACTOR	1	0.0 %
COLONOSCOPY	1	0.0 %
DENTAL	2	0.1 %
DENTAL EXAM	2	0.1 %
DENTAL EXAM/SENSITIVE TOOTH	1	0.0 %
DENTAL SERVICES	1	0.0 %
DENTIST	1	0.0 %
DENTIST-BRIDGE (MISSING TEETH)	1	0.0 %
DERMATOLOGIST	1	0.0 %
DOCTOR FOR CONSTANT WRIST PAIN	1	0.0 %
EAR NOSE THROAT SPECIALIST	1	0.0 %
ELBOW AND JOINT PROBLEMS	1	0.0 %
EYE	1	0.0 %
EYE EXAM	2	0.1 %
EYE EXAMINATION	2	0.1 %
EYES CHECKED	1	0.0 %
F/U ENDOCRINE (COLD THYROID ?)	1	0.0 %
FEMALE	1	0.0 %
FIBROID TUMOR REMOVED	1	0.0 %
FLEXIBLE SIGMOIDOSCOPY	1	0.0 %
FOLLOW UP MAMMOGRAM	1	0.0 %
GENERAL CHECK	1	0.0 %
GENERAL HEALTH	1	0.0 %
GENERAL PHYS. EXAM	1	0.0 %
GLASSES NEEDED	1	0.0 %
GYNECOLOGICAL EXAM	2	0.1 %
GYNECOLOGIST	1	0.0 %
GYNECOLOGY	1	0.0 %
HEARING TEST	1	0.0 %
HEARTBURN	1	0.0 %
HEMMOROIDS TAKEN	1	0.0 %
I HAVE NOT HAD A DOCTOR CHECK	1	0.0 %
I SUSPECT HIGH BLOOD PRESSURE	1	0.0 %
IN NEED OF SUPPORT HOSE	1	0.0 %
KNEE PAIN	1	0.0 %
LEG	1	0.0 %
LIKE CHECKED FOR SKIN CANCER	1	0.0 %
MAMMO	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
MAMMOGRAM	32	1.1 %
MAMMOGRAM (HAS NOT DONE YET)	1	0.0 %
MAMMOGRAM (WILL PROBABLY BE	1	0.0 %
MAMMOGRAM-LAST ONE HURT FOR DA	1	0.0 %
MAMMORGRAM	1	0.0 %
MAMMOGRAM	2	0.1 %
NEEDLE ASPIRATION AND/OR	1	0.0 %
NEUROLOGY-CARPALTUNNEL SYNDROM	1	0.0 %
OB/GYN	1	0.0 %
OB/GYN ROUTINE VISIT	1	0.0 %
OB/GYN- FIBROID CHECK	1	0.0 %
OPERATION ON SPINE	1	0.0 %
OPTOMATRIST	1	0.0 %
PAIN MEDICATION (RX)	1	0.0 %
PAP	2	0.1 %
PAP SMEAR	6	0.2 %
PAP SMEAR AND CHECK OF FIBROID	1	0.0 %
PAP SMEAR AND EXAM	1	0.0 %
PHYSICAL EXAM	1	0.0 %
PREVENTION OF NOSE BLEEDS	1	0.0 %
PSYCHOLOGIST	1	0.0 %
QUE ME MOLESTAN	1	0.0 %
ROUTINE GYN EXAM	1	0.0 %
SENSITIVITY OF TEECH ON L SIDE	1	0.0 %
SHORT BREATH	1	0.0 %
SKIN	1	0.0 %
TEST TO FIND BLOCKAGE	1	0.0 %
TUMMY TUCK	1	0.0 %
ULTRA-SOUND FOR FIBROID	1	0.0 %
VAGINAL EXAM	1	0.0 %
VISION	1	0.0 %
VISION-CATARACTS OR GLAUCOMA??	1	0.0 %
WANTED TO SEE A SPECIALIST	1	0.0 %
WEIGHT LOSS	1	0.0 %
WEIGHT MANAGEMENT PROGRAM	1	0.0 %

HLTHSV31

Health services (3)

Location: 1326-1355 (width: 30; decimal: 0)

Variable Type: character

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	18	0.6 %
-1	2801	97.2 %
-9	8	0.3 %
1	2	0.1 %
ALLERGY TEST	1	0.0 %
ANKLE & FOOT	1	0.0 %
ANNUAL PHYSICAL	1	0.0 %
BIANNUAL HME WITH PRIMARY CARE	1	0.0 %
BLOOD CHOLESTEROL	1	0.0 %
BLOOD PRESSURE CHECK	1	0.0 %
BLOOD WORK	1	0.0 %
BREAST EXAM	2	0.1 %
BREAST PHYSICAL EXAM	1	0.0 %
CH ON CYSTIN NYLLT OVARY	1	0.0 %
CHECK BAD KNEE FOR DETERIORATN	1	0.0 %
CLTHOPEDIC DOCTER	1	0.0 %
DENTAL	3	0.1 %
DOC LIKE CAR.STREES TEST	1	0.0 %
EYE EXAM	1	0.0 %
EYES CHECKED	1	0.0 %
F/U DERMATOLOGY (BASAL CELL CA	1	0.0 %
FOOT DOCTOR	1	0.0 %
GENERAL CHECKUP	1	0.0 %
GENERAL PHYSICAL	1	0.0 %
GENERAL PHYSICAL EXAM	1	0.0 %
LEG PAINS	1	0.0 %
MAMMOGRAM	9	0.3 %
MAMMOGRAM	1	0.0 %
MD	1	0.0 %
MENTAL HEALTH CARE	1	0.0 %
MENTAL THERAPY	1	0.0 %
NERVOUS TENSION/PAIN MGMT NEED	1	0.0 %
PAP SMEAR	2	0.1 %
PAP TEST	1	0.0 %
PHYSICAL	1	0.0 %
PHYSICAL EXAM/SKIN EXAM	1	0.0 %
PODIATRY	1	0.0 %
SQUEEZING SENSATION IN CHEST	1	0.0 %
TESTS FOR PAIN IN MY LEGS	1	0.0 %
URINALYSIS & FOLLOW-UP	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
VISION	1	0.0 %
WANTED TO SEE GYNECOLOGIST	1	0.0 %
WEIGHT	1	0.0 %
YEARLY PHYSICAL	1	0.0 %

PRIMREA1 **Primary reason not receive health care**

Location: 1356-1357 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	19	0.7 %
-1	N/A	2529	87.8 %
1	Not covered by ins/health plan	44	1.5 %
2	Cannot afford	59	2.0 %
3	Travel distance/lack of transport	2	0.1 %
4	No health care provider	24	0.8 %
5	Too busy/no time	96	3.3 %
6	Other	90	3.1 %
. (M)	-	18	0.6 %

SMOKERE1 **Smoked regularly since last visit**

Location: 1358-1359 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	No	2398	83.2 %
2	Yes	455	15.8 %
. (M)	-	19	0.7 %

AVCIGDA1 **Avg cigarettes/day since last visit**

Location: 1360-1362 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
-1	N/A	2408	83.6 %
0	-	27	0.9 %
1	-	12	0.4 %
2	-	16	0.6 %
3	-	12	0.4 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	20	0.7 %
5	-	31	1.1 %
6	-	20	0.7 %
7	-	9	0.3 %
8	-	15	0.5 %
9	-	2	0.1 %
10	-	65	2.3 %
11	-	1	0.0 %
12	-	9	0.3 %
13	-	4	0.1 %
15	-	45	1.6 %
16	-	3	0.1 %
17	-	1	0.0 %
18	-	2	0.1 %
20	-	103	3.6 %
22	-	1	0.0 %
25	-	10	0.3 %
30	-	21	0.7 %
35	-	1	0.0 %
40	-	14	0.5 %
45	-	1	0.0 %
60	-	1	0.0 %
. (M)	-	18	0.6 %

HHMEMSM1 Household members who smoke

Location: 1363-1365 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	64	2.2 %
-8	Do not know	1	0.0 %
0	-	2235	77.6 %
1	-	445	15.4 %
2	-	90	3.1 %
3	-	17	0.6 %
4	-	7	0.2 %
7	-	3	0.1 %
40	-	1	0.0 %
. (M)	-	18	0.6 %

HOMEXPDI Days exposed to smoke in home past week

- Study 29221 -

Location: 1366-1367 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
-1	N/A	2300	79.8 %
0	-	96	3.3 %
1	-	31	1.1 %
2	-	32	1.1 %
3	-	29	1.0 %
4	-	15	0.5 %
5	-	20	0.7 %
6	-	8	0.3 %
7	-	315	10.9 %
. (M)	-	20	0.7 %

HOMEXPH1 Hrs exposed to smoke in home past week

Location: 1368-1370 (width: 3; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-1	N/A	2411	83.7 %
0	-	12	0.4 %
1	-	122	4.2 %
2	-	49	1.7 %
3	-	48	1.7 %
4	-	47	1.6 %
5	-	37	1.3 %
6	-	26	0.9 %
7	-	8	0.3 %
8	-	29	1.0 %
9	-	2	0.1 %
10	-	16	0.6 %
11	-	2	0.1 %
12	-	17	0.6 %
14	-	2	0.1 %
15	-	3	0.1 %
16	-	10	0.3 %
18	-	4	0.1 %
20	-	1	0.0 %
24	-	8	0.3 %
. (M)	-	20	0.7 %

- Study 29221 -

DRNKBEE1 Drink alcoholic bev since last visit

Location: 1371-1372 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
1	No	851	29.5 %
2	Yes	1999	69.4 %
. (M)	-	18	0.6 %

GLASBEE1 Avg glasses of beer

Location: 1373-1374 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	864	30.0 %
1	None or < 1/mo	1325	46.0 %
2	1-3/mo	353	12.3 %
3	1/wk	96	3.3 %
4	2-4/wk	120	4.2 %
5	5-6/wk	45	1.6 %
6	1/day	26	0.9 %
7	2-3/day	19	0.7 %
8	4/day	5	0.2 %
9	>= 5/day	4	0.1 %
. (M)	-	18	0.6 %

GLASWIN1 Avg glasses of wine

Location: 1375-1376 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
-1	N/A	864	30.0 %
1	None or < 1/mo	969	33.6 %
2	1-3/mo	506	17.6 %
3	1/wk	145	5.0 %
4	2-4/wk	209	7.3 %
5	5-6/wk	58	2.0 %
6	1/day	53	1.8 %
7	2-3/day	48	1.7 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	4/day	5	0.2 %
9	>= 5/day	1	0.0 %
. (M)	-	18	0.6 %

GLASLIQ1 **Avg glasses of liquor**

Location: 1377-1378 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	864	30.0 %
1	None or < 1/mo	1422	49.4 %
2	1-3/mo	375	13.0 %
3	1/wk	68	2.4 %
4	2-4/wk	84	2.9 %
5	5-6/wk	23	0.8 %
6	1/day	11	0.4 %
7	2-3/day	13	0.5 %
9	>= 5/day	1	0.0 %
. (M)	-	18	0.6 %

PHYCTDW1 **Cut down on activ/work past mo due to health**

Location: 1379-1380 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	No	2400	83.3 %
2	Yes	454	15.8 %
. (M)	-	18	0.6 %

PHYACCO1 **Accomplished less past mo due to health**

Location: 1381-1382 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	No	2087	72.4 %
2	Yes	767	26.6 %
. (M)	-	18	0.6 %

PHYLIMI1 **Limited in activ/work past mo due to health**

- Study 29221 -

Location: 1383-1384 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	No	2358	81.8 %
2	Yes	496	17.2 %
. (M)	-	18	0.6 %

PHYDFCL1 **Difficulty perf activ/work past mo due to health**

Location: 1385-1386 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	No	2219	77.0 %
2	Yes	635	22.0 %
. (M)	-	18	0.6 %

EMOCTDW1 **Cut down on activ/work past mo due to emot prob**

Location: 1387-1388 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	No	2417	83.9 %
2	Yes	437	15.2 %
. (M)	-	18	0.6 %

EMOACCO1 **Accomplished less past mo due to emot prob**

Location: 1389-1390 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	No	2151	74.7 %
2	Yes	702	24.4 %
. (M)	-	18	0.6 %

EMOCARE1 **Activ/work less carefully past mo due to emot prob**

Location: 1391-1392 (width: 2; decimal: 0)
Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	No	2385	82.8 %
2	Yes	468	16.2 %
. (M)	-	18	0.6 %

INTERFR1 Phys health/emot prob interfered w/normal social activ

Location: 1393-1394 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	Not At All	1556	54.0 %
2	Slightly	758	26.3 %
3	Moderately	340	11.8 %
4	Quite A Bit	172	6.0 %
5	Extremely	29	1.0 %
. (M)	-	18	0.6 %

BODYPAI1 Bodily pain past mo

Location: 1395-1396 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	None	593	20.6 %
2	Very Mild	946	32.8 %
3	Mild	603	20.9 %
4	Moderately	552	19.2 %
5	Severe	129	4.5 %
6	Very Severe	31	1.1 %
. (M)	-	18	0.6 %

PAINTRF1 Pain interfere w/work past mo

Location: 1397-1398 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	Not At All	1530	53.1 %
2	A Little Bit	816	28.3 %
3	Moderately	330	11.5 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Quite A Bit	141	4.9 %
5	Extremely	36	1.2 %
. (M)	-	19	0.7 %

PEP1 Full of pep last mo

Location: 1399-1400 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	All Of The Time	62	2.2 %
2	Most Of The Time	632	21.9 %
3	A Good Bit Of The Time	695	24.1 %
4	Some Of The Time	801	27.8 %
5	A Little Of The Time	493	17.1 %
6	None Of The Time	168	5.8 %
. (M)	-	19	0.7 %

ENERGY1 Lots energy last mo

Location: 1401-1402 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	All Of The Time	64	2.2 %
2	Most Of The Time	634	22.0 %
3	A Good Bit Of The Time	677	23.5 %
4	Some Of The Time	816	28.3 %
5	A Little Of The Time	493	17.1 %
6	None Of The Time	167	5.8 %
. (M)	-	19	0.7 %

WORNOUT1 Felt worn out last mo

Location: 1403-1404 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	All Of The Time	39	1.4 %
2	Most Of The Time	274	9.5 %
3	A Good Bit Of The Time	410	14.2 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Some Of The Time	888	30.8 %
5	A Little Of The Time	984	34.2 %
6	None Of The Time	257	8.9 %
. (M)	-	19	0.7 %

TIRED1

Felt tired last mo

Location: 1405-1406 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	All Of The Time	59	2.0 %
2	Most Of The Time	292	10.1 %
3	A Good Bit Of The Time	435	15.1 %
4	Some Of The Time	1020	35.4 %
5	A Little Of The Time	960	33.3 %
6	None Of The Time	90	3.1 %
. (M)	-	19	0.7 %

SOCIAL1

Phys health/emot prob interfered w/social activ/visiting

Location: 1407-1408 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	All Of The Time	53	1.8 %
2	Most Of The Time	117	4.1 %
3	Some Of The Time	487	16.9 %
4	A Little Of The Time	715	24.8 %
5	None Of The Time	1484	51.5 %
. (M)	-	19	0.7 %

PHYSACT1

Physical activity compared to other women same age

Location: 1409-1410 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	Much Less	189	6.6 %
2	Somewhat Less	505	17.5 %
3	The Same	1110	38.5 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Somewhat More	754	26.2 %
5	Much More	298	10.3 %
. (M)	-	19	0.7 %

WATCHTV1 Time spent watching TV

Location: 1411-1412 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	Never Or Less Than 1 Hr/Wk	152	5.3 %
2	At Least 1 Hr/Wk But < 1 Hr/Day	628	21.8 %
3	1-2 Hrs/Day	1044	36.2 %
4	2-4 Hrs/Day	740	25.7 %
5	More Than 4 Hrs/Day	298	10.3 %
. (M)	-	18	0.6 %

WALKBIK1 Time spent walk/bike

Location: 1413-1414 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	Never/ < 5 Minutes Per Day	1390	48.2 %
2	5-15 Minutes/Day	616	21.4 %
3	16-30 Minutes/Day	475	16.5 %
4	31-45 Minutes/Day	190	6.6 %
5	More Than 45 Minutes/Day	184	6.4 %
. (M)	-	18	0.6 %

SWEATPA1 Sweat from exertion

Location: 1415-1416 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
1	Never/Less Than Once A Month	996	34.6 %
2	Once A Month	276	9.6 %
3	2-3 Times A Month	416	14.4 %
4	Once/Wk	342	11.9 %
5	More Than Once/Wk	829	28.8 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	18	0.6 %

SPORTS1 **Play sport/exercise**

Location: 1417-1418 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Never/LT Once a Month	1039	36.1 %
2	Once/Month	246	8.5 %
3	2-3 Times/Month	307	10.7 %
4	Once/Wk	277	9.6 %
5	More Than Once/Wk	989	34.3 %
. (M)	-	18	0.6 %

CHORES1 **Chores-Current level of phys act**

Location: 1419-1420 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	Much Greater Now	137	4.8 %
2	Greater Now	250	8.7 %
3	About the Same	2138	74.2 %
4	Less Now	257	8.9 %
5	Much less Now	69	2.4 %
. (M)	-	18	0.6 %

WORKPHY1 **Work for pay-current level of phys act**

Location: 1421-1422 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
-1	N/A	439	15.2 %
1	Much Greater Now	132	4.6 %
2	Greater Now	360	12.5 %
3	About the Same	1741	60.4 %
4	Less Now	137	4.8 %
5	Much less Now	39	1.4 %
. (M)	-	18	0.6 %

- Study 29221 -

PLANSPO1 **Planned sports-current level of phys act**

Location: 1423-1424 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
1	Much Greater Now	114	4.0 %
2	Greater Now	301	10.4 %
3	About the Same	1732	60.1 %
4	Less Now	403	14.0 %
5	Much less Now	297	10.3 %
. (M)	-	18	0.6 %

ROUTINE1 **Routine phys act-current level of phys act**

Location: 1425-1426 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	Much Greater Now	130	4.5 %
2	Greater Now	472	16.4 %
3	About the Same	1876	65.1 %
4	Less Now	270	9.4 %
5	Much less Now	107	3.7 %
. (M)	-	18	0.6 %

STIFF1 **Stiffness/soreness past 2 wks**

Location: 1427-1428 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	Not At All	724	25.1 %
2	1-5 Days	1355	47.0 %
3	6-8 Days	216	7.5 %
4	9-13 Days	144	5.0 %
5	Every Day	411	14.3 %
. (M)	-	19	0.7 %

ACHES1 **Back aches/pains past 2 wks**

Location: 1429-1430 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	Not At All	1110	38.5 %
2	1-5 Days	1192	41.4 %
3	6-8 Days	173	6.0 %
4	9-13 Days	123	4.3 %
5	Every Day	256	8.9 %
. (M)	-	19	0.7 %

COLDSWE1 Cold sweats past 2 wks

Location: 1431-1432 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	19	0.7 %
1	Not At All	2516	87.3 %
2	1-5 Days	227	7.9 %
3	6-8 Days	47	1.6 %
4	9-13 Days	22	0.8 %
5	Every Day	31	1.1 %
. (M)	-	19	0.7 %

NITESWE1 Night sweats past 2 wks

Location: 1433-1434 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.6 %
1	Not At All	1951	67.7 %
2	1-5 Days	635	22.0 %
3	6-8 Days	114	4.0 %
4	9-13 Days	72	2.5 %
5	Every Day	73	2.5 %
. (M)	-	19	0.7 %

VAGINDR1 Vaginal dryness past 2 wks

Location: 1435-1436 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	Not At All	2254	78.2 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	1-5 Days	407	14.1 %
3	6-8 Days	83	2.9 %
4	9-13 Days	49	1.7 %
5	Every Day	57	2.0 %
. (M)	-	20	0.7 %

FEELBLU1 **Feeling blue past 2 wks**

Location: 1437-1438 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	Not At All	1208	41.9 %
2	1-5 Days	1270	44.1 %
3	6-8 Days	195	6.8 %
4	9-13 Days	123	4.3 %
5	Every Day	58	2.0 %
. (M)	-	19	0.7 %

DIZZY1 **Dizzy spells past 2 wks**

Location: 1439-1440 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	Not At All	2238	77.7 %
2	1-5 Days	535	18.6 %
3	6-8 Days	37	1.3 %
4	9-13 Days	20	0.7 %
5	Every Day	20	0.7 %
. (M)	-	19	0.7 %

IRRITAB1 **Irritability past 2 wks**

Location: 1441-1442 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	Not At All	878	30.5 %
2	1-5 Days	1623	56.3 %
3	6-8 Days	212	7.4 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	9-13 Days	94	3.3 %
5	Every Day	45	1.6 %
. (M)	-	19	0.7 %

NRVOUS1 Tense/nervous past 2 wks

Location: 1443-1444 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
1	Not At All	1061	36.8 %
2	1-5 Days	1402	48.7 %
3	6-8 Days	202	7.0 %
4	9-13 Days	107	3.7 %
5	Every Day	75	2.6 %
. (M)	-	19	0.7 %

FORGET1 Forgetfulness past 2 wks

Location: 1445-1446 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	Not At All	1093	37.9 %
2	1-5 Days	1287	44.7 %
3	6-8 Days	248	8.6 %
4	9-13 Days	104	3.6 %
5	Every Day	119	4.1 %
. (M)	-	19	0.7 %

MOODCHG1 Freq mood changes past 2 wks

Location: 1447-1448 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	Not At All	1553	53.9 %
2	1-5 Days	1016	35.3 %
3	6-8 Days	159	5.5 %
4	9-13 Days	74	2.6 %
5	Every Day	48	1.7 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	19	0.7 %

HARTRAC1 **Heart pounding/racing past 2 wks**

Location: 1449-1450 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	Not At All	2083	72.3 %
2	1-5 Days	608	21.1 %
3	6-8 Days	85	3.0 %
4	9-13 Days	49	1.7 %
5	Every Day	26	0.9 %
. (M)	-	19	0.7 %

FEARFULA1 **Feeling fearful past 2 wks**

Location: 1451-1452 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	Not At All	2355	81.7 %
2	1-5 Days	386	13.4 %
3	6-8 Days	58	2.0 %
4	9-13 Days	34	1.2 %
5	Every Day	19	0.7 %
. (M)	-	19	0.7 %

HDACHE1 **Headaches past 2 wks**

Location: 1453-1454 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	Not At All	1104	38.3 %
2	1-5 Days	1436	49.8 %
3	6-8 Days	183	6.4 %
4	9-13 Days	82	2.8 %
5	Every Day	51	1.8 %
. (M)	-	19	0.7 %

HOTFLAS1 **Hot flashes past 2 wks**

- Study 29221 -

Location: 1455-1456 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	Not At All	1878	65.2 %
2	1-5 Days	633	22.0 %
3	6-8 Days	147	5.1 %
4	9-13 Days	94	3.3 %
5	Every Day	102	3.5 %
. (M)	-	19	0.7 %

TRBLSLE1 **Trouble falling asleep past 2 wks**

Location: 1457-1458 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	No, Not In The Past 2 Wks	1656	57.5 %
2	Yes, < Once A Wk	497	17.3 %
3	Yes, 1-2 Times/Wk	382	13.3 %
4	Yes, 3-4 Times/Wk	171	5.9 %
5	Yes, 5 or More Times/Wk	150	5.2 %
. (M)	-	18	0.6 %

WAKEUP1 **Wake up several times/night past 2 wks**

Location: 1459-1460 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	No, Not In The Past 2 Wks	1019	35.4 %
2	Yes, < Once A Wk	554	19.2 %
3	Yes, 1-2 Times/Wk	559	19.4 %
4	Yes, 3-4 Times/Wk	357	12.4 %
5	Yes, 5 or More Times/Wk	368	12.8 %
. (M)	-	18	0.6 %

WAKEARL1 **Wake up early past 2 wks**

Location: 1461-1462 (width: 2; decimal: 0)
Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	No, Not In The Past 2 Wks	1471	51.1 %
2	Yes, < Once A Wk	585	20.3 %
3	Yes, 1-2 Times/Wk	427	14.8 %
4	Yes, 3-4 Times/Wk	205	7.1 %
5	Yes, 5 or More Times/Wk	168	5.8 %
. (M)	-	18	0.6 %

TYPNIGH1 Typical night's sleep past 2 wks

Location: 1463-1464 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	Very sound or restful	296	10.3 %
2	Sound or restful	772	26.8 %
3	Average quality	1159	40.2 %
4	Restless	525	18.2 %
5	Very restless	104	3.6 %
. (M)	-	18	0.6 %

GETUPUR1 How often get up to urinate

Location: 1465-1466 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	Never	492	17.1 %
2	Rarely (< Once A Wk)	714	24.8 %
3	Once/Wk	174	6.0 %
4	A Few Times/Wk	534	18.5 %
5	Once A Night, Every Night	630	21.9 %
6	More Than Once Per Night	312	10.8 %
. (M)	-	18	0.6 %

UTI1 Urinary tract inf since last visit

Location: 1467-1468 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	2604	90.4 %
2	Yes	250	8.7 %
. (M)	-	19	0.7 %

INVOLEA1 Involuntary leakage

Location: 1469-1470 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	No	1192	41.4 %
2	Yes	1659	57.6 %
. (M)	-	19	0.7 %

DAYSLEA1 Leakage days past mo

Location: 1471-1472 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
-1	N/A	1204	41.8 %
1	Never	221	7.7 %
2	Less Than 1 Day/Week	955	33.1 %
3	Several Days/Week	320	11.1 %
4	Almost Daily/Daily	157	5.4 %
. (M)	-	18	0.6 %

COUGHIN1 Coughing caused leakage

Location: 1473-1474 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	100	3.5 %
-1	N/A	1206	41.9 %
1	No	637	22.1 %
2	Yes	920	31.9 %
. (M)	-	18	0.6 %

LAUGHIN1 Laughing caused leakage

Location: 1475-1476 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	153	5.3 %
-1	N/A	1206	41.9 %
1	No	1042	36.2 %
2	Yes	462	16.0 %
. (M)	-	18	0.6 %

SNEEZIN1 Sneezing caused leakage

Location: 1477-1478 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	96	3.3 %
-1	N/A	1205	41.8 %
1	No	579	20.1 %
2	Yes	983	34.1 %
. (M)	-	18	0.6 %

JOGGING1 Jogging caused leakage

Location: 1479-1480 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	177	6.1 %
-1	N/A	1208	41.9 %
1	No	1289	44.7 %
2	Yes	189	6.6 %
. (M)	-	18	0.6 %

PICKUP1 Picking up object caused leakage

Location: 1481-1482 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	177	6.1 %
-1	N/A	1207	41.9 %
1	No	1357	47.1 %
2	Yes	121	4.2 %
. (M)	-	19	0.7 %

URGEVOI1 Urge to void caused leakage

Location: 1483-1484 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	103	3.6 %
-1	N/A	1205	41.8 %
1	No	733	25.4 %
2	Yes	822	28.5 %
. (M)	-	18	0.6 %

OTHRLEA1 **Other causes of leakage**

Location: 1485-1486 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	279	9.7 %
-1	N/A	1207	41.9 %
1	No	1209	42.0 %
2	Yes	168	5.8 %
. (M)	-	18	0.6 %

AMTLEAK1 **Amount of leakage**

Location: 1487-1488 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	1205	41.8 %
1	A Drop Or Two	1068	37.1 %
2	Enough to Change Underwear/Wear Liner	542	18.8 %
3	Enough to Wet Outer Clothing	39	1.4 %
4	Enough to Wet Floor	5	0.2 %
. (M)	-	18	0.6 %

LEAKBOT1 **Leakage bothers (scale 0-10)**

Location: 1489-1491 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
-1	N/A	1204	41.8 %
0	-	144	5.0 %
1	-	219	7.6 %
2	-	199	6.9 %
3	-	185	6.4 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	-	113	3.9 %
5	-	303	10.5 %
6	-	86	3.0 %
7	-	109	3.8 %
8	-	101	3.5 %
9	-	44	1.5 %
10	-	152	5.3 %
. (M)	-	18	0.6 %

NUTRIRE1 **Nutritional remedies past yr**

Location: 1492-1493 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	4	0.1 %
1	No	1826	63.4 %
2	Yes	1033	35.9 %
. (M)	-	18	0.6 %

HERBREM1 **Herbal remedies past yr**

Location: 1494-1495 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	No	2188	75.9 %
2	Yes	668	23.2 %
. (M)	-	18	0.6 %

PSYCMET1 **Psychological methods past yr**

Location: 1496-1497 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	No	2283	79.2 %
2	Yes	570	19.8 %
. (M)	-	18	0.6 %

PHYSMET1 **Physical methods past yr**

Location: 1498-1499 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	No	2262	78.5 %
2	Yes	592	20.5 %
. (M)	-	18	0.6 %

FOLKMED1 **Folk medicine past yr**

Location: 1500-1501 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	No	2713	94.2 %
2	Yes	140	4.9 %
. (M)	-	18	0.6 %

OTHRTHE1 **Other diet/behav therapies past yr**

Location: 1502-1503 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	75	2.6 %
1	No	2509	87.1 %
2	Yes	279	9.7 %
. (M)	-	18	0.6 %

SPECOTH1 **Other diet/behav therapies-specify**

Location: 1504-1533 (width: 30; decimal: 0)

Variable Type: character

STARTNE1 **Started new job/school upsetting past yr**

Location: 1534-1535 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	No	2133	74.0 %
2	Yes, Not At All Upsetting	393	13.6 %
3	Yes, Somewhat Upsetting	261	9.1 %
4	Yes, Very Upsetting	49	1.7 %
5	Yes, Very Upsetting & Still Upsetting	24	0.8 %
. (M)	-	18	0.6 %

WORKTRB1 **Work problems upsetting past yr**

- Study 29221 -

Location: 1536-1537 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	No	1852	64.3 %
2	Yes, Not At All Upsetting	126	4.4 %
3	Yes, Somewhat Upsetting	588	20.4 %
4	Yes, Very Upsetting	197	6.8 %
5	Yes, Very Upsetting & Still Upsetting	92	3.2 %
. (M)	-	18	0.6 %

QUITJOB1 Quit job upsetting past yr

Location: 1538-1539 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	No	2620	90.9 %
2	Yes, Not At All Upsetting	89	3.1 %
3	Yes, Somewhat Upsetting	79	2.7 %
4	Yes, Very Upsetting	37	1.3 %
5	Yes, Very Upsetting & Still Upsetting	32	1.1 %
. (M)	-	18	0.6 %

WORKLOA1 Increase work load upsetting past yr

Location: 1540-1541 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	No	1943	67.4 %
2	Yes, Not At All Upsetting	362	12.6 %
3	Yes, Somewhat Upsetting	441	15.3 %
4	Yes, Very Upsetting	73	2.5 %
5	Yes, Very Upsetting & Still Upsetting	35	1.2 %
. (M)	-	18	0.6 %

PRTUNEM1 Partner unemployed upsetting past yr

Location: 1542-1543 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	No	2654	92.1 %
2	Yes, Not At All Upsetting	43	1.5 %
3	Yes, Somewhat Upsetting	84	2.9 %
4	Yes, Very Upsetting	41	1.4 %
5	Yes, Very Upsetting & Still Upsetting	33	1.1 %
. (M)	-	18	0.6 %

MONEYPR1 Money problems upsetting past yr

Location: 1544-1545 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	No	2024	70.3 %
2	Yes, Not At All Upsetting	108	3.7 %
3	Yes, Somewhat Upsetting	433	15.0 %
4	Yes, Very Upsetting	165	5.7 %
5	Yes, Very Upsetting & Still Upsetting	122	4.2 %
. (M)	-	18	0.6 %

WORSREL1 Worsening relationship upsetting past yr

Location: 1546-1547 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	No	2471	85.8 %
2	Yes, Not At All Upsetting	62	2.2 %
3	Yes, Somewhat Upsetting	158	5.5 %
4	Yes, Very Upsetting	87	3.0 %
5	Yes, Very Upsetting & Still Upsetting	75	2.6 %
. (M)	-	18	0.6 %

RELATEN1 Ended relationship upsetting past yr

Location: 1548-1549 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	No	2688	93.3 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Yes, Not At All Upsetting	27	0.9 %
3	Yes, Somewhat Upsetting	60	2.1 %
4	Yes, Very Upsetting	37	1.3 %
5	Yes, Very Upsetting & Still Upsetting	40	1.4 %
. (M)	-	18	0.6 %

SERIPRO1 Serious family problem upsetting past yr

Location: 1550-1551 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	No	1984	68.9 %
2	Yes, Not At All Upsetting	87	3.0 %
3	Yes, Somewhat Upsetting	357	12.4 %
4	Yes, Very Upsetting	234	8.1 %
5	Yes, Very Upsetting & Still Upsetting	191	6.6 %
. (M)	-	18	0.6 %

CHILDMO1 Child moved upsetting past yr

Location: 1552-1553 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	No	2435	84.5 %
2	Yes, Not At All Upsetting	178	6.2 %
3	Yes, Somewhat Upsetting	163	5.7 %
4	Yes, Very Upsetting	41	1.4 %
5	Yes, Very Upsetting & Still Upsetting	41	1.4 %
. (M)	-	18	0.6 %

RESPCAR1 Responsibility for care upsetting past yr

Location: 1554-1555 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	No	2451	85.1 %
2	Yes, Not At All Upsetting	153	5.3 %
3	Yes, Somewhat Upsetting	171	5.9 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Yes, Very Upsetting	48	1.7 %
5	Yes, Very Upsetting & Still Upsetting	37	1.3 %
. (M)	-	18	0.6 %

LEGALPR1 Legal problems upsetting past yr

Location: 1556-1557 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	No	2552	88.6 %
2	Yes, Not At All Upsetting	50	1.7 %
3	Yes, Somewhat Upsetting	124	4.3 %
4	Yes, Very Upsetting	62	2.2 %
5	Yes, Very Upsetting & Still Upsetting	66	2.3 %
. (M)	-	19	0.7 %

HUSBDIE1 Husband/partner died upsetting past yr

Location: 1558-1559 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	21	0.7 %
1	No	2795	97.0 %
2	Yes, Not At All Upsetting	6	0.2 %
3	Yes, Somewhat Upsetting	9	0.3 %
4	Yes, Very Upsetting	10	0.3 %
5	Yes, Very Upsetting & Still Upsetting	20	0.7 %
. (M)	-	20	0.7 %

CHLDDIE1 Child died upsetting past yr

Location: 1560-1561 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	53	1.8 %
1	No	2784	96.6 %
2	Yes, Not At All Upsetting	4	0.1 %
3	Yes, Somewhat Upsetting	5	0.2 %
4	Yes, Very Upsetting	5	0.2 %
5	Yes, Very Upsetting & Still Upsetting	10	0.3 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	20	0.7 %

PRNTDIE1 **Parent died upsetting past yr**

Location: 1562-1563 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	39	1.4 %
1	No	2641	91.7 %
2	Yes, Not At All Upsetting	15	0.5 %
3	Yes, Somewhat Upsetting	42	1.5 %
4	Yes, Very Upsetting	47	1.6 %
5	Yes, Very Upsetting & Still Upsetting	78	2.7 %
. (M)	-	19	0.7 %

CLOSDIE1 **Other close friend/relative died upsetting past yr**

Location: 1564-1565 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	No	2120	73.6 %
2	Yes, Not At All Upsetting	112	3.9 %
3	Yes, Somewhat Upsetting	336	11.7 %
4	Yes, Very Upsetting	191	6.6 %
5	Yes, Very Upsetting & Still Upsetting	92	3.2 %
. (M)	-	19	0.7 %

SELFVIO1 **Violent event to self upsetting past yr**

Location: 1566-1567 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	No	2716	94.3 %
2	Yes, Not At All Upsetting	14	0.5 %
3	Yes, Somewhat Upsetting	49	1.7 %
4	Yes, Very Upsetting	48	1.7 %
5	Yes, Very Upsetting & Still Upsetting	29	1.0 %
. (M)	-	19	0.7 %

FAMLVIO1 **Violent event to other fam mem upsetting past yr**

- Study 29221 -

Location: 1568-1569 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	No	2631	91.3 %
2	Yes, Not At All Upsetting	18	0.6 %
3	Yes, Somewhat Upsetting	98	3.4 %
4	Yes, Very Upsetting	71	2.5 %
5	Yes, Very Upsetting & Still Upsetting	39	1.4 %
. (M)	-	19	0.7 %

PHYSILL1 **Serious illness family upsetting past yr**

Location: 1570-1571 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	6	0.2 %
1	No	2160	75.0 %
2	Yes, Not At All Upsetting	49	1.7 %
3	Yes, Somewhat Upsetting	295	10.2 %
4	Yes, Very Upsetting	197	6.8 %
5	Yes, Very Upsetting & Still Upsetting	155	5.4 %
. (M)	-	19	0.7 %

MAJEVEN1 **Other major event upsetting past yr**

Location: 1572-1573 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	32	1.1 %
1	No	2491	86.5 %
2	Yes, Not At All Upsetting	26	0.9 %
3	Yes, Somewhat Upsetting	119	4.1 %
4	Yes, Very Upsetting	99	3.4 %
5	Yes, Very Upsetting & Still Upsetting	94	3.3 %
. (M)	-	20	0.7 %

GRAYHA1 **Dreaded gray hair**

Location: 1574-1575 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	Strongly Agree	658	22.8 %
2	Agree	764	26.5 %
3	Neither Agree or Disagree	679	23.6 %
4	Disagree	604	21.0 %
5	Strongly Disagree	153	5.3 %
. (M)	-	20	0.7 %

IMAGNOL1 **Not bothered imagine being old**

Location: 1576-1577 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	Strongly Agree	365	12.7 %
2	Agree	738	25.6 %
3	Neither Agree or Disagree	600	20.8 %
4	Disagree	972	33.7 %
5	Strongly Disagree	181	6.3 %
. (M)	-	20	0.7 %

LOOKSAG1 **Not bothered looks change w/age**

Location: 1578-1579 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	Strongly Agree	324	11.2 %
2	Agree	792	27.5 %
3	Neither Agree or Disagree	544	18.9 %
4	Disagree	1026	35.6 %
5	Strongly Disagree	174	6.0 %
. (M)	-	20	0.7 %

GOODOLD1 **Expect to feel good about life when old**

Location: 1580-1581 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	Strongly Agree	788	27.4 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Agree	1529	53.1 %
3	Neither Agree or Disagree	389	13.5 %
4	Disagree	106	3.7 %
5	Strongly Disagree	46	1.6 %
. (M)	-	20	0.7 %

FEAROLD1 **Hard to find contentment when old**

Location: 1582-1583 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	Strongly Agree	93	3.2 %
2	Agree	231	8.0 %
3	Neither Agree or Disagree	517	17.9 %
4	Disagree	1349	46.8 %
5	Strongly Disagree	668	23.2 %
. (M)	-	20	0.7 %

PLNTYOC1 **Plenty to occupy time when old**

Location: 1584-1585 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	1	0.0 %
1	Strongly Agree	839	29.1 %
2	Agree	1334	46.3 %
3	Neither Agree or Disagree	434	15.1 %
4	Disagree	149	5.2 %
5	Strongly Disagree	63	2.2 %
. (M)	-	61	2.1 %

AGEWORS1 **Feel worse about self as age**

Location: 1586-1587 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
1	Strongly Agree	63	2.2 %
2	Agree	263	9.1 %
3	Neither Agree or Disagree	495	17.2 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	Disagree	1235	42.9 %
5	Strongly Disagree	802	27.8 %
. (M)	-	20	0.7 %

STEADY1 **I am a steady person**

Location: 1588-1589 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	Not At All Like Me	44	1.5 %
2	A Little Like Me	220	7.6 %
3	Somewhat Like Me	741	25.7 %
4	A Lot Like Me	1845	64.0 %
. (M)	-	20	0.7 %

SATISMY1 **Satisfied w/myself**

Location: 1590-1591 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	Not At All Like Me	113	3.9 %
2	A Little Like Me	355	12.3 %
3	Somewhat Like Me	1150	39.9 %
4	A Lot Like Me	1235	42.9 %
. (M)	-	20	0.7 %

NERVRES1 **I feel nervous & restless**

Location: 1592-1593 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	Not At All Like Me	1252	43.5 %
2	A Little Like Me	963	33.4 %
3	Somewhat Like Me	469	16.3 %
4	A Lot Like Me	165	5.7 %
. (M)	-	20	0.7 %

HAPPYAS1 **Wish could be as happy as others**

Location: 1594-1595 (width: 2; decimal: 0)

- Study 29221 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	Not At All Like Me	1477	51.3 %
2	A Little Like Me	660	22.9 %
3	Somewhat Like Me	462	16.0 %
4	A Lot Like Me	250	8.7 %
. (M)	-	20	0.7 %

FAILUREA1 **Feel like failure**

Location: 1596-1597 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
1	Not At All Like Me	2132	74.0 %
2	A Little Like Me	457	15.9 %
3	Somewhat Like Me	157	5.4 %
4	A Lot Like Me	105	3.6 %
. (M)	-	20	0.7 %

TURMOIL1 **Get in state of turmoil/tension**

Location: 1598-1599 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
1	Not At All Like Me	1387	48.1 %
2	A Little Like Me	847	29.4 %
3	Somewhat Like Me	414	14.4 %
4	A Lot Like Me	200	6.9 %
. (M)	-	20	0.7 %

SECURE1 **I feel secure**

Location: 1600-1601 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
1	Not At All Like Me	167	5.8 %
2	A Little Like Me	406	14.1 %
3	Somewhat Like Me	1021	35.4 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	A Lot Like Me	1250	43.4 %
. (M)	-	21	0.7 %

LACKCON1 **I lack self-confidence**

Location: 1602-1603 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
1	Not At All Like Me	1357	47.1 %
2	A Little Like Me	891	30.9 %
3	Somewhat Like Me	419	14.5 %
4	A Lot Like Me	179	6.2 %
. (M)	-	20	0.7 %

ADEQUAT1 **I feel inadequate**

Location: 1604-1605 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
1	Not At All Like Me	1664	57.8 %
2	A Little Like Me	764	26.5 %
3	Somewhat Like Me	302	10.5 %
4	A Lot Like Me	115	4.0 %
. (M)	-	21	0.7 %

WORYMUC1 **Worry too much**

Location: 1606-1607 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	Not At All Like Me	1084	37.6 %
2	A Little Like Me	1012	35.1 %
3	Somewhat Like Me	472	16.4 %
4	A Lot Like Me	284	9.9 %
. (M)	-	20	0.7 %

EMPLYP1 **Employed for pay**

Location: 1608-1609 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	No	564	19.6 %
2	Yes	2287	79.4 %
. (M)	-	18	0.6 %

REWRDJO1 **How rewarding is job**

Location: 1610-1611 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	36	1.2 %
-1	N/A	577	20.0 %
1	Not At All	57	2.0 %
2	A Little	199	6.9 %
3	Somewhat	660	22.9 %
4	Quite A Bit	964	33.5 %
5	Extremely	370	12.8 %
. (M)	-	18	0.6 %

STRSSJO1 **How stressful is job**

Location: 1612-1613 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	33	1.1 %
-1	N/A	577	20.0 %
1	Not At All	159	5.5 %
2	A Little	394	13.7 %
3	Somewhat	722	25.1 %
4	Quite A Bit	647	22.5 %
5	Extremely	331	11.5 %
. (M)	-	18	0.6 %

CRNTCAR1 **Caring for older/disabled fam mem**

Location: 1614-1615 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	24	0.8 %
1	No	2495	86.6 %
2	Yes	340	11.8 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	22	0.8 %

RWRDCAR1 **How rewarding caregiver role**

Location: 1616-1617 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	3	0.1 %
-1	N/A	2523	87.6 %
1	Not At All	21	0.7 %
2	A Little	44	1.5 %
3	Somewhat	115	4.0 %
4	Quite A Bit	103	3.6 %
5	Extremely	54	1.9 %
. (M)	-	18	0.6 %

STRSCAR1 **How stressful caregiver role**

Location: 1618-1619 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	2	0.1 %
-1	N/A	2523	87.6 %
1	Not At All	28	1.0 %
2	A Little	67	2.3 %
3	Somewhat	114	4.0 %
4	Quite A Bit	89	3.1 %
5	Extremely	40	1.4 %
. (M)	-	18	0.6 %

CRNTMAR1 **Currently married/committed rel**

Location: 1620-1621 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	No	711	24.7 %
2	Yes	2145	74.5 %
. (M)	-	18	0.6 %

RWRDREL1 **How rewarding is relationship**

Location: 1622-1623 (width: 2; decimal: 0)

- Study 29221 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	21	0.7 %
-1	N/A	721	25.0 %
1	Not At All	61	2.1 %
2	A Little	129	4.5 %
3	Somewhat	406	14.1 %
4	Quite A Bit	850	29.5 %
5	Extremely	675	23.4 %
. (M)	-	18	0.6 %

STRSREL1 **How stressful is relationship**

Location: 1624-1625 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	22	0.8 %
-1	N/A	721	25.0 %
1	Not At All	508	17.6 %
2	A Little	784	27.2 %
3	Somewhat	521	18.1 %
4	Quite A Bit	222	7.7 %
5	Extremely	85	3.0 %
. (M)	-	18	0.6 %

CHILDRE1 **Have children/stepchildren**

Location: 1626-1627 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
1	No	492	17.1 %
2	Yes	2364	82.1 %
. (M)	-	18	0.6 %

REWRDMO1 **How rewarding is role as mother**

Location: 1628-1629 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
-1	N/A	500	17.4 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not At All	28	1.0 %
2	A Little	54	1.9 %
3	Somewhat	285	9.9 %
4	Quite A Bit	857	29.7 %
5	Extremely	1123	39.0 %
. (M)	-	18	0.6 %

STRSSMO1 **How stressful is role as mother**

Location: 1630-1631 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	13	0.5 %
-1	N/A	500	17.4 %
1	Not At All	265	9.2 %
2	A Little	676	23.5 %
3	Somewhat	759	26.3 %
4	Quite A Bit	447	15.5 %
5	Extremely	203	7.0 %
. (M)	-	18	0.6 %

INCOME1 **Total family income**

Location: 1632-1633 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	7	0.2 %
-8	Do not know	32	1.1 %
-7	Refused	59	2.0 %
1	Less Than \$19,999	341	11.8 %
2	\$20,000 to \$49,999	856	29.7 %
3	\$50,000 to \$99,999	1075	37.3 %
4	\$100,000 or More	493	17.1 %
. (M)	-	18	0.6 %

AWAREBO1 **Aware things happening w/body**

Location: 1634-1635 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Not At All True	95	3.3 %
2	A Little Bit True	406	14.1 %
3	Moderately True	668	23.2 %
4	Quite a Bit True	1042	36.2 %
5	Extremely True	642	22.3 %
. (M)	-	18	0.6 %

NOISES1

Sudden noises bother me

Location: 1636-1637 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	11	0.4 %
1	Not At All True	549	19.1 %
2	A Little Bit True	912	31.7 %
3	Moderately True	625	21.7 %
4	Quite a Bit True	536	18.6 %
5	Extremely True	230	8.0 %
. (M)	-	18	0.6 %

HOTCOLD1

Hate being too hot/cold

Location: 1638-1639 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	12	0.4 %
1	Not At All True	183	6.4 %
2	A Little Bit True	598	20.8 %
3	Moderately True	796	27.6 %
4	Quite a Bit True	776	26.9 %
5	Extremely True	497	17.3 %
. (M)	-	19	0.7 %

HUNGER1

Quick to sense hunger

Location: 1640-1641 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	9	0.3 %
1	Not At All True	279	9.7 %
2	A Little Bit True	667	23.2 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Moderately True	767	26.6 %
4	Quite a Bit True	686	23.8 %
5	Extremely True	455	15.8 %
. (M)	-	18	0.6 %

STNDPAI1 **Can't stand pain**

Location: 1642-1643 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
1	Not At All True	532	18.5 %
2	A Little Bit True	1051	36.5 %
3	Moderately True	742	25.8 %
4	Quite a Bit True	309	10.7 %
5	Extremely True	221	7.7 %
. (M)	-	18	0.6 %

EXPBEST1 **I usually expect best**

Location: 1644-1645 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	10	0.3 %
0	Not At All Like Me	246	8.5 %
1	A Little Like Me	586	20.3 %
2	Somewhat Like Me	1092	37.9 %
3	A Lot Like Me	885	30.7 %
. (M)	-	62	2.2 %

GOWRONG1 **Expect things to go wrong**

Location: 1646-1647 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
0	Not At All Like Me	1088	37.8 %
1	A Little Like Me	1043	36.2 %
2	Somewhat Like Me	478	16.6 %
3	A Lot Like Me	236	8.2 %
. (M)	-	21	0.7 %

- Study 29221 -

OPTIMIS1 Always optimistic about future

Location: 1648-1649 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.6 %
0	Not At All Like Me	141	4.9 %
1	A Little Like Me	470	16.3 %
2	Somewhat Like Me	1142	39.6 %
3	A Lot Like Me	1090	37.8 %
. (M)	-	21	0.7 %

HRDLEXP1 Hardly ever expect things go my way

Location: 1650-1651 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
0	Not At All Like Me	1503	52.2 %
1	A Little Like Me	838	29.1 %
2	Somewhat Like Me	376	13.1 %
3	A Lot Like Me	129	4.5 %
. (M)	-	21	0.7 %

GOODTH1 Good things to happen rarely to me

Location: 1652-1653 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
0	Not At All Like Me	1561	54.2 %
1	A Little Like Me	702	24.4 %
2	Somewhat Like Me	393	13.6 %
3	A Lot Like Me	196	6.8 %
. (M)	-	21	0.7 %

MOREGOO1 Overall, expect more good than bad

Location: 1654-1655 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	8	0.3 %
0	Not At All Like Me	119	4.1 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	A Little Like Me	299	10.4 %
2	Somewhat Like Me	727	25.2 %
3	A Lot Like Me	1707	59.3 %
. (M)	-	21	0.7 %

COURTES1 Treated w/less courtesy than others

Location: 1656-1657 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
1	Often	54	1.9 %
2	Sometimes	573	19.9 %
3	Rarely	1492	51.8 %
4	Never	727	25.2 %
. (M)	-	20	0.7 %

RESPECT1 Treated w/less respect than others

Location: 1658-1659 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	14	0.5 %
1	Often	49	1.7 %
2	Sometimes	532	18.5 %
3	Rarely	1511	52.4 %
4	Never	755	26.2 %
. (M)	-	20	0.7 %

POORSER1 Received poorer service than others

Location: 1660-1661 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
1	Often	30	1.0 %
2	Sometimes	370	12.8 %
3	Rarely	1464	50.8 %
4	Never	981	34.1 %
. (M)	-	20	0.7 %

NOTSMAR1 People think not as smart as others

- Study 29221 -

Location: 1662-1663 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
1	Often	55	1.9 %
2	Sometimes	434	15.1 %
3	Rarely	1318	45.7 %
4	Never	1038	36.0 %
. (M)	-	20	0.7 %

AFRAIDO1 People act as if afraid of you

Location: 1664-1665 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
1	Often	41	1.4 %
2	Sometimes	370	12.8 %
3	Rarely	1050	36.4 %
4	Never	1384	48.0 %
. (M)	-	20	0.7 %

DISHONS1 People think you are dishonest

Location: 1666-1667 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	17	0.6 %
1	Often	11	0.4 %
2	Sometimes	126	4.4 %
3	Rarely	843	29.3 %
4	Never	1864	64.7 %
. (M)	-	20	0.7 %

BETTER1 People act as if better than you

Location: 1668-1669 (width: 2; decimal: 0)
Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	16	0.6 %
1	Often	57	2.0 %
2	Sometimes	691	24.0 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	Rarely	1318	45.7 %
4	Never	779	27.0 %
. (M)	-	20	0.7 %

INSULTE1 Insulted by other people

Location: 1670-1671 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
1	Often	16	0.6 %
2	Sometimes	158	5.5 %
3	Rarely	744	25.8 %
4	Never	1928	66.9 %
. (M)	-	20	0.7 %

HARASSE1 Harrassed by other people

Location: 1672-1673 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	18	0.6 %
1	Often	14	0.5 %
2	Sometimes	103	3.6 %
3	Rarely	602	20.9 %
4	Never	2124	73.7 %
. (M)	-	20	0.7 %

IGNORED1 Ignored by other people

Location: 1674-1675 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	15	0.5 %
1	Often	35	1.2 %
2	Sometimes	403	14.0 %
3	Rarely	1132	39.3 %
4	Never	1276	44.3 %
. (M)	-	20	0.7 %

BCRACE1 Because of race

Location: 1676-1677 (width: 2; decimal: 0)

- Study 29221 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	62	2.2 %
-1	N/A	1500	52.1 %
1	No	743	25.8 %
2	Yes	554	19.2 %
. (M)	-	22	0.8 %

BCETHN1 Because of ethnicity

Location: 1678-1679 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	78	2.7 %
-1	N/A	1500	52.1 %
1	No	859	29.8 %
2	Yes	422	14.6 %
. (M)	-	22	0.8 %

BCGENDR1 Because of gender

Location: 1680-1681 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	70	2.4 %
-1	N/A	1500	52.1 %
1	No	637	22.1 %
2	Yes	652	22.6 %
. (M)	-	22	0.8 %

BCAGE1 Because of age

Location: 1682-1683 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	77	2.7 %
-1	N/A	1500	52.1 %
1	No	938	32.6 %
2	Yes	344	11.9 %
. (M)	-	22	0.8 %

BCINCML1 Because of income level

Location: 1684-1685 (width: 2; decimal: 0)

- Study 29221 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	78	2.7 %
-1	N/A	1501	52.1 %
1	No	965	33.5 %
2	Yes	315	10.9 %
. (M)	-	22	0.8 %

BCLANG1 Because of language

Location: 1686-1687 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	77	2.7 %
-1	N/A	1501	52.1 %
1	No	1115	38.7 %
2	Yes	166	5.8 %
. (M)	-	22	0.8 %

BCWGHT1 Because of weight

Location: 1688-1689 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	77	2.7 %
-1	N/A	1500	52.1 %
1	No	983	34.1 %
2	Yes	299	10.4 %
. (M)	-	22	0.8 %

BCPHAPP1 Because of phys appearance

Location: 1690-1691 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	82	2.8 %
-1	N/A	1500	52.1 %
1	No	964	33.5 %
2	Yes	313	10.9 %
. (M)	-	22	0.8 %

BCORIEN1 Because of sexual orientation

Location: 1692-1693 (width: 2; decimal: 0)

- Study 29221 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	84	2.9 %
-1	N/A	1500	52.1 %
1	No	1190	41.3 %
2	Yes	85	3.0 %
. (M)	-	22	0.8 %

OTHEREX1 **Because of other reason**

Location: 1694-1695 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	175	6.1 %
-1	N/A	1502	52.1 %
1	No	916	31.8 %
2	Yes	265	9.2 %
. (M)	-	23	0.8 %

SMOKER1 **Current smoker**

Location: 1696-1696 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2425	84.2 %
1	Yes	419	14.5 %
. (M)	-	37	1.3 %

SABDAY1 **Self-administered-Part B Day**

Location: 1697-1699 (width: 3; decimal: 0)

Variable Type: numeric

LANGSAB1 **Language of Self-B**

Location: 1700-1701 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	5	0.2 %
1	English	2440	84.7 %
2	Spanish	199	6.9 %
3	Cantonese	86	3.0 %
4	Japanese	112	3.9 %
. (M)	-	39	1.4 %

- Study 29221 -

IMPORSE1 Importance of Sex

Location: 1702-1703 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	40	1.4 %
1	Extremely Important	203	7.0 %
2	Quite Important	635	22.0 %
3	Moderately Important	1205	41.8 %
4	Not Very Important	562	19.5 %
5	Not At All Important	197	6.8 %
. (M)	-	39	1.4 %

DESIRSE1 Desire to Engage in Sex

Location: 1704-1705 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	43	1.5 %
1	Not At All	260	9.0 %
2	Once or Twice/Mon	966	33.5 %
3	About Once/Wk	795	27.6 %
4	More than Once/Wk	699	24.3 %
5	Daily	79	2.7 %
. (M)	-	39	1.4 %

ENGAGSE1 Engaged in Sexual Activity

Location: 1706-1707 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	85	3.0 %
1	No	647	22.5 %
2	Yes	2110	73.2 %
. (M)	-	39	1.4 %

NOPARTN1 No Sex Last 6 Mos: No Partner

Location: 1708-1709 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	55	1.9 %
-1	N/A	2195	76.2 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	No	205	7.1 %
2	Yes	387	13.4 %
. (M)	-	39	1.4 %

PARTPRO1 No Sex Last 6 Mos: Partner Phys Prob

Location: 1710-1711 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	141	4.9 %
-1	N/A	2195	76.2 %
1	No	441	15.3 %
2	Yes	65	2.3 %
. (M)	-	39	1.4 %

PHYSPRO1 No Sex Last 6 Mos: Phys Prob

Location: 1712-1713 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	142	4.9 %
-1	N/A	2195	76.2 %
1	No	466	16.2 %
2	Yes	39	1.4 %
. (M)	-	39	1.4 %

NOSEXOT1 No Sex Last 6 Mos: Other Reason

Location: 1714-1715 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	301	10.4 %
-1	N/A	2195	76.2 %
1	No	214	7.4 %
2	Yes	132	4.6 %
. (M)	-	39	1.4 %

PHYSPLE1 Physically Pleasurable

Location: 1716-1717 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	80	2.8 %
-1	N/A	647	22.5 %
1	Extremely Pleasurable	364	12.6 %
2	Very Pleasurable	901	31.3 %
3	Moderately Pleasurable	637	22.1 %
4	Slightly Pleasurable	180	6.2 %
5	Not At All Pleasurable	33	1.1 %
. (M)	-	39	1.4 %

SATISFY1 Emotionally Satisfying

Location: 1718-1719 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	83	2.9 %
-1	N/A	647	22.5 %
1	Extremely Satisfying	339	11.8 %
2	Very Satisfying	805	27.9 %
3	Moderately Satisfying	697	24.2 %
4	Slightly Satisfying	216	7.5 %
5	Not At All Satisfying	55	1.9 %
. (M)	-	39	1.4 %

KISSING1 Freq of Sexual Activity: Kissing

Location: 1720-1721 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	91	3.2 %
-1	N/A	647	22.5 %
1	Not At All	66	2.3 %
2	Once or Twice/Mon	268	9.3 %
3	About Once/Wk	267	9.3 %
4	More than Once/Wk	532	18.5 %
5	Daily	971	33.7 %
. (M)	-	39	1.4 %

TOUCHIN1 Freq of Sexual Activity: Touching

Location: 1722-1723 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	95	3.3 %
-1	N/A	647	22.5 %
1	Not At All	54	1.9 %
2	Once or Twice/Mon	497	17.3 %
3	About Once/Wk	497	17.3 %
4	More than Once/Wk	770	26.7 %
5	Daily	282	9.8 %
. (M)	-	39	1.4 %

ORALSEX1 Freq of Sexual Activity: Oral Sex

Location: 1724-1725 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	147	5.1 %
-1	N/A	647	22.5 %
1	Not At All	905	31.4 %
2	Once or Twice/Mon	725	25.2 %
3	About Once/Wk	261	9.1 %
4	More than Once/Wk	152	5.3 %
5	Daily	5	0.2 %
. (M)	-	39	1.4 %

INTCOUR1 Freq of Sexual Activity: Intercourse

Location: 1726-1727 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	98	3.4 %
-1	N/A	647	22.5 %
1	Not At All	86	3.0 %
2	Once or Twice/Mon	764	26.5 %
3	About Once/Wk	663	23.0 %
4	More than Once/Wk	556	19.3 %
5	Daily	28	1.0 %
. (M)	-	39	1.4 %

AROUSED1 Freq of Arousal during sexual activity

Location: 1728-1729 (width: 2; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	77	2.7 %
-1	N/A	647	22.5 %
1	Always	616	21.4 %
2	Almost Always	869	30.2 %
3	Sometimes	536	18.6 %
4	Almost Never	75	2.6 %
5	Never	22	0.8 %
. (M)	-	39	1.4 %

PELVIC1 Vaginal or Pelvic Pain

Location: 1730-1731 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	77	2.7 %
-1	N/A	647	22.5 %
1	Always	9	0.3 %
2	Almost Always	37	1.3 %
3	Sometimes	379	13.2 %
4	Almost Never	466	16.2 %
5	Never	1154	40.1 %
6	No Intercourse In Last 6 Mons	73	2.5 %
. (M)	-	39	1.4 %

LUBRICN1 Use of Lubricants

Location: 1732-1733 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	80	2.8 %
-1	N/A	648	22.5 %
1	Always	81	2.8 %
2	Almost Always	110	3.8 %
3	Sometimes	203	7.0 %
4	Almost Never	169	5.9 %
5	Never	1499	52.0 %
6	No Intercourse In Last 6 Mons	52	1.8 %
. (M)	-	39	1.4 %

MASTURB1 Freq of Masturbation

Location: 1734-1735 (width: 2; decimal: 0)

- Study 29221 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Missing	104	3.6 %
-1	N/A	1	0.0 %
1	Not At All	1440	50.0 %
2	Less Than Once/Mon	590	20.5 %
3	Once or Twice/Mon	410	14.2 %
4	About Once/Wk	195	6.8 %
5	More than Once/Wk	95	3.3 %
6	Daily	7	0.2 %
. (M)	-	39	1.4 %

FLGSABV1 Completed after V1 cutoff(01/31/1999)

Location: 1736-1736 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2841	98.6 %
1	Yes	1	0.0 %
. (M)	-	39	1.4 %

PHYDAY1 Physical measures Day

Location: 1737-1739 (width: 3; decimal: 0)

Variable Type: numeric

PULSE1 Pulse, beats/30 seconds

Location: 1740-1741 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	1	0.0 %
20	1	0.0 %
22	4	0.1 %
23	4	0.1 %
24	8	0.3 %
25	9	0.3 %
26	23	0.8 %
27	38	1.3 %
28	78	2.7 %
29	109	3.8 %
30	226	7.8 %
31	163	5.7 %
32	261	9.1 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
33	227	7.9 %
34	263	9.1 %
35	309	10.7 %
36	251	8.7 %
37	182	6.3 %
38	172	6.0 %
39	128	4.4 %
40	115	4.0 %
41	56	1.9 %
42	63	2.2 %
43	46	1.6 %
44	30	1.0 %
45	27	0.9 %
46	17	0.6 %
47	10	0.3 %
48	9	0.3 %
49	7	0.2 %
50	9	0.3 %
51	2	0.1 %
52	2	0.1 %
55	1	0.0 %
56	1	0.0 %
66	1	0.0 %
. (M)	28	1.0 %

SYSBP11

Systolic BP #1

Location: 1742-1744 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
72	1	0.0 %
74	1	0.0 %
76	1	0.0 %
78	1	0.0 %
80	3	0.1 %
82	3	0.1 %
84	8	0.3 %
86	7	0.2 %
88	12	0.4 %
90	36	1.2 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
92	34	1.2 %
94	46	1.6 %
95	1	0.0 %
96	50	1.7 %
98	103	3.6 %
100	165	5.7 %
102	86	3.0 %
104	106	3.7 %
106	97	3.4 %
108	170	5.9 %
110	251	8.7 %
112	120	4.2 %
113	1	0.0 %
114	119	4.1 %
115	5	0.2 %
116	107	3.7 %
117	1	0.0 %
118	161	5.6 %
120	230	8.0 %
122	84	2.9 %
123	1	0.0 %
124	75	2.6 %
125	1	0.0 %
126	74	2.6 %
128	93	3.2 %
130	160	5.6 %
132	44	1.5 %
133	1	0.0 %
134	43	1.5 %
135	1	0.0 %
136	37	1.3 %
138	41	1.4 %
140	61	2.1 %
142	30	1.0 %
144	19	0.7 %
146	22	0.8 %
148	18	0.6 %
150	29	1.0 %
152	16	0.6 %
154	8	0.3 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
156	4	0.1 %
158	9	0.3 %
160	16	0.6 %
161	1	0.0 %
162	6	0.2 %
164	2	0.1 %
166	1	0.0 %
168	3	0.1 %
170	2	0.1 %
172	4	0.1 %
176	1	0.0 %
178	1	0.0 %
180	3	0.1 %
182	2	0.1 %
184	3	0.1 %
190	2	0.1 %
198	1	0.0 %
200	1	0.0 %
. (M)	35	1.2 %

DIABP11

Diastolic BP #1

Location: 1745-1747 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	3	0.1 %
42	2	0.1 %
44	1	0.0 %
46	4	0.1 %
48	4	0.1 %
50	15	0.5 %
52	6	0.2 %
54	21	0.7 %
56	30	1.0 %
58	55	1.9 %
60	126	4.4 %
62	96	3.3 %
64	124	4.3 %
65	2	0.1 %
66	124	4.3 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
68	238	8.3 %
70	371	12.9 %
72	167	5.8 %
74	149	5.2 %
75	25	0.9 %
76	137	4.8 %
77	1	0.0 %
78	186	6.5 %
80	349	12.1 %
82	112	3.9 %
84	92	3.2 %
85	1	0.0 %
86	62	2.2 %
88	93	3.2 %
89	1	0.0 %
90	99	3.4 %
92	48	1.7 %
94	19	0.7 %
96	14	0.5 %
97	2	0.1 %
98	26	0.9 %
100	16	0.6 %
102	2	0.1 %
104	1	0.0 %
106	2	0.1 %
108	6	0.2 %
109	1	0.0 %
110	6	0.2 %
112	4	0.1 %
120	3	0.1 %
. (M)	35	1.2 %

SYSBP21

Systolic BP #2

Location: 1748-1750 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
72	1	0.0 %
74	1	0.0 %
76	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
78	2	0.1 %
80	3	0.1 %
82	1	0.0 %
84	7	0.2 %
86	3	0.1 %
88	12	0.4 %
90	37	1.3 %
92	34	1.2 %
94	60	2.1 %
96	68	2.4 %
98	117	4.1 %
100	136	4.7 %
102	117	4.1 %
104	125	4.3 %
106	126	4.4 %
108	128	4.4 %
110	243	8.4 %
112	123	4.3 %
113	1	0.0 %
114	112	3.9 %
115	5	0.2 %
116	115	4.0 %
117	1	0.0 %
118	145	5.0 %
119	1	0.0 %
120	225	7.8 %
122	92	3.2 %
124	71	2.5 %
125	1	0.0 %
126	81	2.8 %
128	93	3.2 %
130	129	4.5 %
132	53	1.8 %
133	2	0.1 %
134	40	1.4 %
136	39	1.4 %
138	45	1.6 %
140	49	1.7 %
142	24	0.8 %
144	22	0.8 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
146	21	0.7 %
148	19	0.7 %
150	20	0.7 %
152	21	0.7 %
154	11	0.4 %
156	6	0.2 %
158	9	0.3 %
160	13	0.5 %
162	6	0.2 %
164	4	0.1 %
168	4	0.1 %
170	5	0.2 %
174	2	0.1 %
176	2	0.1 %
177	1	0.0 %
180	2	0.1 %
184	3	0.1 %
190	2	0.1 %
192	2	0.1 %
196	1	0.0 %
. (M)	36	1.2 %

DIABP21

Diastolic BP #2

Location: 1751-1753 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	4	0.1 %
42	3	0.1 %
44	3	0.1 %
48	6	0.2 %
50	10	0.3 %
52	14	0.5 %
54	16	0.6 %
56	29	1.0 %
58	55	1.9 %
60	135	4.7 %
62	91	3.2 %
64	120	4.2 %
65	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
66	131	4.5 %
67	1	0.0 %
68	207	7.2 %
70	363	12.6 %
72	196	6.8 %
73	4	0.1 %
74	172	6.0 %
75	19	0.7 %
76	139	4.8 %
77	3	0.1 %
78	238	8.3 %
80	277	9.6 %
82	119	4.1 %
83	1	0.0 %
84	104	3.6 %
86	71	2.5 %
88	84	2.9 %
90	89	3.1 %
92	45	1.6 %
94	22	0.8 %
96	19	0.7 %
97	1	0.0 %
98	16	0.6 %
100	13	0.5 %
102	5	0.2 %
104	2	0.1 %
108	4	0.1 %
110	6	0.2 %
112	3	0.1 %
113	1	0.0 %
116	1	0.0 %
118	1	0.0 %
120	1	0.0 %
. (M)	36	1.2 %

HEIGHT1	Height (in cm)
----------------	-----------------------

Location: 1754-1760 (width: 7; decimal: 2)

Variable Type: numeric

HTMETHO1	Height Measurement Method
-----------------	----------------------------------

Location: 1761-1761 (width: 1; decimal: 0)

- Study 29221 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Stadiometer	2503	86.9 %
2	Portable	271	9.4 %
. (M)	-	107	3.7 %

WEIGHT1 **Weight (in kg)**

Location: 1762-1768 (width: 7; decimal: 3)

Variable Type: numeric

SCALE1 **Weight Scale Type**

Location: 1769-1769 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Balance Beam	1512	52.5 %
2	Clinic Digital	445	15.4 %
3	Portable	820	28.5 %
4	Self-Reported	2	0.1 %
. (M)	-	102	3.5 %

WAIST1 **Waist Circumference**

Location: 1770-1775 (width: 6; decimal: 1)

Variable Type: numeric

WASTMEA1 **Waist measurement taken in:**

Location: 1776-1776 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Undergarments	2288	79.4 %
2	Light Clothing	459	15.9 %
. (M)	-	134	4.7 %

HIP1 **Hip Circumference**

Location: 1777-1782 (width: 6; decimal: 1)

Variable Type: numeric

HIPMEAS1 **Hip Measurement taken in:**

Location: 1783-1783 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Undergarments	2146	74.5 %
2	Light Clothing	595	20.7 %

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	140	4.9 %

BMI1	Body Mass Index
------	-----------------

Location: 1784-1789 (width: 6; decimal: 3)

Variable Type: numeric

HRMDAY1	Hormone measures Day
---------	----------------------

Location: 1790-1792 (width: 3; decimal: 0)

Variable Type: numeric

CYCDAY1	Day of cycle
---------	--------------

Location: 1793-1793 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	341	11.8 %
3	512	17.8 %
4	506	17.6 %
5	510	17.7 %
. (M)	1012	35.1 %

DHAS1	Dehydroepiandrosterone sulfate (ug/dL)
-------	--

Location: 1794-1799 (width: 6; decimal: 1)

Variable Type: numeric

FSH1	Follicle-stimulating hormone (mIU/mL)
------	---------------------------------------

Location: 1800-1805 (width: 6; decimal: 1)

Variable Type: numeric

SHBG1	Sex hormone-binding globulin (nM)
-------	-----------------------------------

Location: 1806-1811 (width: 6; decimal: 1)

Variable Type: numeric

T1	Testosterone (ng/dL)
----	----------------------

Location: 1812-1817 (width: 6; decimal: 1)

Variable Type: numeric

E2AVE1	Estradiol (average, pg/mL)
--------	----------------------------

Location: 1818-1823 (width: 6; decimal: 3)

Variable Type: numeric

FLGCV1	Both E2>20 pg/mL & CV>15%
--------	---------------------------

Location: 1824-1824 (width: 1; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2565	89.0 %
1	Yes	187	6.5 %
. (M)	-	129	4.5 %

FLGDIF1 **1 or both E2<=20 pg/mL & dif>10**

Location: 1825-1825 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2744	95.2 %
1	Yes	8	0.3 %
. (M)	-	129	4.5 %

CVRDAY1 **Cardiovascular measures Day**

Location: 1826-1828 (width: 3; decimal: 0)

Variable Type: numeric

PROTDAY1 **Protein measures Day**

Location: 1829-1831 (width: 3; decimal: 0)

Variable Type: numeric

FLAGSER1 **Lipids measured on serum not plasma**

Location: 1832-1832 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2755	95.6 %
1	Yes	7	0.2 %
. (M)	-	119	4.1 %

CHOLRES1 **Total cholesterol (mg/dl)**

Location: 1833-1835 (width: 3; decimal: 0)

Variable Type: numeric

TRIGRES1 **Triglycerides (mg/dl)**

Location: 1836-1839 (width: 4; decimal: 0)

Variable Type: numeric

LDLRESU1 **Estimated LDL (mg/dl)**

Location: 1840-1842 (width: 3; decimal: 0)

Variable Type: numeric

HDLRESU1 **HDL (mg/dl)**

Location: 1843-1845 (width: 3; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
12	1	0.0 %
18	1	0.0 %
22	2	0.1 %
24	1	0.0 %
26	4	0.1 %
27	1	0.0 %
28	11	0.4 %
29	3	0.1 %
30	7	0.2 %
31	4	0.1 %
32	14	0.5 %
33	6	0.2 %
34	17	0.6 %
35	16	0.6 %
36	37	1.3 %
37	15	0.5 %
38	52	1.8 %
39	34	1.2 %
40	56	1.9 %
41	41	1.4 %
42	66	2.3 %
43	41	1.4 %
44	61	2.1 %
45	61	2.1 %
46	81	2.8 %
47	71	2.5 %
48	81	2.8 %
49	76	2.6 %
50	80	2.8 %
51	66	2.3 %
52	61	2.1 %
53	81	2.8 %
54	80	2.8 %
55	70	2.4 %
56	80	2.8 %
57	87	3.0 %
58	71	2.5 %
59	66	2.3 %
60	74	2.6 %
61	67	2.3 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
62	60	2.1 %
63	67	2.3 %
64	56	1.9 %
65	43	1.5 %
66	71	2.5 %
67	53	1.8 %
68	60	2.1 %
69	42	1.5 %
70	40	1.4 %
71	42	1.5 %
72	25	0.9 %
73	46	1.6 %
74	33	1.1 %
75	31	1.1 %
76	29	1.0 %
77	30	1.0 %
78	23	0.8 %
79	26	0.9 %
80	22	0.8 %
81	16	0.6 %
82	20	0.7 %
83	10	0.3 %
84	15	0.5 %
85	24	0.8 %
86	17	0.6 %
87	9	0.3 %
88	8	0.3 %
89	11	0.4 %
90	12	0.4 %
91	8	0.3 %
92	7	0.2 %
93	6	0.2 %
94	5	0.2 %
95	2	0.1 %
96	5	0.2 %
97	5	0.2 %
98	2	0.1 %
100	8	0.3 %
101	2	0.1 %
102	1	0.0 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
103	1	0.0 %
105	2	0.1 %
106	1	0.0 %
107	3	0.1 %
108	1	0.0 %
112	1	0.0 %
114	1	0.0 %
115	3	0.1 %
118	1	0.0 %
120	2	0.1 %
121	1	0.0 %
. (M)	128	4.4 %

GLUCRES1	Glucose (mg/dl)
-----------------	------------------------

Location: 1846-1848 (width: 3; decimal: 0)

Variable Type: numeric

INSURES1	Insulin (uIU/ml)
-----------------	-------------------------

Location: 1849-1854 (width: 6; decimal: 1)

Variable Type: numeric

FACRESU1	Factor VII (%)
-----------------	-----------------------

Location: 1855-1857 (width: 3; decimal: 0)

Variable Type: numeric

FIBRESU1	Fibrinogen (mg/dl)
-----------------	---------------------------

Location: 1858-1860 (width: 3; decimal: 0)

Variable Type: numeric

PAIRESU1	PAI-1 (ng/ml)
-----------------	----------------------

Location: 1861-1866 (width: 6; decimal: 1)

Variable Type: numeric

TPARESU1	tPA (ng/ml)
-----------------	--------------------

Location: 1867-1871 (width: 5; decimal: 1)

Variable Type: numeric

LPARESU1	Lipoprotein Lp(a) (mg/dl)
-----------------	----------------------------------

Location: 1872-1874 (width: 3; decimal: 0)

Variable Type: numeric

LPA1RES1	Lipoprotein A-1 (mg/dl)
-----------------	--------------------------------

Location: 1875-1877 (width: 3; decimal: 0)

Variable Type: numeric

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	1	0.0 %
19	1	0.0 %
20	3	0.1 %
21	10	0.3 %
22	8	0.3 %
23	13	0.5 %
24	10	0.3 %
25	16	0.6 %
26	16	0.6 %
27	22	0.8 %
28	37	1.3 %
29	27	0.9 %
30	71	2.5 %
31	62	2.2 %
32	68	2.4 %
33	59	2.0 %
34	75	2.6 %
35	87	3.0 %
36	106	3.7 %
37	79	2.7 %
38	91	3.2 %
39	95	3.3 %
40	79	2.7 %
41	100	3.5 %
42	109	3.8 %
43	84	2.9 %
44	95	3.3 %
45	110	3.8 %
46	82	2.8 %
47	81	2.8 %
48	77	2.7 %
49	65	2.3 %
50	77	2.7 %
51	66	2.3 %
52	72	2.5 %
53	60	2.1 %
54	72	2.5 %
55	74	2.6 %
56	69	2.4 %
57	46	1.6 %

- Study 29221 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
58	47	1.6 %
59	55	1.9 %
60	38	1.3 %
61	28	1.0 %
62	27	0.9 %
63	21	0.7 %
64	19	0.7 %
65	14	0.5 %
66	14	0.5 %
67	17	0.6 %
68	11	0.4 %
69	5	0.2 %
70	6	0.2 %
71	5	0.2 %
72	8	0.3 %
73	6	0.2 %
74	7	0.2 %
75	1	0.0 %
76	5	0.2 %
77	10	0.3 %
78	3	0.1 %
79	2	0.1 %
80	3	0.1 %
81	2	0.1 %
82	1	0.0 %
84	2	0.1 %
86	1	0.0 %
87	2	0.1 %
88	1	0.0 %
89	1	0.0 %
94	2	0.1 %
100	1	0.0 %
. (M)	141	4.9 %

APOARES1	Apolipoprotein A-1 (mg/dl)
-----------------	-----------------------------------

Location: 1878-1880 (width: 3; decimal: 0)

Variable Type: numeric

APOBRES1	Apolipoprotein B (mg/dl)
-----------------	---------------------------------

Location: 1881-1883 (width: 3; decimal: 0)

Variable Type: numeric

- Study 29221 -

CRPRESU1 C-reactive protein (mg/l)

Location: 1884-1889 (width: 6; decimal: 3)

Variable Type: numeric

FLGCVRV1 Collected after V1 cutoff (01/31/1999)

Location: 1890-1890 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2761	95.8 %
1	Yes	1	0.0 %
. (M)	-	119	4.1 %

SPSCDAY1 Spine Scan Day

Location: 1891-1893 (width: 3; decimal: 0)

Variable Type: numeric

SPSCTIM1 Spine Scan Time

Location: 1894-1901 (width: 8; decimal: 0)

Variable Type: character

SPSCMOD1 Spine Scan Mode

Location: 1902-1903 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	2000 machine	791	27.5 %
11	4500 machine	1179	40.9 %
. (M)	-	911	31.6 %

HPSCDAY1 Hip Scan Day

Location: 1904-1906 (width: 3; decimal: 0)

Variable Type: numeric

HPSCTIM1 Hip Scan Time

Location: 1907-1914 (width: 8; decimal: 0)

Variable Type: character

HPSCMOD1 Hip Scan Mode

Location: 1915-1916 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	2000 machine	798	27.7 %
11	4500 machine	1213	42.1 %
. (M)	-	870	30.2 %

- Study 29221 -

SPBMDT1 Total Spine BMD w/cross-calibration applied

Location: 1917-1922 (width: 6; decimal: 3)

Variable Type: numeric

HPBMDT1 Total Hip BMD w/cross-calibration applied

Location: 1923-1928 (width: 6; decimal: 3)

Variable Type: numeric

BMDFLG1 PI recommended for spine exclusion

Location: 1929-1929 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	2019	70.1 %
1	Yes	2	0.1 %
. (M)	-	860	29.9 %

Visits 1 & 2 bibliography

Zhang D, Lin X, Sowers M. **Two-Stage Functional Mixed Models for Evaluating the Effect of Longitudinal Covariate Profiles on Scalar Outcome.** Biometrics. 2007;63(2):351-362.

Primary Question: What is the best way to analyze the Daily Hormone Study, with daily urinary hormone profiles across the menstrual cycle, with single measures of an outcome such as bone mineral density?

Summary of Findings: Extensions of the statistical work originally developed and published by Zhang, Lin, and Sowers allow the use of longitudinal and non-linear data (like that occurring in menstrual cycles) to be related to bone mineral density.

Pirraglia PA, Sanyal P, Singer DE, Ferris TG. **Depressive Symptom Burden as a Barrier to Screening for Breast and Cervical Cancers.** Journal of Women's Health. 2004;13(6):731-738.

Primary Question: Women with higher CES-D score and no insurance are less likely have screening for breast and cervical cancer.

Summary of Findings: High Depressive symptom burden was independent predictor predictor of lower odds of cancer screening in women. Depression may be a modifiable factor in improving rates of cancer screening in women.

Bair YA, Gold EB, Azari RA, Greendale G, Sternfeld B, Harkey MR, Kravitz RL. **Use of conventional and complementary health care during the transition to menopause: longitudinal results from the Study of Women's Health Across the Nation (SWAN).** Menopause. 2005;12(1):31-39.

Primary Question: Are women replacing conventional health care with complementary and alternative medicine (CAM) during menopause?

Summary of Findings: Rather than replacing conventional health services, women who use CAM also use more conventional health care. Additionally, women with more consistent CAM use also had increasing conventional health care contacts throughout a 2 year period.

Sternfeld B, Wang H, Quesenberry CP Jr, Abrams B, Everson-Rose SA, Greendale GA, Matthews KA, Torrens JI, Sowers M. **Physical Activity and Changes in Weight and Waist Circumference in Midlife Women: Findings from the Study of Women's Health Across the Nation.** American Journal of Epidemiology. 2004;160(9):912-922.

Primary Question: How does aging, change in menopausal status and change in physical activity affect changes in body fat and fat distribution during mid-life?

Summary of Findings: Weight and waist circumference increased on average, but was not related to change in menopausal status. Women who increased participation in sports/exercise and daily routine activity had less of an increase in weight and waist, while those who decreased their activity level had the greatest gains.

Everson-Rose SA, Meyer PM, Powell LH, Pandey D, Torrens JI, Kravitz HM, Bromberger JT, Matthews KA. **Depressive Symptoms, Insulin Resistance, and Risk of Diabetes in Women at Midlife.** Diabetes Care. 2004;27(12):2856-2862.

Primary Question: Does a high level of depressive symptoms predict increased risk of diabetes and increases in insulin resistance over time? Do associations vary by race?

Summary of Findings: Compared to Caucasian women, African-American women with a symptom score of 16 or higher on our measure of depression showed elevated risk of developing diabetes over 3 years of follow-up that could not be explained by known diabetes risk factors. Depressed African-Americans similarly showed significant increases in insulin

resistance over time, compared to non-depressed women. Depression was not related to changes in insulin resistance among the other racial groups.

Randolph JF Jr, Sowers M, Bondarenko IV, Harlow SD, Luborsky JL, Little RJ. **Change in Estradiol and Follicle-Stimulating Hormone across the Early Menopausal Transition: Effects of Ethnicity and Age.** Journal of Clinical Endocrinology and Metabolism. 2004;89(4):1555-1561.

Primary Question: To assess whether ethnic differences exist in the patterns of change in estradiol (E2) and follicle-stimulating hormone (FSH) and, if so, whether these differences are explained by host characteristics

Summary of Findings: Serum E2 concentrations decreased significantly with age, with a steeper decline at higher ages. FSH concentrations increased significantly with age, with a steeper increase at higher ages. Similar patterns in the decline of E2 and the increase in FSH with age were found across ethnic groups, but the levels of these hormones differed by race/ethnicity. These ethnic differences in E2 and FSH were independent of menopausal status. The effect of BMI on serum E2 and FSH levels varied by menopausal status.

Sowers MR, Jannausch M, McConnell D, Little R, Greendale GA, Finkelstein JS, Neer R, Johnston J, Ettinger B. **Hormone Predictors of Bone Mineral Density Changes during the Menopausal Transition.** Journal of Clinical Endocrinology and Metabolism. 2006;91(4):1261-1267.

Primary Question: Do the hormones that are associated with the menopause change, particularly estradiol and follicle stimulating hormone, or their 4-year changes predicted the loss of bone mineral density?

Summary of Findings: Over the 4-year observation period, there was a 5.6%, 3.9%, and 3.2% LS BMD loss, respectively, among pre- and early perimenopausal women who became postmenopausal (natural), postmenopausal (surgical) or late perimenopausal. This is the first study that has shown that baseline FSH concentration and 4-year FSH rise predicted 4-year spine and hip BMD loss. The manuscript identifies how much bone might be lost based on the level of FSH at the baseline and how much FSH changes over the 4-year period. The combination of baseline E2 and its 4-year change were not predictive of BMD loss. Further, neither testosterone, Free Androgen Index, nor dehydroepiandrosterone-sulfate concentrations were associated with BMD changes.

Gold EB, Colvin A, Avis N, Bromberger J, Greendale GA, Powell L, Sternfeld B, Matthews K. **Longitudinal Analysis of the Association Between Vasomotor Symptoms and Race/Ethnicity Across the Menopausal Transition: Study of Women's Health Across the Nation.** American Journal of Public Health. 2006;96(7):1226-1235.

Primary Question: We had 3 goals, to determine: a) whether VMS reporting differs by race/ethnicity, b) the trajectory of VMS reporting by race/ethnicity over the perimenopausal transition, and c) whether racial/ethnic differences in VMS are explained by differences in other factors.

Summary of Findings: Transition to late perimenopause was the strongest predictor of VMS (adjusted odds ratio [AOR]=6.64, 95% CI 4.80, 9.20). VMS reporting was highest in African Americans (AOR=1.63, 95% CI 1.21, 2.20). Age (AOR=1.17, 95% CI 1.13, 1.21), lower education (AOR=1.91, 95% CI 1.40, 2.61), increasing body mass index (AOR=1.03, 95% CI 1.01, 1.04) and smoking (AOR=1.63, 95% CI 1.25, 2.12), and anxiety (AOR=3.10, 95% CI 2.33, 4.12) were significantly independently related to VMS.

Lasley BL, Santoro N, Randolph JF, Gold EB, Crawford S, Weiss G, McConnell DS, Sowers MF. **The Relationship of Circulating Dehydroepiandrosterone, Testosterone, and Estradiol to Stages of the Menopausal Transition and Ethnicity.** Journal of Clinical Endocrinology and Metabolism. 2002;87(8):3760-3767.

Primary Question: Is adrenal function is associated with stages of ovarian function during the menopausal transition?

Summary of Findings: There is no uniform predictable decline in circulating dehydroepiandrosterone (DHEAS) in women undergoing the menopause transition. Circulating DHEAS concentrations transiently increase in some individuals, and this transient increase is linked to the later stages of the menopause transition. Changes and variability of DHEAS in the later menopause transition differed among the different ethnic groups. The linkage of ovarian function to adrenal function underscores the importance of characterizing ovarian status when studying women, and highlights the need for further mechanistic elucidation of the pathways responsible for transient adrenal androgen activation.

Bair YA, Gold EB, Greendale GA, Sternfeld B, Adler SR, Azari R, Harkey M. **Ethnic Differences in Use of Complementary and Alternative Medicine at Midlife: Longitudinal Results From SWAN Participants.** American Journal of Public Health. 2002;92(11):1832-1840.

Primary Question: What is the prevalence of and what are the longitudinal correlates of use of complementary and alternative medicine (CAM) among mid-life women?

Summary of Findings: Almost half of the women in SWAN used some kind of CAM at baseline, including herbs (18%), nutritional remedies (32%), psychological methods (20%), physical methods (20%) and folk medicine (6%). Women who reported psychological symptoms or used complementary and alternative medicines at baseline were mostly likely to be using CAM at the first year follow-up.