ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 30142

Study of Women's Health Across the Nation (SWAN), 2000-2002: Visit 04 Dataset

Codebook

Study of Women's Health Across the Nation (SWAN), 2000-2002: Visit 04 Dataset

Kim Sutton-Tyrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran Sowers
University of Michigan

Robert Neer
Massachusetts General Hospital, Boston

Lynda Powell
Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen Gold
University of California-Davis

Gail Greendale
University of California-Los Angeles

Gerson Weiss
University of Medicine and Dentistry - New Jersey Medical School

Karen Matthews
University of Pittsburgh

Sonja McKinlay
New England Research Institutes

Terms of Use

Information about Copyrighted Content

Swan

STUDY of WOMEN'S HEALTH ACROSS the NATION

FOLLOW-UP VISIT 04

CODEBOOK

PAGE INTENTIONALLY BLANK

TABLE OF CONTENTS

DOCUMENTATION FOR THE PUBLIC-USE SWAN VISIT 04 DATASET

1. Who is included in the public use dataset:

The dataset contains follow-up visit 4 information for the 3,302 women from the 7 clinical sites participating in the SWAN longitudinal study. The sites include Boston, MA, Pittsburgh, PA, Oakland and Los Angeles, CA, Detroit, MI, Newark, NJ, and Chicago, IL.

2. How this codebook is constructed:

Following this documentation section are copies of each of the questionnaires that were used at visit 4. A list of additional variables is also provided. The questionnaires include the variables available for public use next to the question in bold red uppercase underlined letters. Those variables not available for public use have a # before the variable and are in blue. Any special notes are indicated with footnotes at the bottom of the page.

The assigned participant ID has been replaced with a randomly generated SWANID in order to protect participant privacy. The *baseline* interview date is denoted as day 0 and is used as the basis for all other dates. All other questionnaires or data collected that have a date attached have been converted to the number of days from the baseline interview. For example, if the Visit 4 Self-Administered Questionnaire Part A was collected 4 years after the baseline interview, the day for the Self-Administered Part A would be day 1460 and the Baseline Interview would be day 0.

All variables for visit 4 have a 4 at the end of the variable name.

3. Missing data coding:
The following coding convention is used to indicate different forms of missing data:
- -9 = Missing
- -8 = Do not know
- -7 = Refused
- -1 = Not Applicable

4. Ways this data can be used and additional notes

Interview Questionnaire

In general, any 'Other, specify' text field is not included in the dataset.
- A menopausal status variable STATUS4 was derived for all analyses of the SWAN data for the patient at visit 4.
- Age (AGE4) was calculated from date of birth to when the interview form was completed, and is rounded to the next lowest integer.
- A social support score can be calculated from the questions in C.8.a-d after recoding them from a 1-5 range to a 0-4 range.
- CES-D scores can be created from the questions in C.10.
- A perceived stress score can be created from questions in C.9.
- The flag FORMFLG4 is set with a value of AIN for the seven participants who completed the abbreviated interview instead of the full interview.

Self-Administered Questionnaire Part A

A Self-A Amended Telephone Interview (PATI), comprised of key questions from the core Follow-up Self-Administered Questionnaire Part A, was administered at study visits in cases where the Self-Administered Questionnaire was not completed. Similarly, an Abbreviated Follow-up Interview (AINT), comprised of key questions from the core Annual Follow-up Interview and Self-Administered Questionnaire Part A, was administered for participants who are not willing to come in for a core study visit, but who were willing to give 10 or 15 minutes of their time to answer questions over the telephone. The flag FORMSAA4 delineates those who did the full questionnaire (SAA) from the 38 participants who did the abbreviated questionnaire (AIN), and the 3 that did the phone interview (PAT).

- The income question G.1 was condensed so that the income ranges were more broadly defined.
- Current smoking is defined as anyone who answered 'yes' to question B.10 (SMOKERE4) and an answer greater than 0 for B.10a (AVGCIGDA4).

- o Please note that only 2 subscales of the SF36 were created at visit 04: bodily pain and vitality. The SWAN investigators decided not to ask the questions related to the other 3 subscales at visit 04. These scores can be derived based on questions B.16-18 according to the SF-36 User's Manual. Responses may need to be reversed where necessary so that all items are positively scored. A higher value indicates better functioning. The Bodily Pain Score is calculated from questions B.16 and B.17. Item recoding depends on whether both questions were answered or one of the items has missing data. After recoding, all the items are positively scored so that a higher score indicates less pain. The SF-36 Vitality Score is calculated from questions B.18a-d. Questions B.18.a and B.18.b should be reversed so that all items are positively scored; for the resulting index a higher score indicates greater energy (and less fatigue).
- o The flag FLGSAAV4 is set for the two participants who completed the questionnaire after the 01/31/2002 cutoff.

Self-Administered Questionnaire Part B

- o The flag FLGSABV4 is set for the two participants who completed the questionnaire after the 01/31/2002 cutoff.

Physical Measures

- o In addition to the variables on the form, BMI4 was also calculated as weight in kilograms divided by the square of height in meters.
- o The flag FLGPHYV4 is set for the participants who completed either the full physical (PHY), abbreviated interview (AIN), or the phone interview (PAT). The two latter flags result in no physical measures present for the visit.

Cognitive Function Form

- o Individual and summary scores are available for the following tests: East Boston Memory Test (both the immediate and delayed recall of a story), Symbol Digits Modalities Test, and the Digits Backward Test.
- o The flag FLGCOGV4 is set for the three participants who completed the questionnaire after the 01/31/2002 cutoff.
- o Several special codes were used in this dataset to indicate why tests (and test items) were not administered:
  6 = Not administered because of physical impairment
  7 = Not administered because of verbal refusal
  8 = Not administered because of a behavioral reason
  9 = Not administered for some other reason

 Additional Measures

Serum Hormone Measures

The Visit 4 hormone results are included. Of special note is that the estradiol assay was run in duplicate. The average (E2AVE4) is the within-person arithmetic average of the two assays. A flag indicates if the estradiol results differed by > 10 pg/mL where one or both results <= 20 pg/mL. Hormone results below the lower level of detection (LLD- see table in the Additional Measures section) were recoded to an .L value. Note that neither DHAS measurement nor FSH had any values below the LLD.

Cardiovascular Measures

- o The Visit 4 cardiovascular results are included. A flag (FLAGSER4) indicates that the lipids were measured on serum rather than plasma because plasma was not available.
- o The flag FLGCVRV4 is set for the three participants who completed the visit after the 1/31/2002 cutoff.

Bone Mineral Density Measures

Five of the seven sites participated in the bone study – Detroit, MI, Boston, MA, Oakland and Los Angeles, CA, and Pittsburgh, PA. Total spine and total hip bone mineral density (BMD) measures are provided.

Study of Women's Health Across the Nation

ANNUAL FOLLOW-UP INTERVIEW

SECTION A.   GENERAL INFORMATION

AFFIX ID LABEL HERE

A1.   RESPONDENT ID: **SWANID˜**

A2.   SWAN STUDY VISIT #   _____ _____   **VISIT**

A3.   FORM VERSION: 01/01/2000   **#FORM_V**

A4.   DATE FORM COMPLETED: ___ ___ / ___ ___ / ___ ___ ___ ___
                                                  M M   D   D   Y   Y   Y   Y   **INTDAY4†**

A5.   INTERVIEWER'S INITIALS: ___ ___ ___   **#INITS**

A6.   RESPONDENT'S DOB: ___ ___ / ___ ___ / _1_ _9_ ___ ___
                                                  M M   D   D   Y   Y   Y   Y   **#DOB**
                                                  VERIFY WITH RESPONDENT

A7.   INTERVIEW COMPLETED IN: **#LOCATIO4**

       RESPONDENT'S HOME 1
       CLINIC/OFFICE 2
       RESPONDENT'S HOME BY PROXY 3
       CLINIC/OFFICE BY PROXY 4
       TELEPHONE 5
       TELEPHONE BY PROXY 6

A7.1   INTERVIEW LANGUAGE: **LANGINT4**

       ENGLISH 1
       SPANISH 2
       CANTONESE.. 3
       JAPANESE 4

A8.   Are you currently pregnant?   **PREGNAN4**

       NO... 1
       YES.. 2
       DON'T KNOW .... -8

A9.   WAS BLOOD FOR THIS ANNUAL FOLLOW-UP DRAWN PREVIOUS TO THIS INTERVIEW DATE?
                                    PREVBLO4
       NO... 1
       YES..2 **(GO TO PAGE 3)**

˜ A randomly generated ID will be provided that is different from the original ID
† This date is given in days since the initial baseline interview, which is day zero.

 # Variable Excluded from Public Use Data File

Before we draw a blood sample I need to ask you a few questions.

A10.   Have you had anything to eat or drink, other than water, in the last 12 hours? That is,
        since __ __ : __ __ last night?   **EATDRIN4**

                NO 1
                YES.. 2

A11.   Did you start a menstrual period in the last 5 days?   **STRTPER4**

                NO .... 1 **(A13)**
                YES.. 2 **(A12)**

A12.   What is the date that you started to bleed?   **DAYBLE4**[†]

                ___ ___ / ___ ___ / ___ ___ ___ ___
                 M   M   D   D   Y   Y   Y   Y

A13.   BLOOD DRAW ATTEMPTED?   **BLDRWAT4**

                YES, AS PER PROTOCOL .... 1 **(A14)**
                YES, MENSES TOO VARIABLE... 2 **(A14)**
                YES, LAST ATTEMPT .... 3 **(A14)**
                YES, RESPONDENT PREGNANT .... 4 **(A14)**
                NO, NOT FASTING AND/OR NOT IN WINDOW - RESCHEDULE .... 5 **(A13.1)**

A13.1	Unfortunately this is not the best time to draw a blood sample. In order to get the best possible information for this study, we need you to fast for 12 hours and to be within 5 days of starting a menstrual period. We need to reschedule a good day to draw your blood.
	    [INTERVIEWER HAND INSTRUCTION CARD TO RESPONDENT AND EXPLAIN]
	    GO TO SECTION B ON THE NEXT PAGE

A14.	FOLLOW BLOOD DRAW PROTOCOL RECORD COLLECTION TUBES FILLED ON SPECIMEN COLLECTION FORM

A15.   BLOOD DRAWN?   **BLDDRAW4**

                NO 1
                YES.. 2

[†] This date is given in days since the initial baseline interview.
 # Variable Excluded from Public Use Data File

ASK RESPONDENT TO GATHER PRESCRIPTION MEDICATIONS SO THEY ARE WITHIN REACH.   REMEMBER, DO NOT READ OUT LOUD ANY SCRIPT IN CAPITAL LETTERS.

I would like to begin the interview by asking you some questions about prescribed and over - the - counter (OTC) medications.

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are <u>prescribed</u> by your doctor or other health care provider, that you have taken **since your last study visit**.

IF YES TO ANY, RECORD
MEDICATION NAME IN THE SPACES
PROVIDED

<u>PRESCRIPTION DRUGS</u>
IF YES:

	NO	YES	a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month?		c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?	
Since your last study visit....				NO	YES	NO	YES
B1. Have you taken any medication, pills or other medicine to thin your blood (anticoagulants)? **ANTICO14**	1	2	_____ #ACOAMD14	1	2 **ACOATW14**	1 #ACOAVR14	2
ANTICO24	1	2	_____ #ACOAMD24	1	2 **ACOATW24**	1 #ACOAVR24	2
B2. Anything for your heart or heart beat, including pills or patches? **HEART14**	1	2	_____ #HARTMD14	1	2 **HARTTW14**	1 #HARTVR14	2
HEART24	1	2	_____ #HARTMD24	1	2 **HARTTW24**	1 #HARTVR24	2
B3. Any medications for cholesterol or fats in your blood? **CHOLST14**	1	2	_____ #CHOLMD14	1	2 **CHOLTW14**	1 #CHOLVR14	2
CHOLST24	1	2	#CHOLMD24	1	2 **CHOLTW24**	1 #CHOLVR24	2
B4. Blood pressure pills? **BP14**	1	2	_____ #BPMED14	1	2 **BPTW14**	1 #BPVER14	2
BP24	1	2	#BPMED24	1	2 **BPTW24**	1 #BPVER24	2

 # Variable Excluded from Public Use Data File

Since your last study visit, have you taken…	NO	YES	a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month? NO	YES	c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL? NO	YES
B5. Diuretics for water retention?	1	2		1	2	1	2
				#DIURMD14 **DIURTWI4**		**#DIURVR14**	
DIURET14	1	2		1	2	1	2
DIURET24				**#DIURMD24** **DIURTW24**		**#DIURVR24**	
B6. Thyroid pills?	1	2		1	2	1	2
				#THYRMD14 **THYR TW14**		**#THYRVR14**	
THYROI14	1	2		1	2	1	2
THYROI24				**#THYRMD24** **THYRTW24**		**#THYRVR24**	
B7. Insulin or pills for sugar in your blood?	1	2		1	2	1	2
				#INSUMD14 **INSUTW14**		**#INSUVR14**	
INSULN14	1	2		1	2	1	2
INSULN24				**#INSUMD24** **INSUTW24**		**# INSUVR24**	
B8. Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?	1	2		1	2	1	2
	1	2		1	2	1	2
				#NERVMD14 **NERVTW14**		**#NERVVR14**	
NERVS14, NERVS24				**#NERVMD24** **NERVTW24**		**#NERVVR24**	
B9. Steroid pills such as Prednisone, or cortisone?	1	2		1	2	1	2
				#STERMD14 **STERTW14**		**#STERVR14**	
STEROI14	1	2		1	2	1	2
STEROI24				**#STERMD24** **STERTW24**		**#STERVR24**	
B10. Fertility medications to help you get pregnant (Pergonal, Clomid)?	1	2		1	2	1	2
				#FRTLMD14 **FRTLTW14**		**#FRTLVR14**	
FERTIL14	1	2		1	2	1	2
FERTIL24				**#FRTLMD24** **FRTLTW24**		**#FRTLVR24**	

HORMONE QUESTIONS B11-15:

| | | a. What is the name of the medication? | b. Have you been taking it during the past month? | c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL? |

Since your last study visit, have you taken...	NO	YES		NO	YES	NO	YES
B11. Birth Control pills?	1 **(B12)**	2	BCPMED14	1	2	1	2
BCP14				**BCPTWI14**		**#BCPVER14**	
	1	2	BCPMED24	1	2	1	2
BCP24				**BCPTWI24**		**#BCPVER24**	

B11.d For your most recent use, what was the <u>primary</u> reason for taking birth control pills? **BCREAS4**

TO PREVENT PREGNANCY	1
TO HELP CONTROL PRE-MENSTRUAL SYMPTOMS....................................	2
TO HELP CONTROL MENOPAUSAL SYMPTOMS	3
TO CONTROL OTHER SYMPTOMS	4
TO REGULATE PERIODS...	5
TO PREVENT OSTEOPOROSIS	6
TO REDUCE BLEEDING..	7
OTHER	8
(SPECIFY) _____ **BCRES_S4**	
DON'T KNOW..	-8

	NO	YES		NO	YES	NO	YES
B12. Estrogen pills (such as Premarin, Estrace, Ogen, etc)?	1 **(B13)**	2		1	2	1	2
			#ESTRMD14	**ESTRTW14**		#ESTRVR14	
ESTROG14, ESTROG24	1	2		1	2	1	2
			#ESTRMD24	**ESTRTW24**		#ESTRVR24	

B12.d IF YES: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?
[IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]

ESTRDA14		**ESTRDA24**	
1. EVERY DAY...................1		2. EVERY DAY...................1	
OFF AND ON..................2		OFF AND ON..................2	
DON'T KNOW...............-8		DON'T KNOW...............-8	

Since your last study visit, have you taken...	NO	YES		NO	YES	NO	YES
B13. Estrogen by injection or patch (such as Estraderm)?	1	2	#EINJMD14	1	2	1	2
				EINJTW14		#EINJVR14	
	1	2	#EINJMD24	1	2	1	2
ESTRNJ14, ESTRNJ24				**EINJTW24**		#EINJVR24	
				COMBTW14		#COMBVR14	
B14. Combination estrogen/progestin (such as Premphase or Prempro)?	1	2	#COMBMD14	1	2	1	2
				COMBTW24		#COMBVR24	
COMBIN14, COMBIN24	1	2	#COMBMD24	1	2	1	2

 # Variable Excluded from Public Use Data File

	a. What is the name of the medication?	b. Have you been taking it during the past month?	c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?

Since your last study visit, have you taken...	NO	YES		NO	YES	NO	YES
B15. Progestin pills (such as Provera)? **PROGES14** **PROGES24**	1 **(B16)** 1	2 2	#PROGMD14 #PROGMD24	**PROGTW14** 1 **PROGTW24** 1	2 2	#PROGVR14 1 #PROGVR24 1	2 2

B15.d   IF YES: Does/Did your prescription have you take progestin daily or on and off on a monthly cycle?
[IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]

PROGDA14	**PROGDA24**
1. EVERY DAY 1	2. EVERY DAY 1
OFF AND ON 2	OFF AND ON 2
DON'T KNOW .... -8	DON'T KNOW .... -8

	NO	YES		NO	YES	NO	YES
B16. Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol)? **OSTEPR14** **OSTEPR24**	1 1	2 2	#OSTEMD14 #OSTEMD24	**OSTETW14** 1 1 **OSTETW24**	2 2	#OSTEVR14 1 1 #OSTEVR24	2 2

	NO	YES		NO	YES	NO	YES
B17. Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (PLEASE LIST)	1	2		1	2	1	2
	1	2		1	2	1	2
OTHMED14-OTHMED94	1	2	#OTHRMD14 - #OTHRMD94	1 **OTHRTW14** **OTHRTW94**	2	1 #OTHRVR14 #OTHRVR94	2
	1	2		1	2	1	2
	1	2		1	2	1	2
OTHME104-OTHME154	1	2	#OTHRM104 - #OTHRM154	1 **OTHTW104** 1 **OTHTW154**	2 2	1 #OTHVR104 1 #OTHVR154	2 2
	1	2		1	2	1	2
	1	2		1	2	1	2

IF RESPONDENT HAS TAKEN ANY HORMONES (IF YES TO ANY OF B12 -15) ASK B19,
OTHERWISE GO TO PAGE 9.

B18. Were you using any prescription medications containing estrogen or progestin at the time of your last study visit?   **ESTLSTV4**

        NO 1
        YES 2   (GO TO
PAGE 9)
        DON'T KNOW ....-8

B19.   I am going to read a list of some reasons why women start taking hormones, <u>not</u> including birth control pills. For each one, please tell me if it is a reason <u>why you</u> started taking hormones. (READ LIST a THROUGH i)

			NO	YES
a.	To reduce the risk of heart disease	**REDUHAR4**	1	2
b.	To reduce the risk of osteoporosis (brittle or thinning bones) **OSTEOPO4**		1	2
c.	To relieve menopausal symptoms	**MENOSYM4**	1	2
d.	To stay young-looking	**YOUNGLK4**	1	2
e.	A health care provider advised me to take them	**HCPADVI4**	1	2
f.	A friend or relative advised me to take them	**FRNADVI4**	1	2
g.	To improve my memory	**IMPRMEM4**	1	2
h.	To regulate periods	**REGPERI4**	1	2
i.	Any other? SPECIFY _____	**HORMOTH4**	1	2
	#HORMSPE4			
j.	DON'T KNOW/REMEMBER	**DONTKNO4**	1	2

IF RESPONDENT REPORTED TAKING ANY HORMONES SINCE HER LAST STUDY VISIT, BUT IS NOT CURRENTLY TAKING ANY (THAT IS, "YES" TO <u>ANY</u> OF B12-15 **AND** "NO" TO <u>ALL</u> OF B12b - 15b), ASK B21, OTHERWISE GO TO PAGE 10.

B20.   Since your last study visit, you were taking some hormones and then stopped. What were your reasons for stopping? PROBE: Any others? [DO NOT READ THE LIST. CODE 1 (NO) OR 2 (YES) FOR EACH ITEM.]

			NO	YES
a.	PROBLEMS WITH BLEEDING	**PRBBLEE4**	1	2
b.	DIDN'T LIKE HAVING PERIODS	**HAVEPER4**	1	2
c.	DIDN'T LIKE HOW I FELT ON THEM	**LIKEFEL4**	1	2
d.	WORRIED ABOUT POSSIBLE SIDE EFFECTS	**SIDEEFF4**	1	2
e.	WORRIED ABOUT CANCER	**CANCER4**	1	2
f.	MY HEALTH CARE PROVIDER ADVISED ME TO STOP (FOR MEDICAL REASONS)	**ADVISTO4**	1	2
g.	TOO EXPENSIVE	**EXPENSI4**	1	2
h.	DON'T LIKE TO TAKE ANY MEDICATIONS	**NOLIKE4**	1	2
i.	COULDN'T REMEMBER TO TAKE THEM	**NOREMEB4**	1	2
j.	DON'T KNOW	**DNTKNOW4**	1	2
k.	OTHER, SPECIFY:	**STOPOTH4** **#STOPSPE4**	1	2
l.	NO REASON GIVEN	**NOREASON4**	1	2

Now I would like to ask you about over-the-counter medications, <u>non-prescription</u>, that you have taken regularly at least 2 times per week for a month or more, since your last study visit.

IF YES TO ANY, RECORD MEDICATION NAME IN THE SPACES PROVIDED			a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month?	
Since your last study visit, have you taken.....	**NO**	**YES**		**NO**	**YES**
B21 Any over-the-counter medications for pain including headaches and arthritis? **PAIN14**	1	2	**#PAINMD14** _____	**PAINTW14** 1	2
PAIN24	1	2	**#PAINMD24**	1 **PAINTW14**	2
B22 Anything for problems sleeping? **SLEEP14**	1	2	_____ **#SLEPMD14**	1 **SLEPTW14**	2
SLEEP24	1	2	**#SLEPMD24**	1 **SLEPTW24**	2
B23 Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? (PLEASE LIST)	1	2	_____ **#OTCMD14**	1 **OTCT W14**	2
	1	2	- **#OTCMD94**	1 - **OTCT W94**	2
OTC14 - OTC94	1	2	_____ **#OTCMD104**	1 **OTCT W104**	2
OTC104 - OTC154	1	2	- **#OTCMD154**	1 - **OTCT W154**	2

B24.   Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

NO .... 1 (Go to Page 11)
YES...2

REGVITA4

B25. IF YES: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? [HAND RESPONDENT CARD "A" AND READ RESPONSE CATEGORIES.]

Multi-Vitamins, how often do you take...	Don't take any	1-3 days per week	4-6 days per week	Every day
a. Regular Once-A-Day, Centrum, or Thera type **ONCEADA4**	1	2	3	4
b. Antioxidant combination type **ANTIOXI4**	1	2	3	4
c. Any others?				
#VTMSPE14, **VTMOTH14**	1	2	3	4
#VTMSPE24, **VTMOTH24**	1	2	3	4
#VTMSPE34, **VTMOTH34**	1	2	3	4
#VTMSPE44, **VTMOTH44**	1	2	3	4

Single Vitamins, not part of multi-vitamins, how often do you take...	Don't take any	1-3 days per week	4-6 days per week	Every day
d. Vitamin A, not beta carotene **VITAMNA4**	1	2	3	4
e. Beta-carotene **BETACAR4**	1	2	3	4
f. Vitamin C **VITAMNC4**	1	2	3	4
g. Vitamin D **VITAMND4**	1	2	3	4
h. Vitamin E **VITAMNE4**	1	2	3	4
i. Calcium or Tums **CALCTUM4**	1	2	3	4
j. Iron **IRON4**	1	2	3	4
k. Any others?				
SPECIFY:				
#VITSPE14, **VITOTH14**	1	2	3	4
#VITSPE24, **VITOTH24**	1	2	3	4
#VITSPE34, **VITOTH34**	1	2	3	4
#VITSPE44, **VITOTH44**	1	2	3	4

 # Variable Excluded from Public Use Data File

IF BLOOD WAS DRAWN (A15 IS YES), GO TO B25. OTHERWISE GO TO B27.

In order to interpret your blood tests, we need to ask you the following questions.

B26   We've just talked about your prescription medications, over-the-counter medications, vitamins, and
        minerals you have taken since your last study visit. What did you take in the last 24 hours?
        [REVIEW SHADED COLUMNS AFTER RESPONDENT ANSWERS.
        IF CURRENT MEDICATION USE REPORTED (YES TO ANY SHADED COLUMN IN B1b-B21b)
        BUT NOT REPORTED HERE, PROBE FOR USE IN LAST 24 HOURS.]

        a.   _____   **#TAKEMDA4**

        b.   _____   **#TAKEMDB4**

        c.   _____   **#TAKEMDC4**

        d.   _____   **#TAKEMDD4**

        e.   _____   **#TAKEMDE4**

        f.   _____   **#TAKEMDF4**

        g.   _____   **#TAKEMDG4**

        h.   _____   **#TAKEMDH4**

        i.   _____   **#TAKEMDI4**

        j.   _____   **#TAKEMDJ4**

B27.   Have you had any alcohol in the last 24 hours?

                                                               ALCHL244
        NO 1
        YES.. 2

B28. During the past year have you used any supplements containing soy protein or phytoestrogen powders or pills? (IF YES: How many times per week?)   **SOYPROT4**

> Don't take any 1
> 1-3 days per week 2
> 4-6 days per week 3
> Every day 4
> DON'T KNOW .... -8

Please look at response card A which we'll be using for the next 3 questions.
[HAND RESPONDENT CARD "A" AND READ RESPONSE CATEGORIES.]

B28. How many bowls of cereal do you eat per week where the label of the cereal box says that it is high in calcium?   **CEREACA4**

> None or fewer than one a week 1
> 1 per week... 2
> 2 per week... 3
> 3-4 per week 4
> 5-6 per week 5
> 7 or more per week 6
> DON'T KNOW .... -8

B28. How many slices of bread do you eat per week when the bread wrapper says the loaf is high in calcium?   **BREADCA4**

> None or fewer than one a week 1
> 1 per week... 2
> 2 per week... 3
> 3-4 per week 4
> 5-6 per week 5
> 7 or more per week 6
> DON'T KNOW .... -8

B28. Some brands of orange juice have extra calcium added. How many glasses of orange juice containing extra calcium do you drink per week?   **ORANGCA4**

> None or fewer than one a week 1
> 1 per week... 2
> 2 per week... 3
> 3-4 per week 4
> 5-6 per week 5
> 7 or more per week 6
> DON'T KNOW .... -8

Now, I'm going to ask you some questions about your health and medical conditions.

B29 **Since your last study visit**, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

			NO	YES	DON'T KNOW
a.	Anemia?	**ANEMIA4**	1	2	-8
b.	Diabetes?	**DIABETE4**	1	2	-8
c	High blood pressure or hypertension?	**HIGHBP4**	1	2	-8
d.	High cholesterol?	**HBCHOLE4**	1	2	-8
e.	Migraines?	**MIGRAIN4**	1	2	-8
f.	Stroke?	**STROKE4**	1	2	-8
g.	Arthritis or osteoarthritis (degenerative joint disease)? **OSTEOAR4**		1	2	-8
h.	Overactive or underactive thyroid?	**THYROID4**	1	2	-8
i.	Heart attack?	**HEARTAT4**	1	2	-8
j.	Angina?	**ANGINA4**	1	2	-8
k.	Osteoporosis (brittle or thinning bones)? **OSTEOPR4**		1	2	-8
l.	DELETED				
m.	Cancer, other than skin cancer?	**CANCERS4**	1 **(B29)**	2	-8 **(B29)**

m.1.   What is/was the primary site of the cancer?   **SITESPE4**

SPECIFY: _____

a. IF BREAST CANCER: Have you taken Tamoxifen since your last study visit?
TAMOXIF4
NO 1
YES.. 2
DON'T KNOW .... -8
NOT APPLICABLE.. -1

b. <u>Since your last study visit</u>, have you received chemotherapy or radiation treatment for this cancer?
CHEMOTH4
NO 1
YES.. 2
DON'T KNOW……………………………………………… -8

B30 **Since your last study visit**, how many times did you break or fracture a bone?
[IF MORE THAN ONE BONE WAS BROKEN DURING THE SAME EVENT COUNT AS ONE TIME.]

_____ # of times broken bones   (IF NONE, GO TO B30)   **BROKEBO4**

a. Which bones did you break or fracture?
    LIST BELOW. [IF BONE WAS BROKEN
MORE THAN ONCE, RECORD EACH BREAK AND
    SPECIFY WHEN "REBROKEN".
    BE SPECIFIC IN IDENTIFYING WHICH BONE
    WAS BROKEN (I.E. RIGHT TIBIA).]

b. How did it happen? Was it for any of the following
    reasons? [HAND RESPONDENT CARD "B"
    AND READ RESPONSE CATEGORIES.]
    • after a fall from a height above the ground
      greater than six inches,
    • in a motor vehicle accident,
    • while moving fast, like running, bicycling or
      skating,
    • while playing sports,
    • **or** because something heavy fell on you or
      struck you.

	NO	YES
1. _____	1	2
BONES14	**HAPPEN14**	
2. _____	1	2
BONES24	**HAPPEN24**	
3. _____	1	2
BONES34	**HAPPEN34**	

Since your last study visit, have you had any of the following surgeries or procedures?	NO	YES	DON'T KNOW
B31 D and C, a scraping of the uterus for any reason, including abortion? **DANDC4**	1 (B31)	2	-8 (B31)
i. Since your last study visit, how many times have you had a D and C? ____ # TIMES **NUMDAND4**			
B32 Hysterectomy (an operation to remove your uterus or womb)? **HYSTERE4**	1 (B32)	2	-8 (B32)
i. When was this performed? [PROMPT FOR YEAR EVEN IF MONTH IS UNKNOWN. ENTER –8 IF MONTH IS UNKNOWN.] __ __ / __ __ __ __ M M Y Y Y Y **HYSTDAY4**[†]			
B33 Did you have one or both ovaries removed (an oophorectomy)? **OOPHORE4**	1 (B33)	2	-8 (B33)
i. Was one ovary removed or were both ovaries removed? **ONEOVAR4** ONE OVARY REMOVED ....1 BOTH OVARIES REMOVED ....2 DON'T KNOW ....-8			
B34a Did you have an endometrial ablation (a procedure to reduce or eliminate menstrual periods by partially or completely destroying the lining of the uterus)? **ABLATIN4**	1	2	-8
B34b Any other uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy? **UTERPRO4**	1	2	-8
B35 Thyroid gland removed? **THYRREM4**	1	2	-8

B36 Since your last study visit, have you had any of the following conditions?	NO	YES	B35.1 IF YES, has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?	
			NO	YES
a. endometriosis diagnosed by a physician (abnormal growths in lining of uterus) **ENDO4**	1	2	1 **ENDODIF4**	2
b. pelvic pain (pain in the lowest part of the abdomen) **PELVCPN4**	1	2	1 **DIFPELV4**	2
c. pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina) **PROLAPS4**	1	2	1 **DIFPROL4**	2
d. pelvic cancer (cancer of the vulva, cervix, uterus, or ovaries) **PELVCNC4**	1	2	1 **DIFCANC4**	2
e. abnormal vaginal bleeding (bleeding from the vagina that is different enough from your normal pattern to be a concern: irregular, heavy, or long in duration) **ABBLEED4**	1	2	1 **DIFBLED4**	2
f. fibroids (benign growths in the uterus or womb) **FIBRUTR4**	1	2	1 **DIFFIBR4**	2

[†] This date is given in days since the initial baseline interview.

Variable Excluded from Public Use Data File

We are interested in learning more about your health care decisions. All of your responses will be kept strictly confidential.

B37 Do you have a health care provider from whom you primarily get your care for women's health conditions? (If you have an obstetrician or gynecologist (ob/gyn), refer to him or her. If you don't, refer to the person from whom you get care for women's health. We will not contact your provider unless we request your specific written permission.)

PRVIDER4

No .... 1 (**GO TO PAGE 17**)
Yes 2

B38 What is the name of this health care provider? _____ _____
                                                                              (FIRST)   (LAST)
                                                              #PRVNAME4   **#PRVLAST4**

B39 In what city or town and what state do you see this health care provider?

_____   _____
      CITY/TOWN   STATE
   #PRVTOWN4   **#PRVSTAT4**

B40 What professional degree does this health care provider have? If you are not sure, please make your best guess: [HAND RESPONDENT CARD "C" AND READ RESPONSE CATEGORIES.]
     PROFDEG4

Medical Doctor (MD) 1
Doctor of Osteopathy (DO) 2
Chiropractor (DC) 3
Registered Nurse (RN) .... 4 **(B41)**
Nurse Practitioner (NP) .... 5 **(B41)**
Physician Assistant (PA) .... 6 **(B41)**
Other: Specify   **SPECIFY4**_____ 7
DON'T KNOW .... -8 **(B41)**

B41 Which of the following best describes this provider's specialty?   **PROVSPC4**

A family practitioner 1
An internist 2
An obstetrician or gynecologist 3
A naturopath (one who uses non-medicinal therapy) 4
Other: Specify   **SPECIAL4**_____ 5
No specialty 6
DON'T KNOW .... -8

B42 On average, how much time does this health care provider spend with you at each visit?   **PROVTIM4**

0-5 minutes 1
6-10 minutes 2
11-15 minutes 3
16-20 minutes 4
21-30 minutes 5
more than 30 minutes 6
DON'T KNOW .... -8

Now I would like to ask you about your menstrual periods.

C1.   Did you have any menstrual bleeding since your last study visit?   **BLEEDNG4**
        NO 1   **(C6)**
        YES 2

C2.   Did you have any menstrual bleeding in the <u>last 3 months</u>?   **BLD3MON4**

        NO 1
        YES 2

C3.   What was the date that you started your most recent menstrual bleeding? [PROMPT FOR MONTH AND YEAR, EVEN IF DAY IS UNKNOWN. ENTER -8 FOR DAY FIELD IF UNKNOWN]

        ___ ___ / ___ ___ / ___ ___ ___ ___
         M   M   D   D   Y   Y   Y   Y   **LMPDAY4**[†]

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were <u>not using birth control pills or other hormone medications</u>.

C4.   Which of the following <u>best</u> describes your menstrual periods since your last study visit? Have they:
[HAND RESPONDENT CARD "C"]   **DESCPER4**

        Become farther apart? 1
        Become closer together? 2
        Occurred at more variable intervals? 3
        Stayed the same? 4
        Become more regular? 5
        DON'T KNOW ....-8
        NOT APPLICABLE..-1

C5.   A menstrual <u>cycle</u> is the period of time from the <u>beginning of bleeding</u> from one menstrual period to the <u>beginning of bleeding</u> of the next menstrual period. Since your last study visit, what was the <u>usual</u> length of your menstrual cycles?   **LENGCYL4**
        LESS THAN 24 DAYS 1
        24-35 DAYS...2
        MORE THAN 35 DAYS...3
        TOO VARIABLE OR IRREGULAR TO SAY 4
        DON'T KNOW..-8

C6.   Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies.   **PRGNANT4**

        NO 1   **(C7)**
        YES 2

    a. IF YES: [HAND RESPONDENT CARD "D"] What was the outcome of the pregnancy?
       [READ RESPONSE CATEGORIES. IF RESPONDENT WAS PREGNANT MORE THAN ONCE SINCE LAST VISIT, RECORD OUTCOME OF MOST RECENT PREGNANCY.]   **OUTCOME4**

        Live birth 1
        Still birth..2   **(C7)**
        Miscarriage 3   **(C7)**
        Abortion...4   **(C7)**
        Tubal/ectopic pregnancy..5   **(C7)**
        Still pregnant 6   **(C7)**

    b. FOR LIVE BIRTHS ONLY: Are you currently breastfeeding?   **BRSTFEE4**
        NO 1
        YES 2

[†] This date is given in days since the initial baseline interview.

 # Variable Excluded from Public Use Data File

The next few questions focus on some other personal aspects of your life

C7. Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. [HAND RESPONDENT CARD "F"] Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10.

0	1	2	3	4	5	6	7	8	9	10
Worst Possible Quality										Best Possible Quality

QLTYLIF4

C8. People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it?
[HAND RESPONDENT CARD "G" AND READ RESPONSE CATEGORIES]

		None of the time	A little of the time	Some of the time	Most of the time	All of the time
a.	Someone you can count on to listen to you when you need to talk? **LISTEN4**	1	2	3	4	5
b.	Someone to take you to the doctor if you needed it? **TAKETOM4**	1	2	3	4	5
c.	Someone to confide in or talk to about yourself or your problems? **CONFIDE4**	1	2	3	4	5
d.	Someone to help with daily chores if you were sick? **HELPSIC4**	1	2	3	4	5

C9. I would now like to ask you about your feelings over the past two weeks. Tell me how often you have felt or thought this way. [HAND RESPONDENT CARD "H" AND READ RESPONSE CATEGORIES]

	*[READ STEM INSTRUCTIONS] In the past two weeks you have:	Never	Almost Never	Sometimes	Fairly Often	Very Often
*a.	Felt unable to control important things in your life? **CONTROL4**	1	2	3	4	5
*b.	Felt confident about your ability to handle your personal problems? **ABILITY4**	1	2	3	4	5
c.	Felt that things were going your way? **YOURWAY4**	1	2	3	4	5
d.	Felt difficulties were piling so high that you could not overcome them? **PILING4**	1	2	3	4	5

 # Variable Excluded from Public Use Data File

C10   I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved **this way during the past week**. [HAND RESPONDENT CARD "H" AND READ RESPONSE CATEGORIES]

* [READ STEM INSTRUCTIONS] During the past week:	Rarely or none of the time (less than 1 DAY)	Some or a little of the time (1-2 DAYS)	Occasionally or a moderate amount of the time (3-4 DAYS)	Most or all of the time (5-7 DAYS)
*a. I was bothered by things that usually don't bother me **BOTHER4**	1	2	3	4
*b. I did not feel like eating; my appetite was poor **APPETIT4**	1	2	3	4
*c. I felt that I could not shake off the blues even with help from my friends **BLUES**	1	2	3	4
d. I felt that I was just as good as other people **GOODS**	1	2	3	4
e. I had trouble keeping my mind on what I was doing **KEEPMIN4**	1	2	3	4
f. I felt depressed **DEPRESS4**	1	2	3	4
*g. I felt that everything I did was an effort **EFFORT4**	1	2	3	4
h. I felt hopeful about the future **HOPEFUL4**	1	2	3	4
i. I thought my life had been a failure **FAILURE4**	1	2	3	4
j. I felt fearful **FEARFUL4**	1	2	3	4
*k. My sleep was restless **RESTLES4**	1	2	3	4
l. I was happy **HAPPY4**	1	2	3	4
m. I talked less than usual **TALKLES4**	1	2	3	4
n. I felt lonely **LONELY4**	1	2	3	4
*o. People were unfriendly **UNFRNDL4**	1	2	3	4
p. I enjoyed life **ENJOY4**	1	2	3	4
q. I had crying spells **CRYING4**	1	2	3	4
r. I felt sad **SAD4**	1	2	3	4
*s. I felt that people disliked me **DISLIKE4**	1	2	3	4
t. I could not get going **GETGOIN4**	1	2	3	4

 # Variable Excluded from Public Use Data File

OCCUPATIONAL QUESTIONS

These next few questions concern employment. I'm going to ask you to tell me about any <u>changes</u> in your employment <u>since your last study visit</u>.

D1. Since your last study visit, has there been a change in any of your jobs, that is: your place of employment, your job title, or your usual job tasks? **CHNGJOB4**

NO ....1 **(D3)**
YES 2
N/A ....-1 **(D6)**

D2. During the <u>past 2 weeks</u>, did you work at any time at a job or business, including work for pay performed at home? (Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.) **JOB4**

NO ....1 **(D6)**
YES 2

    a. For each paid job you have had in the last two weeks, what was your job title?

           #JOBTIT14
        JOB #1 _____

           #JOBTIT24
        JOB #2 _____

           #JOBTIT34
        JOB #3 _____

    b. Briefly, what are your usual job activities?
       [IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer for each job.]

           #JOBACT14
        JOB #1 _____

        _____

           #JOBACT24
        JOB #2 _____

        _____

           #JOBACT34
        JOB #3 _____

        _____

    c. What does the company or your part of the company, do or make? (For example, high school education, health care in hospital, automobile manufacturing, state labor department, retail shoe sales.)
       [IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer this for each job.]

           #JBMAKE14
        JOB #1 _____

           #JBMAKE24
        JOB #2 _____

           #JBMAKE34
        JOB #3 _____

D3. Since your last study visit, has there been a change in your usual hours of work of any of your jobs?

CHANGHR4

        NO .... 1 **(D5)**
        YES 2

D4.   What are your usual hours of work each day for each job?

                                 STRTIM14
    JOB #1:   START TIME: ___ ___ : ___ ___   A.M. 1. P.M. 2.   **STRAMP14**
                                   STPTIM14
                STOP TIME: ___ ___ : ___ ___   A.M. 1. P.M. 2.   **STPAMP14**

                ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) **ROTAT14**
                NO 1
                YES 2

                                   STRTIM24
    JOB #2:   START TIME: ___ ___ : ___ ___   A.M. 1. P.M. 2.   **STRAMP24**
                                   STPTIM24
                STOP TIME: ___ ___ : ___ ___   A.M. 1. P.M. 2.   **STPAMP24**

                ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) **ROTAT24**
                NO 1
                YES 2

                                   STRTIM34
    JOB #3:   START TIME: ___ ___ : ___ ___   A.M. 1. P.M. 2.   **STRAMP34**
                                   STPTIM34
                STOP TIME: ___ ___ : ___ ___   A.M. 1. P.M. 2.   **STPAMP34**

                ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) **ROTAT34**
                NO 1
                YES 2

D5.   On average, how many total hours a week do you work, for pay?   **HOURSPA4**

        ≤ 10 1
        11-19 2
        20-34 3
        35-40 4
        41-60 5
        >60 6

D6.   Do you do volunteer work?   **VOLUNTE4**

        NO 1   **(D7)**
        YES... 2

   a. What type of volunteer work do you do?   How many hours a week do you spend doing it?

            TYPE OF VOLUNTEER WORK   HRS/WK
                #TYPVOL14   **VLNTHR14**
            1. _____   _____

               _____
                #TYPVOL24   **VLNTHR24**
            2. _____   _____

               _____
                #TYPVOL34   **VLNTHR34**
            3. _____   _____

               _____

D7.   What is your current marital status? Would you say...   **MARITAL4**

        Single/never married.. 1
        Currently married or living as married 2
        Separated 3
        Widowed.. 4
        Divorced 5
        DON'T KNOW .... -8
        REFUSED .... -7

IF CURRENTLY MARRIED/LIVING AS MARRIED (2 in D7), ASK D8, OTHERWISE GO TO PAGE 23.

D8. Since your last study visit, has there been any change in your partner or spouse's primary or usual job?
                                        PCHNJOB4
        NO .... 1 **(E1)**
        YES... 2
        NEW PARTNER 3

D9.   What is/ was your partner or spouse's job title for their primary, usual job or occupation?

        _____   **PARTNJO4**

D10. What does the company or part of the company, that your spouse or partner works for, do or make? (For
      example, high school education, health care in hospital, automobile manufacturing, state labor department,
      retail shoe sales.)

        _____   **#PRTNRMA4**

We have a few final questions for you concerning your household.

E1.	Since your last study visit, has there been any change in who is living in your household?	**CHGHHLD4**

<pre>
        NO 1   (END)
        YES 2
        DON'T KNOW ....-8
</pre>

E2.	Other than yourself, is there anyone else living in your household?	**HOUSEHL4**

<pre>
        NO 1   (END)
        YES 2
        REFUSED ....-7   (END)
</pre>

E3.	Please tell me their relationship to you, their gender, and their age.

	a. RELATIONSHIP TO YOURSELF	b. SEX	c. AGE
1.	**RELAT14**	**SEX14**	**AGE14**
2.	**RELAT24**	**SEX24**	**AGE24**
3.	**RELAT34**	**SEX34**	**AGE34**
4.	**RELAT44**	**SEX44**	**AGE44**
5.	**RELAT54**	**SEX54**	**AGE54**
6.	**RELAT64**	**SEX64**	**AGE64**
7.	**RELAT74**	**SEX74**	**AGE74**
8.	**RELAT84**	**SEX84**	**AGE84**
9.	**RELAT94**	**SEX94**	**AGE94**
10.	**RELAT104**	**SEX104**	**AGE104**
11.	**RELAT114**	**SEX114**	**AGE114**
12.	**RELAT124**	**SEX124**	**AGE124**

Thank you. This ends this portion of the interview

ADDITIONAL QUESTIONS FROM OTHER FORM VERSIONS OF INTERVIEW

ADMINISTRATED QUESTIONNAIRE

FORM VERSION: 02/15/2001

Since your last study visit, have you taken...			a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month?		c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?	
	NO	YES		NO	YES	NO	YES
B17. Prescribed medications for arthritis?	1	2		1	2	1	2
ARTHRIT1			#ARTHMED1	**ARTHTWC1**		#ARTHVER1	
ARTHRIT2	1	2		1	2	1	2
			#ARTHMED2	**ARTHTWC2**		#ARTHVER2	

FORM VERSION: 02/01/1998

B26. **Since your last study visit**, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

    l.   Fibroids, benign growths of the uterus or womb?   1   2   -8
            FIBROID4

Study of Women's Health Across the Nation

SELF-ADMINISTERED QUESTIONNAIRE PART A

ANNUAL FOLLOW-UP

SECTION A.   GENERAL INFORMATION

AFFIX ID LABEL HERE

A1.   RESPONDENT ID: **SWANID**

A2.   SWAN STUDY VISIT #   _____ _____   **#VISIT**

A3.   FORM VERSION: 01/01/2000   **#FORM_V**

A4.   DATE FORM COMPLETED: ___ ___ / ___ ___ / ___ ___ ___ ___
                              M   M   D   D   Y   Y   Y   Y   **SAADAY4**[†]

A5.   INTERVIEWER'S INITIALS: ___ ___ ___   **#INITS**

A6.   RESPONDENT'S DOB: ___ ___ / ___ ___ / _1_ _9_ ___ ___
                              M   M   D   D   Y   Y   Y   Y   **#DOB**
                          VERIFY WITH RESPONDENT

A7.   COMPLETED IN: **#LOCATIO4**

        RESPONDENT'S HOME 1
        CLINIC / OFFICE 2
        RESPONDENT'S HOME W/ PROXY 3
        CLINIC/OFFICE W/ PROXY 4
        TELEPHONE 5
        TELEPHONE BY PROXY 6

A8.   INTERVIEW LANGUAGE: **LANGSAA4**

        ENGLISH 1
        SPANISH 2
        CANTONESE... 3
        JAPANESE 4

A9.   INTERVIEWER-ADMINISTERED?   **#INTADMI4**

        NO.. 1
        YES 2

[†] This date is given in days since the initial baseline interview.
 # Variable Excluded from Public Use Data File

We have some questions that we are asking you to complete on your own. If anything is unclear to you, please feel free to ask questions. Study representatives are available and happy to help you. Please take as much time as you need with each question. It is very important to us that you complete the entire questionnaire. Please find the most appropriate response to each question and circle the number for the answer you choose.

Thank you for your participation in this important study.

We are interested in learning more about women's health during their 40's and 50's. This first set of questions ask about your health and use of health care.

B1.   In general, would you say your health is excellent, very good, good, fair or poor?
(PLEASE CIRCLE ONE RESPONSE.)   **OVERHLT4**

Excellent 1
Very good 2
Good.. 3
Fair.. 4
Poor... 5
Don't know .... -8

B2.   Since your last study visit, how many different times did you stay in the hospital overnight or longer?

___ ___ # TIMES   **HOSPSTA4**

B3.   Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count hospitalizations or visits for this study.)

___ ___ # TIMES   **MDTALK4**

B4.   When you visit or talk to a health care provider, please indicate what role you prefer that your health care provider take. (PLEASE CIRCLE ONLY ONE NUMBER)   **ROLE4**

My provider's role is to:

| Let me make my | | | | | | | Make the best |
| own decision | 1 | 2 | 3 | 4 | 5 | 6 | 7 | decision for me |

B5.   Since your last study visit, about how many times did you see or talk to a health care provider or other professional for problems with emotions, "nerves", or mental health?

____ ____ # TIMES   **NERVES4**

Since your last study visit, have you had:
(PLEASE CIRCLE 1 FOR NO OR 2 FOR YES FOR EACH QUESTION.)

	NO	YES
B6. A Pap Smear (a routine medical test in which the doctor examines the cervix)? **PAPSMEA4**	1	2
B7. A breast physical examination (a doctor or medical assistant feels for lumps in the breast)? **BRSTEXA4**	1	2
B8. A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)? **MAMOGRA4**	1	2

B9.   Since your last study visit, are there any health services that you needed but did not receive?

HLTHSER4

No...1   (GO TO B10)
Yes 2   (GO TO B9a)

B9a.   People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care?

(PLEASE CIRCLE ONE NUMBER FOR EACH REASON)

	NO	YES	
Insurance or health plan does not cover	1	2	**INSURAN4**
Cannot afford	1	2	**NOTAFFR4**
Travel distance / lack of transportation	1	2	**NOTRANS4**
No health care provider	1	2	**NOPROVI4**
Too busy/ didn't have the time	1	2	**TOOBUSY4**
Don't trust doctors	1	2	**NOTRUST4**
I'm better off not knowing	1	2	**BETTROF4**
Other	1	2	**FAILOTH4**

Please specify _____   **#FAILSPE4**

B10.   Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

SMOKERE4

No...1   (GO TO B11)
Yes 2   (GO TO B10a)

B10a.   IF YES: How many cigarettes, on average, do you smoke per day now?
        (If NONE, please indicate with a (0) zero and answer B10b.)

_____ CIGARETTES PER DAY **AVCIGDA4**

B10b.   IF NONE, (You stopped smoking), What was the last month you smoked?

_____ MONTH   **#LASTSMO4**

The next questions are about your consumption of alcoholic beverages.

B11.   Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks?
DRNKBEE4

No...1 (GO TO B15)
Yes ....2 (GO TO B12)

B12.   How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week or month? (PLEASE CIRCLE ONLY ONE RESPONSE.)
GLASBEE4

None or less than one per month...1
1-3 per month..2
1 per week...3
2-4 per week..4
5-6 per week..5
1 per day..6
2-3 per day 7
4 per day..8
5 or more per day 9

B13.   How many glasses of wine or wine coolers, (a medium glass or serving of wine is 4 to 6 ounces), did you drink on average per day, week or month? (CIRCLE ONE NUMBER)
GLASWIN4

None or less than one per month...1
1-3 per month..2
1 per week...3
2-4 per week..4
5-6 per week..5
1 per day..6
2-3 per day 7
4 per day..8
5 or more per day 9

B14.   How many glasses of liquor or mixed drinks, (a medium serving is one shot), did you drink on average, per day, week or month? (CIRCLE ONE NUMBER)
GLASLIQ4

None or less than once per month...1
1-3 per month..2
1 per week...3
2-4 per week..4
5-6 per week..5
1 per day..6
2-3 per day 7
4 per day..8
5 or more per day 9

The next series of questions (B15 to B18) focus on common events in some of our lives.

B15. The following items are about activities you might do during a typical day. Does <u>your health now limit you</u> a lot, a little or not at all in each of these activities?
(PLEASE CIRCLE ONE FOR EACH ACTIVITY)

		YES, LIMITED A LOT	YES, LIMITED A LITTLE	NO, NOT LIMITED AT ALL
a.	**Vigorous activities**, such as running, lifting heavy objects, participating in strenuous sports **V_ACTI4**	1	2	3
b.	**Moderate activities**, such as moving a table, pushing a vacuum cleaner, bowling or playing golf **M_ACTI4**	1	2	3
c.	Lifting or carrying groceries **LIFTING4**	1	2	3
d.	Climbing **one** flight of stairs **CLIMB1 4**	1	2	3
e.	Climbing **several** flights of stairs **CLIMBS4**	1	2	3
f.	Bending, kneeling, or stooping **BENDING4**	1	2	3
g.	Walking **one block** **WALK1 4**	1	2	3
h.	Walking **several blocks** **WALKS4**	1	2	3
i.	Walking **more than a mile** **WALKM4**	1	2	3
j.	Bathing or dressing yourself **BATHING4**	1	2	3

B16. How much bodily pain have you had during the **past 4 weeks**? (CIRCLE ONE NUMBER)

1	2	3	4	5	6
None	Very mild	Mild	Moderate	Severe	Very Severe

BODYPAI4

B17. During the **past 4 weeks**, how much did **pain** interfere with your normal work (including both work outside the home and housework)? (CIRCLE ONE NUMBER)

1	2	3	4	5
Not at all	A little bit	Moderately	Quite a bit	Extremely

PAINTRF4

B18. These next questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling.

(CIRCLE ONE NUMBER ON EACH LINE)

During the **past 4 weeks, how much time...**	**All of the time**	**Most of the time**	**A good bit of the time**	**Some of the time**	**A little of the time**	**None of the time**
a. Did you feel "full of pep"? **PEP4**	1	2	3	4	5	6
b. Did you have a lot of energy? **ENERGY4**	1	2	3	4	5	6
c. Did you feel worn out? **WORNOUT4**	1	2	3	4	5	6
d. Did you feel tired? **TIRED4**	1	2	3	4	5	6

These next few questions are about your physical activity **since your last study visit**.

C1. **Since your last study visit**, did you watch television...(CIRCLE ONE ANSWER) **WATCHTV4**

Never or less than 1 hour a week 1
At least 1 hour/week but less than 1 hour a day.. 2
1-2 hours a day... 3
2-4 hours a day... 4
More than 4 hours a day... 5

C2. **Since your last study visit**, did you sweat from exertion...(CIRCLE ONE ANSWER)

SWEATPA4

Never or less than once a month 1
Once a month 2
2-3 times a month 3
Once a week.. 4
More than once a week 5

C3. **Since your last study visit**, is your current level of physical activity doing chores around your home (such as cleaning, laundry, childcare, care of elders, etc., not performed for pay.)

CHORES4

Much greater now 1
Greater now.. 2
About the same 3
Less now 4
Much less now 5

C4. **Since your last study visit**, is your current level of physical activity <u>at work performed for pay:</u>

Much greater now 1
Greater now.. 2
About the same 3
Less now 4
Much less now 5
Doesn't Apply.. -1

WORKPHY4

C5.   **Since your last study visit**, is your current level of physical activity in planned sports (such as volleyball, softball or tennis) and exercise (such as aerobics or jogging):

<div align="center">

PLANSPO4
</div>

        Much greater now 1
        Greater now.. 2
        About the same 3
        Less now 4
        Much less now 5

C6.   **Since your last study visit**, is your current level of other routine physical activity (such as walking, gardening, climbing stairs, etc.):

<div align="center">

ROUTINE4
</div>

        Much greater now 1
        Greater now.. 2
        About the same 3
        Less now 4
        Much less now 5

C7.   Considering a usual 7-day period (a week) in the past year, how many times on the average did you do the following kinds of exercise or other physical activity for more than 15 minutes, not counting activity you do at work? (WRITE ON EACH LINE THE APPROPRIATE NUMBER)

TIMES PER WEEK

  a.   **STRENUOUS EXERCISE/PHYSICAL ACTIVITY**
      (HEART RATE AND BREATHING INCREASE A LOT)
      (i.e., running, jogging, soccer, singles tennis, basketball, cross country
      skiing, judo, roller skating/blading, vigorous swimming, vigorous long
      distance bicycling, vigorous aerobic dance)   **STRENEX4**

  b.   **MODERATE EXERCISE/PHYSICAL ACTIVITY**
      (HEART RATE AND BREATHING INCREASE SOMEWHAT)
      (i.e., fast walking, doubles tennis, easy bicycling, volleyball,
      badminton, easy swimming, alpine skiing popular and folk dancing,
      low impact aerobics, weight lifting/training)   **MODEREX4**

  c.   **MILD EXERCISE**
      (HEART RATE AND BREATHING INCREASE MINIMALLY)
      (i.e., yoga, tai chi, archery, fishing from river bank, bowling, golf, easy
      walking, stretching, body work, floor exercise, gardening) **MILDEX4**

The following questions are about specific health problems you may have had over the past two weeks.

D1. Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the <u>past two weeks</u>, please circle the number corresponding to how often you experienced any of the following.

How often have you had...	Not at all	1-5 days	6-8 days	9-13 days	Every day
a. Stiffness or soreness in joints, neck or shoulder? **STIFF4**	1	2	3	4	5
b. Back aches or pains? **ACHES4**	1	2	3	4	5
c. Cold sweats? **COLDSWE4**	1	2	3	4	5
d. Night sweats? **NITESWE4**	1	2	3	4	5
e. Vaginal dryness? **VAGINDR4**	1	2	3	4	5
f. Feeling blue or depressed? **FEELBLU4**	1	2	3	4	5
g. Dizzy spells? **DIZZY4**	1	2	3	4	5
h. Irritability or grouchiness? **IRRITAB4**	1	2	3	4	5
i. Feeling tense or nervous? **NRVOUS4**	1	2	3	4	5
j. Forgetfulness? **FORGET4**	1	2	3	4	5
k. Frequent mood changes? **MOODCHG4**	1	2	3	4	5
l. Heart pounding or racing? **HARTRAC4**	1	2	3	4	5
m. Feeling fearful for no reason? **FEARFUL4**	1	2	3	4	5
n. Headaches? **HDACHE4**	1	2	3	4	5
o. Hot flashes or flushes? **HOTFLAS4**	1	2	3	4	5

 # Variable Excluded from Public Use Data File

D2. These questions (a - c) are about your sleep habits <u>over the past two weeks</u>. Please circle <u>one</u> answer for each of the following questions. Pick the answer that best describes how often you experienced the situation in the <u>past 2 weeks</u>.

In the past two weeks...	No, not in the past 2 weeks	Yes, less than once a week	Yes, 1 or 2 times a week	Yes, 3 or 4 times per week	Yes, 5 or more times a week
a. Did you have trouble falling asleep? **TRBLSLE4**	1	2	3	4	5
b. Did you wake up several times a night? **WAKEUP4**	1	2	3	4	5
c. Did you wake up earlier than you had planned to, and were unable to fall asleep again? **WAKEARL4**	1	2	3	4	5

The following questions relate to your usual sleep habits <u>during the past month only</u>. Your answers should give the most accurate description for <u>most</u> of the days and nights <u>in the past month</u>. Please answer all questions.

D3. <u>During the past month</u>, when have you usually gone to bed at night? (PLEASE CIRCLE A.M. OR P.M.)

                                          BEDTIME4

USUAL BED TIME ___ ___:___ ___   A.M. 1.
                                                   P.M. 2.   **BEDTIMA4**

D4. <u>During the past month</u>, how long (in minutes) has it usually taken you to fall asleep each night?

NUMBER OF MINUTES _____   **NUMMINU4**

D5. <u>During the past month</u>, when have you usually gotten up in the morning? (PLEASE CIRCLE A.M. OR P.M.)

                                       GETUPTI4

USUAL GETTING UP TIME ___ ___:___ ___   A.M. 1.
                                                  P.M. 2.   **GETPAMP4**

D6. <u>During the past month</u>, how many hours of **actual sleep** did you get at night? (This may be different than the number of hours you spend in bed.)

HOURS OF SLEEP PER NIGHT _____   **HRSSLEE4**

D7.   <u>During the past month</u>, how often have you had trouble sleeping because you...

		Not during the past month	Less than once a week	Once or twice a week	Three or more times a week
a.	Cannot get to sleep within 30 minutes **NO30SLE4**	1	2	3	4
b.	Wake up in the middle of the night or early in the morning **WAKEMID4**	1	2	3	4
c.	Have to get up to use the bathroom **USEBATH4**	1	2	3	4
d.	Cannot breathe comfortably **CANTBRT4**	1	2	3	4
e.	Cough or snore loudly **SNORE4**	1	2	3	4
f.	Feel too cold **TOOCOLD4**	1	2	3	4
g.	Feel too hot **TOOHOT4**	1	2	3	4
h.	Had bad dreams **BADREAM4**	1	2	3	4
i.	Have pain **HAVPAIN4**	1	2	3	4
j.	Other reason(s). **TRBSLEP4**	1	2	3	4
	Please describe: **OTHTRB4**				

D8.   During the past month, how would you rate your sleep quality overall?
SLEEPQL4
Very good 1
Fairly good.. 2
Fairly bad 3
Very bad.. 4

D9.   During the past month, how often have you taken medicine (prescribed or "over the counter") to help you sleep?
MEDICIN4
Not during the past month.. 1
Less than once a week.. 2
Once or twice a week... 3
Three or more times a week... 4

D10. During the past month, how often have you had trouble staying awake while driving, eating meals, or engaging in social activity?

TRBAWAK4

Not during the past month.. 1
Less than once a week.. 2
Once or twice a week.. 3
Three or more times a week.. 4

D11. During the past month, how much of a problem has it been for you to keep up enough enthusiasm to get things done?

ENTHUS4

No problem at all 1
Only a very slight problem 2
Somewhat of a problem 3
A very big problem 4

A common complaint among women is having to urinate a lot or the involuntary loss of urine.

D12. How often do you <u>usually</u> get up from bed at night to urinate? (CIRCLE ONLY ONE ANSWER)

GETUPUR4

Never.. 1
Rarely (less than once a week)... 2
Once per week 3
A few times per week 4
Once a night, every night.. 5
More than once per night 6

D13. Since your last study visit, have you had any urinary tract infections?

UTI4

No... 1
Yes 2

D14. Since your last study visit, have you ever leaked, even a very small amount, of urine involuntarily?

INVOLEA4

No.. 1(GO TO D15)

Yes 2

↓

IF YES:

a. **In the last month**, about how many days have you lost any urine, even a small amount, beyond your control? (CIRCLE ONLY ONE ANSWER)

DAYSLEA4

Never...1

Less than one day per week 2

Several days per week..3

Almost daily/daily..4

b. Under what circumstances does it occur?
    (CIRCLE 1 FOR NO OR 2 FOR YES FOR EACH QUESTION)

			NO	YES
1.	Coughing	**COUGHIN4**	1	2
2.	Laughing	**LAUGHIN4**	1	2
3.	Sneezing	**SNEEZIN4**	1	2
4.	Jogging	**JOGGIN4**	1	2
5.	Picking up an object from the floor **PICKUP4**		1	2
6.	When you have an urge to void and can't get to a toilet fast enough. **URGEVOI4**		1	2
7.	Other **OTHRLEA4** Specify:_____		1	2

#LEAKSPE4

c. How much urine do you lose when you leak? (CIRCLE ONLY ONE ANSWER.)

AMTLEAK4

A drop or two...1

Enough to change undergarments or wear a liner or pad.......................................2

Enough to wet outer clothing 3

Enough to wet the floor..4

d. On a scale from 0 to 10, where 0 = Not at all bothered and 10 = Extremely bothered, how much does the leakage of urine bother you? (CIRCLE ONE NUMBER):

0	1	2	3	4	5	6	7	8	9	10
Not at all bothered					Somewhat bothered					Extremely bothered

LEAKBOT4

Dietary and behavioral therapies are often used to treat conditions or to maintain good health. Please tell us about any of these therapies you may have used.

D15. In the past 12 months, have you used any of the following for any reason?
(CIRCLE ONLY ONE NUMBER FOR EACH)

		NO	YES
a.	Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy?	1	2
	NUTRIRE4		
b.	Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas?	1	2
	HERBREM4		
c.	Psychological methods, such as meditation, mental imagery, or relaxation techniques?	1	2
	PSYCMET4		
d.	Physical methods, such as massage, acupressure, acupuncture, or chiropractic therapy?	1	2
	PHYSMET4		
e.	Folk medicine or traditional Chinese medicine?	1	2
	FOLKMED4		
f.	Any others? **OTHRTHE4**	1	2

IF YES, please specify: **SPECOTH4**

_____

_____

_____

_____

IF YOU CIRCLED YES TO ANY QUESTION IN D15, PLEASE ANSWER D16, OTHERWISE GO TO D17.

D16. How often do you discuss any of these treatments with a healthcare provider?
DISCTRE4

Never.. 1
Sometimes.. 2
Often 3
Always 4

D17. People have different views of their religion/spirituality and there is commonly a range of views across people. If any items do not apply to you, please circle –1 for "Not Applicable".

		Many times a day	Every day	Most days	Some days	Once in a while	Never or almost never	Not Applicable
a.	I find comfort in my religion/ spirituality. **COMFORT4**	1	2	3	4	5	6	-1
b.	I feel God's presence. **PRESENC4**	1	2	3	4	5	6	-1
c.	I feel a deep inner peace or harmony. **HARMONY4**	1	2	3	4	5	6	-1
d.	I feel a selfless caring for others. **SELFLES4**	1	2	3	4	5	6	-1
e.	I desire to be closer to, or in union with God. **UNION4**	1	2	3	4	5	6	-1
f.	I am spiritually touched by the beauty of creation. **CREATIO4**	1	2	3	4	5	6	-1
g.	I am thankful for my blessings. **BLESSIN4**	1	2	3	4	5	6	-1
h.	I accept others even when they do things that I think are wrong. **ACCEPT4**	1	2	3	4	5	6	-1

E1. These next questions ask about events that we sometimes experience in our lives. **Since your last study visit,** have you experienced any of the following: If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4 . If you have and it was very upsetting and is still upsetting, circle 5. (PLEASE CIRCLE ONE ANSWER FOR EACH QUESTION.)

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very Upsetting and still upsetting
a. Started school, a training program, or new job? **STARTNE4**	1	2	3	4	5
b. Had trouble with a boss or conditions at work got worse? **WORKTRB4**	1	2	3	4	5
c. Quit, fired or laid off from a job? **QUITJOB4**	1	2	3	4	5
d. Took on a greatly increased work load at job? **WORKLOA4**	1	2	3	4	5
e. Husband/partner became unemployed? **PRTUNEM4**	1	2	3	4	5
f. Major money problems? **MONEYPR4**	1	2	3	4	5
g. Relations with husband/partner changed for the worse but without separation or divorce? **WOSRELR4**	1	2	3	4	5
h. Were separated or divorced or a long-term relationship ended? **RELATEN4**	1	2	3	4	5
i. Had a serious problem with child or family member (other than husband/partner) or with a close friend? **SERIPRO4**	1	2	3	4	5
j. A child moved out of the house or left the area? **CHILDMO4**	1	2	3	4	5
k. Took on responsibility for the care of another child, grandchild, parent, other family member or friend? **RESPCAR4**	1	2	3	4	5
l. Family member had legal problems or a problem with police? **LEGALPR4**	1	2	3	4	5

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very Upsetting and still upsetting
m. A close relative (husband/partner, child or parent) died? **CRELDIE4**	1	2	3	4	5
n. A close friend or family member <u>other than</u> a husband/partner, child or parent died? **CLOSDIE4**	1	2	3	4	5
o. Major accident, assault, disaster, robbery or other violent event happened to yourself? **SELFVIO4**	1	2	3	4	5
p. r accident, assault, disaster, robbery or other violent event happened to a family member? **FAMLVIO4**	1	2	3	4	5
q. Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend? **PHYSILL4**	1	2	3	4	5
r. Other major event not included above? **MAJEVEN4** Specify: **#SPECEVNT**	1	2	3	4	5

These next questions concern different aspects (or roles) of your life and how you feel about them.

F1.   Are you currently employed for pay?   **EMPLYPA4**

   No...1 (GO TO F2)
   Yes 2

    a. How rewarding is your job? (CIRCLE ONE NUMBER) **REWRDJO4**

     Not at all...1
     A little 2
     Somewhat..3
     Quite a bit...4
     Extremely..5

    b. How stressful is your job? (CIRCLE ONE NUMBER) **STRSSJO4**

     Not at all...1
     A little 2
     Somewhat..3
     Quite a bit...4
     Extremely..5

F2.   Are you currently caring for an older or disabled family member?   **CRNTCAR4**

   No...1 (GO TO F3)
   Yes 2

    a. How rewarding is your role as caregiver? (CIRCLE ONE NUMBER)
                           RWRDCAR4
     Not at all...1
     A little 2
     Somewhat..3
     Quite a bit...4
     Extremely..5

    b. How stressful is your role as caregiver? (CIRCLE ONE NUMBER)
                           STRSCAR4
     Not at all...1
     A little 2
     Somewhat..3
     Quite a bit...4
     Extremely..5

F3.   Are you currently married or in a committed relationship?   **CRNTMAR4**

      No..1   (GO TO F4)
      Yes 2

      a. How rewarding is this relationship? (CIRCLE ONE NUMBER)
          RWRDREL4
      Not at all...1
      A little 2
      Somewhat..3
      Quite a bit...4
      Extremely..5

      b. How stressful is this relationship? (CIRCLE ONE NUMBER)
          STRSREL4
      Not at all...1
      A little 2
      Somewhat..3
      Quite a bit...4
      Extremely..5

F4.   Do you have any children or stepchildren?   **CHILDRE4**

      No..1   (GO TO G1)
      Yes 2

      a. How rewarding is your role as a mother? (CIRCLE ONE NUMBER)
          REWRDMO4
      Not at all...1
      A little 2
      Somewhat..3
      Quite a bit...4
      Extremely..5

      b. How stressful is your role as a mother? (CIRCLE ONE NUMBER)
          STRSSMO4
      Not at all...1
      A little 2
      Somewhat..3
      Quite a bit...4
      Extremely..5

We would like to ask you one additional question that will help us to understand your answers better. Please remember that this information will remain confidential.

G1.   What is your total family income (before taxes) from all sources within your household in the last
        year? (Circle the answer that is your <u>best</u> guess.)

<div align="center">

INCOME4$^{\$}$

</div>

LESS THAN $19,999 1
$20,000 TO $49,999 2
$50,000 TO $99,999 3
$100,000 OR MORE 4
REFUSED .... -7
DON'T KNOW .... -8

H1.   Please indicate the extent you personally agree or disagree with the following statements about yourself.

		Strongly Agree	Agree	Neither agree nor disagree	Disagree	Strongly disagree
a.	Overall, going through the menopause or change of life will be, or was, a positive experience for me.	1	2	3	4	5
	POSITIV4					
b.	As I age, I feel worse about myself.	1	2	3	4	5
	WORSE4					
c.	During the menopause or the change of life, I became, or expect to become, irritable or depressed.	1	2	3	4	5
	MENODEP4					
d.	I will feel, or felt, regret when my periods stopped for the last time.	1	2	3	4	5
	REGRET4					
e.	Menopause is a midlife change that generally does not need medical attention.	1	2	3	4	5
	NO_MED4					
f.	Women with little free time hardly notice the menopause.	1	2	3	4	5
	H_NOTIC4					

H2. A number of **statements** that people have used to describe themselves are given below. Please read each statement and circle the number that represents **how you generally feel**. There are no right or wrong answers. Do not spend too much time on any one statement, but give the answer that seems to describe how you generally feel.

	Almost Never	Sometimes	Often	Almost Always
a. I am a steady person. **STEADPE4**	1	2	3	4
b. I feel satisfied with myself. **SATISEL4**	1	2	3	4
c. I feel nervous and restless. **RESTLESA4**	1	2	3	4
d. I wish I could be as happy as others seem to be. **WISHAPP4**	1	2	3	4
e. I feel like a failure. **LIKEFAI4**	1	2	3	4
f. I get in a state of turmoil or tension as I think over my recent concerns and interests. **TENSION4**	1	2	3	4
g. I feel secure. **FEELSEC4**	1	2	3	4
h. I lack self-confidence. **LACKSEL4**	1	2	3	4
i. I feel inadequate. **INADEQA4**	1	2	3	4
j. I worry too much over something that does not matter. **WORRYTO4**	1	2	3	4

H3. A number of statements that people use to describe themselves are given below. Read each statement and then circle the number that indicates **how you generally feel.**

	Almost Never	Sometimes	Often	Almost Always
a. I feel infuriated when I do a good job and get a poor evaluation. **INFURIA4**	1	2	3	4
b. It makes me furious when I am criticized in front of others. **FURIOUS4**	1	2	3	4
c. I feel annoyed when I am not given recognition for doing good work. **ANNOYED4**	1	2	3	4
d. I get angry when I'm slowed down by others' mistakes. **GETANGR4**	1	2	3	4

H4. Everyone feels angry or furious from time to time, but people differ in the ways they react when they are angry. A number of statements are listed below which people use to describe their reactions when they feel *angry* or *furious.* Read each statement and then fill in the circle with the number which indicates how *often* you *generally* react or behave in the manner described when you are feeling angry or furious. Remember that there are no right or wrong answers. Do not spend too much time on any one statement.

When Angry or Furious…	Almost Never	Sometimes	Often	Almost Always
a. I express my anger. **EXPRESS4**	1	2	3	4
b. I keep things in. **KEEPIN4**	1	2	3	4
c. I pout or sulk. **POUTSUL4**	1	2	3	4
d. I withdraw from people. **WITHDRA4**	1	2	3	4
e. I make sarcastic remarks to others. **SARCAST4**	1	2	3	4
f. I do things like slam doors. **SLAMDOO4**	1	2	3	4
g. I boil inside, but I don't show it. **BOILINS4**	1	2	3	4
h. I argue with others. **ARGUE4**	1	2	3	4
i. I tend to harbor grudges that I don't tell anyone about. **GRUDGES4**	1	2	3	4
j. I strike out at whatever infuriates me. **STRIKOU4**	1	2	3	4
k. I am secretly quite critical of others. **CRITICA4**	1	2	3	4
l. I am angrier than I am willing to admit. **ANGRIER4**	1	2	3	4
m. I say nasty things. **NASTY4**	1	2	3	4
n. I'm irritated a great deal more than people are aware of. **IRRITAT4**	1	2	3	4
o. I lose my temper. **TEMPER4**	1	2	3	4
p. If someone annoys me, I'm apt to tell him or her how I feel. **ANNOYSM4**	1	2	3	4

H5. Here are some questions about what it is like to live in your neighborhood. By neighborhood, we mean the area around where you live and around your house. It <u>may</u> include places you shop, religious or public institutions, or a local business district. It is the general area around your house where you might perform routine tasks, such as shopping, going to the park, or visiting with neighbors. For each of these statements, please indicate whether you: Strongly agree, Agree, Disagree, or Strongly disagree. (PLEASE CIRCLE ONE FOR EACH LINE.)

		Strongly agree	Agree	Disagree	Strongly disagree
a.	This is a close-knit neighborhood. **CLOSKNI4**	1	2	3	4
b.	People around here are willing to help their neighbors. **WILLHEL4**	1	2	3	4
c.	People in this neighborhood generally don't get along with each other. **GETALON4**	1	2	3	4
d.	People in this neighborhood can be trusted. **TRUSTED4**	1	2	3	4
e.	People in this neighborhood do not share the same values. **SHAREVA4**	1	2	3	4

Thank you for your time. This ends <u>this</u> questionnaire.
Please give it to the study personnel.

SECTION A.   GENERAL INFORMATION

AFFIX ID LABEL HERE

A1.   RESPONDENT ID: **SWANID**

A2.   SWAN STUDY VISIT #   _____ _____   **#VISIT**

A3.   FORM VERSION: <u> 0 </u> <u> 1 </u> / <u> 0 </u> <u> 1 </u> / <u> 2 </u> <u> 0 </u> <u> 0 </u> <u> 0 </u>
                                M   M   D   D   Y   Y   Y   Y **#FORM_V**

A4.   DATE FORM COMPLETED:___ ___ / ___ ___ / ___ ___ ___ ___
                                    M   M   D   D   Y   Y   Y   Y **SABDAY4**[†]

A5.   INTERVIEWER'S INITIALS: ___ ___ ___   **#INITS**

A6.   RESPONDENT'S DOB: ___ ___ / ___ ___ / <u> 1 </u> <u> 9 </u> ___ ___
                              M   M   D   D   Y   Y   Y   Y **#DOB**

VERIFY WITH RESPONDENT

A7.   COMPLETED IN: **#LOCATIO4**

    RESPONDENT'S HOME 1
    CLINIC/OFFICE 2
    RESPONDENT'S HOME W/ PROXY 3
    CLINIC/ OFFICE W/ PROXY 4
    TELEPHONE 5
    TELEPHONE BY PROXY 6

A8.   INTERVIEW LANGUAGE: **LANGSAB4**

    ENGLISH 1
    SPANISH 2
    CANTONESE... 3
    JAPANESE 4

A9.   INTERVIEWER-ADMINISTERED?   **#ADMIN4**

    NO... 1
    YES... 2

[†] This date is given in days since the initial baseline interview.

This questionnaire covers material that is sensitive and personal. For some women, sexual activity is an important part of their lives, but for others, it is not. Everyone has different ideas on this subject. To help us understand how these matters affect women's lives and health, we would like you to answer the following questions from your own personal viewpoint. There are no right or wrong answers. Remember, confidentiality is assured. While we hope you are willing to answer all of the questions, if there are questions you would prefer not to answer, you are free to skip them. Please find the most appropriate response to each question, and circle the number for the answer you choose.

B1. How important is sex in your life? (CIRCLE ONE NUMBER)   **IMPORSE4**

1	2	3	4	5
Extremely Important	Quite Important	Moderately Important	Not Very Important	Not At All Important

B2. During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner? (CIRCLE ONE NUMBER)   **DESIRSE4**

1	2	3	4	5
Not At All	Once or Twice/Month	About Once/Week	More Than Once/Week	Daily

B3. During the past 6 months, have you engaged in sexual activities with a partner? (CIRCLE ONE NUMBER)   **ENGAGSE4**

No.. 1   (GO TO B3.a)
Yes 2   (GO TO B4)

B3.a   People do not engage in sexual activities with partners for many reasons. Please circle 1 (NO) or 2 (YES) for each reason listed below. Please answer all four questions.

I have not had sex in the last 6 months because:

	NO	YES
1) I do not have a partner at this time. **NOPARTN4**	1	2
2) My partner has a physical problem that interferes with sex. **PARTPRO4**	1	2
2) I have a physical problem that interferes with sex. **PHYSPRO4**	1	2
3) Other: Please Specify_____ **NOSEXOT4** **#NOSEXSP4**	1	2

PLEASE TURN TO PAGE 5, AND ANSWER QUESTION B13.

B4. In the past 6 months, how physically pleasurable was your relationship with your partner:

1	2	3	4	5
Extremely Pleasurable	Very Pleasurable	Moderately Pleasurable	Slightly Pleasurable	Not At All Pleasurable

PHYSPLE4

B5. In the past 6 months, how emotionally satisfying was your relationship with your partner?

1	2	3	4	5
Extremely Satisfying	Very Satisfying	Moderately Satisfying	Slightly Satisfying	Not At All Satisfying

SATISFY4

B6. During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? (CIRCLE ONE ANSWER FOR EACH QUESTION. IF AN ACTIVITY DOES NOT APPLY TO YOU, CIRCLE 1 [NOT AT ALL].)

	Not At All	Once or Twice/Month	About Once/Week	More Than Once/Week	Daily
a) Kissing or hugging? **KISSING4**	1	2	3	4	5
b) Sexual touching or caressing? **TOUCHIN4**	1	2	3	4	5
c) Oral sex? **ORALSEX4**	1	2	3	4	5
d) Sexual intercourse? **INTCOUR4**	1	2	3	4	5

Please answer the following questions, B7 - B9, about sexual activity with your partner(s).

B7. During the last 6 months, how often did you feel aroused during sexual activity?

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

AROUSED4

B8. During the past 6 months, have you felt vaginal or pelvic pain during intercourse?

1	2	3	4	5	6
Always	Almost Always	Sometimes	Almost Never	Never	No intercourse in last 6 months

PELVIC4

B9. During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable?

1	2	3	4	5	6
Always	Almost Always	Sometimes	Almost Never	Never	No intercourse in last 6 months

LUBRICN

Please answer the following questions, B10 - B12, about sexual activity with your partner(s).

B10.   During the past six months, how often were you able to reach climax (come)?

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

ABLECLM4

B11.   During the past six months, how often did you feel satisfied after sexual activity?

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

SATISFD4

B12.   During the past six months, how often were you satisfied with the frequency of sexual activity?

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

FREQUEN4

B13.   On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

1	2	3	4	5	6
Not at all	Less than once a Month	Once or Twice a Month	About once a week	More than once a week	Daily

MASTURB4

We have a few final questions. We are asking these questions to gather information about the risk of acquiring HIV/AIDS and other sexually transmitted diseases. We understand that these questions are very personal. There are many women in this study with a wide range of experiences. We ask these questions of all participants in this study. Your answers are important to this research study and will be kept confidential.

B14.   Thinking back, with how many men have you had intercourse in the past 10 years? **MEN10YR4**

    Zero 1   (GO TO B17)
    One 2
    Two 3
    Three.. 4
    Four - ten 5
    More than 10.. 6

    B14b.   Over the past ten years, have you typically used a condom with your male partner(s)?
                                                                                    CONDM104
        NO 1
        YES 2

B15.   Over the past 6 months, how many men have you had intercourse with?   **MEN6MOS4**

    Zero 1   (GO TO B17)
    One 2
    Two.. 3
    Three.. 4
    Four - ten 5
    More than 10.. 6

B16. In the past 6 months, did you or your male partner(s) regularly use any method (including abstinence) to keep from catching sexually transmitted diseases such as genital herpes, chlamydia or HIV/AIDS?   **METHOD4**

        NO 1
        YES 2

    B16b.   Which of the following methods have you used regularly?
                (CIRCLE ONLY ONE ANSWER ON EACH LINE)

			NO	YES
a.	Condom	**CONDOM4**	1	2
b.	Diaphragm	**DIAPHRA4**	1	2
c.	Spermicide jelly, foam or cream	**SPERMIC4**	1	2
d.	Sponge	**SPONGE4**	1	2
e.	Abstinence/no sexual intercourse	**ABSTINC4**	1	2
f.	Other (specify)_____	**METHOTH4**	1	2
		METHSPE4		

B17. What are your chances of getting HIV (AIDS virus)?
(CIRCLE ONLY ONE ANSWER)

HIVAIDS4

High... 1
Medium 2
Low 3
None.. 4
Already have the virus 5

Thank you for helping us with this important research study.

Please place the completed questionnaire in the envelope provided, seal it, and give it to the study personnel.

SECTION A.   GENERAL INFORMATION

A1. RESPONDENT ID:

AFFIX ID LABEL HERE

SWANID

A2. SWAN STUDY VISIT #   ___ ___

#VISIT

A3. READING: PRIMARY DATA COLLECTION...............1   **#DATACOL1**

QC DATA COLLECTION.........................2

#FORM_V

A4. FORM VERSION:

$$\underset{M}{0} \quad \underset{M}{2} \quad / \quad \underset{D}{0} \quad \underset{D}{1} \quad / \quad \underset{Y}{1} \quad \underset{Y}{9} \quad \underset{Y}{9} \quad \underset{Y}{7}$$

PHYDAY4[†]

A5. DATE FORM COMPLETED:

$$\underset{M}{\rule{1cm}{0.4pt}} \quad \underset{M}{\rule{1cm}{0.4pt}} \quad / \quad \underset{D}{\rule{1cm}{0.4pt}} \quad \underset{D}{\rule{1cm}{0.4pt}} \quad / \quad \underset{Y}{\rule{1cm}{0.4pt}} \quad \underset{Y}{\rule{1cm}{0.4pt}} \quad \underset{Y}{\rule{1cm}{0.4pt}} \quad \underset{Y}{\rule{1cm}{0.4pt}}$$

A6. RESPONDENT'S DOB:

$$\underset{M}{\rule{1cm}{0.4pt}} \quad \underset{M}{\rule{1cm}{0.4pt}} \quad / \quad \underset{D}{\rule{1cm}{0.4pt}} \quad \underset{D}{\rule{1cm}{0.4pt}} \quad / \quad \underset{Y}{\rule{1cm}{0.4pt}} \quad \underset{Y}{\rule{1cm}{0.4pt}}$$ **#DOB**

VERIFY WITH RESPONDENT

A7. MEASUREMENTS COMPLETED IN: **#LOCATIO4**

RESPONDENT'S HOME.....................1

CLINIC/OFFICE.................................2

A8. TECHNICIAN'S INITIALS

    a.   BLOOD PRESSURE   ____ ____ ____   **#INITSA4**

    b.   HEIGHT/WEIGHT   ____ ____ ____   **#INITSB4**

    c.   WAIST/HIP   ____ ____ ____   **#INITSC4**

[†] This date is given in days since the initial baseline interview.

 # Variable Excluded from Public Use Data File

Section B. Measurements

B.1.   ARM LENGTH   [ ][ ] . [ ] cm   **#ARMLNGT4**

B.2.   ARM CIRCUMFERENCE   [ ][ ] . [ ] cm   **#ARMCIRC4**

B.3.   CUFF SIZE USED (Circle one.)   1. Pediatric   3. Large Adult
          #CUFFSIZ4   2. Adult   4. Thigh

> **Wait 5 minutes before measurements. Respondent is to sit quietly for 5 minutes with feet flat on the floor (legs uncrossed) and is to refrain from talking during the measurements.**
>
> **WAIT 2 MINUTES BETWEEN EACH BLOOD PRESSURE READING.**

B.4.   PULSE   [ ][ ] beats/30 sec   **PULSE4**

B.5.   BLOOD PRESSURE **#1** (SYS./DIA. 5th Phase)   [ ][ ][ ] / [ ][ ][ ] mmHg
          SYSBP14 / DIABP14

B.6.   BLOOD PRESSURE **#2** (SYS./DIA. 5th Phase)   [ ][ ][ ] / [ ][ ][ ] mmHg
          SYSBP24/ DIABP24

> **Ask the respondent to remove her shoes before measuring height and weight.**

B.7.   HEIGHT   **HEIGHT4**   [ ][ ][ ] . [ ][ ] cm

    B.7.1. Measurement Method   **HTMETHO4** 1. Stadiometer   2. Portable

B.8.   WEIGHT   **WEIGHT4**   [ ][ ][ ] . [ ] kg

    B.8.1. Scales   **SCALE4**   1. Balance Beam   2. Clinic Digital
                          3. Portable

B.9.   WAIST CIRCUMFERENCE   **WAIST4**   [ ][ ][ ] . [ ] cm

    B.9.1.   Measurement taken in: **WASTMEA4** 1. Undergarments   2. Light clothing

B.10.   HIP CIRCUMFERENCE   **HIP4**   [ ][ ][ ] . [ ] cm

    B.10.1.   Measurement taken in: **HIPMEAS4** 1. Undergarments   2. Light clothing

B.11.   **Please note if there were any unusual circumstances or deviations from the protocol.**

#DEVIATE4

_____

_____

ADDITIONAL PHYSICAL MEASURES

One additional measure, BMI4, has been made available:

Variable	Meaning	Values
BMI4	Body Mass Index	numeric

BMI is calculated as weight in kilograms divided by the square of height in meters.

SECTION A.   GENERAL INFORMATION

A1.   RESPONDENT ID:

AFFIX ID LABEL HERE   **SWANID**

A2.   SWAN STUDY VISIT #   ____ ____   **#VISIT**

A3.   FORM VERSION: 01/01/2000   **#FORM_V**

A4.   DATE FORM COMPLETED: __ __ / __ __ / __ __ __ __
                              M   M   D   D   Y   Y   Y   Y   **COGDAY4**

A5.   INTERVIEWER'S INITIALS: ___ ___ ___   **#INITS**

A6.   RESPONDENT'S DOB: __ __ / __ __ / 1 9 __ __
                          M   M   D   D   Y   Y   Y   Y **#DOB**

VERIFY WITH RESPONDENT

A7.   COMPLETED IN: **#LOCATIO4**

RESPONDENT'S HOME 1
CLINIC / OFFICE 2

A8.   INTERVIEW LANGUAGE: **LANGCOG4**

ENGLISH.. 1
SPANISH.. 2
CANTONESE 3
JAPANESE 4

A9.   START TIME   ___ ___ : ___ ___   AM….1   **#STRTAMP4**
                              #START4   PM….2

EAST BOSTON MEMORY TEST

I have some questions that involve remembering things and concentrating. Please try your best.

INTERVIEWER NOTE: RECORD ALL ANSWERS PROVIDED BY THE PARTICIPANT.
ALL RESPONSES MUST BE GIVEN **WITHOUT** ANY AID TO MEMORY.

I. IMMEDIATE RECALL OF STORY

Now I would like to ask you to try to remember a short story.

First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember.

The story is:

Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well.

WAIT FIVE SECONDS, THEN SAY: Please tell me the story.

RECORD RESPONSE VERBATIM

IMEDTHR4

IMEDCH14

IMEDHOU4

IMEDFIR4

IMEDFMN4

IMEDCLM4

IMEDCH24

IMEDRES4

IMEDMIN4

IMEDINJ4
IMEDEVR4
IMEDWEL4

SCORE EACH IDEA AS PRESENT OR ABSENT

Idea	Present	Absent
Three	1	0
Children	1	0
House	1	0
On Fire	1	0
Fireman	1	0
Climb In	1	0
Children	1	0
Rescued	1	0
Minor	1	0
Injuries	1	0
Everyone	1	0
Well	1	0
Total Ideas	**TOTIDE14**	

B. SYMBOL DIGIT MODALITIES TEST

Now, we are going to try something a little different.

PLACE THE LAMINATED TEST FORM IN FRONT OF RESPONDENT RESPONSES ON A BLANK SDMT FORM.

POINT TO KEY AT TOP OF PAGE AND SAY: Look at these boxes. Notice that each box has a little mark in the upper part and a number in the lower part. Each mark has its own number.   Now look down here. [POINT]

Notice that the boxes on the top have marks, but the boxes on the bottom are empty. I want you to call out the number that goes with each mark. For example, look at the first mark and then look at the key. [POINT]

The number 1 goes with the first mark. So you call out the number 1 for the first box.

POINT OUT NEXT 2 ANSWERS: A 5 goes with this mark, and a 2 goes with this mark.

Now what number belongs in the next box?
POINT TO BOX IF NECESSARY. <u>RECORD RESPONSE</u>.

IF RESPONSE IS CORRECT, SAY: Good. You have the idea.
IF RESPONSE IS INCORRECT, SAY: No, that is a 1. AND POINT TO THE APPROPRIATE SYMBOL/ITEM PAIR IN KEY.

Now, for practice, tell me the numbers that belong in the rest of the boxes up to this line.
DRAW OVER THE DOUBLE LINE IN THE PRACTICE ROW.
Use your finger as you move along the row so you don't get lost.

<u>RECORD RESPONSES</u> TO REMAINING PRACTICE ITEMS (ANSWERS: 3 6 2 4 1 6). IMMEDIATELY CORRECT EACH ERROR AS ABOVE. RECORD "0" FOR NON-NUMERIC RESPONSES.

REINSTRUCT AND/OR ENCOURAGE GUESSING IF RESPONDENT IS CONFUSED ON THE PRACTICE ROW; E.G., If you don't know, guess a number from 1 to 9, and I'll tell you if you're right or wrong.

AFTER PRACTICE ROW IS COMPLETED, SAY:
Good, you know how to do them. I have some more of these I want you to do. When I tell you to begin start here
[POINT TO THE FIRST SQUARE TO RIGHT OF DOUBLE LINE] and call out the numbers just like you
have been doing until I say „Stop.' If you make a mistake, tell me what you think the correct answer is. Do
not skip any boxes and work as quickly as you can. Ready? Begin.

START TIMER AT "BEGIN," ALLOW 90 SECONDS, AND THEN SAY: Stop.
<u>RECORD RESPONSES</u>.
DO NOT REINSTRUCT FURTHER; IF PRESSED, SAY: Just do the best you can.

C.   SYMBOL DIGIT MODALITIES TEST SCORING:

1. Administration status (1, 6-9)   _____

       1   =   test administered   **SDMTSTA4**

       6   =   Not administered because of physical impairment   **SDMTSPE4**

       7   =   Not administered because of verbal refusal

       8   =   Not administered because of a behavioral reason

       9   =   Not administered for some other reason

2. Number of Test Administrations   **SDMTADM4**   _____

3. Number of Practice Items Correct (0-7)   **SDMTPRA4**   _____

4. Number of Test Items Attempted (0-110)   **SDMTATM4**   _____ _____ _____

5. Number of Test Items Correct (0-110)   **SDMTCOR4**   _____ _____ _____

D. DIGITS BACKWARD

ADMINISTRATION: MAKE SURE YOU HAVE RESPONDENT'S ATTENTION BEFORE PRESENTING EACH ITEM. READ DIGITS CLEARLY AT ONE-PER-SECOND RATE, LETTING VOICE PITCH DROP/RISE ON LAST DIGIT. PRESENT EACH ITEM ONLY ONCE. IF REPETITION IS REQUESTED, SAY: Just tell me what you can remember.

DISCONTINUE AFTER TWO CONSECUTIVE ERRORS AT A GIVEN ITEM LENGTH (e.g., IF BOTH 4a AND 4b ARE ERRORS). IF REQUESTED, REINSTRUCT: After I say the numbers, you are to say them backwards.

IF RESPONDENT REPEATS THE NUMBERS FORWARD, SCORE THE RESPONSE AS AN ERROR (0) AND REINSTRUCT AS ABOVE. ONLY ONE UNREQUESTED REINSTRUCTION IS PERMITTED.

SCORING: CLASSIFY EACH RESPONSE AS ERROR (0) OR CORRECT (1) AND ENTER THE SCORE IN THE SPACE PROVIDED. FOR ITEMS NOT ADMINISTERED DUE TO BRANCHING OR DISCONTINUATION RULE, PLACE AN "-1" IN THE SPACE PROVIDED; FOR ITEMS NOT ADMINISTERED FOR ANY OTHER REASON, ENTER THE APPROPRIATE CODE: 6 = PHYSICAL IMPAIRMENT; 7 = VERBAL REFUSAL; 8 = BEHAVIORAL REASON; 9 = OTHER REASON.

INSTRUCTION: Now, let's move on to another part. I am going to say some numbers. When I stop, I want you to say them backwards.

ITEM   **RESPONSE CODE**

P1. Try this one : 2 – 8 – 3."   _____

      IF <u>CORRECT</u> (1), SAY: That's right. Now I have some more numbers. Remember, you are to say them backwards.

          [GO TO 1a]

      IF <u>ERROR</u> (0), SAY: No, I said 2 – 8 – 3, so to say them backwards, you would need to say 3 – 8 – 2.
          [GO TO P2]

P2. Try this one. Remember, you are to say them backwards. Ready? 1 – 5 – 8.   _____

      IF <u>CORRECT</u> (1), SAY: That's right. Now I have some more numbers. Remember, you are to say them backwards.

          [GO TO 1a]

      IF <u>ERROR</u> (0), SAY: No, I said 1 – 5 – 8, so to say them backwards, you would need to say 8 - 5 - 1. Now I have some more numbers. Remember, you are to say them backwards.

DIGITS BACKWARD (CONTINUED)

1 = Correct; 0 = Error
-1 = Not Administered due to discontinuation rule
6 = Not administered because of physical impairment
7 = Not administered because of verbal refusal
8 = Not administered because of behavioral reason
9 = No administered for some other reason

Item			*Response Code*
1a.	Ready? 5 – 1	**DIGIT1A4**	_____
1b.	Here is another: 3 – 8	**DIGIT1B4**	_____
2a.	Here is another: 4 – 9 – 3	**DIGIT2A4**	_____
2b.	Here is another: 5 – 2 – 6	**DIGIT2B4**	_____
3a.	Here is another: 3 – 8 – 1 – 4	**DIGIT3A4**	_____
3b.	Here is another: 1 – 7 – 9 – 5	**DIGIT3B4**	_____
4a.	Here is another: 6 – 2 – 9 – 7 – 2	**DIGIT4A4**	_____
4b.	Here is another: 4 – 8 – 5 – 2 – 7	**DIGIT4B4**	_____
5a.	Here is another: 7 – 1 – 5 – 2 – 8 – 6	**DIGIT5A4**	_____
5b.	Here is another: 8 – 3 – 1 – 9 – 6 – 4	**DIGIT5B4**	_____
6a.	Here is another: 4 – 7 – 3 – 9 – 1 – 2 – 8	**DIGIT6A4**	_____
6b.	Here is another: 8 – 1 – 2 – 9 – 3 – 6 – 3	**DIGIT6B4**	_____

[NOTE: DISCONTINUE TEST AFTER 2 CONSECUTIVE ERRORS AT THE SAME ITEM LENGTH]

F. DELAYED RECALL OF STORY

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now.

RECORD RESPONSE VERBATIM

SCORE EACH IDEA AS PRESENT OR   ABSENT

DLAYTHR4

DLAYCH14

DLAYHOU4

DLAYFIR4

DLAYFMN4

DLAYCLM4

DLAYCH24

DLAYRES4

DLAYMIN4

DLAYINJ4

DLAYEVR4

DLAYWEL4

Idea	Present	Absent
Three	1	0
Children	1	0
House	1	0
On Fire	1	0
Fireman	1	0
Climb In	1	0
Children	1	0
Rescued	1	0
Minor	1	0
Injuries	1	0
Everyone	1	0
Well	1	0
Total Ideas	**TOTIDE24**	

G.   PLACEMENT OF COGNITIVE PROTOCOL

FOR EACH PROTOCOL COMPONENT LISTED BELOW, INDICATE WHETHER OR NOT EACH WAS COMPLETED AT THE SAME STUDY VISIT/DATE PRIOR TO THE ADMINISTRATION OF THE COGNITIVE ASSESSMENT. UNDER "OTHER", LIST ANY OTHER COMPONENTS ADMINISTERED PRIOR TO COGNITIVE ASSESSMENT AT THE SAME VISIT SESSION (i.e., SCID, SITE-SPECIFIC, ETC.)

PROTOCOL COMPONENT:	COMPLETED PRIOR TO COGNITIVE ASSESSMENT?		
	NO	YES	NOT APPLICABLE
CONSENT #CONSENT4	1	2	-1
INTERVIEWER ADMINISTERED FORM #INTADMI4	1	2	-1
BLOOD PRESSURE MEASUREMENTS #BLDPRSS4	1	2	-1
BLOOD DRAW #BLODDRA4	1	2	-1
ANTHROPOMETRIC MEASUREMENTS #ANTHROP4	1	2	-1
SAQ A #SELFA4	1	2	-1

SAQ B	#SELFB4	1	2	-1
DHS ASSESSMENT	#DHSASMN4	1	2	-1
BONE DENSITY	#BONEDNS4	1	2	-1
OTHER (If yes, specify protocol(s) done prior to Cognitive Assessment):		1	2	
#OTHSTDY4				
#OTHPRO14				
#OTHPRO24				
#OTHPRO34				
#OTHPRO44, OTHPRO54				

ADDITIONAL MEASURES COLLECTED

The following measures that were collected at baseline have been included in the codebook:

SERUM HORMONE MEASURES

1. *Variables for assays*

Variable	Assay	Units
DHAS4	Dehydroepiandrosterone sulfate	ug/dL
E2AVE4*	Estradiol (see important note below)	pg/mL
FSH4	Follicle-stimulating hormone	mIU/mL
SHBG4	Sex hormone-binding globulin	nM
T4	Testosterone	ng/dL
TSH4	Thyroid stimulating hormone	uIU/mL

* IMPORTANT NOTE: There were originally two estradiol result variables because estradiol was run in duplicate. E2AVE2 is the within-person arithmetic average of the two estradiol variables.

2. *Flags and other variables*

Variable	Meaning	Codes
CYCDAY4	Day of cycle	n/a
FLGCV4	Both Estradiol results are > 20 pg/mL and the within-subject coefficient of variation (CV) is > 15%.	0=no, 1=yes
FLGDIF4	One or both Estradiol results $\leq$ 20 pg/mL and the difference between them is > 10 pg/mL. Note: Differences were found between some of the Estradiol duplicate measurements. The following guidelines were decided upon: 1. *If both E2 values>20 pg/ml, CV must be $\leq$15%.* 2. *If one or both E2$\leq$20 pg/ml, the two E2 results must agree within 10 pg/ml.* ***DATA WITH THESE FLAGS SHOULD BE OMITTED FROM DATA ANALYSES, OR USED WITH CAUTION IF INCLUDED IN ANALYSES.***	

*1=yes means flagged

3. *Changes to the data:*

- Lower limit of detection (LLD). Hormone results below the LLD were recoded to a value of '.L'.

- LLDs changed over time. The following LLDs were provided by the lab:

Hormone	Time Window on hormone measurement corresponding to LLD	Lower Limit of Detection
DHEAS	~ Sep. 15, 1997	<1.52 ug/dL (Initial value)
	Sep. 16, 1997 ~ Jan. 14, 1999	<0.304 ug/dL
	Jan. 15, 1999 ~	<1.5 ug/dL
E2	~ Aug. 11, 1999	<1.0 pg/mL (Initial value)
	Aug. 12, 1999 ~ Feb. 20, 2000	<1.0 pg/mL
	Feb. 21, 2000 ~ Aug. 27, 2001	<2.0 pg/mL
	Aug. 28, 2001 ~ May 03, 2009	<4.0 pg/mL
FSH	~ Aug. 05, 1999	<1.05 mIU/mL (Initial value)
	Aug. 06, 1999 ~ Nov. 10, 1999	<1.0 mIU/mL
	Nov. 11, 1999 ~ Jul. 19, 2000	<0.7 mIU/mL
	Jul. 20, 2000 ~ Oct. 29, 2002	<0.6 mIU/mL
SHBG	~ Sep. 15, 1997	<1.95 nM (Initial value)
	Sep. 16, 1997 ~ Aug. 05, 1999	<1.95 nM
	Aug. 06, 1999 ~ Oct. 31, 1999	<1.9 nM
	Nov. 01, 1999 ~ Mar. 22, 2006	<2.0 nM
T	~ Jun. 04, 1998	<2.19 ng/dL (Initial value)
	Jun. 05, 1998 ~ Jun. 17, 1999	<2.2 ng/dL
	Jun. 18, 1999 ~	<2.0 ng/dL
TSH	~ Sep. 30, 1997	<0.03 uIU/mL (Initial value)
	Oct. 01, 1997 ~ Sep. 24, 2000	<0.03 uIU/mL
	Sep. 25, 2000 ~ Jun. 21, 2006	<0.13 uIU/mL

CARDIOVASCULAR MEASURES

1. *Variables for assays*

Variable	Assay	Units
CHOLRES4	Total cholesterol	mg/dl
TRIGRES4	Triglycerides	mg/dl
LDLRESU4	Low-density lipoprotein cholesterol (estimated)	mg/dl
HDLRESU4	High density lipoprotein cholesterol	mg/dl
GLUCRES4	Glucose	mg/dl
INSURES4	Insulin	uIU/ml
PAIRESU4	PAI-1	ng/ml
TPARESU4	tPA	ng/ml
LPARESU4	Lipoprotein Lp(a)	mg/dl
APOARES4	Apolipoprotein A-1	mg/dl
APOBRES4	Apolipoprotein B	mg/dl
CRPRESU4	C-reactive protein	mg/l

2. *Flags and other variables*

Variable	Meaning	Codes
FLAGSER4	Flag to indicate that lipids were measured on serum rather than plasma because plasma was not available. Lipids for these subjects were <u>not</u> set to missing.	0=no, 1=yes
FLGCVRV4	Flag to indicate the sample was collected after the cut-off date for Visit 1 (01/31/2002)	0=no, 1=yes

*1=yes means flagged

3. *Changes to the data:*
    *   <u>Non-fasting Triglycerides, Insulin, & Glucose -</u> If women were not fasting, triglycerides, insulin and glucose were set to missing in the frozen data set because these assays are not valid for non-fasting samples.
    *   <u>Estimated vs. Direct LDL</u>. LDL is estimated using the Friedewald equation for all women with triglycerides below 400 mg/dl. If triglycerides exceed 400 mg/dl, LDL is set to missing.
    *   <u>Serum lipids</u>. A few subjects had their lipids measured from serum rather than plasma. The results were left as is but subjects were flagged (FLAGSER1=1).

BONE MINERAL DENSITY MEASURES

Five of the seven clinical sites did DXA bone scans on the spine and hip. The total bone mineral density scores had to be calibrated in order to apply machine change calibration correction factors.

Variable	Meaning	Codes
SPSCDAY4	Spine Scan Day	
SPSCTIM4	Spine Scan Time	
SPSCMOD4	Spine Scan Mode	5 = 2000 machine 11=4500 machine
HPSCDAY4	Hip Scan Day	
HPSCTIM4	Hip Scan Time	
HPSCMOD4	Hip Scan Mode	5 = 2000 machine 11=4500 machine
SPBMDT4	Total Spine BMD w/cross-calibration applied	
HPBMDT4	Total Hip BMD w/cross-calibration applied	

ICPSR 30142

Study of Womens Health Across the Nation (SWAN), 2000-2002: Visit 04 Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Study of Womens Health Across the Nation (SWAN), 2000-2002: Visit 04 Dataset

SWANID	SWANID
Location:	1-5 (width: 5; decimal: 0)
Variable Type:	numeric

VISIT	Study Visit		
Location:	6-7 (width: 2; decimal: 0)		
Variable Type:	character		

Value	Unweighted Frequency	%
	21	0.8 %
04	2658	99.2 %

INTDAY4	Interview Day
Location:	8-11 (width: 4; decimal: 0)
Variable Type:	numeric

AGE4	Visit 4 Age		
Location:	12-13 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Unweighted Frequency	%
45	4	0.1 %
46	260	9.7 %
47	310	11.6 %
48	341	12.7 %
49	321	12.0 %
50	322	12.0 %
51	319	11.9 %
52	254	9.5 %
53	220	8.2 %
54	150	5.6 %
55	93	3.5 %
56	57	2.1 %
57	7	0.3 %
. (M)	21	0.8 %

LANGINT4	Language of Interview			
Location:	14-15 (width: 2; decimal: 0)			
Variable Type:	numeric			

Value	Label	Unweighted Frequency	%
-1	N/A	1	0.0 %

Value	Label	Unweighted Frequency	%
1	English	2321	86.6 %
2	Spanish	159	5.9 %
3	Cantonese	71	2.7 %
4	Japanese	106	4.0 %
. (M)	-	21	0.8 %

PREGNAN4 — Currently Pregnant

Location:	16-17 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	4	0.1 %
1	No	2277	85.0 %
2	Yes	1	0.0 %
. (M)	-	397	14.8 %

PREVBLO4 — Blood Drawn Previously

Location:	18-18 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	1165	43.5 %
. (M)	-	1514	56.5 %

EATDRIN4 — Eat/Drink in last 14 hrs

Location:	19-20 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	3	0.1 %
1	No	2228	83.2 %
2	Yes	51	1.9 %
. (M)	-	397	14.8 %

STRTPER4 — Start Period in Last Week

Location:	21-22 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	3	0.1 %
1	No	1319	49.2 %

Value	Label	Unweighted Frequency	%
2	Yes	959	35.8 %
. (M)	-	397	14.8 %

DAYBLE4	Day that you started to bleed

Location:	23-26 (width: 4; decimal: 0)
Variable Type:	numeric

BLDRWAT4	Blood Draw Attempted

Location:	27-28 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	Yes, as per protocol	1741	65.0 %
2	Yes, menses too variable	351	13.1 %
3	Yes, Last attempt	189	7.1 %
. (M)	-	397	14.8 %

BLDDRAW4	Blood Drawn

Location:	29-29 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
2	Yes	2282	85.2 %
. (M)	-	397	14.8 %

SPEDAY4	Blood Specimen Day

Location:	30-33 (width: 4; decimal: 0)
Variable Type:	numeric

ANTICO14	Anticoagulant #1

Location:	34-35 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	No	2609	97.4 %
2	Yes	48	1.8 %
. (M)	-	21	0.8 %

ACOATW14	Anticoagulant #1 taken 2x/wk for last mo

Location:	36-37 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2610	97.4 %
1	No	11	0.4 %
2	Yes	37	1.4 %
. (M)	-	21	0.8 %

ANTICO24	**Anticoagulant #2**		

Location:	38-39 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2610	97.4 %
1	No	41	1.5 %
2	Yes	7	0.3 %
. (M)	-	21	0.8 %

ACOATW24	**Anticoagulant #2 taken 2x/wk for last mo**		

Location:	40-41 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2651	99.0 %
1	No	3	0.1 %
2	Yes	4	0.1 %
. (M)	-	21	0.8 %

HEART14	**Heart med #1**		

Location:	42-43 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
1	No	2571	96.0 %
2	Yes	85	3.2 %
. (M)	-	21	0.8 %

HARTTW14	**Heart med #1 taken 2x/wk for last mo**		

Location:	44-45 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2573	96.0 %

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	76	2.8 %
. (M)	-	21	0.8 %

HEART24 — Heart med #2

Location: 46-47 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2573	96.0 %
1	No	68	2.5 %
2	Yes	17	0.6 %
. (M)	-	21	0.8 %

HARTTW24 — Heart med #2 taken 2x/wk for last mo

Location: 48-49 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2641	98.6 %
1	No	1	0.0 %
2	Yes	16	0.6 %
. (M)	-	21	0.8 %

CHOLST14 — Cholesterol med #1

Location: 50-51 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	No	2508	93.6 %
2	Yes	149	5.6 %
. (M)	-	21	0.8 %

CHOLTW14 — Cholesterol med #1 taken 2x/wk for last mo

Location: 52-53 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2509	93.7 %
1	No	18	0.7 %
2	Yes	131	4.9 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

CHOLST24 — Cholesterol med #2

Location:	54-55 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2509	93.7 %
1	No	145	5.4 %
2	Yes	4	0.1 %
. (M)	-	21	0.8 %

CHOLTW24 — Cholesterol med #2 taken 2x/wk for last mo

Location:	56-57 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2654	99.1 %
2	Yes	4	0.1 %
. (M)	-	21	0.8 %

BP14 — Blood pressure med #1

Location:	58-59 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	No	2131	79.5 %
2	Yes	526	19.6 %
. (M)	-	21	0.8 %

BPTW14 — Blood pressure med #1 taken 2x/wk last mo

Location:	60-61 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2132	79.6 %
1	No	37	1.4 %
2	Yes	489	18.3 %
. (M)	-	21	0.8 %

BP24 — Blood pressure med #2

Location:	62-63 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2132	79.6 %
1	No	367	13.7 %
2	Yes	159	5.9 %
. (M)	-	21	0.8 %

BPTW24	**Blood pressure med #2 taken 2x/wk last mo**

Location:	64-65 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2499	93.3 %
1	No	13	0.5 %
2	Yes	146	5.4 %
. (M)	-	21	0.8 %

DIURET14	**Diuretic #1**

Location:	66-67 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	No	2515	93.9 %
2	Yes	142	5.3 %
. (M)	-	21	0.8 %

DIURTW14	**Diuretic #1 taken 2x/wk for last mo**

Location:	68-69 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2516	93.9 %
1	No	34	1.3 %
2	Yes	108	4.0 %
. (M)	-	21	0.8 %

DIURET24	**Diuretic #2**

Location:	70-71 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2516	93.9 %
1	No	136	5.1 %
2	Yes	6	0.2 %
. (M)	-	21	0.8 %

DIURTW24	**Diuretic #2 taken 2x/wk for last mo**
Location:	72-73 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2652	99.0 %
1	No	1	0.0 %
2	Yes	5	0.2 %
. (M)	-	21	0.8 %

THYROI14	**Thyroid med #1**
Location:	74-75 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	No	2412	90.0 %
2	Yes	245	9.1 %
. (M)	-	21	0.8 %

THYRTW14	**Thyroid med #1 taken 2x/wk for last mo**
Location:	76-77 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2413	90.1 %
1	No	7	0.3 %
2	Yes	238	8.9 %
. (M)	-	21	0.8 %

THYROI24	**Thyroid med #2**
Location:	78-79 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2413	90.1 %
1	No	240	9.0 %

Value	Label	Unweighted Frequency	%
2	Yes	5	0.2 %
. (M)	-	21	0.8 %

| **THYRTW24** | **Thyroid med #2 taken 2x/wk for last mo** | | |

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2653	99.0 %
1	No	4	0.1 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

| **INSULN14** | **Insulin med #1** | | |

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	No	2533	94.6 %
2	Yes	124	4.6 %
. (M)	-	21	0.8 %

| **INSUTW14** | **Insulin med #1 taken 2x/wk for last mo** | | |

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2534	94.6 %
1	No	4	0.1 %
2	Yes	120	4.5 %
. (M)	-	21	0.8 %

| **INSULN24** | **Insulin med #2** | | |

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2534	94.6 %
1	No	55	2.1 %
2	Yes	69	2.6 %
. (M)	-	21	0.8 %

INSUTW24	Insulin med #2 taken 2x/wk for last mo		

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2589	96.6 %
1	No	1	0.0 %
2	Yes	68	2.5 %
. (M)	-	21	0.8 %

NERVS14	Nervous cond med #1		

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	No	2275	84.9 %
2	Yes	382	14.3 %
. (M)	-	21	0.8 %

NERVTW14	Nervous cond med #1 taken 2x/wk last mo		

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2276	85.0 %
1	No	106	4.0 %
2	Yes	275	10.3 %
. (M)	-	21	0.8 %

NERVS24	Nervous cond med #2		

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2276	85.0 %
1	No	257	9.6 %
2	Yes	125	4.7 %
. (M)	-	21	0.8 %

NERVTW24	Nervous cond med #2 taken 2x/wk last mo		

Location: 96-97 (width: 2; decimal: 0)

Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-1	N/A	2533	94.6 %
1	No	36	1.3 %
2	Yes	89	3.3 %
. (M)	-	21	0.8 %

STEROI14	**Steroid #1**

Location:	98-99 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	No	2535	94.6 %
2	Yes	122	4.6 %
. (M)	-	21	0.8 %

STERTW14	**Steroid #1 taken 2x/wk for last mo**

Location:	100-101 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2536	94.7 %
1	No	81	3.0 %
2	Yes	41	1.5 %
. (M)	-	21	0.8 %

STEROI24	**Steroid #2**

Location:	102-103 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2536	94.7 %
1	No	107	4.0 %
2	Yes	15	0.6 %
. (M)	-	21	0.8 %

STERTW24	**Steroid #2 taken 2x/wk for last mo**

Location:	104-105 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2643	98.7 %

Value	Label	Unweighted Frequency	%
1	No	4	0.1 %
2	Yes	11	0.4 %
. (M)	-	21	0.8 %

FERTIL14	**Fertility med #1**		

Location:	106-107 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	No	2653	99.0 %
2	Yes	4	0.1 %
. (M)	-	21	0.8 %

FRTLTW14	**Fertility med #1 taken 2x/wk last mo**		

Location:	108-109 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2654	99.1 %
1	No	4	0.1 %
. (M)	-	21	0.8 %

FERTIL24	**Fertility med #2**		

Location:	110-111 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2654	99.1 %
1	No	4	0.1 %
. (M)	-	21	0.8 %

FRTLTW24	**Fertility med #2 taken 2x/wk last mo**		

Location:	112-113 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2658	99.2 %
. (M)	-	21	0.8 %

BCP14	**Birth Control Pill #1**		

Location:	114-114 (width: 1; decimal: 0)

Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	2599	97.0 %
2	Yes	59	2.2 %
. (M)	-	21	0.8 %

BCPTWI14	**Birth Control Pill #1 taken 2x/wk last mo**		
Location:	115-116 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-1	N/A	2599	97.0 %
1	No	17	0.6 %
2	Yes	42	1.6 %
. (M)	-	21	0.8 %

BCP24	**Birth Control Pill #2**		
Location:	117-118 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-1	N/A	2599	97.0 %
1	No	57	2.1 %
2	Yes	2	0.1 %
. (M)	-	21	0.8 %

BCPTWI24	**Birth control pills #2 taken 2x/wk last mo**		
Location:	119-120 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-1	N/A	2656	99.1 %
1	No	1	0.0 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

BCREAS4	**Primary reason for taking birth control pills**		
Location:	121-122 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2599	97.0 %

Value	Label	Unweighted Frequency	%
1	Prevent Pregnancy	15	0.6 %
2	Help Control Pre Menstrual Symptoms	8	0.3 %
3	Help Control Menopausal Symptoms	7	0.3 %
5	Regulate Periods	9	0.3 %
7	Reduce Bleeding	11	0.4 %
8	Other	8	0.3 %
. (M)	-	21	0.8 %

BCRES_S4	**Primary reason other specify**

Location: 123-169 (width: 47; decimal: 0)
Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2650	98.9 %
ENDOMETRIOSIS (NOT DIAGNOSED) SYMPTOMS	1	0.0 %
ESTROGEN	1	0.0 %
ESTROGEN REPLACEMENT	1	0.0 %
FOR ENDOMETRIOSIS	1	0.0 %
FOR MEMORY TO PREVENT PREGNANCY TO HELP CONTROL	1	0.0 %
GET RID OF A CYST	1	0.0 %
POSTPONE CYCLE - VACATION	1	0.0 %
STOP BLEEDING	1	0.0 %

ESTROG14	**Estrogen pills #1**

Location: 170-170 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2427	90.6 %
2	Yes	231	8.6 %
. (M)	-	21	0.8 %

ESTRTW14	**Estrogen pills #1 taken 2x/wk for last mo**

Location: 171-172 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2427	90.6 %
1	No	38	1.4 %
2	Yes	193	7.2 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

ESTROG24 — Estrogen pills #2

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2428	90.6 %
1	No	221	8.2 %
2	Yes	9	0.3 %
. (M)	-	21	0.8 %

ESTRTW24 — Estrogen pills #2 taken 2x/wk for last mo

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2649	98.9 %
1	No	5	0.2 %
2	Yes	4	0.1 %
. (M)	-	21	0.8 %

ESTRDA14 — Estr #1 rx daily or off & on

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	2427	90.6 %
1	Every Day	205	7.7 %
2	Off and On	23	0.9 %
. (M)	-	21	0.8 %

ESTRDA24 — Estr #2 rx daily or off & on

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2649	98.9 %
1	Every Day	6	0.2 %

Value	Label	Unweighted Frequency	%
2	Off and On	2	0.1 %
. (M)	-	21	0.8 %

ESTRNJ14	**Estrogen inj/patch #1**		

Location: 181-181 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2631	98.2 %
2	Yes	27	1.0 %
. (M)	-	21	0.8 %

EINJTW14	**Estrogen inj/patch #1 taken 2x/wk last mo**		

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2631	98.2 %
1	No	9	0.3 %
2	Yes	18	0.7 %
. (M)	-	21	0.8 %

ESTRNJ24	**Estrogen inj/patch #2**		

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2626	98.0 %
1	No	31	1.2 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

EINJTW24	**Estrogen inj/patch #2 taken 2x/wk last mo**		

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
1	No	1	0.0 %
. (M)	-	21	0.8 %

COMBIN14	**Comb estrogen/progestin #1**		

Location: 188-188 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2481	92.6 %
2	Yes	177	6.6 %
. (M)	-	21	0.8 %

COMBTW14 — Comb estrogen/progestin #1 taken 2x/wk last mo

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2481	92.6 %
1	No	34	1.3 %
2	Yes	143	5.3 %
. (M)	-	21	0.8 %

COMBIN24 — Comb estrogen/progestin #2

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2486	92.8 %
1	No	165	6.2 %
2	Yes	7	0.3 %
. (M)	-	21	0.8 %

COMBTW24 — Comb estrogen/progestin #2 taken 2x/wk last mo

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2651	99.0 %
1	No	2	0.1 %
2	Yes	5	0.2 %
. (M)	-	21	0.8 %

PROGES14 — Progestin pills #1

Location: 195-195 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2488	92.9 %

Value	Label	Unweighted Frequency	%
2	Yes	170	6.3 %
. (M)	-	21	0.8 %

| **PROGTW14** | **Progestin pills #1 taken 2x/wk last mo** | | |

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2488	92.9 %
1	No	46	1.7 %
2	Yes	124	4.6 %
. (M)	-	21	0.8 %

| **PROGES24** | **Progestin pills #2** | | |

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2488	92.9 %
1	No	164	6.1 %
2	Yes	6	0.2 %
. (M)	-	21	0.8 %

| **PROGTW24** | **Progestin pills #2 taken 2x/wk last mo** | | |

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2652	99.0 %
1	No	2	0.1 %
2	Yes	4	0.1 %
. (M)	-	21	0.8 %

| **PROGDA14** | **Prog #1 rx daily or off & on** | | |

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-8	Do not know	2	0.1 %
-1	N/A	2488	92.9 %
1	Every Day	87	3.2 %

Value	Label	Unweighted Frequency	%
2	Off and On	79	2.9 %
. (M)	-	21	0.8 %

PROGDA24	Prog #2 rx daily or off & on		

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2652	99.0 %
1	Every Day	5	0.2 %
2	Off and On	1	0.0 %
. (M)	-	21	0.8 %

OSTEPR14	Osteoporosis med #1		

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	No	2620	97.8 %
2	Yes	37	1.4 %
. (M)	-	21	0.8 %

OSTETW14	Osteoporosis med #1 taken 2x/wk for last mo		

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	2620	97.8 %
1	No	8	0.3 %
2	Yes	28	1.0 %
. (M)	-	21	0.8 %

OSTEPR24	Osteoporosis med #2		

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2620	97.8 %
1	No	36	1.3 %
2	Yes	2	0.1 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

OSTETW24	**Osteoporosis med #2 taken 2x/wk for last mo**		

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2656	99.1 %
1	No	1	0.0 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

OTHMED14	**Other rx med #1**		

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
1	No	1440	53.8 %
2	Yes	1215	45.4 %
. (M)	-	21	0.8 %

OTHRTW14	**Other rx med #1 taken 2x/wk last mo**		

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	1443	53.9 %
1	No	483	18.0 %
2	Yes	730	27.2 %
. (M)	-	21	0.8 %

OTHMED24	**Other rx med #2**		

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	1443	53.9 %
1	No	537	20.0 %
2	Yes	678	25.3 %
. (M)	-	21	0.8 %

OTHRTW24	Other rx med #2 taken 2x/wk last mo		

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
-1	N/A	1980	73.9 %
1	No	275	10.3 %
2	Yes	400	14.9 %
. (M)	-	21	0.8 %

OTHMED34	Other rx med #3		

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	1980	73.9 %
1	No	288	10.8 %
2	Yes	390	14.6 %
. (M)	-	21	0.8 %

OTHRTW34	Other rx med #3 taken 2x/wk last mo		

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2268	84.7 %
1	No	158	5.9 %
2	Yes	232	8.7 %
. (M)	-	21	0.8 %

OTHMED44	Other rx med #4		

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2268	84.7 %
1	No	162	6.0 %
2	Yes	228	8.5 %
. (M)	-	21	0.8 %

OTHRTW44	Other rx med #4 taken 2x/wk last mo		

Location: 228-229 (width: 2; decimal: 0)

Variable Type:	numeric		

Value	*Label*	*Unweighted Frequency*	*%*
-1	N/A	2430	90.7 %
1	No	113	4.2 %
2	Yes	115	4.3 %
. (M)	-	21	0.8 %

OTHMED54	**Other rx med #5**

Location: 230-231 (width: 2; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
-1	N/A	2430	90.7 %
1	No	77	2.9 %
2	Yes	151	5.6 %
. (M)	-	21	0.8 %

OTHRTW54	**Other rx med #5 taken 2x/wk last mo**

Location: 232-233 (width: 2; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
-1	N/A	2507	93.6 %
1	No	62	2.3 %
2	Yes	89	3.3 %
. (M)	-	21	0.8 %

OTHMED64	**Other rx med #6**

Location: 234-235 (width: 2; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
-1	N/A	2507	93.6 %
1	No	60	2.2 %
2	Yes	91	3.4 %
. (M)	-	21	0.8 %

OTHRTW64	**Other rx med #6 taken 2x/wk last mo**

Location: 236-237 (width: 2; decimal: 0)
Variable Type: numeric

Value	*Label*	*Unweighted Frequency*	*%*
-1	N/A	2567	95.8 %

Value	Label	Unweighted Frequency	%
1	No	43	1.6 %
2	Yes	48	1.8 %
. (M)	-	21	0.8 %

OTHMED74 **Other rx med #7**

Location: 238-239 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2568	95.9 %
1	No	31	1.2 %
2	Yes	59	2.2 %
. (M)	-	21	0.8 %

OTHRTW74 **Other rx med #7 taken 2x/wk last mo**

Location: 240-241 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2599	97.0 %
1	No	33	1.2 %
2	Yes	26	1.0 %
. (M)	-	21	0.8 %

OTHMED84 **Other rx med #8**

Location: 242-243 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2599	97.0 %
1	No	20	0.7 %
2	Yes	39	1.5 %
. (M)	-	21	0.8 %

OTHRTW84 **Other rx med #8 taken 2x/wk last mo**

Location: 244-245 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2619	97.8 %
1	No	27	1.0 %
2	Yes	12	0.4 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

OTHMED94 — Other rx med #9

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2619	97.8 %
1	No	10	0.4 %
2	Yes	29	1.1 %
. (M)	-	21	0.8 %

OTHRTW94 — Other rx med #9 taken 2x/wk last mo

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2629	98.1 %
1	No	17	0.6 %
2	Yes	12	0.4 %
. (M)	-	21	0.8 %

OTHME104 — Other rx med #10

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2629	98.1 %
1	No	10	0.4 %
2	Yes	19	0.7 %
. (M)	-	21	0.8 %

OTHTW104 — Other rx med #10 taken 2x/wk last mo

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2639	98.5 %
1	No	10	0.4 %
2	Yes	9	0.3 %
. (M)	-	21	0.8 %

OTHME114	Other rx med #11

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2639	98.5 %
1	No	10	0.4 %
2	Yes	9	0.3 %
. (M)	-	21	0.8 %

OTHTW114	Other rx med #11 taken 2x/wk last mo

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2649	98.9 %
1	No	6	0.2 %
2	Yes	3	0.1 %
. (M)	-	21	0.8 %

OTHME124	Other rx med #12

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2649	98.9 %
1	No	3	0.1 %
2	Yes	6	0.2 %
. (M)	-	21	0.8 %

OTHTW124	Other rx med #12 taken 2x/wk last mo

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2652	99.0 %
1	No	3	0.1 %
2	Yes	3	0.1 %
. (M)	-	21	0.8 %

OTHME134	Other rx med #13

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2652	99.0 %
2	Yes	6	0.2 %
. (M)	-	21	0.8 %

OTHTW134 | **Other rx med #13 taken 2x/wk last mo**

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2652	99.0 %
1	No	2	0.1 %
2	Yes	4	0.1 %
. (M)	-	21	0.8 %

OTHME144 | **Other rx med #14**

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2652	99.0 %
1	No	1	0.0 %
2	Yes	5	0.2 %
. (M)	-	21	0.8 %

OTHTW144 | **Other rx med #14 taken 2x/wk last mo**

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2653	99.0 %
1	No	1	0.0 %
2	Yes	4	0.1 %
. (M)	-	21	0.8 %

OTHME154 | **Other rx med #15**

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2653	99.0 %
1	No	2	0.1 %
2	Yes	3	0.1 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

OTHTW154 — Other rx med #15 taken 2x/wk last mo

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2655	99.1 %
1	No	2	0.1 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

ESTLSTV4 — Using any estrogen/progestin at time of last study visit

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-8	Do not know	6	0.2 %
-1	N/A	2219	82.8 %
1	No	168	6.3 %
2	Yes	264	9.9 %
. (M)	-	21	0.8 %

REDUHAR4 — Reduce risk of heart disease

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2483	92.7 %
1	No	139	5.2 %
2	Yes	36	1.3 %
. (M)	-	21	0.8 %

OSTEOPO4 — Reduce risk of osteoporosis

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2483	92.7 %
1	No	116	4.3 %
2	Yes	59	2.2 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

MENOSYM4 — Relieve menopausal symptoms

Location: 280-281 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2483	92.7 %
1	No	41	1.5 %
2	Yes	134	5.0 %
. (M)	-	21	0.8 %

YOUNGLK4 — Stay young-looking

Location: 282-283 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2483	92.7 %
1	No	161	6.0 %
2	Yes	14	0.5 %
. (M)	-	21	0.8 %

HCPADVI4 — Health care provider advised

Location: 284-285 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2483	92.7 %
1	No	41	1.5 %
2	Yes	134	5.0 %
. (M)	-	21	0.8 %

FRNADVI4 — Friend/relative advised

Location: 286-287 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2483	92.7 %
1	No	153	5.7 %
2	Yes	22	0.8 %
. (M)	-	21	0.8 %

IMPRMEM4	Improve memory

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2483	92.7 %
1	No	155	5.8 %
2	Yes	20	0.7 %
. (M)	-	21	0.8 %

REGPERI4	Regulate periods

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2483	92.7 %
1	No	136	5.1 %
2	Yes	39	1.5 %
. (M)	-	21	0.8 %

HORMOTH4	Take hormones for other reasons

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2483	92.7 %
1	No	131	4.9 %
2	Yes	44	1.6 %
. (M)	-	21	0.8 %

DONTKNO4	Don't know/rem why take hormones

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	2483	92.7 %
1	No	172	6.4 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

PRBBLEE4	Problems w/bleeding

Location: 296-297 (width: 2; decimal: 0)

Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2579	96.3 %
1	No	66	2.5 %
2	Yes	12	0.4 %
. (M)	-	21	0.8 %

HAVEPER4 — Did not like having periods

Location:	298-299 (width: 2; decimal: 0)	
Variable Type:	numeric	

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2579	96.3 %
1	No	76	2.8 %
2	Yes	2	0.1 %
. (M)	-	21	0.8 %

LIKEFEL4 — Did not like how felt on them

Location:	300-301 (width: 2; decimal: 0)	
Variable Type:	numeric	

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2579	96.3 %
1	No	67	2.5 %
2	Yes	11	0.4 %
. (M)	-	21	0.8 %

SIDEEFF4 — Worried about poss side effects

Location:	302-303 (width: 2; decimal: 0)	
Variable Type:	numeric	

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2579	96.3 %
1	No	66	2.5 %
2	Yes	12	0.4 %
. (M)	-	21	0.8 %

CANCER4 — Worried about cancer

Location:	304-305 (width: 2; decimal: 0)	

| | Variable Type: | numeric | | |

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2579	96.3 %
1	No	65	2.4 %
2	Yes	13	0.5 %
. (M)	-	21	0.8 %

ADVISTO4 — Health care prov advised to stop

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2579	96.3 %
1	No	71	2.7 %
2	Yes	7	0.3 %
. (M)	-	21	0.8 %

EXPENSI4 — Too expensive

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2579	96.3 %
1	No	77	2.9 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

NOLIKE4 — Do not like taking meds

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2579	96.3 %
1	No	72	2.7 %
2	Yes	6	0.2 %
. (M)	-	21	0.8 %

NOREMEB4 — Couldn't remember to take them

Location: 312-313 (width: 2; decimal: 0)

| | Variable Type: | numeric | | |

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2579	96.3 %
1	No	77	2.9 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

DNTKNOW4   **Don't know why stopped hormones**

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2579	96.3 %
1	No	78	2.9 %
. (M)	-	21	0.8 %

STOPOTH4   **Stopped hormones other reason**

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2580	96.3 %
1	No	23	0.9 %
2	Yes	55	2.1 %
. (M)	-	21	0.8 %

NOREASO4   **Stopped hormones no reason given**

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2579	96.3 %
1	No	78	2.9 %
. (M)	-	21	0.8 %

PAIN14   **OTC Pain med #1**

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	44	1.6 %
1	No	1762	65.8 %
2	Yes	851	31.8 %
. (M)	-	21	0.8 %

PAINTW14 — OTC Pain med #1 taken 2x/wk last mo

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	1807	67.5 %
1	No	328	12.2 %
2	Yes	523	19.5 %
. (M)	-	21	0.8 %

PAIN24 — OTC Pain med #2

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	1807	67.5 %
1	No	602	22.5 %
2	Yes	249	9.3 %
. (M)	-	21	0.8 %

PAINTW24 — OTC Pain med #2 taken 2x/wk last mo

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2409	89.9 %
1	No	126	4.7 %
2	Yes	123	4.6 %
. (M)	-	21	0.8 %

SLEEP14 — OTC Sleep med #1

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %

Value	Label	Unweighted Frequency	%
-1	N/A	44	1.6 %
1	No	2483	92.7 %
2	Yes	130	4.9 %
. (M)	-	21	0.8 %

SLEPTW14 — OTC Sleep med #1 taken 2x/wk last mo

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2528	94.4 %
1	No	42	1.6 %
2	Yes	88	3.3 %
. (M)	-	21	0.8 %

SLEEP24 — OTC Sleep med #2

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2528	94.4 %
1	No	120	4.5 %
2	Yes	10	0.4 %
. (M)	-	21	0.8 %

SLEPTW24 — OTC Sleep med #2 taken 2x/wk last mo

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2648	98.8 %
1	No	5	0.2 %
2	Yes	5	0.2 %
. (M)	-	21	0.8 %

OTC14 — Other OTC med #1

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	44	1.6 %

Value	Label	Unweighted Frequency	%
1	No	2107	78.6 %
2	Yes	506	18.9 %
. (M)	-	21	0.8 %

OTCTW14   **Other OTC med #1 taken 2x/wk last mo**

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	2152	80.3 %
1	No	140	5.2 %
2	Yes	364	13.6 %
. (M)	-	21	0.8 %

OTC24   **Other OTC med #2**

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2152	80.3 %
1	No	352	13.1 %
2	Yes	154	5.7 %
. (M)	-	21	0.8 %

OTCTW24   **Other OTC med #2 taken 2x/wk last mo**

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2504	93.5 %
1	No	44	1.6 %
2	Yes	110	4.1 %
. (M)	-	21	0.8 %

OTC34   **Other OTC med #3**

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2504	93.5 %
1	No	86	3.2 %

Value	Label	Unweighted Frequency	%
2	Yes	68	2.5 %
. (M)	-	21	0.8 %

OTCTW34 — Other OTC med #3 taken 2x/wk last mo

Location:	346-347 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2590	96.7 %
1	No	18	0.7 %
2	Yes	50	1.9 %
. (M)	-	21	0.8 %

OTC44 — Other OTC med #4

Location:	348-349 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2590	96.7 %
1	No	43	1.6 %
2	Yes	25	0.9 %
. (M)	-	21	0.8 %

OTCTW44 — Other OTC med #4 taken 2x/wk last mo

Location:	350-351 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2633	98.3 %
1	No	4	0.1 %
2	Yes	21	0.8 %
. (M)	-	21	0.8 %

OTC54 — Other OTC med #5

Location:	352-353 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2633	98.3 %
1	No	14	0.5 %
2	Yes	11	0.4 %
. (M)	-	21	0.8 %

OTCTW54	Other OTC med #5 taken 2x/wk last mo		

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2647	98.8 %
1	No	3	0.1 %
2	Yes	8	0.3 %
. (M)	-	21	0.8 %

OTC64	Other OTC med #6		

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2647	98.8 %
1	No	5	0.2 %
2	Yes	6	0.2 %
. (M)	-	21	0.8 %

OTCTW64	Other OTC med #6 taken 2x/wk last mo		

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2652	99.0 %
1	No	2	0.1 %
2	Yes	4	0.1 %
. (M)	-	21	0.8 %

OTC74	Other OTC med #7		

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2652	99.0 %
1	No	2	0.1 %
2	Yes	4	0.1 %
. (M)	-	21	0.8 %

OTCTW74	Other OTC med #7 taken 2x/wk last mo		

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2654	99.1 %
1	No	1	0.0 %
2	Yes	3	0.1 %
. (M)	-	21	0.8 %

OTC84	**Other OTC med #8**

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2654	99.1 %
1	No	1	0.0 %
2	Yes	3	0.1 %
. (M)	-	21	0.8 %

OTCTW84	**Other OTC med #8 taken 2x/wk last mo**

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2655	99.1 %
1	No	1	0.0 %
2	Yes	2	0.1 %
. (M)	-	21	0.8 %

OTC94	**Other OTC med #9**

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2655	99.1 %
2	Yes	3	0.1 %
. (M)	-	21	0.8 %

OTCTW94	**Other OTC med #9 taken 2x/wk last mo**

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2655	99.1 %
1	No	1	0.0 %
2	Yes	2	0.1 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

OTC104	**Other OTC med #10**		

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2655	99.1 %
1	No	2	0.1 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

OTCTW104	**Other OTC med #10 taken 2x/wk last mo**		

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

OTC114	**Other OTC med #11**		

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

OTCTW114	**Other OTC med #11 taken 2x/wk last mo**		

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

OTC124	**Other OTC med #12**		

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

OTCTW124 — Other OTC med #12 taken 2x/wk last mo

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

OTC134 — Other OTC med #13

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

OTCTW134 — Other OTC med #13 taken 2x/wk last mo

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

OTC144 — Other OTC med #14

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

OTCTW144 — Other OTC med #14 taken 2x/wk last mo

Location: 390-391 (width: 2; decimal: 0)

Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

OTC154	**Other OTC med #15**		

Location:	392-393 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

OTCTW154	**Other OTC med #15 taken 2x/wk last mo**		

Location:	394-395 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
2	Yes	1	0.0 %
. (M)	-	21	0.8 %

REGVITA4	**Take any vitamins/minerals 1x/wk**		

Location:	396-397 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	45	1.7 %
1	No	894	33.4 %
2	Yes	1718	64.1 %
. (M)	-	21	0.8 %

ONCEADA4	**How often take multi-vitamin**		

Location:	398-399 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	940	35.1 %
1	Do not take any	599	22.4 %

Value	Label	Unweighted Frequency	%
2	1-3 days/week	199	7.4 %
3	4-6 days/week	150	5.6 %
4	Every day	769	28.7 %
. (M)	-	21	0.8 %

ANTIOXI4 — How often take antioxidant

Location: 400-401 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	940	35.1 %
1	Do not take any	1497	55.9 %
2	1-3 days/week	43	1.6 %
3	4-6 days/week	32	1.2 %
4	Every day	145	5.4 %
. (M)	-	21	0.8 %

VTMOTH14 — How often take other multi-vit #1

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2333	87.1 %
1	Do not take any	42	1.6 %
2	1-3 days/week	31	1.2 %
3	4-6 days/week	37	1.4 %
4	Every day	215	8.0 %
. (M)	-	21	0.8 %

VTMOTH24 — How often take other multi-vit #2

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2609	97.4 %
1	Do not take any	2	0.1 %
2	1-3 days/week	2	0.1 %
3	4-6 days/week	4	0.1 %
4	Every day	41	1.5 %
. (M)	-	21	0.8 %

VTMOTH34 — How often take other multi-vit #3

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2645	98.7 %
3	4-6 days/week	2	0.1 %
4	Every day	11	0.4 %
. (M)	-	21	0.8 %

VTMOTH44 — How often take other multi-vit #4

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2652	99.0 %
2	1-3 days/week	1	0.0 %
4	Every day	5	0.2 %
. (M)	-	21	0.8 %

VITAMNA4 — How often take vitamin A

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	940	35.1 %
1	Do not take any	1655	61.8 %
2	1-3 days/week	16	0.6 %
3	4-6 days/week	7	0.3 %
4	Every day	39	1.5 %
. (M)	-	21	0.8 %

BETACAR4 — How often take beta-carotene

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	940	35.1 %
1	Do not take any	1662	62.0 %
2	1-3 days/week	20	0.7 %
3	4-6 days/week	8	0.3 %

Value	Label	Unweighted Frequency	%
4	Every day	27	1.0 %
. (M)	-	21	0.8 %

VITAMNC4	**How often take vitamin C**		

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	940	35.1 %
1	Do not take any	1168	43.6 %
2	1-3 days/week	140	5.2 %
3	4-6 days/week	80	3.0 %
4	Every day	329	12.3 %
. (M)	-	21	0.8 %

VITAMND4	**How often take vitamin D**		

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	940	35.1 %
1	Do not take any	1549	57.8 %
2	1-3 days/week	27	1.0 %
3	4-6 days/week	23	0.9 %
4	Every day	117	4.4 %
. (M)	-	21	0.8 %

VITAMNE4	**How often take vitamin E**		

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	940	35.1 %
1	Do not take any	1064	39.7 %
2	1-3 days/week	128	4.8 %
3	4-6 days/week	84	3.1 %
4	Every day	441	16.5 %
. (M)	-	21	0.8 %

CALCTUM4 — How often take calcium/Tums

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	940	35.1 %
1	Do not take any	871	32.5 %
2	1-3 days/week	207	7.7 %
3	4-6 days/week	124	4.6 %
4	Every day	515	19.2 %
. (M)	-	21	0.8 %

IRON4 — How often take iron

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	940	35.1 %
1	Do not take any	1565	58.4 %
2	1-3 days/week	48	1.8 %
3	4-6 days/week	22	0.8 %
4	Every day	82	3.1 %
. (M)	-	21	0.8 %

VITOTH14 — How often take other vit #1

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2030	75.8 %
1	Do not take any	30	1.1 %
2	1-3 days/week	109	4.1 %
3	4-6 days/week	72	2.7 %
4	Every day	416	15.5 %
. (M)	-	21	0.8 %

VITOTH24 — How often take other vit #2

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2365	88.3 %
1	Do not take any	3	0.1 %
2	1-3 days/week	50	1.9 %
3	4-6 days/week	33	1.2 %
4	Every day	207	7.7 %
. (M)	-	21	0.8 %

VITOTH34	**How often take other vit #3**		

Location:	428-429 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2493	93.1 %
1	Do not take any	1	0.0 %
2	1-3 days/week	26	1.0 %
3	4-6 days/week	17	0.6 %
4	Every day	121	4.5 %
. (M)	-	21	0.8 %

VITOTH44	**How often take other vit #4**		

Location:	430-431 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2565	95.7 %
2	1-3 days/week	19	0.7 %
3	4-6 days/week	11	0.4 %
4	Every day	63	2.4 %
. (M)	-	21	0.8 %

ALCHL244	**Alcohol in Last 24 hrs**		

Location:	432-433 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	10	0.4 %
1	No	1932	72.1 %
2	Yes	339	12.7 %
. (M)	-	397	14.8 %

SOYPROT4	**How often take soy protein**		

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-8	Do not know	11	0.4 %
-1	N/A	44	1.6 %
1	Don't take any	2275	84.9 %
2	1-3 days/week	122	4.6 %
3	4-6 days/week	50	1.9 %
4	Every day	154	5.7 %
. (M)	-	21	0.8 %

CEREACA4 — How many bowls high calcium cereal

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-8	Do not know	180	6.7 %
-1	N/A	44	1.6 %
1	None or <1/week	1813	67.7 %
2	1/week	206	7.7 %
3	2/week	174	6.5 %
4	3-4/week	140	5.2 %
5	5-6/week	54	2.0 %
6	>=7/week	45	1.7 %
. (M)	-	21	0.8 %

BREADCA4 — How many slices high calcium bread

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-8	Do not know	266	9.9 %
-1	N/A	44	1.6 %
1	None or <1/week	1673	62.4 %
2	1/week	153	5.7 %
3	2/week	162	6.0 %
4	3-4/week	163	6.1 %
5	5-6/week	88	3.3 %
6	>=7/week	107	4.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

ORANGCA4 — How many glasses high calcium OJ

Location:	440-441 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-8	Do not know	25	0.9 %
-1	N/A	44	1.6 %
1	None or <1/week	1556	58.1 %
2	1/week	224	8.4 %
3	2/week	238	8.9 %
4	3-4/week	244	9.1 %
5	5-6/week	118	4.4 %
6	>=7/week	207	7.7 %
. (M)	-	21	0.8 %

ANEMIA4 — Anemia since last visit

Location:	442-443 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	2	0.1 %
-1	N/A	44	1.6 %
1	No	2402	89.7 %
2	Yes	210	7.8 %
. (M)	-	21	0.8 %

DIABETE4 — Diabetes since last visit

Location:	444-444 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	2529	94.4 %
2	Yes	129	4.8 %
. (M)	-	21	0.8 %

HIGHBP4 — Hypertension since last visit

Location:	445-445 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	2110	78.8 %
2	Yes	548	20.5 %
. (M)	-	21	0.8 %

HBCHOLE4 — High cholesterol since last visit

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	44	1.6 %
1	No	2222	82.9 %
2	Yes	392	14.6 %
. (M)	-	21	0.8 %

MIGRAIN4 — Migraines since last visit

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	44	1.6 %
1	No	2446	91.3 %
2	Yes	168	6.3 %
. (M)	-	21	0.8 %

STROKE4 — Stroke since last visit

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	44	1.6 %
1	No	2601	97.1 %
2	Yes	13	0.5 %
. (M)	-	21	0.8 %

OSTEOAR4 — Arthritis since last visit

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	3	0.1 %
1	No	2272	84.8 %
2	Yes	383	14.3 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

THYROID4 — Over/underactive Thyroid since last visit

Location: 454-455 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	2	0.1 %
1	No	2417	90.2 %
2	Yes	239	8.9 %
. (M)	-	21	0.8 %

HEARTAT4 — Heart attack since last visit

Location: 456-456 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2652	99.0 %
2	Yes	6	0.2 %
. (M)	-	21	0.8 %

ANGINA4 — Angina since last visit

Location: 457-457 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2637	98.4 %
2	Yes	21	0.8 %
. (M)	-	21	0.8 %

OSTEOPR4 — Osteoporosis since last visit

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
1	No	2604	97.2 %
2	Yes	53	2.0 %
. (M)	-	21	0.8 %

CANCERS4 — Cancer since last visit

Location: 460-461 (width: 2; decimal: 0)

Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	No	2630	98.2 %
2	Yes	27	1.0 %
. (M)	-	21	0.8 %

SITESPE4	**Primary site of cancer**

Location:	462-490 (width: 29; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2631	98.2 %
BREAST	6	0.2 %
BREAST (LEFT)	1	0.0 %
BREAST CANCER	1	0.0 %
BREAST CANCER - LEFT SIDE	1	0.0 %
CERVIX	1	0.0 %
CERVIX & VAGINA	1	0.0 %
COLON	1	0.0 %
KIDNEY	1	0.0 %
LEFT BREAST	4	0.1 %
LEUKEMIA	1	0.0 %
LEUKEMIA (AML)	1	0.0 %
OVARIAN	2	0.1 %
RIGHT BREAST	1	0.0 %
RIGHT BREAST (DCIS)	1	0.0 %
RIGHT HAND	1	0.0 %
SKIN/RECTUS ABDOMINUS 8YRS OK	1	0.0 %
THROAT CANCER DEBULKED 2 YRS	1	0.0 %
UTERINE CANCER	1	0.0 %

TAMOXIF4	**Taken Tamoxifen since last visit**

Location:	491-492 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2643	98.7 %
1	No	10	0.4 %
2	Yes	5	0.2 %
. (M)	-	21	0.8 %

CHEMOTH4	Chemotherapy/radiation for cancer

Location: 493-494 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2631	98.2 %
1	No	8	0.3 %
2	Yes	19	0.7 %
. (M)	-	21	0.8 %

BROKEBO4	# times broke bones since last visit

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
0	-	2609	97.4 %
1	-	47	1.8 %
2	-	1	0.0 %
. (M)	-	21	0.8 %

BONES14	Bone #1 broken

Location: 497-526 (width: 30; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2610	97.4 %
ANKLE	4	0.1 %
ANKLE (RIGHT)	1	0.0 %
ANKLE-SHE JUMPS HARD AND BREAK	1	0.0 %
BABY FINGER LEFT HAND	1	0.0 %
BONE IN FOOT	1	0.0 %
BROKE LEFT ANKLE	1	0.0 %
BROKE NOSE-NASAL BONE (WHILE	1	0.0 %
FIBULA - LEFT	1	0.0 %
FOOT (TOP ONE)	1	0.0 %
FRACTURED RIGHT KNEE	1	0.0 %
LEFT ANKLE	1	0.0 %
LEFT ANKLE/RIGHT ANKLE	1	0.0 %
LEFT FIBULA	1	0.0 %
LEFT FOOT	2	0.1 %
LEFT FOOT (5TH METATASOL)	1	0.0 %

Value	Unweighted Frequency	%
LEFT FOOT BIG TOE	1	0.0 %
LEFT HAND (REBROKE SM. BONE LI	1	0.0 %
LEFT INSTEP	1	0.0 %
LEFT KNEE	1	0.0 %
LEFT RIB BONES (3)	1	0.0 %
LEFT THUMB	1	0.0 %
LEFT WRIST	1	0.0 %
LITTLE BONE IN RIGHT WRIST	1	0.0 %
LT. HAND PINKY FINGER	1	0.0 %
LT. THUMB TIP	1	0.0 %
NOSE	1	0.0 %
R FOOT 1ST 2 TOES (FRACTURED)	1	0.0 %
RIB (MOVING HEAVY FURNITURE)	1	0.0 %
RIGHT ANKLE AND RIGHT ALTC	1	0.0 %
RIGHT FIBIA	1	0.0 %
RIGHT FOOT	1	0.0 %
RIGHT FOOT MIDDLE TOE	1	0.0 %
RIGHT KNEE	1	0.0 %
ROTATOR CUFF	1	0.0 %
SHE FELL UPSTAIRS	1	0.0 %
SHOULDER BONE	1	0.0 %
SMALL BONE IN LEFT FOOT	1	0.0 %
TOE (LEFT FOOT)	1	0.0 %
TOE (TRIPPED ON GRANDSON)	1	0.0 %
TOE NEXT TO SMALL TOE (FOOT)	1	0.0 %
TOE ON RIGHT FOOT	1	0.0 %
TOP TIBIA	1	0.0 %
UNCLE	1	0.0 %
WRIST	1	0.0 %

HAPPEN14	How happened #1

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2610	97.4 %
1	No	18	0.7 %
2	Yes	29	1.1 %
. (M)	-	21	0.8 %

BONES24	Bone #2 broken		

Location: 529-530 (width: 2; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2658	99.2 %

HAPPEN24	How happened #2		

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2657	99.2 %
. (M)	-	21	0.8 %

BONES34	Bone #4 broken		

Location: 533-534 (width: 2; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2658	99.2 %

HAPPEN34	How happened #3		

Location: 535-536 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2658	99.2 %
. (M)	-	21	0.8 %

DANDC4	D & C since last visit		

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
-1	N/A	44	1.6 %
1	No	2571	96.0 %
2	Yes	42	1.6 %
. (M)	-	21	0.8 %

NUMDAND4	D & C # of times

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2616	97.6 %
1	-	42	1.6 %
. (M)	-	21	0.8 %

HYSTERE4	Hysterectomy since last visit

Location: 541-541 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2618	97.7 %
2	Yes	40	1.5 %
. (M)	-	21	0.8 %

HYSTDAY4	Day of hysterectomy

Location: 542-545 (width: 4; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
250	1	0.0 %
687	1	0.0 %
840	1	0.0 %
901	1	0.0 %
942	1	0.0 %
1022	1	0.0 %
1101	1	0.0 %
1159	1	0.0 %
1176	1	0.0 %
1183	1	0.0 %
1187	1	0.0 %
1203	1	0.0 %
1214	1	0.0 %
1223	1	0.0 %
1233	1	0.0 %
1237	1	0.0 %
1240	2	0.1 %
1242	1	0.0 %
1248	1	0.0 %
1253	1	0.0 %

Value	Unweighted Frequency	%
1263	1	0.0 %
1279	1	0.0 %
1289	1	0.0 %
1309	1	0.0 %
1311	1	0.0 %
1320	1	0.0 %
1336	1	0.0 %
1337	1	0.0 %
1386	1	0.0 %
1427	1	0.0 %
1443	1	0.0 %
1444	1	0.0 %
1461	1	0.0 %
1472	1	0.0 %
1482	1	0.0 %
1485	1	0.0 %
1490	1	0.0 %
. (M)	2641	98.6 %

OOPHORE4	**Ovaries removed since last visit**

Location: 546-546 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2628	98.1 %
2	Yes	30	1.1 %
. (M)	-	21	0.8 %

ONEOVAR4	**One or both ovaries removed**

Location: 547-548 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-1	N/A	2628	98.1 %
1	One Ovary Removed	9	0.3 %
2	Both Ovaries Removed	19	0.7 %
. (M)	-	21	0.8 %

ABLATIN4	**Endometrial ablation since last visit**

Location: 549-550 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-1	N/A	44	1.6 %
1	No	2603	97.2 %
2	Yes	9	0.3 %
. (M)	-	21	0.8 %

UTERPRO4	**Uterine procedure since last visit**

Location: 551-552 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	2	0.1 %
-1	N/A	44	1.6 %
1	No	2492	93.0 %
2	Yes	120	4.5 %
. (M)	-	21	0.8 %

THYRREM4	**Thyroid gland removed since last visit**

Location: 553-554 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	44	1.6 %
1	No	2608	97.3 %
2	Yes	6	0.2 %
. (M)	-	21	0.8 %

ENDO4	**Endometriosis since last visit**

Location: 555-556 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	44	1.6 %
1	No	2593	96.8 %
2	Yes	21	0.8 %
. (M)	-	21	0.8 %

ENDODIF4	**Endometriosis difficult**

Location: 557-558 (width: 2; decimal: 0)

Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-1	N/A	2637	98.4 %
1	No	15	0.6 %
2	Yes	6	0.2 %
. (M)	-	21	0.8 %

PELVCPN4 — Pelvic pain since last visit

Location:	559-560 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	44	1.6 %
1	No	2441	91.1 %
2	Yes	173	6.5 %
. (M)	-	21	0.8 %

DIFPELV4 — Pelvic pain difficult

Location:	561-562 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2485	92.8 %
1	No	116	4.3 %
2	Yes	57	2.1 %
. (M)	-	21	0.8 %

PROLAPS4 — Pelvic prolapse since last visit

Location:	563-564 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	44	1.6 %
1	No	2574	96.1 %
2	Yes	40	1.5 %
. (M)	-	21	0.8 %

DIFPROL4 — Pelvic prolapse difficult

Location:	565-566 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2618	97.7 %

Value	Label	Unweighted Frequency	%
1	No	33	1.2 %
2	Yes	7	0.3 %
. (M)	-	21	0.8 %

PELVCNC4 — Pelvic cancer since last visit

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	44	1.6 %
1	No	2609	97.4 %
2	Yes	5	0.2 %
. (M)	-	21	0.8 %

DIFCANC4 — Pelvic cancer difficult

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2653	99.0 %
1	No	3	0.1 %
2	Yes	2	0.1 %
. (M)	-	21	0.8 %

ABBLEED4 — Abnormal vaginal bleeding since last visit

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	44	1.6 %
1	No	2415	90.1 %
2	Yes	199	7.4 %
. (M)	-	21	0.8 %

DIFBLED4 — Abnormal vaginal bleeding difficult

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2459	91.8 %
1	No	125	4.7 %
2	Yes	74	2.8 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

FIBRUTR4 — Fibroids since last visit

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	44	1.6 %
1	No	2320	86.6 %
2	Yes	294	11.0 %
. (M)	-	21	0.8 %

DIFFIBR4 — Fibroids difficult

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2364	88.2 %
1	No	247	9.2 %
2	Yes	46	1.7 %
. (M)	-	21	0.8 %

PRVIDER4 — Health care provider for women's health

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	44	1.6 %
1	No	438	16.3 %
2	Yes	2175	81.2 %
. (M)	-	21	0.8 %

PROFDEG4 — Professional degree of HCP

Location: 581-582 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-8	Do not know	18	0.7 %
-1	N/A	484	18.1 %

Value	Label	Unweighted Frequency	%
1	Medical Doctor (MD)	1935	72.2 %
2	Dr. of Osteopathy (DO)	35	1.3 %
4	Registered Nurse (RN)	6	0.2 %
5	Nurse Practitioner (NP)	162	6.0 %
6	Physician Assistant (PA)	5	0.2 %
7	Other: Specify	12	0.4 %
. (M)	-	21	0.8 %

SPECIFY4 — Professional degree - other specify

Location: 583-597 (width: 15; decimal: 0)
Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2646	98.8 %
ANY DR IN CLINI	1	0.0 %
GENERAL PRACTIT	1	0.0 %
GYN-OB	1	0.0 %
GYNECOLOGIST	1	0.0 %
MAMMGRAM TECHN	1	0.0 %
NURSE MIDWIFE	2	0.1 %
OB/GYN	1	0.0 %
OBSTETRICIAN	2	0.1 %
OBSTETRICS	1	0.0 %
RESIDENT	1	0.0 %

PROVSPC4 — Provider's specialty

Location: 598-599 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	33	1.2 %
-1	N/A	676	25.2 %
1	Family Practitioner	507	18.9 %
2	Internist	306	11.4 %
3	Gynecologist	1095	40.9 %
4	Naturopath	7	0.3 %
5	Other	26	1.0 %
6	No specialty	8	0.3 %
. (M)	-	21	0.8 %

SPECIAL4 — HCP specialty - other specify

Location: 600-614 (width: 15; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2634	98.3 %
ADULT MEDICINE	4	0.1 %
ALTC	1	0.0 %
CARDIOLOGIST	1	0.0 %
DIABETES ALTC	1	0.0 %
ENDOCRINOLOGIST	2	0.1 %
FAMILY PRACTICE	1	0.0 %
FULL CHARGE DR.	1	0.0 %
GEN'L PRACTICE	1	0.0 %
GENERAL ALTC...	1	0.0 %
GYNE/ONCOLOGIST	1	0.0 %
HEMATOLOGY	1	0.0 %
HERBALIST	1	0.0 %
INFECTIOUS -	1	0.0 %
INFECTIOUS-MORE	1	0.0 %
MAMMOGRAM TECHN	1	0.0 %
NURSE MIDWIFE	1	0.0 %
ONCOLOGIST	1	0.0 %
PCP	1	0.0 %
PULMONARY SPEC.	1	0.0 %
SURGEON	1	0.0 %

PROVTIM4   **Time spent by HCP on avg**

Location: 615-616 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	17	0.6 %
-1	N/A	484	18.1 %
1	0-5 minutes	44	1.6 %
2	6-10 minutes	258	9.6 %
3	11-15 minutes	487	18.2 %
4	16-20 minutes	530	19.8 %
5	21-30 minutes	550	20.5 %
6	> 30 minutes	288	10.8 %
. (M)	-	21	0.8 %

BLEEDNG4   **Menstrual bleeding since last visit**

| Location: | 617-617 (width: 1; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
1	No	638	23.8 %
2	Yes	2020	75.4 %
. (M)	-	21	0.8 %

BLD3MON4 — Menstrual bleeding in last 3 mos

| Location: | 618-619 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-1	N/A	637	23.8 %
1	No	328	12.2 %
2	Yes	1693	63.2 %
. (M)	-	21	0.8 %

LMPDAY4 — Last Menstrual Period Day

| Location: | 620-623 (width: 4; decimal: 0) |
| Variable Type: | numeric |

DESCPER4 — Describe your menstrual periods

| Location: | 624-625 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-8	Do not know	6	0.2 %
-1	N/A	774	28.9 %
1	Become Farther Apart	501	18.7 %
2	Become Closer Together	208	7.8 %
3	Occurred At More Variable Intervals	518	19.3 %
4	Stayed The Same	596	22.2 %
5	Become More Regular	54	2.0 %
. (M)	-	21	0.8 %

LENGCYL4 — Length of menstrual cycle

| Location: | 626-627 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-8	Do not know	12	0.4 %
-1	N/A	810	30.2 %

Value	Label	Unweighted Frequency	%
1	< 24 days	198	7.4 %
2	24-35 days	1056	39.4 %
3	> 35 days	136	5.1 %
4	Too variable to say	446	16.6 %
. (M)	-	21	0.8 %

PRGNANT4	Pregnant since last visit

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	45	1.7 %
1	No	2610	97.4 %
2	Yes	3	0.1 %
. (M)	-	21	0.8 %

OUTCOME4	Outcome of pregnancy

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2655	99.1 %
1	Live Birth	1	0.0 %
3	Miscarriage	1	0.0 %
4	Abortion	1	0.0 %
. (M)	-	21	0.8 %

BRSTFEE4	Currently breastfeeding

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
1	No	1	0.0 %
. (M)	-	21	0.8 %

QLTYLIF4	Quality of life

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
-9	1	0.0 %

Value	Unweighted Frequency	%
0	13	0.5 %
1	5	0.2 %
2	12	0.4 %
3	27	1.0 %
4	57	2.1 %
5	170	6.3 %
6	217	8.1 %
7	509	19.0 %
8	930	34.7 %
9	500	18.7 %
10	217	8.1 %
. (M)	21	0.8 %

LISTEN4	Support - someone to listen

Location: 636-637 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	44	1.6 %
1	None Of The Time	28	1.0 %
2	A Little Of The Time	80	3.0 %
3	Some Of The Time	262	9.8 %
4	Most Of The Time	868	32.4 %
5	All Of The Time	1375	51.3 %
. (M)	-	21	0.8 %

TAKETOM4	Support - take to doctor

Location: 638-639 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	44	1.6 %
1	None Of The Time	72	2.7 %
2	A Little Of The Time	116	4.3 %
3	Some Of The Time	226	8.4 %
4	Most Of The Time	708	26.4 %
5	All Of The Time	1491	55.7 %
. (M)	-	21	0.8 %

CONFIDE4	Support - confide in

	Location:	640-641 (width: 2; decimal: 0)
	Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	44	1.6 %
1	None Of The Time	34	1.3 %
2	A Little Of The Time	101	3.8 %
3	Some Of The Time	254	9.5 %
4	Most Of The Time	880	32.8 %
5	All Of The Time	1344	50.2 %
. (M)	-	21	0.8 %

HELPSIC4 Support - help w/chores when sick

	Location:	642-643 (width: 2; decimal: 0)
	Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	44	1.6 %
1	None Of The Time	125	4.7 %
2	A Little Of The Time	234	8.7 %
3	Some Of The Time	472	17.6 %
4	Most Of The Time	733	27.4 %
5	All Of The Time	1049	39.2 %
. (M)	-	21	0.8 %

CONTROL4 Unable to control imp things in your life

	Location:	644-645 (width: 2; decimal: 0)
	Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	Never	988	36.9 %
2	Almost Never	930	34.7 %
3	Sometimes	568	21.2 %
4	Fairly Often	124	4.6 %
5	Very Often	47	1.8 %
. (M)	-	21	0.8 %

ABILITY4 Confident in ability to handle problems

	Location:	646-647 (width: 2; decimal: 0)
	Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
1	Never	29	1.1 %
2	Almost Never	85	3.2 %
3	Sometimes	462	17.2 %
4	Fairly Often	967	36.1 %
5	Very Often	1112	41.5 %
. (M)	-	21	0.8 %

YOURWAY4	**Things were going your way**

Location:	648-649 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
1	Never	31	1.2 %
2	Almost Never	118	4.4 %
3	Sometimes	713	26.6 %
4	Fairly Often	1134	42.3 %
5	Very Often	660	24.6 %
. (M)	-	21	0.8 %

PILING4	**Difficulties piling up**

Location:	650-651 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	Never	1086	40.5 %
2	Almost Never	941	35.1 %
3	Sometimes	493	18.4 %
4	Fairly Often	104	3.9 %
5	Very Often	33	1.2 %
. (M)	-	21	0.8 %

BOTHER4	**Bothered past week**

Location:	652-653 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1579	58.9 %
2	Some/A Little Of The Time (1-2 Days)	712	26.6 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	247	9.2 %
4	Most/All Of The Time (5-7 Days)	74	2.8 %
. (M)	-	21	0.8 %

APPETIT4	Lost appetite past week

Location: 654-655 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	2038	76.1 %
2	Some/A Little Of The Time (1-2 Days)	393	14.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	134	5.0 %
4	Most/All Of The Time (5-7 Days)	47	1.8 %
. (M)	-	21	0.8 %

BLUES4	Had blues past week

Location: 656-657 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	1901	71.0 %
2	Some/A Little Of The Time (1-2 Days)	488	18.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	163	6.1 %
4	Most/All Of The Time (5-7 Days)	60	2.2 %
. (M)	-	21	0.8 %

GOOD4	As good as others past week

Location: 658-659 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	4	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	100	3.7 %
2	Some/A Little Of The Time (1-2 Days)	199	7.4 %

Value	Label	Unweighted Frequency	%
3	Occasionally/Mod Amt Of The Time (3-4 Days)	340	12.7 %
4	Most/All Of The Time (5-7 Days)	1971	73.6 %
. (M)	-	21	0.8 %

KEEPMIN4 — Mind on what doing past week

Location: 660-661 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	1176	43.9 %
2	Some/A Little Of The Time (1-2 Days)	877	32.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	464	17.3 %
4	Most/All Of The Time (5-7 Days)	95	3.5 %
. (M)	-	21	0.8 %

DEPRESS4 — Felt depressed past week

Location: 662-663 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	1606	59.9 %
2	Some/A Little Of The Time (1-2 Days)	699	26.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	210	7.8 %
4	Most/All Of The Time (5-7 Days)	97	3.6 %
. (M)	-	21	0.8 %

EFFORT4 — Everything an effort past week

Location: 664-665 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	1533	57.2 %
2	Some/A Little Of The Time (1-2 Days)	698	26.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	246	9.2 %
4	Most/All Of The Time (5-7 Days)	135	5.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

HOPEFUL4	Hopeful about future past week

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	97	3.6 %
2	Some/A Little Of The Time (1-2 Days)	264	9.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	567	21.2 %
4	Most/All Of The Time (5-7 Days)	1683	62.8 %
. (M)	-	21	0.8 %

FAILURE4	Life has been failure past week

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	2270	84.7 %
2	Some/A Little Of The Time (1-2 Days)	238	8.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	76	2.8 %
4	Most/All Of The Time (5-7 Days)	28	1.0 %
. (M)	-	21	0.8 %

FEARFUL4	Felt fearful past week

Location: 670-671 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	2036	76.0 %
2	Some/A Little Of The Time (1-2 Days)	427	15.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	115	4.3 %
4	Most/All Of The Time (5-7 Days)	34	1.3 %
. (M)	-	21	0.8 %

RESTLES4	Sleep was restless past week

Location:	672-673 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	1196	44.6 %
2	Some/A Little Of The Time (1-2 Days)	790	29.5 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	362	13.5 %
4	Most/All Of The Time (5-7 Days)	264	9.9 %
. (M)	-	21	0.8 %

HAPPY4	Happy past week

Location:	674-675 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	90	3.4 %
2	Some/A Little Of The Time (1-2 Days)	373	13.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	715	26.7 %
4	Most/All Of The Time (5-7 Days)	1433	53.5 %
. (M)	-	21	0.8 %

TALKLES4	Talked less than usual past week

Location:	676-677 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	1829	68.3 %
2	Some/A Little Of The Time (1-2 Days)	515	19.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	212	7.9 %
4	Most/All Of The Time (5-7 Days)	56	2.1 %
. (M)	-	21	0.8 %

LONELY4	Felt lonely past week

Location:	678-679 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	1894	70.7 %
2	Some/A Little Of The Time (1-2 Days)	512	19.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	151	5.6 %
4	Most/All Of The Time (5-7 Days)	55	2.1 %
. (M)	-	21	0.8 %

UNFRNDL4 — People unfriendly past week

Location: 680-681 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	2256	84.2 %
2	Some/A Little Of The Time (1-2 Days)	273	10.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	61	2.3 %
4	Most/All Of The Time (5-7 Days)	22	0.8 %
. (M)	-	21	0.8 %

ENJOY4 — Enjoyed life past week

Location: 682-683 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	4	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	77	2.9 %
2	Some/A Little Of The Time (1-2 Days)	299	11.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	570	21.3 %
4	Most/All Of The Time (5-7 Days)	1664	62.1 %
. (M)	-	21	0.8 %

CRYING4 — Crying spells past week

Location: 684-685 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2029	75.7 %
2	Some/A Little Of The Time (1-2 Days)	402	15.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	134	5.0 %
4	Most/All Of The Time (5-7 Days)	47	1.8 %
. (M)	-	21	0.8 %

SAD4 — Felt sad past week

Location: 686-687 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	1585	59.2 %
2	Some/A Little Of The Time (1-2 Days)	764	28.5 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	198	7.4 %
4	Most/All Of The Time (5-7 Days)	65	2.4 %
. (M)	-	21	0.8 %

DISLIKE4 — People disliked me past week

Location: 688-689 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	2311	86.3 %
2	Some/A Little Of The Time (1-2 Days)	241	9.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	44	1.6 %
4	Most/All Of The Time (5-7 Days)	16	0.6 %
. (M)	-	21	0.8 %

GETGOIN4 — Could not get going past week

Location: 690-691 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	Rarely/None Of The Time (< 1 Day)	1648	61.5 %
2	Some/A Little Of The Time (1-2 Days)	666	24.9 %

Value	Label	Unweighted Frequency	%
3	Occasionally/Mod Amt Of The Time (3-4 Days)	211	7.9 %
4	Most/All Of The Time (5-7 Days)	87	3.2 %
. (M)	-	21	0.8 %

CHNGJOB4 — Change in job since last visit

Location: 692-693 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	192	7.2 %
1	No	1678	62.6 %
2	Yes	787	29.4 %
. (M)	-	21	0.8 %

JOB4 — Work for pay past 2 wks

Location: 694-695 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	1871	69.8 %
1	No	97	3.6 %
2	Yes	690	25.8 %
. (M)	-	21	0.8 %

CHANGHR4 — Change in usual hrs of work

Location: 696-697 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	6	0.2 %
-1	N/A	291	10.9 %
1	No	1775	66.3 %
2	Yes	586	21.9 %
. (M)	-	21	0.8 %

STRTIM14 — Work start time

Location: 698-702 (width: 5; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %

Value	Label	Unweighted Frequency	%
-1	N/A	2160	80.6 %
01:00	-	3	0.1 %
02:00	-	6	0.2 %
02:30	-	2	0.1 %
03:00	-	5	0.2 %
03:30	-	2	0.1 %
04:00	-	11	0.4 %
04:30	-	1	0.0 %
05:00	-	3	0.1 %
05:15	-	1	0.0 %
05:30	-	4	0.1 %
05:45	-	1	0.0 %
06:00	-	10	0.4 %
06:30	-	9	0.3 %
06:45	-	2	0.1 %
06:55	-	2	0.1 %
07:00	-	57	2.1 %
07:15	-	5	0.2 %
07:30	-	43	1.6 %
07:35	-	1	0.0 %
07:45	-	5	0.2 %
07:50	-	2	0.1 %
08:00	-	114	4.3 %
08:15	-	3	0.1 %
08:30	-	59	2.2 %
08:35	-	1	0.0 %
08:45	-	3	0.1 %
09:00	-	84	3.1 %
09:30	-	13	0.5 %
10:00	-	25	0.9 %
10:30	-	5	0.2 %
11:00	-	9	0.3 %
11:15	-	2	0.1 %
12:00	-	5	0.2 %

STRAMP14	Work start AM/PM

Location: 703-704 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2160	80.6 %
1	A.M.	454	16.9 %
2	P.M.	44	1.6 %
. (M)	-	21	0.8 %

STPTIM14	**Work stop time**

Location: 705-709 (width: 5; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2160	80.6 %
01:00	-	9	0.3 %
01:30	-	10	0.4 %
01:45	-	1	0.0 %
02:00	-	17	0.6 %
02:15	-	1	0.0 %
02:30	-	13	0.5 %
02:45	-	1	0.0 %
03:00	-	36	1.3 %
03:15	-	3	0.1 %
03:30	-	24	0.9 %
03:35	-	1	0.0 %
03:36	-	1	0.0 %
03:40	-	1	0.0 %
03:45	-	1	0.0 %
04:00	-	37	1.4 %
04:10	-	1	0.0 %
04:15	-	1	0.0 %
04:30	-	42	1.6 %
04:45	-	1	0.0 %
05:00	-	96	3.6 %
05:15	-	1	0.0 %
05:30	-	37	1.4 %
06:00	-	44	1.6 %
06:15	-	1	0.0 %
06:30	-	15	0.6 %
06:45	-	1	0.0 %
07:00	-	30	1.1 %
07:15	-	2	0.1 %

Value	Label	Unweighted Frequency	%
07:30	-	8	0.3 %
08:00	-	15	0.6 %
08:30	-	4	0.1 %
09:00	-	12	0.4 %
09:30	-	3	0.1 %
10:00	-	6	0.2 %
10:30	-	2	0.1 %
11:00	-	5	0.2 %
11:30	-	2	0.1 %
12:00	-	10	0.4 %
12:30	-	2	0.1 %
12:45	-	1	0.0 %

STPAMP14 — Work stop AM/PM

Location: 710-711 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2160	80.6 %
1	A.M.	26	1.0 %
2	P.M.	472	17.6 %
. (M)	-	21	0.8 %

ROTAT14 — Work rotating/alternating

Location: 712-713 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2075	77.5 %
1	No	488	18.2 %
2	Yes	94	3.5 %
. (M)	-	21	0.8 %

STRTIM24 — Work start time (2)

Location: 714-718 (width: 5; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2592	96.8 %

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
01:00	-	1	0.0 %
01:30	-	1	0.0 %
01:45	-	1	0.0 %
02:00	-	1	0.0 %
02:45	-	2	0.1 %
03:00	-	3	0.1 %
03:45	-	1	0.0 %
04:00	-	6	0.2 %
04:15	-	1	0.0 %
04:30	-	1	0.0 %
05:00	-	4	0.1 %
05:15	-	1	0.0 %
05:30	-	4	0.1 %
06:00	-	5	0.2 %
06:30	-	1	0.0 %
07:00	-	6	0.2 %
07:30	-	1	0.0 %
08:00	-	5	0.2 %
08:30	-	1	0.0 %
09:00	-	9	0.3 %
10:00	-	3	0.1 %
11:00	-	4	0.1 %
12:00	-	1	0.0 %

STRAMP24 — Work start AM/PM (2)

Location: 719-720 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
-1	N/A	2592	96.8 %
1	A.M.	28	1.0 %
2	P.M.	35	1.3 %
. (M)	-	21	0.8 %

STPTIM24 — Work stop time (2)

Location: 721-725 (width: 5; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2592	96.8 %
-9	Missing	3	0.1 %
01:00	-	7	0.3 %
02:00	-	3	0.1 %
03:00	-	3	0.1 %
03:10	-	1	0.0 %
03:30	-	2	0.1 %
04:15	-	1	0.0 %
04:30	-	3	0.1 %
05:00	-	4	0.1 %
05:45	-	1	0.0 %
06:00	-	5	0.2 %
06:30	-	1	0.0 %
07:00	-	5	0.2 %
07:30	-	3	0.1 %
08:00	-	5	0.2 %
09:00	-	6	0.2 %
09:30	-	1	0.0 %
10:00	-	5	0.2 %
10:30	-	1	0.0 %
11:00	-	1	0.0 %
11:15	-	1	0.0 %
12:00	-	4	0.1 %

STPAMP24   **Work stop AM/PM (2)**

Location: 726-727 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
-1	N/A	2592	96.8 %
1	A.M.	10	0.4 %
2	P.M.	53	2.0 %
. (M)	-	21	0.8 %

ROTAT24   **Work rotating/alternating (2)**

Location: 728-729 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	2557	95.4 %
1	No	59	2.2 %
2	Yes	40	1.5 %
. (M)	-	21	0.8 %

STRTIM34	Work start time (3)

Location: 730-734 (width: 5; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2647	98.8 %
-9	Missing	2	0.1 %
05:00	-	2	0.1 %
06:00	-	1	0.0 %
07:30	-	1	0.0 %
08:00	-	3	0.1 %
08:30	-	1	0.0 %
09:00	-	1	0.0 %

STRAMP34	Work start AM/PM (3)

Location: 735-736 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	2647	98.8 %
1	A.M.	6	0.2 %
2	P.M.	3	0.1 %
. (M)	-	21	0.8 %

STPTIM34	Work stop time (3)

Location: 737-741 (width: 5; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2647	98.8 %
-9	Missing	2	0.1 %
03:30	-	1	0.0 %

Value	Label	Unweighted Frequency	%
05:00	-	2	0.1 %
06:00	-	2	0.1 %
09:00	-	1	0.0 %
10:00	-	2	0.1 %
11:00	-	1	0.0 %

STPAMP34	**Work stop AM/PM (3)**

Location: 742-743 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	2647	98.8 %
1	A.M.	1	0.0 %
2	P.M.	8	0.3 %
. (M)	-	21	0.8 %

ROTAT34	**Work rotating/alternating (3)**

Location: 744-745 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	2637	98.4 %
1	No	7	0.3 %
2	Yes	12	0.4 %
. (M)	-	21	0.8 %

HOURSPA4	**How many hrs/wk work for pay**

Location: 746-747 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
-1	N/A	297	11.1 %
1	<= 10 hrs	286	10.7 %
2	11-19 hrs	79	2.9 %
3	20-34 hrs	366	13.7 %
4	35-40 hrs	1001	37.4 %
5	41-60 hrs	568	21.2 %
6	>60 hrs	53	2.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

VOLUNTE4   **Do volunteer work**

Location: 748-749 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	44	1.6 %
1	No	1623	60.6 %
2	Yes	989	36.9 %
. (M)	-	21	0.8 %

VLNTHR14   **Volunteer (1) hrs/wk**

Location: 750-754 (width: 5; decimal: 2)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9.00	Missing	5	0.2 %
-1.00	N/A	1669	62.3 %
0.00	-	3	0.1 %
0.05	-	3	0.1 %
0.06	-	1	0.0 %
0.10	-	2	0.1 %
0.12	-	1	0.0 %
0.15	-	1	0.0 %
0.17	-	1	0.0 %
0.20	-	1	0.0 %
0.25	-	15	0.6 %
0.30	-	2	0.1 %
0.33	-	1	0.0 %
0.40	-	1	0.0 %
0.45	-	2	0.1 %
0.48	-	1	0.0 %
0.50	-	52	1.9 %
0.57	-	1	0.0 %
0.58	-	2	0.1 %
0.75	-	6	0.2 %
1.00	-	204	7.6 %
1.20	-	1	0.0 %
1.50	-	24	0.9 %

Value	Label	Unweighted Frequency	%
1.60	-	1	0.0 %
1.92	-	1	0.0 %
2.00	-	192	7.2 %
2.50	-	12	0.4 %
3.00	-	113	4.2 %
3.50	-	10	0.4 %
4.00	-	85	3.2 %
4.50	-	1	0.0 %
5.00	-	68	2.5 %
5.50	-	1	0.0 %
6.00	-	32	1.2 %
6.50	-	1	0.0 %
7.00	-	9	0.3 %
7.50	-	3	0.1 %
7.80	-	1	0.0 %
8.00	-	25	0.9 %
10.00	-	48	1.8 %
11.00	-	2	0.1 %
12.00	-	9	0.3 %
12.50	-	1	0.0 %
14.00	-	3	0.1 %
15.00	-	11	0.4 %
17.00	-	1	0.0 %
18.00	-	3	0.1 %
20.00	-	6	0.2 %
21.00	-	2	0.1 %
24.00	-	1	0.0 %
25.00	-	2	0.1 %
28.00	-	1	0.0 %
30.00	-	6	0.2 %
33.50	-	1	0.0 %
35.00	-	3	0.1 %
40.00	-	3	0.1 %
50.00	-	1	0.0 %
. (M)	-	21	0.8 %

VLNTHR24	**Volunteer (2) hrs/wk**

Location: 755-759 (width: 5; decimal: 2)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9.00	Missing	3	0.1 %
-1.00	N/A	2312	86.3 %
0.00	-	5	0.2 %
0.08	-	1	0.0 %
0.12	-	2	0.1 %
0.25	-	12	0.4 %
0.29	-	1	0.0 %
0.30	-	3	0.1 %
0.35	-	1	0.0 %
0.39	-	1	0.0 %
0.50	-	33	1.2 %
0.60	-	1	0.0 %
0.62	-	1	0.0 %
0.66	-	1	0.0 %
0.75	-	3	0.1 %
0.77	-	1	0.0 %
0.86	-	1	0.0 %
0.96	-	1	0.0 %
1.00	-	99	3.7 %
1.25	-	2	0.1 %
1.50	-	8	0.3 %
2.00	-	58	2.2 %
2.50	-	8	0.3 %
3.00	-	39	1.5 %
3.50	-	2	0.1 %
4.00	-	18	0.7 %
5.00	-	12	0.4 %
6.00	-	8	0.3 %
6.50	-	1	0.0 %
7.00	-	3	0.1 %
7.50	-	1	0.0 %
8.00	-	2	0.1 %
9.00	-	1	0.0 %
10.00	-	4	0.1 %
11.00	-	1	0.0 %
12.00	-	1	0.0 %
14.00	-	1	0.0 %
15.00	-	2	0.1 %
16.00	-	1	0.0 %
18.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.00	-	1	0.0 %
48.00	-	1	0.0 %
. (M)	-	21	0.8 %

VLNTHR34	**Volunteer (3) hrs/wk**

Location: 760-764 (width: 5; decimal: 2)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9.00	Missing	1	0.0 %
-1.00	N/A	2545	95.0 %
0.00	-	1	0.0 %
0.10	-	2	0.1 %
0.12	-	1	0.0 %
0.15	-	1	0.0 %
0.25	-	2	0.1 %
0.50	-	14	0.5 %
1.00	-	41	1.5 %
1.50	-	2	0.1 %
2.00	-	23	0.9 %
2.50	-	3	0.1 %
3.00	-	4	0.1 %
3.50	-	1	0.0 %
4.00	-	7	0.3 %
5.00	-	3	0.1 %
6.00	-	4	0.1 %
8.00	-	1	0.0 %
10.00	-	2	0.1 %
. (M)	-	21	0.8 %

MARITAL4	**Marital status**

Location: 765-766 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	Single/Never Married	355	13.3 %
2	Currently Married/Living as Married	1706	63.7 %
3	Separated	109	4.1 %
4	Widowed	84	3.1 %
5	Divorced	403	15.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	21	0.8 %

PCHNJOB4 — Change in partner's job

Location: 767-768 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	986	36.8 %
1	No	1434	53.5 %
2	Yes	228	8.5 %
3	New Partner	9	0.3 %
. (M)	-	21	0.8 %

PARTNJO4 — Partner/spouse job title

Location: 769-798 (width: 30; decimal: 0)
Variable Type: character

CHGHHLD4 — Change in anyone living in house

Location: 799-800 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-8	Do not know	2	0.1 %
-1	N/A	44	1.6 %
1	No	1978	73.8 %
2	Yes	633	23.6 %
. (M)	-	21	0.8 %

HOUSEHL4 — Anyone living in your household

Location: 801-802 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2023	75.5 %
1	No	49	1.8 %
2	Yes	585	21.8 %
. (M)	-	21	0.8 %

RELAT14 — Relationship to yourself (1)

- Study 30142 -

| Location: | 803-819 (width: 17; decimal: 0) |
| Variable Type: | character |

Value	Unweighted Frequency	%
	21	0.8 %
-1	2073	77.4 %
-8	1	0.0 %
AUNT	1	0.0 %
BIYFRIEND	1	0.0 %
BOARDER	1	0.0 %
BOY FRIEND	1	0.0 %
BOYFRIEND	3	0.1 %
BROTHER	3	0.1 %
COMPANION	1	0.0 %
COUSIN	1	0.0 %
DAUGHTER	80	3.0 %
DAUGTER	1	0.0 %
DAUGTHER	4	0.1 %
DSUGHTER	1	0.0 %
FAMILY FRIEND	1	0.0 %
FATHER	3	0.1 %
FIANCE	4	0.1 %
FRIEND	6	0.2 %
GIRLFRIEND	1	0.0 %
GODSON	1	0.0 %
GRAND-DAUGHTER	1	0.0 %
GRANDCHILD	1	0.0 %
GRANDDAUGHTER	2	0.1 %
GRANDMA	1	0.0 %
GRANDSON	3	0.1 %
GRANDUAGHTER	1	0.0 %
HUSAND	1	0.0 %
HUSBAND	302	11.3 %
HUSBAND M	1	0.0 %
HUSBANDM	1	0.0 %
LIVING PARTNER	1	0.0 %
MOM	2	0.1 %
MOTHER	16	0.6 %
MOTHER-IN-LAW	1	0.0 %
NEICE	1	0.0 %
NEPHEW	2	0.1 %
NIECE	5	0.2 %

Value	Unweighted Frequency	%
PARTNER	7	0.3 %
ROMANTIC PARTNER	1	0.0 %
ROOM MATE	2	0.1 %
ROOMMATE	2	0.1 %
SIGNIFICANT OTHER	3	0.1 %
SISTER	7	0.3 %
SON	96	3.6 %
SON'S FRIEND	1	0.0 %
SPOUSE	3	0.1 %
STEP-SON	2	0.1 %
STEPSON	2	0.1 %
STEPSON'S FRIEND	1	0.0 %
TENANT	1	0.0 %

SEX14	**Gender (1)**

Location: 820-821 (width: 2; decimal: 0)
Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2073	77.4 %
F	-	137	5.1 %
M	-	448	16.7 %

AGE14	**Age (1)**

Location: 822-823 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2073	77.4 %
1	-	2	0.1 %
2	-	1	0.0 %
3	-	2	0.1 %
6	-	4	0.1 %
7	-	3	0.1 %
8	-	1	0.0 %
9	-	3	0.1 %
10	-	2	0.1 %
11	-	6	0.2 %
12	-	2	0.1 %
13	-	10	0.4 %

Value	Label	Unweighted Frequency	%
14	-	6	0.2 %
15	-	7	0.3 %
16	-	7	0.3 %
17	-	13	0.5 %
18	-	9	0.3 %
19	-	11	0.4 %
20	-	11	0.4 %
21	-	13	0.5 %
22	-	10	0.4 %
23	-	19	0.7 %
24	-	11	0.4 %
25	-	14	0.5 %
26	-	7	0.3 %
27	-	6	0.2 %
28	-	2	0.1 %
29	-	6	0.2 %
30	-	7	0.3 %
31	-	5	0.2 %
32	-	2	0.1 %
33	-	3	0.1 %
34	-	4	0.1 %
35	-	5	0.2 %
36	-	3	0.1 %
38	-	3	0.1 %
39	-	1	0.0 %
40	-	4	0.1 %
41	-	1	0.0 %
42	-	2	0.1 %
43	-	2	0.1 %
44	-	3	0.1 %
45	-	7	0.3 %
46	-	6	0.2 %
47	-	13	0.5 %
48	-	19	0.7 %
49	-	35	1.3 %
50	-	30	1.1 %
51	-	21	0.8 %
52	-	31	1.2 %
53	-	30	1.1 %
54	-	26	1.0 %

Value	Label	Unweighted Frequency	%
55	-	27	1.0 %
56	-	17	0.6 %
57	-	20	0.7 %
58	-	12	0.4 %
59	-	10	0.4 %
60	-	4	0.1 %
61	-	3	0.1 %
62	-	3	0.1 %
63	-	4	0.1 %
64	-	1	0.0 %
65	-	3	0.1 %
66	-	1	0.0 %
67	-	1	0.0 %
68	-	2	0.1 %
69	-	2	0.1 %
70	-	1	0.0 %
71	-	1	0.0 %
72	-	3	0.1 %
73	-	3	0.1 %
74	-	1	0.0 %
75	-	4	0.1 %
76	-	1	0.0 %
79	-	1	0.0 %
83	-	1	0.0 %
84	-	1	0.0 %
85	-	1	0.0 %
86	-	1	0.0 %
87	-	2	0.1 %
89	-	1	0.0 %
90	-	1	0.0 %
94	-	1	0.0 %
. (M)	-	21	0.8 %

RELAT24 — Relationship to yourself (2)

Location: 824-846 (width: 23; decimal: 0)
Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2242	83.7 %

Value	Unweighted Frequency	%
-8	1	0.0 %
AUNT	2	0.1 %
BABY (GRANDDAUGHTER	1	0.0 %
BOYFRIEND	4	0.1 %
BOYFRIEND'S DAAUGHTER	1	0.0 %
BOYFRIEND'S FATHER	1	0.0 %
BROTHER	3	0.1 %
BROTHER IN LAW	1	0.0 %
COUSIN	1	0.0 %
DAD	1	0.0 %
DAUGHER	1	0.0 %
DAUGHTEER	1	0.0 %
DAUGHTER	138	5.2 %
DAUGHTER (ADOPTED)	1	0.0 %
DAUGHTER IN LAW	1	0.0 %
DAUGTHER	6	0.2 %
EXCHANGE STUDENT	1	0.0 %
FAMILY FRIEND	1	0.0 %
FATHER	6	0.2 %
FATHER IN LAW	1	0.0 %
FEMALE FRIEND	1	0.0 %
FOSTER DAUGHTER	1	0.0 %
FOSTER SON	1	0.0 %
FRIEND	7	0.3 %
GANDAUGHTER	1	0.0 %
GIRLFRIEND	1	0.0 %
GODSON	1	0.0 %
GRAND DAUGHTER	2	0.1 %
GRAND-DAUGHTER	3	0.1 %
GRAND-NEPHEW	1	0.0 %
GRANDCHILD	3	0.1 %
GRANDDAUGHTER	5	0.2 %
GRANDPA	1	0.0 %
GRANDSON	20	0.7 %
GREAT-AUNT	1	0.0 %
HUSBAND	29	1.1 %
MAN	1	0.0 %
MOTHER	8	0.3 %
MOTHER IN LAW	1	0.0 %
MOTHER-IN-LAW	2	0.1 %

Value	Unweighted Frequency	%
NEICE'S BOYFRIEND	1	0.0 %
NEPHEW	3	0.1 %
NIECE	4	0.1 %
OLDEST SISTER	1	0.0 %
ROOM MATE	1	0.0 %
ROOMMATE	2	0.1 %
SIGNFICANT OTHER	1	0.0 %
SIGNIFICANT OTHER'S MOM	1	0.0 %
SISTER	3	0.1 %
SISTER'S BOYFRIEND	1	0.0 %
SON	122	4.6 %
SON IN LAW	1	0.0 %
SON'S EX-GIRLFRIEND	1	0.0 %
SON'S GIRLFRIEND	2	0.1 %
SON'S WIFE	1	0.0 %
SON-IN LAW	1	0.0 %
SON-IN-LAW	3	0.1 %
STEP-DAUGTHER	1	0.0 %
STEP-SON	1	0.0 %
STEPSON	1	0.0 %
X-HUSBAND	1	0.0 %

SEX24	**Gender (2)**
Location:	847-848 (width: 2; decimal: 0)
Variable Type:	character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2241	83.7 %
F	-	199	7.4 %
M	-	218	8.1 %

AGE24	**Age (2)**
Location:	849-850 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2241	83.7 %
1	-	6	0.2 %
2	-	5	0.2 %

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	5	0.2 %
7	-	8	0.3 %
8	-	4	0.1 %
9	-	4	0.1 %
10	-	4	0.1 %
11	-	7	0.3 %
12	-	8	0.3 %
13	-	9	0.3 %
14	-	19	0.7 %
15	-	19	0.7 %
16	-	22	0.8 %
17	-	30	1.1 %
18	-	13	0.5 %
19	-	22	0.8 %
20	-	10	0.4 %
21	-	26	1.0 %
22	-	20	0.7 %
23	-	21	0.8 %
24	-	12	0.4 %
25	-	16	0.6 %
26	-	8	0.3 %
27	-	9	0.3 %
28	-	11	0.4 %
29	-	5	0.2 %
30	-	2	0.1 %
31	-	3	0.1 %
33	-	2	0.1 %
34	-	3	0.1 %
36	-	2	0.1 %
37	-	1	0.0 %
38	-	2	0.1 %
42	-	3	0.1 %
43	-	2	0.1 %
44	-	1	0.0 %
46	-	3	0.1 %
48	-	2	0.1 %
49	-	3	0.1 %

Value	Label	Unweighted Frequency	%
50	-	1	0.0 %
51	-	2	0.1 %
52	-	6	0.2 %
53	-	5	0.2 %
54	-	4	0.1 %
55	-	3	0.1 %
56	-	3	0.1 %
58	-	2	0.1 %
59	-	2	0.1 %
60	-	3	0.1 %
61	-	1	0.0 %
62	-	3	0.1 %
63	-	1	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
69	-	1	0.0 %
72	-	1	0.0 %
73	-	1	0.0 %
76	-	1	0.0 %
78	-	1	0.0 %
80	-	2	0.1 %
81	-	2	0.1 %
82	-	2	0.1 %
83	-	2	0.1 %
84	-	1	0.0 %
85	-	3	0.1 %
86	-	2	0.1 %
88	-	2	0.1 %
92	-	1	0.0 %
94	-	1	0.0 %
. (M)	-	21	0.8 %

RELAT34	**Relationship to yourself (3)**

Location: 851-876 (width: 26; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2428	90.6 %
-8	2	0.1 %

Value	Unweighted Frequency	%
AUNT	1	0.0 %
BOARDER	1	0.0 %
BOYFRIEND'S SISTER	1	0.0 %
BROTHER	1	0.0 %
BROTHER IN LAW	1	0.0 %
COUSIN	2	0.1 %
DAUGHTER	52	1.9 %
DAUGHTER IN LAW	2	0.1 %
DAUGHTER'S FIANCE	1	0.0 %
DAUGHTER'S FRIEND	2	0.1 %
DAUGTHER	1	0.0 %
EX-HUSBAND	1	0.0 %
FATHER	1	0.0 %
FATHER OF KIDS	1	0.0 %
FIRST COUSIN	1	0.0 %
FOSTER DAUGHTER	1	0.0 %
FRIEND	7	0.3 %
FRIEND'S DAUGHTER	1	0.0 %
GRAND DAUGHTER	2	0.1 %
GRAND-SON	2	0.1 %
GRANDAUGHTER	3	0.1 %
GRANDCHILD	1	0.0 %
GRANDDAUGHTER	4	0.1 %
GRANDDAUGTHER	2	0.1 %
GRANDFOSTER CHILD	1	0.0 %
GRANDSON	23	0.9 %
GREAT GRANDSON	1	0.0 %
HOUSEKEEPER	1	0.0 %
HOUSEMATE	1	0.0 %
HUSBAND	12	0.4 %
MOTHER	1	0.0 %
MOTHER-IN-LAW	1	0.0 %
NEPHEW	4	0.1 %
NIECE	4	0.1 %
NIECE'S SON	1	0.0 %
OLD DAUGHTER'S BOY FRIEND	1	0.0 %
PARTNER	1	0.0 %
ROOM MATE	1	0.0 %
ROOMMATE	1	0.0 %
SIGNIFICANT OTHER'S SISTER	1	0.0 %

Value	Unweighted Frequency	%
SISTER	2	0.1 %
SON	75	2.8 %
SON-IN-LAW	3	0.1 %
WOMAN	1	0.0 %

SEX34	**Gender (3)**

Location:	877-878 (width: 2; decimal: 0)
Variable Type:	character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2428	90.6 %
F	-	90	3.4 %
M	-	140	5.2 %

AGE34	**Age (3)**

Location:	879-880 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2428	90.6 %
0	-	2	0.1 %
1	-	8	0.3 %
2	-	4	0.1 %
3	-	1	0.0 %
4	-	4	0.1 %
5	-	4	0.1 %
6	-	5	0.2 %
7	-	5	0.2 %
8	-	6	0.2 %
9	-	4	0.1 %
10	-	4	0.1 %
11	-	6	0.2 %
12	-	4	0.1 %
13	-	4	0.1 %
14	-	6	0.2 %
15	-	6	0.2 %
16	-	14	0.5 %
17	-	11	0.4 %
18	-	10	0.4 %

Value	Label	Unweighted Frequency	%
19	-	15	0.6 %
20	-	9	0.3 %
21	-	14	0.5 %
22	-	9	0.3 %
23	-	7	0.3 %
24	-	10	0.4 %
25	-	5	0.2 %
26	-	2	0.1 %
27	-	3	0.1 %
28	-	3	0.1 %
29	-	2	0.1 %
30	-	1	0.0 %
31	-	2	0.1 %
32	-	3	0.1 %
33	-	1	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
44	-	1	0.0 %
45	-	3	0.1 %
48	-	3	0.1 %
49	-	2	0.1 %
50	-	2	0.1 %
52	-	3	0.1 %
53	-	5	0.2 %
54	-	1	0.0 %
56	-	3	0.1 %
58	-	1	0.0 %
62	-	1	0.0 %
65	-	1	0.0 %
67	-	1	0.0 %
69	-	1	0.0 %
70	-	1	0.0 %
78	-	1	0.0 %
80	-	1	0.0 %
83	-	1	0.0 %
. (M)	-	21	0.8 %

RELAT44 **Relationship to yourself (4)**

Location: 881-904 (width: 24; decimal: 0)

	Variable Type:	character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2553	95.3 %
BOYFRIEND	1	0.0 %
BOYFRIEND'S SISTER'S BOY	1	0.0 %
BROTHER	2	0.1 %
DAUGHTER	14	0.5 %
DAUGHTER'S BOYFRIEND	1	0.0 %
FOSTERDAUGHTER	1	0.0 %
FRIEND	4	0.1 %
FRIEND'S SON	1	0.0 %
GERMAN STUDENT	1	0.0 %
GODSON	1	0.0 %
GRAND DAUGHTER	1	0.0 %
GRANDCHILD	1	0.0 %
GRANDDAUGHTER	6	0.2 %
GRANDDAUGTHER	2	0.1 %
GRANDSON	14	0.5 %
HUSBAND	9	0.3 %
HUSBANDS NEPHEW	1	0.0 %
MOTHER	4	0.1 %
NEPHEW	5	0.2 %
NIECE	1	0.0 %
NIECE'S SON	1	0.0 %
ROOM MATE	1	0.0 %
S. OTHER'S SISTER'S SON	1	0.0 %
SISTER	1	0.0 %
SISTER-IN-LAW	2	0.1 %
SON	25	0.9 %
SON'S FRIEND	1	0.0 %
SON'S WIFE	1	0.0 %
THEIR DAUGHTER	1	0.0 %

SEX44	**Gender (4)**

	Location:	905-906 (width: 2; decimal: 0)
	Variable Type:	character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2553	95.3 %

Value	Label	Unweighted Frequency	%
F	-	35	1.3 %
M	-	70	2.6 %

AGE44	**Age (4)**

Location: 907-908 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2553	95.3 %
0	-	1	0.0 %
1	-	3	0.1 %
2	-	3	0.1 %
3	-	1	0.0 %
4	-	2	0.1 %
5	-	2	0.1 %
7	-	4	0.1 %
8	-	4	0.1 %
9	-	6	0.2 %
10	-	5	0.2 %
11	-	2	0.1 %
12	-	2	0.1 %
13	-	4	0.1 %
14	-	2	0.1 %
15	-	3	0.1 %
16	-	4	0.1 %
17	-	8	0.3 %
18	-	4	0.1 %
19	-	2	0.1 %
20	-	2	0.1 %
21	-	5	0.2 %
22	-	3	0.1 %
23	-	2	0.1 %
24	-	2	0.1 %
26	-	2	0.1 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %

Value	Label	Unweighted Frequency	%
45	-	1	0.0 %
46	-	1	0.0 %
49	-	2	0.1 %
50	-	2	0.1 %
52	-	3	0.1 %
53	-	3	0.1 %
55	-	3	0.1 %
61	-	1	0.0 %
66	-	1	0.0 %
69	-	1	0.0 %
71	-	1	0.0 %
73	-	1	0.0 %
90	-	1	0.0 %
. (M)	-	21	0.8 %

RELAT54 — Relationship to yourself (5)

Location: 909-932 (width: 24; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2615	97.6 %
BOYFRIEND'S SISTER'S BOY	1	0.0 %
BROTHER'S WIFE	1	0.0 %
BROTHER-IN-LAW	1	0.0 %
DAUGHTER	8	0.3 %
DAUGHTERS BOYFRIEND	1	0.0 %
DRAND-DAUGHTER	1	0.0 %
FRIEND	1	0.0 %
FRIEND (SON)	1	0.0 %
FRIEND'S SON	1	0.0 %
GOD MOTHER	1	0.0 %
GRANDAUGHTER	1	0.0 %
GRANDCHILD	1	0.0 %
GRANDDAUGHTER	2	0.1 %
GRANDDAUGTHER	1	0.0 %
GRANDSON	4	0.1 %
HUSBAND	2	0.1 %
HUSBANDS NEPHEW	1	0.0 %
NEPHEW	1	0.0 %

Value	Unweighted Frequency	%
NIECE	2	0.1 %
NIECE'S SON	1	0.0 %
SIGNIFANT OTHER	1	0.0 %
SIGNIFICANT OTHER	1	0.0 %
SON	5	0.2 %
SON'S FRIEND	1	0.0 %
SON'S GIRLFRIEND	1	0.0 %
WIFE OF NEPHEW	1	0.0 %

SEX54	Gender (5)

Location: 933-934 (width: 2; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2615	97.6 %
F	-	20	0.7 %
M	-	23	0.9 %

AGE54	Age (5)

Location: 935-936 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2615	97.6 %
0	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	2	0.1 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	2	0.1 %
12	-	2	0.1 %
13	-	1	0.0 %
15	-	2	0.1 %
16	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18	-	2	0.1 %
19	-	2	0.1 %
20	-	2	0.1 %
21	-	3	0.1 %
23	-	2	0.1 %
24	-	1	0.0 %
25	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
34	-	2	0.1 %
35	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
53	-	1	0.0 %
74	-	1	0.0 %
. (M)	-	21	0.8 %

RELAT64	Relationship to yourself (6)

Location:	937-959 (width: 23; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2640	98.5 %
DAUGHTER	4	0.1 %
DAUGHTER'S BOYFRIEND	1	0.0 %
DRAND DAUGHTER	1	0.0 %
FRIEND	1	0.0 %
FRIEND'S DAUGHTER	1	0.0 %
GRANDDAUGHTER	1	0.0 %
GRANDDAUGTHER	1	0.0 %
GRANDSON	2	0.1 %
GREAT NIECE	1	0.0 %
NEICE	1	0.0 %
NIECE	1	0.0 %
ROMMER	1	0.0 %
SIGNIFICANT OTHER'S DAD	1	0.0 %
SON	1	0.0 %

SEX64	Gender (6)

Location: 960-961 (width: 2; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2640	98.5 %
F	-	13	0.5 %
M	-	5	0.2 %

AGE64 — Age (6)

Location: 962-963 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2640	98.5 %
2	-	1	0.0 %
5	-	1	0.0 %
7	-	3	0.1 %
9	-	2	0.1 %
12	-	1	0.0 %
13	-	2	0.1 %
22	-	2	0.1 %
23	-	2	0.1 %
24	-	1	0.0 %
29	-	1	0.0 %
54	-	1	0.0 %
68	-	1	0.0 %
. (M)	-	21	0.8 %

RELAT74 — Relationship to yourself (7)

Location: 964-976 (width: 13; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2648	98.8 %
DAUGHTER	1	0.0 %
FRIEND KIDS	1	0.0 %
GRANDDAUGHTER	1	0.0 %
GRANDDAUGTHER	1	0.0 %
GRANDSON	1	0.0 %
GREAT NEPHEW	1	0.0 %
HUSBAND	1	0.0 %

Value	Unweighted Frequency	%
NEICE	1	0.0 %
SON	2	0.1 %

SEX74	**Gender (7)**	

Location: 977-978 (width: 2; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2648	98.8 %
F	-	4	0.1 %
M	-	6	0.2 %

AGE74	**Age (7)**	

Location: 979-980 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2648	98.8 %
1	-	2	0.1 %
2	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
12	-	1	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
53	-	1	0.0 %
. (M)	-	21	0.8 %

RELAT84	**Relationship to yourself (8)**	

Location: 981-993 (width: 13; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2650	98.9 %
DAUGHTER	1	0.0 %
FRIEND'S KIDS	1	0.0 %
GRANDS0N	1	0.0 %
GRANDSON	2	0.1 %

Value	Unweighted Frequency	%
GREAT NEPHEW	1	0.0 %
HUSBAND	1	0.0 %
NEPHEW	1	0.0 %

SEX84	**Gender (8)**

Location: 994-995 (width: 2; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2650	98.9 %
F	-	1	0.0 %
M	-	7	0.3 %

AGE84	**Age (8)**

Location: 996-997 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2650	98.9 %
1	-	1	0.0 %
3	-	1	0.0 %
7	-	2	0.1 %
8	-	1	0.0 %
17	-	1	0.0 %
30	-	1	0.0 %
53	-	1	0.0 %
. (M)	-	21	0.8 %

RELAT94	**Relationship to yourself (9)**

Location: 998-1017 (width: 20; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2653	99.0 %
AUNT'S STEP-DAUGHTER	1	0.0 %
DAUGHTER	1	0.0 %
FOSTERSON	1	0.0 %
GRANDDAUGHTER	1	0.0 %
GREAT NEPHEW	1	0.0 %

SEX94	**Gender (9)**

Location: 1018-1019 (width: 2; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2653	99.0 %
F	-	3	0.1 %
M	-	2	0.1 %

AGE94	**Age (9)**

Location: 1020-1021 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2653	99.0 %
6	-	1	0.0 %
10	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
28	-	1	0.0 %
. (M)	-	21	0.8 %

RELAT104	**Relationship to yourself (10)**

Location: 1022-1034 (width: 13; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2655	99.1 %
FOSTERSON	1	0.0 %
GRANDDAUGHTER	1	0.0 %
GREAT NEPHEW	1	0.0 %

SEX104	**Gender (10)**

Location: 1035-1036 (width: 2; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2655	99.1 %
F	-	1	0.0 %
M	-	2	0.1 %

AGE104	Age (10)		

Location: 1037-1038 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2655	99.1 %
4	-	1	0.0 %
7	-	2	0.1 %
. (M)	-	21	0.8 %

RELAT114	Relationship to yourself (11)		

Location: 1039-1052 (width: 14; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2656	99.1 %
FOSTERDAUGTHER	1	0.0 %
GREAT NIECE	1	0.0 %

SEX114	Gender (11)		

Location: 1053-1054 (width: 2; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2656	99.1 %
F	-	2	0.1 %

AGE114	Age (11)		

Location: 1055-1056 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2656	99.1 %
3	-	1	0.0 %
5	-	1	0.0 %
. (M)	-	21	0.8 %

RELAT124	Relationship to yourself (12)		

Location: 1057-1067 (width: 11; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	21	0.8 %
-1	2657	99.2 %
GREAT NIECE	1	0.0 %

SEX124 — Gender (12)

Location: 1068-1069 (width: 2; decimal: 0)
Variable Type: character

Value	Label	Unweighted Frequency	%
	-	21	0.8 %
-1	N/A	2657	99.2 %
F	-	1	0.0 %

AGE124 — Age (12)

Location: 1070-1071 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2657	99.2 %
1	-	1	0.0 %
. (M)	-	21	0.8 %

ARTHRT14 — Arthritis med #1

Location: 1072-1073 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2560	95.6 %
1	No	93	3.5 %
2	Yes	5	0.2 %
. (M)	-	21	0.8 %

ARTHTW14 — Arthritis med #1 taken 2x/wk last mo

Location: 1074-1075 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2653	99.0 %
2	Yes	5	0.2 %
. (M)	-	21	0.8 %

ARTHRT24 — Arthritis med #2

Location:	1076-1077 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2653	99.0 %
1	No	3	0.1 %
2	Yes	2	0.1 %
. (M)	-	21	0.8 %

ARTHTW24 — Arthritis med #2 taken 2x/wk last mo

Location:	1078-1079 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2656	99.1 %
2	Yes	2	0.1 %
. (M)	-	21	0.8 %

FIBROID4 — Fibroids since last visit

Location:	1080-1081 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2614	97.6 %
1	No	40	1.5 %
2	Yes	4	0.1 %
. (M)	-	21	0.8 %

FORMFLG4 — Abbreviated (AIN) or regular (INT) interview

Location:	1082-1084 (width: 3; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	21	0.8 %
AIN	44	1.6 %
INT	2614	97.6 %

STATUS4 — Menopausal Status

Location:	1085-1085 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Hysterectomy/both ovaries removed	121	4.5 %
2	Post-menopausal	567	21.2 %

Value	Label	Unweighted Frequency	%
3	Late Peri	286	10.7 %
4	Early Peri	1197	44.7 %
5	Pre-menopausal	194	7.2 %
7	Unknown due to HT use	292	10.9 %
. (M)	-	22	0.8 %

SAADAY4	**Self-administered-Part A Day**
Location:	1086-1089 (width: 4; decimal: 0)
Variable Type:	numeric

FORMSAA4	**Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)**
Location:	1090-1092 (width: 3; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	113	4.2 %
AIN	38	1.4 %
PAT	3	0.1 %
SAA	2525	94.3 %

LANGSAA4	**Language of Self-A**
Location:	1093-1093 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	English	2234	83.4 %
2	Spanish	150	5.6 %
3	Cantonese	77	2.9 %
4	Japanese	105	3.9 %
. (M)	-	113	4.2 %

OVERHLT4	**Overall health**
Location:	1094-1095 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	28	1.0 %
-8	Do not know	3	0.1 %
1	Excellent	388	14.5 %
2	Very good	958	35.8 %
3	Good	819	30.6 %
4	Fair	322	12.0 %

Value	Label	Unweighted Frequency	%
5	Poor	48	1.8 %
. (M)	-	113	4.2 %

HOSPSTA4	**Hospital stays since last visit**		

Location: 1096-1097 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
0	-	2314	86.4 %
1	-	150	5.6 %
2	-	34	1.3 %
3	-	9	0.3 %
4	-	5	0.2 %
5	-	4	0.1 %
6	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
. (M)	-	113	4.2 %

MDTALK4	**# times talk to health professional**		

Location: 1098-1099 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
0	-	274	10.2 %
1	-	392	14.6 %
2	-	498	18.6 %
3	-	337	12.6 %
4	-	268	10.0 %
5	-	162	6.0 %
6	-	168	6.3 %
7	-	50	1.9 %
8	-	65	2.4 %
9	-	17	0.6 %
10	-	81	3.0 %
11	-	4	0.1 %
12	-	59	2.2 %
13	-	6	0.2 %
14	-	15	0.6 %

Value	Label	Unweighted Frequency	%
15	-	35	1.3 %
16	-	5	0.2 %
17	-	1	0.0 %
18	-	3	0.1 %
19	-	1	0.0 %
20	-	26	1.0 %
21	-	1	0.0 %
24	-	4	0.1 %
25	-	7	0.3 %
30	-	16	0.6 %
35	-	5	0.2 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.1 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
50	-	3	0.1 %
52	-	1	0.0 %
57	-	1	0.0 %
60	-	2	0.1 %
70	-	1	0.0 %
75	-	1	0.0 %
85	-	1	0.0 %
. (M)	-	113	4.2 %

ROLE4   **Role of health care provider**

Location: 1100-1101 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	70	2.6 %
1	-	281	10.5 %
2	-	224	8.4 %
3	-	283	10.6 %
4	-	692	25.8 %
5	-	462	17.2 %
6	-	301	11.2 %
7	-	253	9.4 %

Value	Label	Unweighted Frequency	%
. (M)	-	113	4.2 %

NERVES4 — Talk to professional for nerves

Location:	1102-1103 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	53	2.0 %
0	-	2012	75.1 %
1	-	155	5.8 %
2	-	87	3.2 %
3	-	38	1.4 %
4	-	37	1.4 %
5	-	28	1.0 %
6	-	19	0.7 %
7	-	4	0.1 %
8	-	12	0.4 %
9	-	6	0.2 %
10	-	23	0.9 %
11	-	5	0.2 %
12	-	17	0.6 %
14	-	2	0.1 %
15	-	8	0.3 %
16	-	2	0.1 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	12	0.4 %
21	-	1	0.0 %
24	-	6	0.2 %
25	-	5	0.2 %
26	-	2	0.1 %
28	-	1	0.0 %
30	-	6	0.2 %
34	-	1	0.0 %
35	-	1	0.0 %
39	-	1	0.0 %
40	-	8	0.3 %
45	-	1	0.0 %
46	-	1	0.0 %
50	-	4	0.1 %

Value	Label	Unweighted Frequency	%
60	-	4	0.1 %
70	-	1	0.0 %
90	-	1	0.0 %
. (M)	-	113	4.2 %

PAPSMEA4 — Pap smear since last visit

Location:	1104-1105 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	43	1.6 %
1	No	720	26.9 %
2	Yes	1803	67.3 %
. (M)	-	113	4.2 %

BRSTEXA4 — Breast exam since last visit

Location:	1106-1107 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	44	1.6 %
1	No	613	22.9 %
2	Yes	1909	71.3 %
. (M)	-	113	4.2 %

MAMOGRA4 — Mammogram since last visit

Location:	1108-1109 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
1	No	882	32.9 %
2	Yes	1635	61.0 %
. (M)	-	113	4.2 %

HLTHSER4 — Health services did not receive

Location:	1110-1111 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	80	3.0 %
1	No	2187	81.6 %

Value	Label	Unweighted Frequency	%
2	Yes	299	11.2 %
. (M)	-	113	4.2 %

INSURAN4	**Insurance doesn't cover**		

Location: 1112-1113 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	82	3.1 %
-1	N/A	2226	83.1 %
1	No	171	6.4 %
2	Yes	87	3.2 %
. (M)	-	113	4.2 %

NOTAFFR4	**Cannot afford**		

Location: 1114-1115 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	82	3.1 %
-1	N/A	2226	83.1 %
1	No	176	6.6 %
2	Yes	82	3.1 %
. (M)	-	113	4.2 %

NOTRANS4	**Travel distance/no transportation**		

Location: 1116-1117 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	84	3.1 %
-1	N/A	2226	83.1 %
1	No	231	8.6 %
2	Yes	25	0.9 %
. (M)	-	113	4.2 %

NOPROVI4	**No health care provider**		

Location: 1118-1119 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	87	3.2 %

Value	Label	Unweighted Frequency	%
-1	N/A	2226	83.1 %
1	No	213	8.0 %
2	Yes	40	1.5 %
. (M)	-	113	4.2 %

TOOBUSY4 — Too busy

Location:	1120-1121 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	65	2.4 %
-1	N/A	2226	83.1 %
1	No	136	5.1 %
2	Yes	139	5.2 %
. (M)	-	113	4.2 %

NOTRUST4 — Don't trust drs

Location:	1122-1123 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	82	3.1 %
-1	N/A	2226	83.1 %
1	No	232	8.7 %
2	Yes	26	1.0 %
. (M)	-	113	4.2 %

BETTROF4 — Better off not knowing

Location:	1124-1125 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	82	3.1 %
-1	N/A	2226	83.1 %
1	No	238	8.9 %
2	Yes	20	0.7 %
. (M)	-	113	4.2 %

FAILOTH4 — No health care - other reason

Location:	1126-1127 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	81	3.0 %
-1	N/A	2226	83.1 %
1	No	159	5.9 %
2	Yes	100	3.7 %
. (M)	-	113	4.2 %

SMOKERE4 — Smoked regularly since last visit

Location: 1128-1129 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	10	0.4 %
1	No	2181	81.4 %
2	Yes	375	14.0 %
. (M)	-	113	4.2 %

AVCIGDA4 — Avg cigarettes/day since last visit

Location: 1130-1131 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2191	81.8 %
0	-	14	0.5 %
1	-	14	0.5 %
2	-	14	0.5 %
3	-	21	0.8 %
4	-	15	0.6 %
5	-	26	1.0 %
6	-	15	0.6 %
7	-	15	0.6 %
8	-	19	0.7 %
9	-	1	0.0 %
10	-	62	2.3 %
12	-	5	0.2 %
15	-	31	1.2 %
16	-	1	0.0 %
17	-	2	0.1 %
18	-	5	0.2 %
20	-	76	2.8 %
21	-	2	0.1 %

Value	Label	Unweighted Frequency	%
25	-	8	0.3 %
28	-	1	0.0 %
30	-	14	0.5 %
35	-	4	0.1 %
40	-	8	0.3 %
50	-	1	0.0 %
. (M)	-	113	4.2 %

DRNKBEE4 — Drink alcoholic bev since last visit

Location: 1132-1133 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
1	No	797	29.7 %
2	Yes	1719	64.2 %
. (M)	-	113	4.2 %

GLASBEE4 — Avg glasses of beer

Location: 1134-1135 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	42	1.6 %
-1	N/A	806	30.1 %
1	None or < 1/mo	1084	40.5 %
2	1-3/mo	349	13.0 %
3	1/wk	101	3.8 %
4	2-4/wk	96	3.6 %
5	5-6/wk	44	1.6 %
6	1/day	18	0.7 %
7	2-3/day	19	0.7 %
8	4/day	4	0.1 %
9	>= 5/day	3	0.1 %
. (M)	-	113	4.2 %

GLASWIN4 — Avg glasses of wine

Location: 1136-1137 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	43	1.6 %
-1	N/A	806	30.1 %
1	None or < 1/mo	755	28.2 %
2	1-3/mo	442	16.5 %
3	1/wk	149	5.6 %
4	2-4/wk	206	7.7 %
5	5-6/wk	61	2.3 %
6	1/day	58	2.2 %
7	2-3/day	41	1.5 %
8	4/day	5	0.2 %
. (M)	-	113	4.2 %

GLASLIQ4	Avg glasses of liquor

Location: 1138-1139 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	42	1.6 %
-1	N/A	806	30.1 %
1	None or < 1/mo	1130	42.2 %
2	1-3/mo	378	14.1 %
3	1/wk	76	2.8 %
4	2-4/wk	94	3.5 %
5	5-6/wk	14	0.5 %
6	1/day	14	0.5 %
7	2-3/day	9	0.3 %
8	4/day	2	0.1 %
9	>= 5/day	1	0.0 %
. (M)	-	113	4.2 %

V_ACTI4	Health limits vigorous activities

Location: 1140-1141 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	51	1.9 %
1	Yes, Limited a lot	558	20.8 %
2	Yes, Limited a little	986	36.8 %
3	No, Not limited at all	971	36.2 %
. (M)	-	113	4.2 %

M_ACTI4	Health limits moderate activities

| Location: | 1142-1143 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	Yes, Limited a lot	136	5.1 %
2	Yes, Limited a little	442	16.5 %
3	No, Not limited at all	1940	72.4 %
. (M)	-	113	4.2 %

LIFTING4   **Health limits lifting groceries**

| Location: | 1144-1145 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
1	Yes, Limited a lot	109	4.1 %
2	Yes, Limited a little	407	15.2 %
3	No, Not limited at all	2001	74.7 %
. (M)	-	113	4.2 %

CLIMB1_4   **Health limits climbing 1 flight**

| Location: | 1146-1147 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	Yes, Limited a lot	112	4.2 %
2	Yes, Limited a little	290	10.8 %
3	No, Not limited at all	2116	79.0 %
. (M)	-	113	4.2 %

CLIMBS4   **Health limits climbing several flights**

| Location: | 1148-1149 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	51	1.9 %
1	Yes, Limited a lot	254	9.5 %
2	Yes, Limited a little	640	23.9 %
3	No, Not limited at all	1621	60.5 %
. (M)	-	113	4.2 %

BENDING4   **Health limits bending, kneeling**

Location:	1150-1151 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
1	Yes, Limited a lot	186	6.9 %
2	Yes, Limited a little	707	26.4 %
3	No, Not limited at all	1624	60.6 %
. (M)	-	113	4.2 %

WALK1_4 **Health limits walking 1 block**

Location:	1152-1153 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	51	1.9 %
1	Yes, Limited a lot	99	3.7 %
2	Yes, Limited a little	199	7.4 %
3	No, Not limited at all	2217	82.8 %
. (M)	-	113	4.2 %

WALKS4 **Health limits walking several blocks**

Location:	1154-1155 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	Yes, Limited a lot	171	6.4 %
2	Yes, Limited a little	290	10.8 %
3	No, Not limited at all	2057	76.8 %
. (M)	-	113	4.2 %

WALKM4 **Health limits walking > mile**

Location:	1156-1157 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	54	2.0 %
1	Yes, Limited a lot	263	9.8 %
2	Yes, Limited a little	486	18.1 %
3	No, Not limited at all	1763	65.8 %
. (M)	-	113	4.2 %

BATHING4 **Health limits bathing, dressing**

Location:	1158-1159 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	Yes, Limited a lot	71	2.7 %
2	Yes, Limited a little	97	3.6 %
3	No, Not limited at all	2351	87.8 %
. (M)	-	113	4.2 %

BODYPAI4   **Bodily pain past mo**

Location:	1160-1161 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	45	1.7 %
1	None	399	14.9 %
2	Very Mild	761	28.4 %
3	Mild	638	23.8 %
4	Moderately	535	20.0 %
5	Severe	152	5.7 %
6	Very Severe	36	1.3 %
. (M)	-	113	4.2 %

PAINTRF4   **Pain interfere w/work past mo**

Location:	1162-1163 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	44	1.6 %
1	Not At All	1352	50.5 %
2	A Little Bit	693	25.9 %
3	Moderately	296	11.0 %
4	Quite A Bit	142	5.3 %
5	Extremely	39	1.5 %
. (M)	-	113	4.2 %

PEP4   **Full of pep last mo**

Location:	1164-1165 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %

Value	Label	Unweighted Frequency	%
1	All Of The Time	68	2.5 %
2	Most Of The Time	594	22.2 %
3	A Good Bit Of The Time	579	21.6 %
4	Some Of The Time	717	26.8 %
5	A Little Of The Time	433	16.2 %
6	None Of The Time	125	4.7 %
. (M)	-	113	4.2 %

ENERGY4	**Lots energy last mo**

Location:	1166-1167 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	All Of The Time	67	2.5 %
2	Most Of The Time	573	21.4 %
3	A Good Bit Of The Time	601	22.4 %
4	Some Of The Time	721	26.9 %
5	A Little Of The Time	428	16.0 %
6	None Of The Time	129	4.8 %
. (M)	-	113	4.2 %

WORNOUT4	**Felt worn out last mo**

Location:	1168-1169 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
1	All Of The Time	37	1.4 %
2	Most Of The Time	173	6.5 %
3	A Good Bit Of The Time	372	13.9 %
4	Some Of The Time	782	29.2 %
5	A Little Of The Time	903	33.7 %
6	None Of The Time	250	9.3 %
. (M)	-	113	4.2 %

TIRED4	**Felt tired last mo**

Location:	1170-1171 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	All Of The Time	51	1.9 %
2	Most Of The Time	209	7.8 %
3	A Good Bit Of The Time	400	14.9 %
4	Some Of The Time	853	31.8 %
5	A Little Of The Time	924	34.5 %
6	None Of The Time	81	3.0 %
. (M)	-	113	4.2 %

WATCHTV4 — Time spent past yr watching TV

Location: 1172-1173 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	Never Or Less Than 1 Hr/Wk	131	4.9 %
2	At Least 1 Hr/Wk But < 1 Hr/Day	487	18.2 %
3	1-2 Hrs/Day	964	36.0 %
4	2-4 Hrs/Day	629	23.5 %
5	More Than 4 Hrs/Day	308	11.5 %
. (M)	-	113	4.2 %

SWEATPA4 — Time spent sweat from exertion

Location: 1174-1175 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	53	2.0 %
1	Never/Less Than Once A Month	715	26.7 %
2	Once A Month	280	10.5 %
3	2-3 Times A Month	408	15.2 %
4	Once/Wk	353	13.2 %
5	More Than Once/Wk	757	28.3 %
. (M)	-	113	4.2 %

CHORES4 — Chores-Current level of phys act

Location: 1176-1177 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %

Value	Label	Unweighted Frequency	%
1	Much Greater Now	85	3.2 %
2	Greater Now	218	8.1 %
3	About the Same	1908	71.2 %
4	Less Now	242	9.0 %
5	Much less Now	64	2.4 %
. (M)	-	113	4.2 %

WORKPHY4 — Work for pay-current level of phys act

Location: 1178-1179 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
-1	N/A	405	15.1 %
1	Much Greater Now	83	3.1 %
2	Greater Now	290	10.8 %
3	About the Same	1561	58.3 %
4	Less Now	133	5.0 %
5	Much less Now	44	1.6 %
. (M)	-	113	4.2 %

PLANSPO4 — Planned sports-current level of phys act

Location: 1180-1181 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	52	1.9 %
-1	N/A	1	0.0 %
1	Much Greater Now	61	2.3 %
2	Greater Now	221	8.2 %
3	About the Same	1561	58.3 %
4	Less Now	370	13.8 %
5	Much less Now	300	11.2 %
. (M)	-	113	4.2 %

ROUTINE4 — Routine phys act-current level of phys act

Location: 1182-1183 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %

Value	Label	Unweighted Frequency	%
1	Much Greater Now	95	3.5 %
2	Greater Now	394	14.7 %
3	About the Same	1657	61.9 %
4	Less Now	274	10.2 %
5	Much less Now	96	3.6 %
. (M)	-	113	4.2 %

STRENEX4	Strenuous exercise x/wk

Location: 1184-1187 (width: 4; decimal: 1)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9.0	Missing	23	0.9 %
0.0	-	1934	72.2 %
0.5	-	2	0.1 %
1.0	-	207	7.7 %
1.5	-	4	0.1 %
2.0	-	150	5.6 %
2.5	-	3	0.1 %
3.0	-	119	4.4 %
3.5	-	2	0.1 %
4.0	-	45	1.7 %
5.0	-	45	1.7 %
6.0	-	19	0.7 %
7.0	-	6	0.2 %
8.0	-	1	0.0 %
10.0	-	1	0.0 %
14.0	-	1	0.0 %
15.0	-	2	0.1 %
20.0	-	1	0.0 %
30.0	-	1	0.0 %
. (M)	-	113	4.2 %

MODEREX4	Moderate exercise x/wk

Location: 1188-1191 (width: 4; decimal: 1)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9.0	Missing	14	0.5 %
0.0	-	1190	44.4 %
0.2	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.5	-	4	0.1 %
1.0	-	330	12.3 %
1.5	-	6	0.2 %
2.0	-	296	11.0 %
2.5	-	7	0.3 %
3.0	-	288	10.8 %
3.5	-	5	0.2 %
4.0	-	130	4.9 %
4.5	-	3	0.1 %
5.0	-	153	5.7 %
5.5	-	1	0.0 %
6.0	-	45	1.7 %
7.0	-	71	2.7 %
8.0	-	1	0.0 %
10.0	-	11	0.4 %
12.0	-	1	0.0 %
13.0	-	1	0.0 %
14.0	-	1	0.0 %
15.0	-	3	0.1 %
20.0	-	2	0.1 %
25.0	-	1	0.0 %
36.0	-	1	0.0 %
. (M)	-	113	4.2 %

MILDEX4   **Mild exercise x/wk**

Location: 1192-1195 (width: 4; decimal: 1)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9.0	Missing	57	2.1 %
0.0	-	593	22.1 %
0.5	-	8	0.3 %
1.0	-	430	16.1 %
1.5	-	8	0.3 %
2.0	-	423	15.8 %
2.5	-	3	0.1 %
3.0	-	357	13.3 %
3.5	-	4	0.1 %
4.0	-	176	6.6 %
4.5	-	4	0.1 %

Value	Label	Unweighted Frequency	%
5.0	-	206	7.7 %
5.5	-	1	0.0 %
6.0	-	55	2.1 %
7.0	-	188	7.0 %
8.0	-	5	0.2 %
10.0	-	16	0.6 %
12.0	-	6	0.2 %
14.0	-	5	0.2 %
15.0	-	5	0.2 %
20.0	-	2	0.1 %
21.0	-	1	0.0 %
22.0	-	1	0.0 %
25.0	-	2	0.1 %
26.0	-	1	0.0 %
30.0	-	4	0.1 %
35.0	-	1	0.0 %
50.0	-	1	0.0 %
52.0	-	1	0.0 %
75.0	-	1	0.0 %
95.0	-	1	0.0 %
. (M)	-	113	4.2 %

STIFF4 — Stiffness/soreness past 2 wks

Location: 1196-1197 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	4	0.1 %
1	Not At All	613	22.9 %
2	1-5 Days	1110	41.4 %
3	6-8 Days	200	7.5 %
4	9-13 Days	161	6.0 %
5	Every Day	478	17.8 %
. (M)	-	113	4.2 %

ACHES4 — Back aches/pains past 2 wks

Location: 1198-1199 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	53	2.0 %

Value	Label	Unweighted Frequency	%
1	Not At All	978	36.5 %
2	1-5 Days	935	34.9 %
3	6-8 Days	186	6.9 %
4	9-13 Days	132	4.9 %
5	Every Day	282	10.5 %
. (M)	-	113	4.2 %

COLDSWE4 — Cold sweats past 2 wks

Location: 1200-1201 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	58	2.2 %
1	Not At All	2180	81.4 %
2	1-5 Days	227	8.5 %
3	6-8 Days	51	1.9 %
4	9-13 Days	17	0.6 %
5	Every Day	33	1.2 %
. (M)	-	113	4.2 %

NITESWE4 — Night sweats past 2 wks

Location: 1202-1203 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	Not At All	1620	60.5 %
2	1-5 Days	623	23.3 %
3	6-8 Days	136	5.1 %
4	9-13 Days	86	3.2 %
5	Every Day	93	3.5 %
. (M)	-	113	4.2 %

VAGINDR4 — Vaginal dryness past 2 wks

Location: 1204-1205 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	12	0.4 %
1	Not At All	1830	68.3 %
2	1-5 Days	473	17.7 %

Value	Label	Unweighted Frequency	%
3	6-8 Days	97	3.6 %
4	9-13 Days	59	2.2 %
5	Every Day	95	3.5 %
. (M)	-	113	4.2 %

FEELBLU4 — Feeling blue past 2 wks

Location: 1206-1207 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
1	Not At All	1140	42.6 %
2	1-5 Days	1071	40.0 %
3	6-8 Days	185	6.9 %
4	9-13 Days	94	3.5 %
5	Every Day	69	2.6 %
. (M)	-	113	4.2 %

DIZZY4 — Dizzy spells past 2 wks

Location: 1208-1209 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
1	Not At All	2023	75.5 %
2	1-5 Days	434	16.2 %
3	6-8 Days	30	1.1 %
4	9-13 Days	17	0.6 %
5	Every Day	13	0.5 %
. (M)	-	113	4.2 %

IRRITAB4 — Irritability past 2 wks

Location: 1210-1211 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	6	0.2 %
1	Not At All	871	32.5 %
2	1-5 Days	1361	50.8 %
3	6-8 Days	217	8.1 %
4	9-13 Days	72	2.7 %

Value	Label	Unweighted Frequency	%
5	Every Day	39	1.5 %
. (M)	-	113	4.2 %

| **NRVOUS4** | **Tense/nervous past 2 wks** | | |

Location: 1212-1213 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	44	1.6 %
1	Not At All	965	36.0 %
2	1-5 Days	1177	43.9 %
3	6-8 Days	219	8.2 %
4	9-13 Days	91	3.4 %
5	Every Day	70	2.6 %
. (M)	-	113	4.2 %

| **FORGET4** | **Forgetfulness past 2 wks** | | |

Location: 1214-1215 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	46	1.7 %
1	Not At All	813	30.3 %
2	1-5 Days	1152	43.0 %
3	6-8 Days	282	10.5 %
4	9-13 Days	130	4.9 %
5	Every Day	143	5.3 %
. (M)	-	113	4.2 %

| **MOODCHG4** | **Freq mood changes past 2 wks** | | |

Location: 1216-1217 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
1	Not At All	1467	54.8 %
2	1-5 Days	833	31.1 %
3	6-8 Days	147	5.5 %
4	9-13 Days	76	2.8 %
5	Every Day	36	1.3 %
. (M)	-	113	4.2 %

HARTRAC4	Heart pounding/racing past 2 wks		

Location: 1218-1219 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	45	1.7 %
1	Not At All	1839	68.6 %
2	1-5 Days	544	20.3 %
3	6-8 Days	88	3.3 %
4	9-13 Days	32	1.2 %
5	Every Day	18	0.7 %
. (M)	-	113	4.2 %

FEARFULA4	Feeling fearful past 2 wks		

Location: 1220-1221 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	Not At All	2070	77.3 %
2	1-5 Days	343	12.8 %
3	6-8 Days	49	1.8 %
4	9-13 Days	35	1.3 %
5	Every Day	22	0.8 %
. (M)	-	113	4.2 %

HDACHE4	Headaches past 2 wks		

Location: 1222-1223 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	43	1.6 %
1	Not At All	1025	38.3 %
2	1-5 Days	1185	44.2 %
3	6-8 Days	186	6.9 %
4	9-13 Days	79	2.9 %
5	Every Day	48	1.8 %
. (M)	-	113	4.2 %

HOTFLAS4	Hot flashes past 2 wks		

Location: 1224-1225 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
1	Not At All	1442	53.8 %
2	1-5 Days	669	25.0 %
3	6-8 Days	179	6.7 %
4	9-13 Days	107	4.0 %
5	Every Day	168	6.3 %
. (M)	-	113	4.2 %

TRBLSLE4	**Trouble falling asleep past 2 wks**
Location:	1226-1227 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	No, Not In The Past 2 Wks	1394	52.0 %
2	Yes, < Once A Wk	425	15.9 %
3	Yes, 1-2 Times/Wk	345	12.9 %
4	Yes, 3-4 Times/Wk	193	7.2 %
5	Yes, 5 or More Times/Wk	162	6.0 %
. (M)	-	113	4.2 %

WAKEUP4	**Wake up several times/night past 2 wks**
Location:	1228-1229 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	46	1.7 %
1	No, Not In The Past 2 Wks	752	28.1 %
2	Yes, < Once A Wk	459	17.1 %
3	Yes, 1-2 Times/Wk	467	17.4 %
4	Yes, 3-4 Times/Wk	411	15.3 %
5	Yes, 5 or More Times/Wk	431	16.1 %
. (M)	-	113	4.2 %

WAKEARL4	**Wake up early past 2 wks**
Location:	1230-1231 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	No, Not In The Past 2 Wks	1203	44.9 %

Value	Label	Unweighted Frequency	%
2	Yes, < Once A Wk	502	18.7 %
3	Yes, 1-2 Times/Wk	403	15.0 %
4	Yes, 3-4 Times/Wk	248	9.3 %
5	Yes, 5 or More Times/Wk	163	6.1 %
. (M)	-	113	4.2 %

BEDTIME4	**Usual bed time past month**

Location: 1232-1236 (width: 5; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	113	4.2 %
-9	Missing	55	2.1 %
01:00	-	111	4.1 %
01:30	-	29	1.1 %
01:45	-	2	0.1 %
02:00	-	40	1.5 %
02:30	-	7	0.3 %
02:45	-	1	0.0 %
03:00	-	17	0.6 %
03:30	-	1	0.0 %
04:00	-	9	0.3 %
04:10	-	1	0.0 %
04:20	-	1	0.0 %
04:30	-	3	0.1 %
05:00	-	6	0.2 %
05:30	-	1	0.0 %
06:00	-	3	0.1 %
07:00	-	5	0.2 %
07:30	-	3	0.1 %
08:00	-	26	1.0 %
08:30	-	15	0.6 %
08:40	-	1	0.0 %
08:45	-	1	0.0 %
09:00	-	106	4.0 %
09:30	-	89	3.3 %
09:45	-	7	0.3 %
09:50	-	1	0.0 %
10:00	-	393	14.7 %
10:11	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10:15	-	13	0.5 %
10:30	-	259	9.7 %
10:40	-	1	0.0 %
10:45	-	7	0.3 %
10:58	-	1	0.0 %
11:00	-	628	23.4 %
11:10	-	2	0.1 %
11:15	-	19	0.7 %
11:20	-	3	0.1 %
11:30	-	354	13.2 %
11:40	-	1	0.0 %
11:45	-	19	0.7 %
11:50	-	2	0.1 %
11:55	-	1	0.0 %
12:00	-	219	8.2 %
12:04	-	1	0.0 %
12:05	-	1	0.0 %
12:09	-	1	0.0 %
12:10	-	1	0.0 %
12:15	-	3	0.1 %
12:30	-	92	3.4 %
12:45	-	3	0.1 %

BEDTIMA4 — Bed time AM/PM

Location: 1237-1238 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	59	2.2 %
1	A.M.	524	19.6 %
2	P.M.	1983	74.0 %
. (M)	-	113	4.2 %

NUMMINU4 — # minutes to fall asleep past mon

Location: 1239-1241 (width: 3; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	51	1.9 %
0	-	16	0.6 %
1	-	58	2.2 %

Value	Label	Unweighted Frequency	%
2	-	91	3.4 %
3	-	56	2.1 %
4	-	11	0.4 %
5	-	533	19.9 %
6	-	2	0.1 %
7	-	13	0.5 %
8	-	13	0.5 %
9	-	1	0.0 %
10	-	515	19.2 %
11	-	1	0.0 %
12	-	5	0.2 %
13	-	11	0.4 %
15	-	368	13.7 %
17	-	2	0.1 %
18	-	4	0.1 %
20	-	206	7.7 %
23	-	3	0.1 %
24	-	1	0.0 %
25	-	17	0.6 %
30	-	356	13.3 %
35	-	11	0.4 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	22	0.8 %
45	-	62	2.3 %
50	-	7	0.3 %
55	-	1	0.0 %
58	-	1	0.0 %
60	-	87	3.2 %
75	-	2	0.1 %
80	-	1	0.0 %
90	-	16	0.6 %
120	-	17	0.6 %
150	-	1	0.0 %
180	-	2	0.1 %
. (M)	-	113	4.2 %

GETUPTI4	Time up in morning past mon

Location: 1242-1246 (width: 5; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	113	4.2 %
-9	Missing	54	2.0 %
01:00	-	7	0.3 %
01:30	-	4	0.1 %
02:00	-	13	0.5 %
02:05	-	1	0.0 %
02:30	-	5	0.2 %
02:35	-	1	0.0 %
03:00	-	11	0.4 %
03:15	-	3	0.1 %
03:30	-	11	0.4 %
03:40	-	2	0.1 %
03:45	-	4	0.1 %
03:55	-	1	0.0 %
04:00	-	40	1.5 %
04:10	-	1	0.0 %
04:15	-	4	0.1 %
04:20	-	4	0.1 %
04:30	-	50	1.9 %
04:45	-	11	0.4 %
04:50	-	2	0.1 %
05:00	-	165	6.2 %
05:01	-	1	0.0 %
05:05	-	2	0.1 %
05:10	-	4	0.1 %
05:15	-	26	1.0 %
05:20	-	6	0.2 %
05:25	-	1	0.0 %
05:30	-	247	9.2 %
05:35	-	1	0.0 %
05:40	-	5	0.2 %
05:45	-	64	2.4 %
05:50	-	13	0.5 %
05:55	-	1	0.0 %
06:00	-	441	16.5 %
06:05	-	2	0.1 %
06:08	-	1	0.0 %
06:10	-	8	0.3 %
06:15	-	72	2.7 %
06:20	-	14	0.5 %

Value	Label	Unweighted Frequency	%
06:30	-	352	13.1 %
06:35	-	1	0.0 %
06:39	-	1	0.0 %
06:40	-	10	0.4 %
06:45	-	58	2.2 %
06:50	-	7	0.3 %
07:00	-	358	13.4 %
07:10	-	2	0.1 %
07:15	-	18	0.7 %
07:20	-	1	0.0 %
07:24	-	1	0.0 %
07:30	-	138	5.2 %
07:40	-	1	0.0 %
07:45	-	12	0.4 %
07:50	-	1	0.0 %
08:00	-	120	4.5 %
08:10	-	1	0.0 %
08:20	-	1	0.0 %
08:30	-	45	1.7 %
08:45	-	1	0.0 %
09:00	-	55	2.1 %
09:15	-	1	0.0 %
09:30	-	12	0.4 %
10:00	-	39	1.5 %
10:30	-	5	0.2 %
11:00	-	10	0.4 %
11:30	-	4	0.1 %
12:00	-	7	0.3 %
12:05	-	1	0.0 %

GETPAMP4	**Time up - AM/PM**

Location:	1247-1248 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	78	2.9 %
1	A.M.	2430	90.7 %
2	P.M.	58	2.2 %
. (M)	-	113	4.2 %

HRSSLEE4	**Hours sleep/night past month**

- Study 30142 -

Location: 1249-1253 (width: 5; decimal: 2)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9.00	Missing	49	1.8 %
2.00	-	5	0.2 %
2.50	-	1	0.0 %
3.00	-	13	0.5 %
3.50	-	2	0.1 %
4.00	-	90	3.4 %
4.25	-	1	0.0 %
4.30	-	1	0.0 %
4.45	-	1	0.0 %
4.50	-	30	1.1 %
4.75	-	1	0.0 %
5.00	-	262	9.8 %
5.30	-	3	0.1 %
5.50	-	69	2.6 %
5.75	-	1	0.0 %
6.00	-	588	21.9 %
6.15	-	2	0.1 %
6.25	-	2	0.1 %
6.28	-	1	0.0 %
6.30	-	6	0.2 %
6.50	-	143	5.3 %
7.00	-	689	25.7 %
7.15	-	1	0.0 %
7.25	-	4	0.1 %
7.30	-	5	0.2 %
7.50	-	126	4.7 %
7.75	-	4	0.1 %
8.00	-	365	13.6 %
8.25	-	1	0.0 %
8.30	-	2	0.1 %
8.50	-	27	1.0 %
8.75	-	1	0.0 %
9.00	-	45	1.7 %
9.25	-	1	0.0 %
9.50	-	2	0.1 %
10.00	-	19	0.7 %
11.00	-	1	0.0 %
12.00	-	2	0.1 %

Value	Label	Unweighted Frequency	%
. (M)	-	113	4.2 %

NO30SLE4 — Trouble sleeping - not asleep in 30min

Location: 1254-1255 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	Not during past month	1450	54.1 %
2	Less than once/week	526	19.6 %
3	Once or twice/week	256	9.6 %
4	3 or more times/week	286	10.7 %
. (M)	-	113	4.2 %

WAKEMID4 — Trouble sleeping - wake in middle

Location: 1256-1257 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	45	1.7 %
1	Not during past month	717	26.8 %
2	Less than once/week	553	20.6 %
3	Once or twice/week	569	21.2 %
4	3 or more times/week	682	25.5 %
. (M)	-	113	4.2 %

USEBATH4 — Trouble sleeping - use bathroom

Location: 1258-1259 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	44	1.6 %
1	Not during past month	607	22.7 %
2	Less than once/week	570	21.3 %
3	Once or twice/week	494	18.4 %
4	3 or more times/week	851	31.8 %
. (M)	-	113	4.2 %

CANTBRT4 — Trouble sleeping - cannot breath

Location: 1260-1261 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	Not during past month	2143	80.0 %
2	Less than once/week	187	7.0 %
3	Once or twice/week	115	4.3 %
4	3 or more times/week	73	2.7 %
. (M)	-	113	4.2 %

SNORE4	Trouble sleeping - snore/cough

Location: 1262-1263 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	54	2.0 %
1	Not during past month	1853	69.2 %
2	Less than once/week	293	10.9 %
3	Once or twice/week	165	6.2 %
4	3 or more times/week	201	7.5 %
. (M)	-	113	4.2 %

TOOCOLD4	Trouble sleeping - too cold

Location: 1264-1265 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	52	1.9 %
1	Not during past month	1825	68.1 %
2	Less than once/week	371	13.8 %
3	Once or twice/week	220	8.2 %
4	3 or more times/week	98	3.7 %
. (M)	-	113	4.2 %

TOOHOT4	Trouble sleeping - too hot

Location: 1266-1267 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
1	Not during past month	1331	49.7 %
2	Less than once/week	478	17.8 %
3	Once or twice/week	421	15.7 %
4	3 or more times/week	287	10.7 %

Value	Label	Unweighted Frequency	%
. (M)	-	113	4.2 %

BADREAM4 — Trouble sleeping - bad dreams

Location:	1268-1269 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
1	Not during past month	1976	73.8 %
2	Less than once/week	388	14.5 %
3	Once or twice/week	106	4.0 %
4	3 or more times/week	46	1.7 %
. (M)	-	113	4.2 %

HAVPAIN4 — Trouble sleeping - have pain

Location:	1270-1271 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
1	Not during past month	1616	60.3 %
2	Less than once/week	386	14.4 %
3	Once or twice/week	271	10.1 %
4	3 or more times/week	243	9.1 %
. (M)	-	113	4.2 %

TRBSLEP4 — Trouble sleeping - other reason

Location:	1272-1273 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	257	9.6 %
1	Not during past month	1968	73.5 %
2	Less than once/week	69	2.6 %
3	Once or twice/week	115	4.3 %
4	3 or more times/week	157	5.9 %
. (M)	-	113	4.2 %

OTHTRB4 — Trouble sleeping - other specify

Location:	1274-1298 (width: 25; decimal: 0)
Variable Type:	character

SLEEPQL4 — Sleep quality overall past month

Location:	1299-1300 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	46	1.7 %
1	Very good	660	24.6 %
2	Fairly good	1388	51.8 %
3	Fairly bad	390	14.6 %
4	Very bad	82	3.1 %
. (M)	-	113	4.2 %

MEDICIN4	Meds to help sleep past month

Location:	1301-1302 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	Not during past month	2125	79.3 %
2	Less than once/week	135	5.0 %
3	Once or twice/week	86	3.2 %
4	3 or more times/week	173	6.5 %
. (M)	-	113	4.2 %

TRBAWAK4	Trouble staying awake past month

Location:	1303-1304 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
1	Not during past month	1956	73.0 %
2	Less than once/week	319	11.9 %
3	Once or twice/week	167	6.2 %
4	3 or more times/week	75	2.8 %
. (M)	-	113	4.2 %

ENTHUS4	Problem keep enthused past month

Location:	1305-1306 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
1	No Problem at All	950	35.5 %
2	Very Slight Problem	974	36.4 %

Value	Label	Unweighted Frequency	%
3	Somewhat of a Problem	476	17.8 %
4	Very Big Problem	116	4.3 %
. (M)	-	113	4.2 %

GETUPUR4	**How often get up to urinate**		

Location:	1307-1308 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	Never	290	10.8 %
2	Rarely (< Once A Wk)	608	22.7 %
3	Once/Wk	186	6.9 %
4	A Few Times/Wk	541	20.2 %
5	Once A Night, Every Night	564	21.1 %
6	More Than Once Per Night	329	12.3 %
. (M)	-	113	4.2 %

UTI4	**Urinary tract inf since last visit**		

Location:	1309-1310 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	No	2265	84.5 %
2	Yes	253	9.4 %
. (M)	-	113	4.2 %

INVOLEA4	**Involuntary leakage since last visit**		

Location:	1311-1312 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	12	0.4 %
1	No	910	34.0 %
2	Yes	1644	61.4 %
. (M)	-	113	4.2 %

DAYSLEA4	**Leakage days past mo**		

Location:	1313-1314 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	17	0.6 %
-1	N/A	922	34.4 %
1	Never	170	6.3 %
2	Less Than 1 Day/Week	937	35.0 %
3	Several Days/Week	351	13.1 %
4	Almost Daily/Daily	169	6.3 %
. (M)	-	113	4.2 %

COUGHIN4 — Coughing caused leakage

Location: 1315-1316 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	130	4.9 %
-1	N/A	912	34.0 %
1	No	586	21.9 %
2	Yes	938	35.0 %
. (M)	-	113	4.2 %

LAUGHIN4 — Laughing caused leakage

Location: 1317-1318 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	177	6.6 %
-1	N/A	912	34.0 %
1	No	1002	37.4 %
2	Yes	475	17.7 %
. (M)	-	113	4.2 %

SNEEZIN4 — Sneezing caused leakage

Location: 1319-1320 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	133	5.0 %
-1	N/A	912	34.0 %
1	No	537	20.0 %
2	Yes	984	36.7 %
. (M)	-	113	4.2 %

JOGGING4 — Jogging caused leakage

Location:	1321-1322 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	199	7.4 %
-1	N/A	912	34.0 %
1	No	1260	47.0 %
2	Yes	195	7.3 %
. (M)	-	113	4.2 %

PICKUP4	**Picking up object caused leakage**

Location:	1323-1324 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	200	7.5 %
-1	N/A	912	34.0 %
1	No	1280	47.8 %
2	Yes	174	6.5 %
. (M)	-	113	4.2 %

URGEVOI4	**Urge to void caused leakage**

Location:	1325-1326 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	124	4.6 %
-1	N/A	912	34.0 %
1	No	685	25.6 %
2	Yes	845	31.5 %
. (M)	-	113	4.2 %

OTHRLEA4	**Other causes of leakage**

Location:	1327-1328 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	281	10.5 %
-1	N/A	912	34.0 %
1	No	1209	45.1 %
2	Yes	164	6.1 %
. (M)	-	113	4.2 %

AMTLEAK4	**Amount of leakage**

Location:	1329-1330 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
-1	N/A	912	34.0 %
1	A Drop Or Two	1004	37.5 %
2	Enough to Change Underwear/Wear Liner	544	20.3 %
3	Enough to Wet Outer Clothing	49	1.8 %
4	Enough to Wet Floor	7	0.3 %
. (M)	-	113	4.2 %

LEAKBOT4	**Leakage bothers (scale 0-10)**

Location:	1331-1332 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	44	1.6 %
-1	N/A	912	34.0 %
0	-	120	4.5 %
1	-	193	7.2 %
2	-	186	6.9 %
3	-	175	6.5 %
4	-	119	4.4 %
5	-	312	11.6 %
6	-	85	3.2 %
7	-	102	3.8 %
8	-	113	4.2 %
9	-	67	2.5 %
10	-	138	5.2 %
. (M)	-	113	4.2 %

NUTRIRE4	**Nutritional remedies past yr**

Location:	1333-1334 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	6	0.2 %
1	No	1638	61.1 %
2	Yes	922	34.4 %
. (M)	-	113	4.2 %

HERBREM4	**Herbal remedies past yr**

Location:	1335-1336 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	4	0.1 %
1	No	2006	74.9 %
2	Yes	556	20.8 %
. (M)	-	113	4.2 %

PSYCMET4	**Psychological methods past yr**

Location:	1337-1338 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
1	No	2075	77.5 %
2	Yes	486	18.1 %
. (M)	-	113	4.2 %

PHYSMET4	**Physical methods past yr**

Location:	1339-1340 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
1	No	1969	73.5 %
2	Yes	588	21.9 %
. (M)	-	113	4.2 %

FOLKMED4	**Folk medicine past yr**

Location:	1341-1342 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	No	2440	91.1 %
2	Yes	118	4.4 %
. (M)	-	113	4.2 %

OTHRTHE4	**Other diet/behav therapies past yr**

Location:	1343-1344 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	128	4.8 %
1	No	2244	83.8 %
2	Yes	194	7.2 %
. (M)	-	113	4.2 %

SPECOTH4	Other diet/behav therapies-specify

Location:	1345-1374 (width: 30; decimal: 0)
Variable Type:	character

DISCTRE4	How often discuss diet/behav w/HCP

Location:	1375-1376 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	54	2.0 %
-1	N/A	1114	41.6 %
1	Never	635	23.7 %
2	Sometimes	524	19.6 %
3	Often	116	4.3 %
4	Always	123	4.6 %
. (M)	-	113	4.2 %

COMFORT4	Comfort in religion/spirituality

Location:	1377-1378 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
-1	N/A	307	11.5 %
1	Many times/day	603	22.5 %
2	Every day	613	22.9 %
3	Most days	379	14.1 %
4	Some days	232	8.7 %
5	Once in a while	272	10.2 %
6	Never/almost never	113	4.2 %
. (M)	-	113	4.2 %

PRESENC4	Feel God's presence

Location:	1379-1380 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	46	1.7 %
-1	N/A	345	12.9 %
1	Many times/day	542	20.2 %
2	Every day	634	23.7 %
3	Most days	333	12.4 %
4	Some days	222	8.3 %
5	Once in a while	275	10.3 %
6	Never/almost never	169	6.3 %
. (M)	-	113	4.2 %

HARMONY4 — Feel inner peace/harmony

Location: 1381-1382 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
-1	N/A	135	5.0 %
1	Many times/day	361	13.5 %
2	Every day	446	16.6 %
3	Most days	655	24.4 %
4	Some days	469	17.5 %
5	Once in a while	317	11.8 %
6	Never/almost never	135	5.0 %
. (M)	-	113	4.2 %

SELFLES4 — Selfless caring for others

Location: 1383-1384 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
-1	N/A	140	5.2 %
1	Many times/day	277	10.3 %
2	Every day	481	18.0 %
3	Most days	681	25.4 %
4	Some days	559	20.9 %
5	Once in a while	265	9.9 %
6	Never/almost never	114	4.3 %
. (M)	-	113	4.2 %

UNION4 — Desire union/closeness with God

Location: 1385-1386 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
-1	N/A	405	15.1 %
1	Many times/day	418	15.6 %
2	Every day	673	25.1 %
3	Most days	302	11.3 %
4	Some days	270	10.1 %
5	Once in a while	263	9.8 %
6	Never/almost never	187	7.0 %
. (M)	-	113	4.2 %

CREATIO4	Touched by beauty of creation

Location: 1387-1388 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	55	2.1 %
-1	N/A	208	7.8 %
1	Many times/day	499	18.6 %
2	Every day	720	26.9 %
3	Most days	461	17.2 %
4	Some days	336	12.5 %
5	Once in a while	216	8.1 %
6	Never/almost never	71	2.7 %
. (M)	-	113	4.2 %

BLESSIN4	Thankful for my blessings

Location: 1389-1390 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	51	1.9 %
-1	N/A	92	3.4 %
1	Many times/day	779	29.1 %
2	Every day	898	33.5 %
3	Most days	470	17.5 %
4	Some days	184	6.9 %
5	Once in a while	66	2.5 %
6	Never/almost never	26	1.0 %
. (M)	-	113	4.2 %

ACCEPT4 — Accept others even when wrong

Location: 1391-1392 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	46	1.7 %
-1	N/A	72	2.7 %
1	Many times/day	298	11.1 %
2	Every day	546	20.4 %
3	Most days	929	34.7 %
4	Some days	451	16.8 %
5	Once in a while	174	6.5 %
6	Never/almost never	50	1.9 %
. (M)	-	113	4.2 %

STARTNE4 — Started new job/school upsetting since last visit

Location: 1393-1394 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	No	1916	71.5 %
2	Yes, Not At All Upsetting	317	11.8 %
3	Yes, Somewhat Upsetting	227	8.5 %
4	Yes, Very Upsetting	41	1.5 %
5	Yes, Very Upsetting & Still Upsetting	18	0.7 %
. (M)	-	113	4.2 %

WORKTRB4 — Work problems upsetting since last visit

Location: 1395-1396 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
1	No	1641	61.3 %
2	Yes, Not At All Upsetting	104	3.9 %
3	Yes, Somewhat Upsetting	529	19.7 %
4	Yes, Very Upsetting	182	6.8 %
5	Yes, Very Upsetting & Still Upsetting	105	3.9 %
. (M)	-	113	4.2 %

QUITJOB4 — Quit job upsetting since last visit

Location: 1397-1398 (width: 2; decimal: 0)

Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	No	2293	85.6 %
2	Yes, Not At All Upsetting	77	2.9 %
3	Yes, Somewhat Upsetting	69	2.6 %
4	Yes, Very Upsetting	54	2.0 %
5	Yes, Very Upsetting & Still Upsetting	26	1.0 %
. (M)	-	113	4.2 %

WORKLOA4 — Increase work load upsetting since last visit

Location:	1399-1400 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
1	No	1755	65.5 %
2	Yes, Not At All Upsetting	288	10.8 %
3	Yes, Somewhat Upsetting	361	13.5 %
4	Yes, Very Upsetting	78	2.9 %
5	Yes, Very Upsetting & Still Upsetting	35	1.3 %
. (M)	-	113	4.2 %

PRTUNEM4 — Partner unemployed upsetting since last visit

Location:	1401-1402 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	No	2361	88.1 %
2	Yes, Not At All Upsetting	47	1.8 %
3	Yes, Somewhat Upsetting	56	2.1 %
4	Yes, Very Upsetting	29	1.1 %
5	Yes, Very Upsetting & Still Upsetting	25	0.9 %
. (M)	-	113	4.2 %

MONEYPR4 — Money problems upsetting since last visit

Location:	1403-1404 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	6	0.2 %

Value	Label	Unweighted Frequency	%
1	No	1895	70.7 %
2	Yes, Not At All Upsetting	86	3.2 %
3	Yes, Somewhat Upsetting	367	13.7 %
4	Yes, Very Upsetting	110	4.1 %
5	Yes, Very Upsetting & Still Upsetting	102	3.8 %
. (M)	-	113	4.2 %

WORSREL4   Worsening relationship upsetting since last visit

Location: 1405-1406 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	No	2208	82.4 %
2	Yes, Not At All Upsetting	46	1.7 %
3	Yes, Somewhat Upsetting	143	5.3 %
4	Yes, Very Upsetting	70	2.6 %
5	Yes, Very Upsetting & Still Upsetting	51	1.9 %
. (M)	-	113	4.2 %

RELATEN4   Ended relationship upsetting since last visit

Location: 1407-1408 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	No	2378	88.8 %
2	Yes, Not At All Upsetting	23	0.9 %
3	Yes, Somewhat Upsetting	44	1.6 %
4	Yes, Very Upsetting	39	1.5 %
5	Yes, Very Upsetting & Still Upsetting	35	1.3 %
. (M)	-	113	4.2 %

SERIPRO4   Serious family problem upsetting since last visit

Location: 1409-1410 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
1	No	1816	67.8 %
2	Yes, Not At All Upsetting	66	2.5 %

Value	Label	Unweighted Frequency	%
3	Yes, Somewhat Upsetting	323	12.1 %
4	Yes, Very Upsetting	210	7.8 %
5	Yes, Very Upsetting & Still Upsetting	146	5.4 %
. (M)	-	113	4.2 %

CHILDMO4 — Child moved upsetting since last visit

Location: 1411-1412 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	No	2051	76.6 %
2	Yes, Not At All Upsetting	207	7.7 %
3	Yes, Somewhat Upsetting	191	7.1 %
4	Yes, Very Upsetting	41	1.5 %
5	Yes, Very Upsetting & Still Upsetting	29	1.1 %
. (M)	-	113	4.2 %

RESPCAR4 — Responsibility for care upsetting since last visit

Location: 1413-1414 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	No	2112	78.8 %
2	Yes, Not At All Upsetting	140	5.2 %
3	Yes, Somewhat Upsetting	192	7.2 %
4	Yes, Very Upsetting	40	1.5 %
5	Yes, Very Upsetting & Still Upsetting	34	1.3 %
. (M)	-	113	4.2 %

LEGALPR4 — Legal problems upsetting since last visit

Location: 1415-1416 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	No	2244	83.8 %
2	Yes, Not At All Upsetting	30	1.1 %
3	Yes, Somewhat Upsetting	122	4.6 %
4	Yes, Very Upsetting	74	2.8 %

Value	Label	Unweighted Frequency	%
5	Yes, Very Upsetting & Still Upsetting	49	1.8 %
. (M)	-	113	4.2 %

CRELDIE4 — Close relative died upsetting since last visit

Location: 1417-1418 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	No	2252	84.1 %
2	Yes, Not At All Upsetting	15	0.6 %
3	Yes, Somewhat Upsetting	89	3.3 %
4	Yes, Very Upsetting	105	3.9 %
5	Yes, Very Upsetting & Still Upsetting	97	3.6 %
. (M)	-	113	4.2 %

CLOSDIE4 — Other close friend/relative died upsetting since last visit

Location: 1419-1420 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
1	No	1895	70.7 %
2	Yes, Not At All Upsetting	73	2.7 %
3	Yes, Somewhat Upsetting	310	11.6 %
4	Yes, Very Upsetting	193	7.2 %
5	Yes, Very Upsetting & Still Upsetting	88	3.3 %
. (M)	-	113	4.2 %

SELFVIO4 — Violent event to self upsetting since last visit

Location: 1421-1422 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	46	1.7 %
1	No	2413	90.1 %
2	Yes, Not At All Upsetting	10	0.4 %
3	Yes, Somewhat Upsetting	43	1.6 %
4	Yes, Very Upsetting	31	1.2 %
5	Yes, Very Upsetting & Still Upsetting	23	0.9 %
. (M)	-	113	4.2 %

FAMLVIO4 — Violent event to other fam mem upsetting since last visit

Location: 1423-1424 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	45	1.7 %
1	No	2351	87.8 %
2	Yes, Not At All Upsetting	14	0.5 %
3	Yes, Somewhat Upsetting	70	2.6 %
4	Yes, Very Upsetting	55	2.1 %
5	Yes, Very Upsetting & Still Upsetting	31	1.2 %
. (M)	-	113	4.2 %

PHYSILL4 — Serious illness family upsetting since last visit

Location: 1425-1426 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	46	1.7 %
1	No	1887	70.4 %
2	Yes, Not At All Upsetting	34	1.3 %
3	Yes, Somewhat Upsetting	289	10.8 %
4	Yes, Very Upsetting	202	7.5 %
5	Yes, Very Upsetting & Still Upsetting	108	4.0 %
. (M)	-	113	4.2 %

MAJEVEN4 — Other major event upsetting since last visit

Location: 1427-1428 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	No	2227	83.1 %
2	Yes, Not At All Upsetting	31	1.2 %
3	Yes, Somewhat Upsetting	91	3.4 %
4	Yes, Very Upsetting	77	2.9 %
5	Yes, Very Upsetting & Still Upsetting	93	3.5 %
. (M)	-	113	4.2 %

EMPLYPA4 — Employed for pay

Location: 1429-1430 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	53	2.0 %
1	No	524	19.6 %
2	Yes	1989	74.2 %
. (M)	-	113	4.2 %

REWRDJO4 — How rewarding is job

Location: 1431-1432 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	87	3.2 %
-1	N/A	536	20.0 %
1	Not At All	45	1.7 %
2	A Little	145	5.4 %
3	Somewhat	612	22.8 %
4	Quite A Bit	837	31.2 %
5	Extremely	304	11.3 %
. (M)	-	113	4.2 %

STRSSJO4 — How stressful is job

Location: 1433-1434 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	85	3.2 %
-1	N/A	536	20.0 %
1	Not At All	140	5.2 %
2	A Little	392	14.6 %
3	Somewhat	665	24.8 %
4	Quite A Bit	529	19.7 %
5	Extremely	219	8.2 %
. (M)	-	113	4.2 %

CRNTCAR4 — Caring for older/disabled fam mem

Location: 1435-1436 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	69	2.6 %
1	No	2189	81.7 %
2	Yes	308	11.5 %

Value	Label	Unweighted Frequency	%
. (M)	-	113	4.2 %

RWRDCAR4 — How rewarding caregiver role

Location: 1437-1438 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
-1	N/A	2217	82.8 %
1	Not At All	23	0.9 %
2	A Little	43	1.6 %
3	Somewhat	99	3.7 %
4	Quite A Bit	97	3.6 %
5	Extremely	39	1.5 %
. (M)	-	113	4.2 %

STRSCAR4 — How stressful caregiver role

Location: 1439-1440 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
-1	N/A	2217	82.8 %
1	Not At All	13	0.5 %
2	A Little	57	2.1 %
3	Somewhat	120	4.5 %
4	Quite A Bit	72	2.7 %
5	Extremely	38	1.4 %
. (M)	-	113	4.2 %

CRNTMAR4 — Currently married/committed rel

Location: 1441-1442 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
1	No	671	25.0 %
2	Yes	1845	68.9 %
. (M)	-	113	4.2 %

RWRDREL4 — How rewarding is relationship

Location: 1443-1444 (width: 2; decimal: 0)

Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	58	2.2 %
-1	N/A	680	25.4 %
1	Not At All	66	2.5 %
2	A Little	122	4.6 %
3	Somewhat	347	13.0 %
4	Quite A Bit	704	26.3 %
5	Extremely	589	22.0 %
. (M)	-	113	4.2 %

STRSREL4 — How stressful is relationship

Location:	1445-1446 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	59	2.2 %
-1	N/A	680	25.4 %
1	Not At All	415	15.5 %
2	A Little	700	26.1 %
3	Somewhat	479	17.9 %
4	Quite A Bit	171	6.4 %
5	Extremely	62	2.3 %
. (M)	-	113	4.2 %

CHILDRE4 — Have children/stepchildren

Location:	1447-1448 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	No	434	16.2 %
2	Yes	2084	77.8 %
. (M)	-	113	4.2 %

REWRDMO4 — How rewarding is role as mother

Location:	1449-1450 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	59	2.2 %
-1	N/A	441	16.5 %

Value	Label	Unweighted Frequency	%
1	Not At All	32	1.2 %
2	A Little	71	2.7 %
3	Somewhat	266	9.9 %
4	Quite A Bit	792	29.6 %
5	Extremely	905	33.8 %
. (M)	-	113	4.2 %

STRSSMO4 — How stressful is role as mother

Location: 1451-1452 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	58	2.2 %
-1	N/A	441	16.5 %
1	Not At All	289	10.8 %
2	A Little	638	23.8 %
3	Somewhat	642	24.0 %
4	Quite A Bit	325	12.1 %
5	Extremely	173	6.5 %
. (M)	-	113	4.2 %

INCOME4 — Total family income

Location: 1453-1454 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	45	1.7 %
-8	Do not know	55	2.1 %
-7	Refused	81	3.0 %
1	Less Than $19,999	248	9.3 %
2	$20,000 to $49,999	626	23.4 %
3	$50,000 to $99,999	926	34.6 %
4	$100,000 or More	585	21.8 %
. (M)	-	113	4.2 %

POSITIV4 — Menopause positive experience

Location: 1455-1456 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %

Value	Label	Unweighted Frequency	%
1	Strongly Agree	226	8.4 %
2	Agree	750	28.0 %
3	Neither agree nor disagree	1079	40.3 %
4	Disagree	391	14.6 %
5	Strongly Disagree	70	2.6 %
. (M)	-	113	4.2 %

WORSE4 — Feel worse about self as age

Location: 1457-1458 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
1	Strongly Agree	49	1.8 %
2	Agree	391	14.6 %
3	Neither agree nor disagree	483	18.0 %
4	Disagree	1069	39.9 %
5	Strongly Disagree	524	19.6 %
. (M)	-	113	4.2 %

MENODEP4 — Became/expect menopause depression

Location: 1459-1460 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	55	2.1 %
1	Strongly Agree	91	3.4 %
2	Agree	648	24.2 %
3	Neither agree nor disagree	797	29.7 %
4	Disagree	721	26.9 %
5	Strongly Disagree	254	9.5 %
. (M)	-	113	4.2 %

REGRET4 — Regret last period

Location: 1461-1462 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
1	Strongly Agree	71	2.7 %
2	Agree	325	12.1 %

Value	Label	Unweighted Frequency	%
3	Neither agree nor disagree	477	17.8 %
4	Disagree	847	31.6 %
5	Strongly Disagree	797	29.7 %
. (M)	-	113	4.2 %

NO_MED4 — Menopause needs no medical attention

Location:	1463-1464 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	Strongly Agree	110	4.1 %
2	Agree	578	21.6 %
3	Neither agree nor disagree	706	26.4 %
4	Disagree	896	33.4 %
5	Strongly Disagree	228	8.5 %
. (M)	-	113	4.2 %

H_NOTIC4 — Hardly notice menopause

Location:	1465-1466 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
1	Strongly Agree	70	2.6 %
2	Agree	353	13.2 %
3	Neither agree nor disagree	843	31.5 %
4	Disagree	910	34.0 %
5	Strongly Disagree	340	12.7 %
. (M)	-	113	4.2 %

STEADPE4 — Steady person

Location:	1467-1468 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	53	2.0 %
1	Almost Never	21	0.8 %
2	Sometimes	294	11.0 %
3	Often	875	32.7 %
4	Almost Always	1323	49.4 %

Value	Label	Unweighted Frequency	%
. (M)	-	113	4.2 %

SATISEL4 — Satisfied w/self

Location:	1469-1470 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
1	Almost Never	65	2.4 %
2	Sometimes	542	20.2 %
3	Often	1059	39.5 %
4	Almost Always	850	31.7 %
. (M)	-	113	4.2 %

RESTLESA4 — Nervous/restless

Location:	1471-1472 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
1	Almost Never	980	36.6 %
2	Sometimes	1292	48.2 %
3	Often	192	7.2 %
4	Almost Always	53	2.0 %
. (M)	-	113	4.2 %

WISHAPP4 — Wish could be happy as others

Location:	1473-1474 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	51	1.9 %
1	Almost Never	1225	45.7 %
2	Sometimes	921	34.4 %
3	Often	257	9.6 %
4	Almost Always	112	4.2 %
. (M)	-	113	4.2 %

LIKEFAI4 — Feel like failure

Location:	1475-1476 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	Almost Never	1877	70.1 %
2	Sometimes	556	20.8 %
3	Often	50	1.9 %
4	Almost Always	36	1.3 %
. (M)	-	113	4.2 %

TENSION4 — State of turmoil over recent concerns

Location: 1477-1478 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	Almost Never	1328	49.6 %
2	Sometimes	938	35.0 %
3	Often	198	7.4 %
4	Almost Always	54	2.0 %
. (M)	-	113	4.2 %

FEELSEC4 — Feel secure

Location: 1479-1480 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	Almost Never	121	4.5 %
2	Sometimes	540	20.2 %
3	Often	865	32.3 %
4	Almost Always	992	37.0 %
. (M)	-	113	4.2 %

LACKSEL4 — Lack self-confidence

Location: 1481-1482 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	Almost Never	1193	44.5 %
2	Sometimes	1112	41.5 %
3	Often	149	5.6 %
4	Almost Always	65	2.4 %

Value	Label	Unweighted Frequency	%
. (M)	-	113	4.2 %

INADEQA4		Feel inadequate	

Location: 1483-1484 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	52	1.9 %
1	Almost Never	1474	55.0 %
2	Sometimes	897	33.5 %
3	Often	99	3.7 %
4	Almost Always	44	1.6 %
. (M)	-	113	4.2 %

WORRYTO4		Worry over things that don't matter	

Location: 1485-1486 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	45	1.7 %
1	Almost Never	931	34.8 %
2	Sometimes	1233	46.0 %
3	Often	274	10.2 %
4	Almost Always	83	3.1 %
. (M)	-	113	4.2 %

INFURIA4		Infuriated when good job/poor eval	

Location: 1487-1488 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	60	2.2 %
-1	N/A	3	0.1 %
1	Almost Never	851	31.8 %
2	Sometimes	1076	40.2 %
3	Often	336	12.5 %
4	Almost Always	240	9.0 %
. (M)	-	113	4.2 %

FURIOUS4		Furious when criticized in front of others	

Location: 1489-1490 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	53	2.0 %
-1	N/A	3	0.1 %
1	Almost Never	678	25.3 %
2	Sometimes	1142	42.6 %
3	Often	379	14.1 %
4	Almost Always	311	11.6 %
. (M)	-	113	4.2 %

ANNOYED4 — Annoyed when not recognized for work

Location:	1491-1492 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
-1	N/A	1	0.0 %
1	Almost Never	792	29.6 %
2	Sometimes	1276	47.6 %
3	Often	308	11.5 %
4	Almost Always	140	5.2 %
. (M)	-	113	4.2 %

GETANGR4 — Angry when slowed by others' mistakes

Location:	1493-1494 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
-1	N/A	1	0.0 %
1	Almost Never	753	28.1 %
2	Sometimes	1370	51.1 %
3	Often	290	10.8 %
4	Almost Always	103	3.8 %
. (M)	-	113	4.2 %

EXPRESS4 — Express my anger

Location:	1495-1496 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	Almost Never	228	8.5 %

Value	Label	Unweighted Frequency	%
2	Sometimes	1398	52.2 %
3	Often	579	21.6 %
4	Almost Always	314	11.7 %
. (M)	-	113	4.2 %

KEEPIN4 — Keep things in

Location:	1497-1498 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	51	1.9 %
1	Almost Never	520	19.4 %
2	Sometimes	1348	50.3 %
3	Often	479	17.9 %
4	Almost Always	168	6.3 %
. (M)	-	113	4.2 %

POUTSUL4 — Pout/sulk when angry

Location:	1499-1500 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	54	2.0 %
1	Almost Never	1260	47.0 %
2	Sometimes	1082	40.4 %
3	Often	139	5.2 %
4	Almost Always	31	1.2 %
. (M)	-	113	4.2 %

WITHDRA4 — Withdraw when angry

Location:	1501-1502 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	51	1.9 %
1	Almost Never	896	33.4 %
2	Sometimes	1266	47.3 %
3	Often	270	10.1 %
4	Almost Always	83	3.1 %
. (M)	-	113	4.2 %

SARCAST4 — Sarcastic when angry

| Location: | 1503-1504 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	53	2.0 %
1	Almost Never	1072	40.0 %
2	Sometimes	1176	43.9 %
3	Often	230	8.6 %
4	Almost Always	35	1.3 %
. (M)	-	113	4.2 %

SLAMDOO4 **Slam doors when angry**

| Location: | 1505-1506 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	Almost Never	1665	62.2 %
2	Sometimes	753	28.1 %
3	Often	83	3.1 %
4	Almost Always	17	0.6 %
. (M)	-	113	4.2 %

BOILINS4 **Boil inside when angry**

| Location: | 1507-1508 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	51	1.9 %
1	Almost Never	1163	43.4 %
2	Sometimes	1078	40.2 %
3	Often	201	7.5 %
4	Almost Always	73	2.7 %
. (M)	-	113	4.2 %

ARGUE4 **Argue with others**

| Location: | 1509-1510 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
1	Almost Never	935	34.9 %
2	Sometimes	1414	52.8 %

Value	Label	Unweighted Frequency	%
3	Often	146	5.4 %
4	Almost Always	21	0.8 %
. (M)	-	113	4.2 %

GRUDGES4 — Harbor grudges

Location: 1511-1512 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
1	Almost Never	1642	61.3 %
2	Sometimes	742	27.7 %
3	Often	99	3.7 %
4	Almost Always	33	1.2 %
. (M)	-	113	4.2 %

STRIKOU4 — Strike out when angry

Location: 1513-1514 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
1	Almost Never	1640	61.2 %
2	Sometimes	770	28.7 %
3	Often	86	3.2 %
4	Almost Always	20	0.7 %
. (M)	-	113	4.2 %

CRITICA4 — Secretly critical

Location: 1515-1516 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	52	1.9 %
1	Almost Never	1251	46.7 %
2	Sometimes	1050	39.2 %
3	Often	178	6.6 %
4	Almost Always	35	1.3 %
. (M)	-	113	4.2 %

ANGRIER4 — Angrier than I admit

Location: 1517-1518 (width: 2; decimal: 0)

| Variable Type: | numeric | | |

Value	Label	Unweighted Frequency	%
-9	Missing	55	2.1 %
1	Almost Never	1119	41.8 %
2	Sometimes	1136	42.4 %
3	Often	210	7.8 %
4	Almost Always	46	1.7 %
. (M)	-	113	4.2 %

NASTY4 — Say nasty things

Location:	1519-1520 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	48	1.8 %
1	Almost Never	1486	55.5 %
2	Sometimes	960	35.8 %
3	Often	57	2.1 %
4	Almost Always	15	0.6 %
. (M)	-	113	4.2 %

IRRITAT4 — Irritated more than others aware

Location:	1521-1522 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	49	1.8 %
1	Almost Never	1191	44.5 %
2	Sometimes	1046	39.0 %
3	Often	235	8.8 %
4	Almost Always	45	1.7 %
. (M)	-	113	4.2 %

TEMPER4 — Lose my temper

Location:	1523-1524 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
1	Almost Never	1259	47.0 %
2	Sometimes	1163	43.4 %
3	Often	80	3.0 %

Value	Label	Unweighted Frequency	%
4	Almost Always	14	0.5 %
. (M)	-	113	4.2 %

ANNOYSM4 — **Tell other when they annoy**

Location: 1525-1526 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	47	1.8 %
1	Almost Never	767	28.6 %
2	Sometimes	1268	47.3 %
3	Often	343	12.8 %
4	Almost Always	141	5.3 %
. (M)	-	113	4.2 %

CLOSKNI4 — **Close-knit neighborhood**

Location: 1527-1528 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	100	3.7 %
-8	Do not know	2	0.1 %
1	Strongly Agree	269	10.0 %
2	Agree	1163	43.4 %
3	Disagree	865	32.3 %
4	Strongly Disagree	167	6.2 %
. (M)	-	113	4.2 %

WILLHEL4 — **People willing to help neighbors**

Location: 1529-1530 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	106	4.0 %
-8	Do not know	2	0.1 %
1	Strongly Agree	359	13.4 %
2	Agree	1691	63.1 %
3	Disagree	337	12.6 %
4	Strongly Disagree	71	2.7 %
. (M)	-	113	4.2 %

GETALON4 — **Neighbors don't get along**

| Location: | 1531-1532 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	105	3.9 %
-8	Do not know	2	0.1 %
1	Strongly Agree	51	1.9 %
2	Agree	216	8.1 %
3	Disagree	1701	63.5 %
4	Strongly Disagree	491	18.3 %
. (M)	-	113	4.2 %

TRUSTED4   **Neighbors can be trusted**

| Location: | 1533-1534 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	117	4.4 %
-8	Do not know	4	0.1 %
1	Strongly Agree	277	10.3 %
2	Agree	1734	64.7 %
3	Disagree	380	14.2 %
4	Strongly Disagree	54	2.0 %
. (M)	-	113	4.2 %

SHAREVA4   **Neighbors do not share same values**

| Location: | 1535-1536 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	119	4.4 %
-8	Do not know	4	0.1 %
1	Strongly Agree	100	3.7 %
2	Agree	624	23.3 %
3	Disagree	1469	54.8 %
4	Strongly Disagree	250	9.3 %
. (M)	-	113	4.2 %

FLGSAAV4   **Completed after V4 cutoff (01/31/2002)**

| Location: | 1537-1538 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	2564	95.7 %
1	Yes	2	0.1 %
. (M)	-	113	4.2 %

SABDAY4	Self-administered-Part B Day

Location:	1539-1542 (width: 4; decimal: 0)
Variable Type:	numeric

LANGSAB4	Language of Self-B

Location:	1543-1543 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	English	2172	81.1 %
2	Spanish	149	5.6 %
3	Cantonese	76	2.8 %
4	Japanese	101	3.8 %
. (M)	-	181	6.8 %

IMPORSE4	Importance of Sex

Location:	1544-1545 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	26	1.0 %
1	Extremely Important	162	6.0 %
2	Quite Important	552	20.6 %
3	Moderately Important	1001	37.4 %
4	Not Very Important	559	20.9 %
5	Not At All Important	198	7.4 %
. (M)	-	181	6.8 %

DESIRSE4	Desire to Engage in Sex past 6 mos

Location:	1546-1547 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	22	0.8 %
1	Not At All	296	11.0 %
2	Once or Twice/Mon	962	35.9 %
3	About Once/Wk	649	24.2 %
4	More than Once/Wk	516	19.3 %

Value	Label	Unweighted Frequency	%
5	Daily	53	2.0 %
. (M)	-	181	6.8 %

ENGAGSE4 — Engaged in Sexual Activity past 6 mos

Location: 1548-1549 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	61	2.3 %
1	No	682	25.5 %
2	Yes	1755	65.5 %
. (M)	-	181	6.8 %

NOPARTN4 — No Sex Past 6 Mos: No Partner

Location: 1550-1551 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	64	2.4 %
-7	Refused	1	0.0 %
-1	N/A	1816	67.8 %
1	No	230	8.6 %
2	Yes	387	14.4 %
. (M)	-	181	6.8 %

PARTPRO4 — No Sex Past 6 Mos: Partner Phys Prob

Location: 1552-1553 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	155	5.8 %
-7	Refused	1	0.0 %
-1	N/A	1816	67.8 %
1	No	442	16.5 %
2	Yes	84	3.1 %
. (M)	-	181	6.8 %

PHYSPRO4 — No Sex Past 6 Mos: Phys Prob

Location: 1554-1555 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	164	6.1 %
-7	Refused	1	0.0 %
-1	N/A	1816	67.8 %
1	No	489	18.3 %
2	Yes	28	1.0 %
. (M)	-	181	6.8 %

NOSEXOT4	No Sex Past 6 Mos: Other Reason

Location: 1556-1557 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	322	12.0 %
-1	N/A	1816	67.8 %
1	No	245	9.1 %
2	Yes	115	4.3 %
. (M)	-	181	6.8 %

PHYSPLE4	Physically Pleasurable past 6 mos

Location: 1558-1559 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.9 %
-1	N/A	682	25.5 %
1	Extremely Pleasurable	268	10.0 %
2	Very Pleasurable	708	26.4 %
3	Moderately Pleasurable	573	21.4 %
4	Slightly Pleasurable	177	6.6 %
5	Not At All Pleasurable	40	1.5 %
. (M)	-	181	6.8 %

SATISFY4	Emotionally Satisfying past 6 mos

Location: 1560-1561 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	53	2.0 %
-1	N/A	682	25.5 %
1	Extremely Satisfying	269	10.0 %
2	Very Satisfying	680	25.4 %

Value	Label	Unweighted Frequency	%
3	Moderately Satisfying	610	22.8 %
4	Slightly Satisfying	160	6.0 %
5	Not At All Satisfying	44	1.6 %
. (M)	-	181	6.8 %

KISSING4   Freq of Sexual Activity: Kissing

Location: 1562-1563 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	61	2.3 %
-7	Refused	1	0.0 %
-1	N/A	682	25.5 %
1	Not At All	62	2.3 %
2	Once or Twice/Mon	238	8.9 %
3	About Once/Wk	217	8.1 %
4	More than Once/Wk	437	16.3 %
5	Daily	800	29.9 %
. (M)	-	181	6.8 %

TOUCHIN4   Freq of Sexual Activity: Touching

Location: 1564-1565 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	68	2.5 %
-7	Refused	1	0.0 %
-1	N/A	682	25.5 %
1	Not At All	54	2.0 %
2	Once or Twice/Mon	450	16.8 %
3	About Once/Wk	436	16.3 %
4	More than Once/Wk	598	22.3 %
5	Daily	209	7.8 %
. (M)	-	181	6.8 %

ORALSEX4   Freq of Sexual Activity: Oral Sex

Location: 1566-1567 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	88	3.3 %

Value	Label	Unweighted Frequency	%
-7	Refused	1	0.0 %
-1	N/A	682	25.5 %
1	Not At All	769	28.7 %
2	Once or Twice/Mon	627	23.4 %
3	About Once/Wk	214	8.0 %
4	More than Once/Wk	112	4.2 %
5	Daily	5	0.2 %
. (M)	-	181	6.8 %

| **INTCOUR4** | **Freq of Sexual Activity: Intercourse** | | |

Location: 1568-1569 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	70	2.6 %
-7	Refused	1	0.0 %
-1	N/A	682	25.5 %
1	Not At All	72	2.7 %
2	Once or Twice/Mon	690	25.8 %
3	About Once/Wk	558	20.8 %
4	More than Once/Wk	410	15.3 %
5	Daily	15	0.6 %
. (M)	-	181	6.8 %

| **AROUSED4** | **Arousal during sexual activity past 6 mos** | | |

Location: 1570-1571 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	52	1.9 %
-1	N/A	682	25.5 %
1	Always	479	17.9 %
2	Almost Always	704	26.3 %
3	Sometimes	460	17.2 %
4	Almost Never	93	3.5 %
5	Never	28	1.0 %
. (M)	-	181	6.8 %

| **PELVIC4** | **Vaginal or Pelvic Pain past 6 mos** | | |

Location: 1572-1573 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	52	1.9 %
-1	N/A	682	25.5 %
1	Always	23	0.9 %
2	Almost Always	51	1.9 %
3	Sometimes	338	12.6 %
4	Almost Never	373	13.9 %
5	Never	916	34.2 %
6	No Intercourse In Last 6 Mons	63	2.4 %
. (M)	-	181	6.8 %

LUBRICN4   **Use of Lubricants past 6 mos**

Location: 1574-1575 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	54	2.0 %
-1	N/A	682	25.5 %
1	Always	114	4.3 %
2	Almost Always	140	5.2 %
3	Sometimes	220	8.2 %
4	Almost Never	149	5.6 %
5	Never	1099	41.0 %
6	No Intercourse In Last 6 Mons	40	1.5 %
. (M)	-	181	6.8 %

ABLECLM4   **Able to reach climax past 6 mos**

Location: 1576-1577 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	55	2.1 %
-1	N/A	682	25.5 %
1	Always	371	13.8 %
2	Almost Always	655	24.4 %
3	Sometimes	524	19.6 %
4	Almost Never	129	4.8 %
5	Never	82	3.1 %
. (M)	-	181	6.8 %

SATISFD4   **Satisfied after sexual activity past 6 mos**

Location: 1578-1579 (width: 2; decimal: 0)

	Variable Type:		numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	55	2.1 %
-1	N/A	682	25.5 %
1	Always	419	15.6 %
2	Almost Always	745	27.8 %
3	Sometimes	469	17.5 %
4	Almost Never	87	3.2 %
5	Never	41	1.5 %
. (M)	-	181	6.8 %

FREQUEN4	**Satisfied w/freq sex activity past 6 mos**

Location: 1580-1581 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	54	2.0 %
-1	N/A	682	25.5 %
1	Always	257	9.6 %
2	Almost Always	728	27.2 %
3	Sometimes	554	20.7 %
4	Almost Never	171	6.4 %
5	Never	52	1.9 %
. (M)	-	181	6.8 %

MASTURB4	**Freq of Masturbation past 6 mos**

Location: 1582-1583 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	109	4.1 %
1	Not At All	1212	45.2 %
2	Less Than Once/Mon	553	20.6 %
3	Once or Twice/Mon	394	14.7 %
4	About Once/Wk	155	5.8 %
5	More than Once/Wk	69	2.6 %
6	Daily	6	0.2 %
. (M)	-	181	6.8 %

MEN10YR4	**# men had intercourse w/in past 10 yrs**

Location: 1584-1585 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	248	9.3 %
-1	N/A	151	5.6 %
1	-	211	7.9 %
2	-	1437	53.6 %
3	-	228	8.5 %
4	-	127	4.7 %
5	-	74	2.8 %
6	-	22	0.8 %
. (M)	-	181	6.8 %

CONDM104 — Used condom w/male partners in past 10 yrs

Location: 1586-1587 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	381	14.2 %
-7	Refused	2	0.1 %
-1	N/A	362	13.5 %
1	No	1318	49.2 %
2	Yes	435	16.2 %
. (M)	-	181	6.8 %

MEN6MOS4 — # men had intercourse w/in past 6 mos

Location: 1588-1589 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	316	11.8 %
-1	N/A	363	13.5 %
1	Zero	469	17.5 %
2	One	1295	48.3 %
3	Two	46	1.7 %
4	Three	7	0.3 %
5	Four - Ten	2	0.1 %
. (M)	-	181	6.8 %

METHOD4 — Used any method to prevent STDs in past 6 mos

Location: 1590-1591 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	347	13.0 %
-7	Refused	1	0.0 %
-1	N/A	833	31.1 %
1	No	1156	43.2 %
2	Yes	161	6.0 %
. (M)	-	181	6.8 %

CONDOM4 — Used condom to prevent STDs in last 6 mos

Location: 1592-1593 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	358	13.4 %
-1	N/A	1989	74.2 %
1	No	18	0.7 %
2	Yes	133	5.0 %
. (M)	-	181	6.8 %

DIAPHRA4 — Used diaphragm to prevent STDs in last 6 mos

Location: 1594-1595 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	413	15.4 %
-1	N/A	1989	74.2 %
1	No	86	3.2 %
2	Yes	10	0.4 %
. (M)	-	181	6.8 %

SPERMIC4 — Used spermicide to prevent STDs in last 6 mos

Location: 1596-1597 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	414	15.5 %
-1	N/A	1989	74.2 %
1	No	80	3.0 %
2	Yes	15	0.6 %
. (M)	-	181	6.8 %

SPONGE4 — Used sponge to prevent STDs in last 6 mos

Location: 1598-1599 (width: 2; decimal: 0)

| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	419	15.6 %
-1	N/A	1989	74.2 %
1	No	90	3.4 %
. (M)	-	181	6.8 %

ABSTINC4 — Used abstinence to prevent STDs in last 6 mos

| Location: | 1600-1601 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	409	15.3 %
-1	N/A	1989	74.2 %
1	No	70	2.6 %
2	Yes	30	1.1 %
. (M)	-	181	6.8 %

METHOTH4 — Used other method to prevent STDs in last 6 mos

| Location: | 1602-1603 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	438	16.3 %
-1	N/A	1989	74.2 %
1	No	65	2.4 %
2	Yes	6	0.2 %
. (M)	-	181	6.8 %

METHSPE4 — Other method - specify

| Location: | 1604-1618 (width: 15; decimal: 0) |
| Variable Type: | character |

Value	Unweighted Frequency	%
	181	6.8 %
-1	2057	76.8 %
-9	430	16.1 %
1 PARTNER RELAT	1	0.0 %
COVER INF. AREA	1	0.0 %
DRY HUMPING ATC	1	0.0 %
MARRIED 35 YRS	1	0.0 %
MEDICAL TESTING	1	0.0 %

Value	Unweighted Frequency	%
MONOGAMY	1	0.0 %
MONOGAMY= ALTC	1	0.0 %
NONE,W/SAME MAN	1	0.0 %
SPOUSE HAS HERP	1	0.0 %
TESTED FOR ALL	1	0.0 %
VASECTOMY 1993?	1	0.0 %

HIVAIDS4 — Chances of getting HIV/AIDS

Location: 1619-1620 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	257	9.6 %
-8	Do not know	178	6.6 %
-1	N/A	151	5.6 %
1	High	20	0.7 %
2	Medium	19	0.7 %
3	Low	521	19.4 %
4	None	1351	50.4 %
5	Already have the virus	1	0.0 %
. (M)	-	181	6.8 %

FLGSABV4 — Completed after V4 cutoff (01/31/2002)

Location: 1621-1621 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	No	2496	93.2 %
1	Yes	2	0.1 %
. (M)	-	181	6.8 %

PHYDAY4 — Physical measures Day

Location: 1622-1625 (width: 4; decimal: 0)

Variable Type: numeric

PULSE4 — Pulse, beats/30 seconds

Location: 1626-1627 (width: 2; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
19	1	0.0 %
20	1	0.0 %

Value	Unweighted Frequency	%
21	1	0.0 %
22	2	0.1 %
23	2	0.1 %
24	12	0.4 %
25	9	0.3 %
26	34	1.3 %
27	51	1.9 %
28	126	4.7 %
29	123	4.6 %
30	181	6.8 %
31	152	5.7 %
32	224	8.4 %
33	180	6.7 %
34	231	8.6 %
35	173	6.5 %
36	207	7.7 %
37	143	5.3 %
38	139	5.2 %
39	79	2.9 %
40	152	5.7 %
41	44	1.6 %
42	60	2.2 %
43	24	0.9 %
44	36	1.3 %
45	17	0.6 %
46	16	0.6 %
47	6	0.2 %
48	11	0.4 %
49	3	0.1 %
50	5	0.2 %
51	1	0.0 %
52	1	0.0 %
54	1	0.0 %
55	1	0.0 %
59	1	0.0 %
62	2	0.1 %
68	2	0.1 %
70	1	0.0 %
72	1	0.0 %
88	1	0.0 %

Value	Unweighted Frequency	%
. (M)	222	8.3 %

| **SYSBP14** | **Systolic BP #1** | |

Location:	1628-1630 (width: 3; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%
78	2	0.1 %
80	2	0.1 %
82	2	0.1 %
84	1	0.0 %
86	3	0.1 %
88	14	0.5 %
89	2	0.1 %
90	28	1.0 %
92	35	1.3 %
94	42	1.6 %
95	1	0.0 %
96	50	1.9 %
97	2	0.1 %
98	111	4.1 %
99	3	0.1 %
100	89	3.3 %
101	1	0.0 %
102	108	4.0 %
104	78	2.9 %
106	99	3.7 %
108	135	5.0 %
110	153	5.7 %
112	131	4.9 %
114	90	3.4 %
115	1	0.0 %
116	83	3.1 %
118	125	4.7 %
120	146	5.4 %
122	116	4.3 %
124	82	3.1 %
126	75	2.8 %
127	1	0.0 %
128	91	3.4 %

Value	Unweighted Frequency	%
130	92	3.4 %
132	59	2.2 %
134	34	1.3 %
136	37	1.4 %
138	39	1.5 %
140	60	2.2 %
142	31	1.2 %
143	1	0.0 %
144	24	0.9 %
146	17	0.6 %
148	28	1.0 %
150	36	1.3 %
152	13	0.5 %
154	7	0.3 %
156	5	0.2 %
158	8	0.3 %
160	23	0.9 %
162	4	0.1 %
164	3	0.1 %
166	2	0.1 %
168	9	0.3 %
170	7	0.3 %
172	4	0.1 %
178	1	0.0 %
180	5	0.2 %
184	1	0.0 %
188	1	0.0 %
190	2	0.1 %
192	2	0.1 %
196	1	0.0 %
. (M)	221	8.2 %

DIABP14	**Diastolic BP #1**

Location:	1631-1633 (width: 3; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%
20	1	0.0 %
40	1	0.0 %
42	1	0.0 %

Value	Unweighted Frequency	%
44	1	0.0 %
46	3	0.1 %
48	6	0.2 %
50	7	0.3 %
52	9	0.3 %
54	14	0.5 %
56	16	0.6 %
58	40	1.5 %
60	105	3.9 %
62	85	3.2 %
64	104	3.9 %
66	102	3.8 %
68	232	8.7 %
70	242	9.0 %
72	202	7.5 %
74	152	5.7 %
75	1	0.0 %
76	138	5.2 %
78	183	6.8 %
80	191	7.1 %
82	121	4.5 %
84	97	3.6 %
86	84	3.1 %
88	94	3.5 %
89	2	0.1 %
90	100	3.7 %
92	26	1.0 %
94	16	0.6 %
96	9	0.3 %
98	31	1.2 %
100	20	0.7 %
102	7	0.3 %
104	3	0.1 %
106	2	0.1 %
108	2	0.1 %
110	4	0.1 %
114	1	0.0 %
120	1	0.0 %
124	1	0.0 %
128	1	0.0 %

Value	Unweighted Frequency	%
. (M)	221	8.2 %

SYSBP24 — Systolic BP #2

Location:	1634-1636 (width: 3; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%
74	1	0.0 %
76	1	0.0 %
80	1	0.0 %
84	1	0.0 %
86	4	0.1 %
88	22	0.8 %
89	1	0.0 %
90	26	1.0 %
92	27	1.0 %
94	47	1.8 %
96	65	2.4 %
97	2	0.1 %
98	105	3.9 %
99	1	0.0 %
100	94	3.5 %
102	109	4.1 %
104	87	3.2 %
106	109	4.1 %
107	1	0.0 %
108	148	5.5 %
110	142	5.3 %
111	1	0.0 %
112	105	3.9 %
114	91	3.4 %
115	1	0.0 %
116	114	4.3 %
118	152	5.7 %
120	129	4.8 %
122	83	3.1 %
124	76	2.8 %
125	1	0.0 %
126	72	2.7 %
128	112	4.2 %

Value	Unweighted Frequency	%
130	84	3.1 %
132	41	1.5 %
134	31	1.2 %
136	43	1.6 %
138	56	2.1 %
140	53	2.0 %
142	20	0.7 %
144	21	0.8 %
146	22	0.8 %
148	33	1.2 %
150	26	1.0 %
152	13	0.5 %
154	4	0.1 %
156	8	0.3 %
158	17	0.6 %
160	11	0.4 %
162	2	0.1 %
164	4	0.1 %
166	4	0.1 %
168	7	0.3 %
170	4	0.1 %
172	1	0.0 %
174	1	0.0 %
176	2	0.1 %
178	4	0.1 %
180	3	0.1 %
186	1	0.0 %
188	1	0.0 %
190	4	0.1 %
194	1	0.0 %
204	1	0.0 %
. (M)	225	8.4 %

DIABP24	Diastolic BP #2

Location: 1637-1639 (width: 3; decimal: 0)
Variable Type: numeric

Value	Unweighted Frequency	%
46	1	0.0 %
48	6	0.2 %

Value	Unweighted Frequency	%
50	7	0.3 %
52	8	0.3 %
54	12	0.4 %
56	20	0.7 %
57	1	0.0 %
58	30	1.1 %
60	107	4.0 %
62	83	3.1 %
63	2	0.1 %
64	101	3.8 %
65	1	0.0 %
66	136	5.1 %
68	210	7.8 %
70	242	9.0 %
72	174	6.5 %
74	162	6.0 %
76	167	6.2 %
77	1	0.0 %
78	184	6.9 %
79	1	0.0 %
80	201	7.5 %
82	109	4.1 %
84	92	3.4 %
86	93	3.5 %
87	1	0.0 %
88	118	4.4 %
90	63	2.4 %
92	25	0.9 %
94	15	0.6 %
96	25	0.9 %
98	24	0.9 %
100	14	0.5 %
102	2	0.1 %
104	3	0.1 %
106	2	0.1 %
108	3	0.1 %
110	4	0.1 %
112	1	0.0 %
118	1	0.0 %
122	1	0.0 %

Value	Unweighted Frequency	%
138	1	0.0 %
. (M)	225	8.4 %

HEIGHT4	Height (in cm)
Location:	1640-1646 (width: 7; decimal: 2)
Variable Type:	numeric

HTMETHO4	Height Measurement Method
Location:	1647-1647 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Stadiometer	2211	82.5 %
2	Portable	248	9.3 %
. (M)	-	220	8.2 %

WEIGHT4	Weight (in kg)
Location:	1648-1654 (width: 7; decimal: 3)
Variable Type:	numeric

SCALE4	Weight Scale Type
Location:	1655-1655 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Balance Beam	1408	52.6 %
2	Clinic Digital	366	13.7 %
3	Portable	673	25.1 %
. (M)	-	232	8.7 %

WAIST4	Waist Circumference
Location:	1656-1661 (width: 6; decimal: 2)
Variable Type:	numeric

WASTMEA4	Waist measurement taken in:
Location:	1662-1662 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Undergarments	2142	80.0 %
2	Light Clothing	315	11.8 %
. (M)	-	222	8.3 %

HIP4	Hip Circumference

| Location: | 1663-1668 (width: 6; decimal: 1) |
| Variable Type: | numeric |

HIPMEAS4	**Hip Measurement taken in:**

| Location: | 1669-1669 (width: 1; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
1	Undergarments	1987	74.2 %
2	Light Clothing	469	17.5 %
. (M)	-	223	8.3 %

FLGPHYV4	**Abbreviated or Full Physical Measures**

| Location: | 1670-1672 (width: 3; decimal: 0) |
| Variable Type: | character |

Value	Unweighted Frequency	%
	171	6.4 %
AIN	41	1.5 %
PAT	3	0.1 %
PHY	2464	92.0 %

BMI4	**Body Mass Index**

| Location: | 1673-1679 (width: 7; decimal: 3) |
| Variable Type: | numeric |

COGDAY4	**Cognitive Function Day**

| Location: | 1680-1683 (width: 4; decimal: 0) |
| Variable Type: | numeric |

LANGCOG4	**Language of Cognitive Function**

| Location: | 1684-1684 (width: 1; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
1	English	2114	78.9 %
2	Spanish	144	5.4 %
3	Cantonese	76	2.8 %
4	Japanese	95	3.5 %
. (M)	-	250	9.3 %

IMEDTHR4	**EBMT Immediate Recall: Three**

| Location: | 1685-1685 (width: 1; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
0	Absent	58	2.2 %
1	Present	2361	88.1 %
. (M)	-	260	9.7 %

IMEDCH14   EBMT Immediate Recall: Children (1)

Location:	1686-1686 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	Absent	27	1.0 %
1	Present	2392	89.3 %
. (M)	-	260	9.7 %

IMEDHOU4   EBMT Immediate Recall: House

Location:	1687-1687 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	Absent	243	9.1 %
1	Present	2176	81.2 %
. (M)	-	260	9.7 %

IMEDFIR4   EBMT Immediate Recall: On Fire

Location:	1688-1688 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	Absent	112	4.2 %
1	Present	2307	86.1 %
. (M)	-	260	9.7 %

IMEDFMN4   EBMT Immediate Recall: Fireman

Location:	1689-1689 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	Absent	58	2.2 %
1	Present	2361	88.1 %
. (M)	-	260	9.7 %

IMEDCLM4   EBMT Immediate Recall: Climb In

Location:	1690-1690 (width: 1; decimal: 0)

Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
0	Absent	612	22.8 %
1	Present	1807	67.5 %
. (M)	-	260	9.7 %

IMEDCH24 — EBMT Immediate Recall: Children (2)

Location:	1691-1691 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	Absent	336	12.5 %
1	Present	2083	77.8 %
. (M)	-	260	9.7 %

IMEDRES4 — EBMT Immediate Recall: Rescued

Location:	1692-1692 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	Absent	260	9.7 %
1	Present	2159	80.6 %
. (M)	-	260	9.7 %

IMEDMIN4 — EBMT Immediate Recall: Minor

Location:	1693-1693 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	Absent	515	19.2 %
1	Present	1904	71.1 %
. (M)	-	260	9.7 %

IMEDINJ4 — EBMT Immediate Recall: Injuries

Location:	1694-1694 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	Absent	487	18.2 %
1	Present	1932	72.1 %
. (M)	-	260	9.7 %

IMEDEVR4 — EBMT Immediate Recall: Everyone

Location:	1695-1695 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	Absent	1135	42.4 %
1	Present	1284	47.9 %
. (M)	-	260	9.7 %

IMEDWEL4	EBMT Immediate Recall: Well

Location:	1696-1696 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	Absent	940	35.1 %
1	Present	1479	55.2 %
. (M)	-	260	9.7 %

TOTIDE14	EBMT Immediate Recall: Total Ideas

Location:	1697-1698 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%
2	4	0.1 %
3	6	0.2 %
4	6	0.2 %
5	26	1.0 %
6	68	2.5 %
7	131	4.9 %
8	259	9.7 %
9	270	10.1 %
10	578	21.6 %
11	394	14.7 %
12	677	25.3 %
. (M)	260	9.7 %

SDMTSTA4	SDMT: Administration Status

Location:	1699-1699 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Correct	2416	90.2 %
6	Not admin bec of physical impairment	4	0.1 %
7	Not admin bec of verbal refusal	5	0.2 %

Value	Label	Unweighted Frequency	%
9	Not admin bec of other reason	1	0.0 %
. (M)	-	253	9.4 %

SDMTSPE4	**SDMT: Specific Reason Not Admin**		

Location: 1700-1700 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
. (M)	-	2679	100.0 %

SDMTADM4	**SDMT: # of Test Administrations**		

Location: 1701-1701 (width: 1; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
1	2401	89.6 %
2	14	0.5 %
3	1	0.0 %
. (M)	263	9.8 %

SDMTPRA4	**SDMT: # of Practice Items Correct**		

Location: 1702-1702 (width: 1; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
0	1	0.0 %
1	4	0.1 %
3	2	0.1 %
4	5	0.2 %
5	14	0.5 %
6	104	3.9 %
7	2286	85.3 %
. (M)	263	9.8 %

SDMTATM4	**SDMT: # of Test Items Attempted**		

Location: 1703-1704 (width: 2; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
3	1	0.0 %
5	1	0.0 %
10	1	0.0 %

Value	Unweighted Frequency	%
12	1	0.0 %
13	1	0.0 %
15	1	0.0 %
16	2	0.1 %
17	4	0.1 %
18	2	0.1 %
19	1	0.0 %
20	4	0.1 %
21	1	0.0 %
22	4	0.1 %
23	3	0.1 %
24	4	0.1 %
25	4	0.1 %
26	4	0.1 %
27	6	0.2 %
28	9	0.3 %
29	9	0.3 %
30	9	0.3 %
31	8	0.3 %
32	5	0.2 %
33	7	0.3 %
34	12	0.4 %
35	21	0.8 %
36	11	0.4 %
37	12	0.4 %
38	14	0.5 %
39	12	0.4 %
40	18	0.7 %
41	15	0.6 %
42	23	0.9 %
43	25	0.9 %
44	21	0.8 %
45	27	1.0 %
46	53	2.0 %
47	57	2.1 %
48	56	2.1 %
49	49	1.8 %
50	138	5.2 %
51	95	3.5 %
52	72	2.7 %

Value	Unweighted Frequency	%
53	100	3.7 %
54	82	3.1 %
55	65	2.4 %
56	117	4.4 %
57	80	3.0 %
58	115	4.3 %
59	116	4.3 %
60	92	3.4 %
61	91	3.4 %
62	89	3.3 %
63	114	4.3 %
64	35	1.3 %
65	127	4.7 %
66	60	2.2 %
67	39	1.5 %
68	42	1.6 %
69	47	1.8 %
70	22	0.8 %
71	34	1.3 %
72	24	0.9 %
73	16	0.6 %
74	17	0.6 %
75	16	0.6 %
76	13	0.5 %
77	7	0.3 %
78	5	0.2 %
79	3	0.1 %
80	7	0.3 %
81	6	0.2 %
82	3	0.1 %
83	4	0.1 %
84	1	0.0 %
86	2	0.1 %
91	1	0.0 %
95	1	0.0 %
. (M)	263	9.8 %

SDMTCOR4   **SDMT: # of Test Items Correct**

Location: 1705-1706 (width: 2; decimal: 0)

Variable Type: numeric

- Study 30142 -

Value	Unweighted Frequency	%
3	2	0.1 %
4	3	0.1 %
5	2	0.1 %
7	2	0.1 %
10	2	0.1 %
11	1	0.0 %
12	4	0.1 %
13	1	0.0 %
14	1	0.0 %
15	2	0.1 %
16	5	0.2 %
17	3	0.1 %
19	5	0.2 %
20	4	0.1 %
21	6	0.2 %
22	5	0.2 %
23	8	0.3 %
24	4	0.1 %
25	8	0.3 %
26	8	0.3 %
27	12	0.4 %
28	11	0.4 %
29	6	0.2 %
30	11	0.4 %
31	8	0.3 %
32	6	0.2 %
33	6	0.2 %
34	15	0.6 %
35	19	0.7 %
36	14	0.5 %
37	11	0.4 %
38	14	0.5 %
39	21	0.8 %
40	27	1.0 %
41	22	0.8 %
42	28	1.0 %
43	29	1.1 %
44	39	1.5 %
45	31	1.2 %
46	59	2.2 %

Value	Unweighted Frequency	%
47	59	2.2 %
48	53	2.0 %
49	76	2.8 %
50	109	4.1 %
51	90	3.4 %
52	79	2.9 %
53	100	3.7 %
54	66	2.5 %
55	68	2.5 %
56	112	4.2 %
57	97	3.6 %
58	87	3.2 %
59	108	4.0 %
60	91	3.4 %
61	95	3.5 %
62	70	2.6 %
63	97	3.6 %
64	49	1.8 %
65	103	3.8 %
66	57	2.1 %
67	42	1.6 %
68	35	1.3 %
69	38	1.4 %
70	25	0.9 %
71	29	1.1 %
72	25	0.9 %
73	20	0.7 %
74	16	0.6 %
75	13	0.5 %
76	7	0.3 %
77	7	0.3 %
78	2	0.1 %
79	2	0.1 %
80	9	0.3 %
81	4	0.1 %
82	3	0.1 %
83	4	0.1 %
84	1	0.0 %
86	1	0.0 %
91	1	0.0 %

Value	Unweighted Frequency	%
95	1	0.0 %
. (M)	263	9.8 %

DIGIT1A4	DIGITS BACKWARD: Item 1A
Location:	1707-1707 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	Error	4	0.1 %
1	Correct	2415	90.1 %
6	Not admin bec of physical impairment	2	0.1 %
7	Not admin bec of verbal refusal	8	0.3 %
. (M)	-	250	9.3 %

DIGIT1B4	DIGITS BACKWARD: Item 1B
Location:	1708-1709 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	10	0.4 %
0	Error	3	0.1 %
1	Correct	2416	90.2 %
. (M)	-	250	9.3 %

DIGIT2A4	DIGITS BACKWARD: Item 2A
Location:	1710-1711 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	10	0.4 %
0	Error	165	6.2 %
1	Correct	2254	84.1 %
. (M)	-	250	9.3 %

DIGIT2B4	DIGITS BACKWARD: Item 2B
Location:	1712-1713 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	10	0.4 %
0	Error	392	14.6 %
1	Correct	2027	75.7 %

Value	Label	Unweighted Frequency	%
. (M)	-	250	9.3 %

DIGIT3A4	**DIGITS BACKWARD: Item 3A**		

Location: 1714-1715 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	80	3.0 %
0	Error	527	19.7 %
1	Correct	1821	68.0 %
7	Not admin bec of verbal refusal	1	0.0 %
. (M)	-	250	9.3 %

DIGIT3B4	**DIGITS BACKWARD: Item 3B**		

Location: 1716-1717 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	85	3.2 %
0	Error	648	24.2 %
1	Correct	1696	63.3 %
. (M)	-	250	9.3 %

DIGIT4A4	**DIGITS BACKWARD: Item 4A**		

Location: 1718-1719 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	348	13.0 %
0	Error	1394	52.0 %
1	Correct	684	25.5 %
7	Not admin bec of verbal refusal	3	0.1 %
. (M)	-	250	9.3 %

DIGIT4B4	**DIGITS BACKWARD: Item 4B**		

Location: 1720-1721 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	357	13.3 %
0	Error	1079	40.3 %
1	Correct	986	36.8 %

Value	Label	Unweighted Frequency	%
7	Not admin bec of verbal refusal	6	0.2 %
9	Not admin bec of other reason	1	0.0 %
. (M)	-	250	9.3 %

DIGIT5A4	**DIGITS BACKWARD: Item 5A**

Location: 1722-1723 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	1230	45.9 %
0	Error	782	29.2 %
1	Correct	414	15.5 %
7	Not admin bec of verbal refusal	3	0.1 %
. (M)	-	250	9.3 %

DIGIT5B4	**DIGITS BACKWARD: Item 5B**

Location: 1724-1725 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	1239	46.2 %
0	Error	713	26.6 %
1	Correct	473	17.7 %
7	Not admin bec of verbal refusal	4	0.1 %
. (M)	-	250	9.3 %

DIGIT6A4	**DIGITS BACKWARD: Item 6A**

Location: 1726-1727 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	1791	66.9 %
0	Error	382	14.3 %
1	Correct	252	9.4 %
7	Not admin bec of verbal refusal	4	0.1 %
. (M)	-	250	9.3 %

DIGIT6B4	**DIGITS BACKWARD: Item 6B**

Location: 1728-1729 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	1801	67.2 %
0	Error	359	13.4 %
1	Correct	266	9.9 %
7	Not admin bec of verbal refusal	2	0.1 %
9	Not admin bec of other reason	1	0.0 %
. (M)	-	250	9.3 %

DIGTOT4	**DIGITS BACKWARD TOTAL SCORE**

Location: 1730-1731 (width: 2; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
1	1	0.0 %
2	69	2.6 %
3	123	4.6 %
4	255	9.5 %
5	393	14.7 %
6	529	19.7 %
7	333	12.4 %
8	210	7.8 %
9	160	6.0 %
10	161	6.0 %
11	110	4.1 %
12	53	2.0 %
. (M)	282	10.5 %

DLAYTHR4	**EBMT Delayed Recall: Three**

Location: 1732-1732 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	Absent	92	3.4 %
1	Present	2324	86.7 %
. (M)	-	263	9.8 %

DLAYCH14	**EBMT Delayed Recall: Children (1)**

Location: 1733-1733 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	Absent	34	1.3 %

Value	Label	Unweighted Frequency	%
1	Present	2382	88.9 %
. (M)	-	263	9.8 %

| **DLAYHOU4** | **EBMT Delayed Recall: House** | | |

Location: 1734-1734 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	Absent	274	10.2 %
1	Present	2142	80.0 %
. (M)	-	263	9.8 %

| **DLAYFIR4** | **EBMT Delayed Recall: On Fire** | | |

Location: 1735-1735 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	Absent	112	4.2 %
1	Present	2304	86.0 %
. (M)	-	263	9.8 %

| **DLAYFMN4** | **EBMT Delayed Recall: Fireman** | | |

Location: 1736-1736 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	Absent	74	2.8 %
1	Present	2342	87.4 %
. (M)	-	263	9.8 %

| **DLAYCLM4** | **EBMT Delayed Recall: Climb In** | | |

Location: 1737-1737 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	Absent	651	24.3 %
1	Present	1765	65.9 %
. (M)	-	263	9.8 %

| **DLAYCH24** | **EBMT Delayed Recall: Children (2)** | | |

Location: 1738-1738 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	Absent	306	11.4 %
1	Present	2110	78.8 %
. (M)	-	263	9.8 %

DLAYRES4	**EBMT Delayed Recall: Rescued**		

Location: 1739-1739 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	Absent	243	9.1 %
1	Present	2173	81.1 %
. (M)	-	263	9.8 %

DLAYMIN4	**EBMT Delayed Recall: Minor**		

Location: 1740-1740 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	Absent	517	19.3 %
1	Present	1899	70.9 %
. (M)	-	263	9.8 %

DLAYINJ4	**EBMT Delayed Recall: Injuries**		

Location: 1741-1741 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	Absent	478	17.8 %
1	Present	1938	72.3 %
. (M)	-	263	9.8 %

DLAYEVR4	**EBMT Delayed Recall: Everyone**		

Location: 1742-1742 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	Absent	1325	49.5 %
1	Present	1091	40.7 %
. (M)	-	263	9.8 %

DLAYWEL4	**EBMT Delayed Recall: Well**		

Location: 1743-1743 (width: 1; decimal: 0)

	Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
0	Absent	1122	41.9 %
1	Present	1294	48.3 %
. (M)	-	263	9.8 %

TOTIDE24	**EBMT Delayed Recall: Total Ideas**

Location:	1744-1745 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%
0	1	0.0 %
1	1	0.0 %
2	5	0.2 %
3	4	0.1 %
4	22	0.8 %
5	32	1.2 %
6	61	2.3 %
7	156	5.8 %
8	245	9.1 %
9	332	12.4 %
10	616	23.0 %
11	365	13.6 %
12	576	21.5 %
. (M)	263	9.8 %

FLGCOGV4	**Collected after V4 cutoff (01/31/2002)**

Location:	1746-1746 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	No	2426	90.6 %
1	Yes	3	0.1 %
. (M)	-	250	9.3 %

HRMDAY4	**Hormone measures Day**

Location:	1747-1750 (width: 4; decimal: 0)
Variable Type:	numeric

CYCDAY4	**Day of cycle**

Location:	1751-1751 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%
2	169	6.3 %
3	231	8.6 %
4	254	9.5 %
5	278	10.4 %
. (M)	1747	65.2 %

DHAS4	Dehydroepiandrosterone sulfate (ug/dL)
Location:	1752-1757 (width: 6; decimal: 1)
Variable Type:	numeric

FSH4	Follicle-stimulating hormone (mIU/mL)
Location:	1758-1763 (width: 6; decimal: 1)
Variable Type:	numeric

SHBG4	Sex hormone-binding globulin (nM)
Location:	1764-1769 (width: 6; decimal: 1)
Variable Type:	numeric

T4	Testosterone (ng/dL)
Location:	1770-1775 (width: 6; decimal: 1)
Variable Type:	numeric

TSH4	Thyroid-stimulating hormone (uIU/mL)
Location:	1776-1782 (width: 7; decimal: 2)
Variable Type:	numeric

E2AVE4	Estradiol (average, pg/mL)
Location:	1783-1789 (width: 7; decimal: 3)
Variable Type:	numeric

FLGCV4	Both E2>20 pg/mL & CV>15%
Location:	1790-1790 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	No	2287	85.4 %
1	Yes	5	0.2 %
. (M)	-	387	14.4 %

FLGDIF4	1 or both E2<=20 pg/mL & dif>10
Location:	1791-1791 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	No	2292	85.6 %

Value	Label	Unweighted Frequency	%
. (M)	-	387	14.4 %

CVRDAY4	**Cardiovascular measures Day**		
Location:	1792-1795 (width: 4; decimal: 0)		
Variable Type:	numeric		

FLAGSER4	**Lipids measured on serum not plasma**		
Location:	1796-1796 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
0	No	2272	84.8 %
1	Yes	33	1.2 %
. (M)	-	374	14.0 %

CHOLRES4	**Total cholesterol (mg/dl)**		
Location:	1797-1799 (width: 3; decimal: 0)		
Variable Type:	numeric		

TRIGRES4	**Triglycerides (mg/dl)**		
Location:	1800-1803 (width: 4; decimal: 0)		
Variable Type:	numeric		

LDLRESU4	**Estimated LDL (mg/dl)**		
Location:	1804-1806 (width: 3; decimal: 0)		
Variable Type:	numeric		

HDLRESU4	**HDL (mg/dl)**		
Location:	1807-1809 (width: 3; decimal: 0)		
Variable Type:	numeric		

Value	Unweighted Frequency	%
10	1	0.0 %
20	1	0.0 %
24	3	0.1 %
25	1	0.0 %
26	5	0.2 %
27	1	0.0 %
28	6	0.2 %
30	10	0.4 %
31	5	0.2 %
32	18	0.7 %
33	8	0.3 %
34	29	1.1 %

Value	Unweighted Frequency	%
35	12	0.4 %
36	30	1.1 %
37	18	0.7 %
38	38	1.4 %
39	25	0.9 %
40	44	1.6 %
41	32	1.2 %
42	60	2.2 %
43	50	1.9 %
44	51	1.9 %
45	49	1.8 %
46	63	2.4 %
47	52	1.9 %
48	66	2.5 %
49	62	2.3 %
50	66	2.5 %
51	64	2.4 %
52	61	2.3 %
53	60	2.2 %
54	64	2.4 %
55	72	2.7 %
56	67	2.5 %
57	56	2.1 %
58	66	2.5 %
59	48	1.8 %
60	40	1.5 %
61	45	1.7 %
62	49	1.8 %
63	60	2.2 %
64	39	1.5 %
65	45	1.7 %
66	48	1.8 %
67	44	1.6 %
68	34	1.3 %
69	33	1.2 %
70	46	1.7 %
71	37	1.4 %
72	30	1.1 %
73	31	1.2 %
74	37	1.4 %

Value	Unweighted Frequency	%
75	30	1.1 %
76	20	0.7 %
77	21	0.8 %
78	31	1.2 %
79	22	0.8 %
80	13	0.5 %
81	17	0.6 %
82	12	0.4 %
83	13	0.5 %
84	14	0.5 %
85	13	0.5 %
86	7	0.3 %
87	16	0.6 %
88	11	0.4 %
89	7	0.3 %
90	9	0.3 %
91	8	0.3 %
93	8	0.3 %
94	7	0.3 %
95	2	0.1 %
96	2	0.1 %
97	5	0.2 %
98	2	0.1 %
99	2	0.1 %
100	3	0.1 %
101	1	0.0 %
102	1	0.0 %
105	1	0.0 %
107	1	0.0 %
111	1	0.0 %
114	2	0.1 %
116	2	0.1 %
119	1	0.0 %
122	1	0.0 %
124	1	0.0 %
138	1	0.0 %
. (M)	389	14.5 %

GLUCRES4	**Glucose (mg/dl)**

Location: 1810-1812 (width: 3; decimal: 0)

Variable Type:	numeric
INSURES4	**Insulin (uIU/ml)**

Location:	1813-1818 (width: 6; decimal: 1)
Variable Type:	numeric
PAIRESU4	**PAI-4 (ng/ml)**

Location:	1819-1823 (width: 5; decimal: 1)
Variable Type:	numeric
TPARESU4	**tPA (ng/ml)**

Location:	1824-1828 (width: 5; decimal: 1)
Variable Type:	numeric
LPARESU4	**Lipoprotein Lp(a) (mg/dl)**

Location:	1829-1831 (width: 3; decimal: 0)
Variable Type:	numeric
APOARES4	**Apolipoprotein A-4 (mg/dl)**

Location:	1832-1834 (width: 3; decimal: 0)
Variable Type:	numeric
APOBRES4	**Apolipoprotein B (mg/dl)**

Location:	1835-1837 (width: 3; decimal: 0)
Variable Type:	numeric
CRPRESU4	**C-reactive protein (mg/l)**

Location:	1838-1843 (width: 6; decimal: 3)
Variable Type:	numeric
FLGCVRV4	**Collected after V4 cutoff (01/31/2002)**

Location:	1844-1844 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	No	2302	85.9 %
1	Yes	3	0.1 %
. (M)	-	374	14.0 %

SPSCDAY4	**Spine Scan Day**

Location:	1845-1848 (width: 4; decimal: 0)
Variable Type:	numeric
SPSCTIM4	**Spine Scan Time**

Location:	1849-1856 (width: 8; decimal: 0)
Variable Type:	character
SPSCMOD4	**Spine Scan Mode**

Location:	1857-1858 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
5	2000 machine	703	26.2 %
11	4500 machine	1058	39.5 %
. (M)	-	918	34.3 %

HPSCDAY4	**Hip Scan Day**		
Location:	1859-1862 (width: 4; decimal: 0)		
Variable Type:	numeric		

HPSCTIM4	**Hip Scan Time**		
Location:	1863-1870 (width: 8; decimal: 0)		
Variable Type:	character		

HPSCMOD4	**Hip Scan Mode**		
Location:	1871-1872 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
5	2000 machine	705	26.3 %
11	4500 machine	1069	39.9 %
. (M)	-	905	33.8 %

SPBMDT4	**Total Spine BMD w/cross-calibration applied**		
Location:	1873-1879 (width: 7; decimal: 3)		
Variable Type:	numeric		

HPBMDT4	**Total Hip BMD w/cross-calibration applied**		
Location:	1880-1886 (width: 7; decimal: 3)		
Variable Type:	numeric		

BMDFLG4	**PI recommended for spine exclusion**		
Location:	1887-1887 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
0	No	1778	66.4 %
1	Yes	3	0.1 %
. (M)	-	898	33.5 %

Visit 4 bibliography

Waetjen LE, Liao S, Johnson WO, Sampselle CM, Sternfeld B, Harlow SD, Gold EB. **Factors Associated with Prevalent and Incident Urinary Incontinence in a Cohort of Midlife Women: A Longitudinal Analysis of Data: Study of Women's Health Across the Nation.** American Journal of Epidemiology. 2007;165(3):309-318.
  Primary Question: What are the baseline factors associated with prevalent and incident urinary incontinence by type and race/ethnicity.
  Summary of Findings: First reported incontinence that develops in mid-life is mild, with a higher proportion of the urge type and different risk factors. African American and overweight women appear to be at the greatest risk of developing incontinence in mid-life.

Torrens JI, Sutton-Tyrrell K, Zhao X, Matthews K, Brockwell S, Sowers M, Santoro N. **Relative androgen excess during the menopausal transition predicts incident metabolic syndrome in midlife women: Study of Women's Health Across the Nation.** Menopause. 2009;16(2):257-264.
  Primary Question: To find out if the changing levels of female hormones (estradiol) and male hormones (testosterone) in women as they go through the menopausal transition is associated with an increased risk of developing the metabolic syndrome. The metabolic syndrome is a clustering of cardiovascular risk factors that has been associated with an increased risk of developing diabetes and cardiovascular disease.
  Summary of Findings: The baseline total estrogen and its rate of change were not associated with an increased incidence. A low SHBG as well as a high total testosterone at entry appeared to increase the risk independent of their respective change over time. Both higher baseline values and greater rate of change in the relative androgen excess increased the incidence of developing the metabolic syndrome, independent of ethnicity.

Tomey KM, Sowers MR, Crandall C, Johnston J, Jannausch M, Yosef M. **Dietary Intake Related to Prevalent Functional Limitations in Midlife Women.** American Journal of Epidemiology. 2008;167(8):935-943.
  Primary Question: We hypothesized that dietary intake, physical activity level and body mass index at baseline would be less favorable for those who were considered functionally limited (i.e., women who have difficulty with basic body functions such as walking, climbing, lifting, carrying, and seeing) four years after baseline dietary assessment.
  Summary of Findings: Higher baseline intakes of dietary cholesterol and total and saturated fat, lower intake of fiber, along with higher BMI and lower levels of physical activity were consistently associated with greater functional limitations assessed 4 years later, even following adjustment for demographic variables and health conditions. These dietary associations were observed whether the data were expressed in relation to recommended intakes or in relation to nutrient intake quality with respect to total energy consumed. Greater subsequent functional limitations were also associated with lower baseline magnesium and lycopene intakes as well as fewer baseline fruit and vegetable servings. [PMCID:PMC2386686]

Luetters C, Huang MH, Seeman T, Buckwalter G, Meyer PM, Avis NE, Sternfeld B, Johnston JM, Greendale GA. **Menopause Transition Stage and Endogenous Estradiol and Follicle-Stimulating Hormone Levels Are Not Related to Cognitive Performance: Cross-Sectional Results from the Study of Women's Health Across the Nation (SWAN).** Journal of Women's Health. 2007;16(3):331-44.

Primary Question: Is menstrually defined menopause associated with cognitive function and if so, are cognitive deficits related to estradiol or FSH levels?

Summary of Findings: Our findings suggest that there is no relation between cognitive test performance and menopause stage. Likewise no association was found between cognitive performance and FSH or estradiol levels.

Huang MH, Luetters C, Buckwalter GJ, Seeman TE, Gold EB, Sternfeld B, Greendale GA. **Dietary genistein intake and cognitive performance in a multiethnic cohort of midlife women.** <u>Menopause: The Journal of The North American Menopause Society.</u> 2006;13(4):621-630.

Primary Question: Is higher isoflavone (genistein) intake associated with better cognitive performance?

Summary of Findings: No associations between genistein intake and measures of cognitive performance were found in Japanese or Chinese participants. Our results did not support the hypothesis that genistein intake benefits cognitive performance.

Torrens JI, Sutton-Tyrrell K, Zhao X, Matthews K, Brockwell S, Sowers M, Santoro N. **Relative androgen excess during the menopausal transition predicts incident metabolic syndrome in midlife women: Study of Women's Health Across the Nation.** <u>Menopause.</u> 2009;16(2):257-264.

Primary Question: To find out if the changing levels of female hormones (estradiol) and male hormones (testosterone) in women as they go through the menopausal transition is associated with an increased risk of developing the metabolic syndrome. The metabolic syndrome is a clustering of cardiovascular risk factors that has been associated with an increased risk of developing diabetes and cardiovascular disease.

Summary of Findings: The baseline total estrogen and its rate of change were not associated with an increased incidence. A low SHBG as well as a high total testosterone at entry appeared to increase the risk independent of their respective change over time. Both higher baseline values and greater rate of change in the relative androgen excess increased the incidence of developing the metabolic syndrome, independent of ethnicity.

[WG#193A]