ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 29401

Study of Women's Health Across the Nation (SWAN), 1998-2000: Visit 02 Dataset

Codebook

Study of Women's Health Across the Nation (SWAN), 1998-2000: Visit 02 Dataset

Kim Sutton-Tyrrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran Sowers
University of Michigan

Robert Neer
Massachusetts General Hospital, Boston

Lynda Powell
Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen Gold
University of California-Davis

Gail Greendale
University of California-Los Angeles

Gerson Weiss
University of Medicine and Dentistry - New Jersey Medical School

Karen Matthews
University of Pittsburgh

Sonja McKinlay
New England Research Institutes

Terms of Use

Information about Copyrighted Content

FOLLOW-UP VISIT 02

CODEBOOK

PAGE INTENTIONALLY BLANK

TABLE OF CONTENTS

DOCUMENTATION FOR THE PUBLIC-USE SWAN VISIT 02 DATASET

1. Who is included in the public use dataset:

The dataset contains follow-up visit 2 information for the 3,302 women from the 7 clinical sites participating in the SWAN longitudinal study. The sites include Boston, MA, Pittsburgh, PA, Oakland and Los Angeles, CA, Detroit, MI, Newark, NJ, and Chicago, IL.

2. How this codebook is constructed:

Following this documentation section are copies of each of the questionnaires that were used at visit 2. A list of additional variables is also provided. The questionnaires include the variables available for public use next to the question in bold red uppercase underlined letters. Those variables not available for public use have a # before the variable and are in blue. Any special notes are indicated with footnotes at the bottom of the page.

The assigned participant ID has been replaced with a randomly generated SWANID in order to protect participant privacy. The *baseline* interview date is denoted as day 0 and is used as the basis for all other dates. All other questionnaires or data collected that have a date attached have been converted to the number of days from the baseline interview. For example, if the Visit 2 Self-Administered Questionnaire Part A was collected two years after the baseline interview, the day for the Self-Administered Part A would be day 730 and the Baseline Interview would be day 0.

All variables for visit 2 have a 2 at the end of the variable name.

3. Missing data coding:
The following coding convention is used to indicate different forms of missing data:
>   -9 = Missing
>   -8 = Do not know
>   -7 = Refused
>   -1 = Not Applicable

4. Ways this data can be used and additional notes

Interview Questionnaire

An osteoporosis variable was created based on text fields in the other prescription medication questions. In general, most 'Other, specify' text fields are not included in the dataset.

- A menopausal status variable STATUS2 was derived for all analyses of the SWAN data for the patient at visit 2.
- Age (AGE2) was calculated from date of birth to when the interview form was completed, and is rounded to the next lowest integer.
- A social support score can be calculated from the questions in C.9.a-d after recoding them from a 1-5 range to a 0-4 range.
- CES-D scores can be created from the questions in C.11.
- A perceived stress score can be created from questions in C.10.
- The flag FLGINTV2 is set for the five participants who completed the interview after the 01/31/2000 cutoff.

Self-Administered Questionnaire Part A

The income question I.1 was condensed so that the income ranges were more broadly defined.

- Current smoking is defined as anyone who answered 'yes' to question B.8 (SMOKERE2) and an answer greater than 0 for B.8.a (AVGCIGDA2).
- SF-36 scores can be derived based on questions B.14-20 according to the SF-36 User's Manual. Responses may need to be reversed where necessary so that all items are positively scored, so that a higher value indicates better functioning. The Role-Physical scale uses the variables from question B.14a-d. The Bodily Pain Score is calculated from questions B.17 and B.18. Item recoding depends on whether both questions were answered or one of the items has missing data. After recoding, all the items are positively scored so that a higher score indicates less pain. The SF-36 Vitality Score is calculated from questions B.19a-d.   Questions B.19.a and B.19.b should be reversed so that all items are positively scored; for the resulting index a higher score indicates greater energy (and less fatigue). The Social Functioning Score is calculated using questions B.16 and B.20. Question

B.16 is reversed so that all items are positively scored; for the resulting index a higher score indicates better social functioning. The Role-Emotional Score is calculated using questions B.15a-c. All items are positively scored, so a higher score indicates better role-emotional functioning.
- o The flag FLGSAAV2 is set for the four participants who completed the interview after the 01/31/2000 cutoff.

Self-Administered Questionnaire Part B

- o The flag FLGSABV2 is set for the four participants who completed the interview after the 01/31/2000 cutoff.

Self-Administered Questionnaire Part C

No additional variables are calculated from these questions.

Physical Measures

In addition to the variables on the form, BMI2 was also calculated as weight in kilograms divided by the square of height in meters.

Additional Measures

Serum Hormone Measures

The Visit 2 hormone results are included. Of special note is that the estradiol assay was run in duplicate. The average (E2AVE2) is the within-person arithmetic average of the two assays. A flag indicates if the estradiol results differed by > 10 pg/mL where one or both results <= 20 pg/mL. Hormone results below the lower level of detection (LLD- see table in the Additional Measures section) were recoded to an .L value. Note that neither estradiol measurement nor FSH had any values below the LLD.

Cardiovascular Measures

Blood samples to perform the cardiovascular assays were collected in Visit 2, but they will be assayed at a later date.

Bone Mineral Density Measures

Five of the seven sites participated in the bone study – Detroit, MI, Boston, MA, Oakland and Los Angeles, CA, and Pittsburgh, PA. Total spine and total hip bone mineral density (BMD) measures are provided.

Study of Women's Health Across the Nation

ANNUAL FOLLOW-UP INTERVIEW

SECTION A.   GENERAL INFORMATION

AFFIX ID LABEL HERE

A1.   RESPONDENT ID: **SWANID˜**

A2.   SWAN STUDY VISIT #   _____ _____   **VISIT**

A3.   FORM VERSION: 02/01/1998   **#FORM_V**

A4.   DATE FORM COMPLETED: ___ ___ / ___ ___ / ___ ___ ___ ___
     M   M   D   D   Y   Y   Y   Y   **INTDAY2†**

A5.   INTERVIEWER'S INITIALS: ___ ___ ___   **#INITS**

A6.   RESPONDENT'S DOB: ___ ___ / ___ ___ / ___ ___
     M   M   D   D   Y   Y   **#DOB**
VERIFY WITH RESPONDENT

A7.   INTERVIEW COMPLETED IN: **#LOCATIO2**

     RESPONDENT'S HOME 1
     CLINIC/OFFICE 2
     RESPONDENT'S HOME BY PROXY 3
     CLINIC/OFFICE BY PROXY 4

A7.1   INTERVIEW LANGUAGE: **LANGINT2**

     ENGLISH 1
     SPANISH 2
     CANTONESE 3
     JAPANESE 4

A8.   Are you currently pregnant?   **PREGNAN2**

     NO 1
     YES 2
     DON'T KNOW .... -8

A9.   WAS BLOOD FOR THIS ANNUAL FOLLOW-UP DRAWN PREVIOUS TO THIS INTERVIEW DATE?
     PREVBLO2
     NO 1
     YES 2   **(GO TO**
PAGE 3)

˜ A randomly generated ID will be provided that is different from the original ID
† This date is given in days since the initial baseline interview, which is day zero.

 # Variable Excluded from Public Use Data File

Before we draw a blood sample I need to ask you a few questions.

A10. Have you had anything to eat or drink, other than water, in the last 12 hours? That is, since __ __ : __ __ last night?   **EATDRIN2**

        NO 1
        YES.. 2

A11. Did you start a menstrual period in the last 5 days?   **STRTPER2**

        NO .... 1 **(A13)**
        YES.. 2 **(A12)**

A12. What is the date that you started to bleed?   **DAYBLE2**†

$$\underline{\quad}\ \underline{\quad}\ /\ \underline{\quad}\ \underline{\quad}\ /\ \underline{\quad}\ \underline{\quad}\ \underline{\quad}\ \underline{\quad}$$
      M   M   D   D   Y   Y   Y   Y

A13. BLOOD DRAW ATTEMPTED?   **BLDRWAT2**

        YES, AS PER PROTOCOL .... 1 **(A14)**
        YES, MENSES TOO VARIABLE... 2 **(A14)**
        YES, LAST ATTEMPT .... 3 **(A14)**
        YES, RESPONDENT PREGNANT .... 4 **(A14)**
        NO, NOT FASTING AND/OR NOT IN WINDOW - RESCHEDULE .... 5 **(A13.1)**

A13.1	Unfortunately this is not the best time to draw a blood sample. In order to get the best possible information for this study, we need you to fast for 12 hours and to be within 5 days of starting a menstrual period. We need to reschedule a good day to draw your blood. [INTERVIEWER HAND INSTRUCTION CARD TO RESPONDENT AND EXPLAIN] GO TO SECTION B ON THE NEXT PAGE

A14.	FOLLOW BLOOD DRAW PROTOCOL RECORD COLLECTION TUBES FILLED ON SPECIMEN COLLECTION FORM

A15. BLOOD DRAWN?   **BLDDRAW2**

        NO 1
        YES.. 2

† This date is given in days since the initial baseline interview.

 # Variable Excluded from Public Use Data File

ASK RESPONDENT TO GATHER PRESCRIPTION MEDICATIONS SO THEY ARE WITHIN REACH.
REMEMBER, DO NOT READ OUT LOUD ANY SCRIPT IN CAPITAL LETTERS.

I would like to begin the interview by asking you some questions about medications.

The medications you take, both those prescribed and from over-the-counter (OTC), can have a major influence on how well you feel, how you respond to events in your life, and the continued maintenance of your health. We want to know about any medications you have taken since your last study visit.

I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken **since your last study visit**.

IF YES TO ANY, RECORD
MEDICATION NAME IN THE SPACES
PROVIDED

PRESCRIPTION DRUGS
IF YES:

			a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month?		c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?	

Since your last study visit....

	NO	YES		NO	YES	NO	YES
B1. Have you taken any medication, pills or other medicine to thin your blood (anticoagulants)? **ANTICO12** **ANTICO22**	1	2	_____ #ACOAMD12	1	2 ACOATW12	1 #ACOAVR12	2
	1	2	_____ #ACOAMD22	1	2 ACOATW22	1 #ACOAVR22	2
B2. Anything for your heart or heart beat, including pills or patches? **HEART12** **HEART22**	1	2	_____ #HARTMD12	1	2 HARTTC12	1 #HARTVR12	2
	1	2	_____ #HARTMD22	1	2 HARTTC22	1 #HARTVR22	2
B3. Any medications for cholesterol or fats in your blood? **CHOLST12** **CHOLST22**	1	2	_____ #CHOLMD12	1	2 CHOLTW11	1 #CHOLVR12	2
	1	2	_____ #CHOLMD22	1	2 CHOLTW22	1 #CHOLVR22	2
B4. Blood pressure pills? **BP12** **BP22**	1	2	_____ #BPMED12	1	2 BPTW12	1 #BPVER12	2
	1	2	_____ #BPMED22	1	2 BPTW22	1 #BPVER22	2

 # Variable Excluded from Public Use Data File

Since your last study visit, have you taken...	NO	YES	a. What is the name of the medication?	b. NO	b. YES	c. NO	c. YES
B5. Diuretics for water retention? **DIURET12**	1	2	_____ #DIURMD12	1 DIURTW12	2	1 #DIURVR12	2
DIURET22	1	2	_____ #DIURMD22	1 DIURTW22	2	1 #DIURVR22	2
B6. Thyroid pills? **THYROI12**	1	2	_____ #THYRMD12	1 THYRTW12	2	1 #THYRVR12	2
THYROI22	1	2	_____ #THYRMD22	1 THYRTW22	2	1 #THYRVR22	2
B7. Insulin or pills for sugar in your blood? **INSULN12**	1	2	_____ #INSUMD12	1 INSUTW12	2	1 #INSUVR12	2
INSULN22	1	2	_____ #INSUMD22	1 INSUTW22	2	1 #INSUVR22	2
B8. Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication? **NERVS12, NERVS22**	1	2	_____ #NERVMD12	1 NERVTW12	2	1 #NERVVR12	2
	1	2	_____ #NERVMD22	1 NERVTW22	2	1 #NERVVR22	2
B9. Steroid pills such as Prednisone, or cortisone? **STEROI12**	1	2	_____ #STERMD12	1 STERTW12	2	1 #STERVR12	2
STEROI22	1	2	_____ #STERMD22	1 STERTW22	2	1 #STERVR22	2
B10. Fertility medications to help you get pregnant (Pergonal, Clomid)? **FERTIL12**	1	2	_____ #FRTLMD12	1 FRTLTW12	2	1 #FRTLVR12	2
FERTIL22	1	2	_____ #FRTLMD22	1 FRTLTW22	2	1 #FRTLVR22	2

HORMONE QUESTIONS B11-15:

	a. What is the name of the medication?	b. Have you been taking it during the past month?	c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?

Since your last study visit, have you taken...

	NO	YES		NO	YES	NO	YES
B11. Birth Control pills? **BCP12**	1	2	_____ #BCPMED12	1 **BCPTWI12**	2	1 #BCP VER12	2
BCP22	1	2	_____ #BCPMED22	1 **BCPTWI22**	2	1 #BCP VER22	2

___

	NO	YES		NO	YES	NO	YES
B12. Estrogen pills (such as Premarin, Estrace, Ogen, etc)? **ESTROG12**	1 **(B13)**	2	_____ #ESTRMD12	1 **ESTRTW12**	2	1 #EST RVR12	2
ESTROG22	1	2	_____ #ESTRMD22	1 **ESTRTW22**	2	1 #EST RVR22	2

B12.d IF YES: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?
[IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]

ESTRDA12	**ESTRDA22**
1. EVERY DAY 1	2. EVERY DAY 1
OFF AND ON 2	OFF AND ON 2
DON'T KNOW .... -8	DON'T KNOW .... -8

Since your last study visit, have you taken...

	NO	YES		NO	YES	NO	YES
B13. Estrogen by injection or patch (such as Estraderm)? **ESTRNJ12**	1	2	_____ #EINJMD12	1 **EINJTW12**	2	1 #EINJVR12	2
ESTRNJ22	1	2	_____ #EINJMD22	1 **EINJTW22**	2	1 #EINJVR22	2
B14. Combination estrogen/progestin (such as Premphase or Prempro)? **COMBIN12**	1	2	_____ #COMBMD12	1 **COMBTW12**	2	1 #COM BVR12	2
COMBIN22	1	2	_____ #COMBMD22	1 **COMBTW22**	2	1 #COM BVR22	2
B15. Progestin pills (such as Provera)? **PROGES12**	1 **(B16)**	2	_____ #PROGMD12	1 **PROGTW12**	2	1 #PROGVR12	2
PROGES22	1	2	_____ #PROGMD22	1 **PROGTW22**	2	1 #PROGVR22	2

B15.d IF YES: Does/Did your prescription have you take progestin daily or on and off on a monthly
cycle?[IF MORE THAN ONE MENTIONED, RECORD THE MORE RECENT AT 1.]

PROGDA12   **PROGDA22**

1. EVERY DAY 1   2. EVERY DAY............... 1
     OFF AND ON 2   OFF AND ON 2
     DON'T KNOW............ -8   DON'T KNOW.......... -8

			a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month?		c. INTERVIEWER CHECK: MEDICATION VERIFIED FROM CONTAINER LABEL?	

Since your last study visit...

	NO	YES		NO	YES	NO	YES
B16. Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (PLEASE LIST) **OTHMED12-OTHMED92**	1	2	_____ #OTHRMD12- #OTHRMD92	1	2 **OTHRTW12** **OTHRTW92**	1 #OTHRVR12	2
	1	2		1	2	1 #OTHRVR92	2
	1	2	_	1	2	1	2
	1	2		1	2	1	2
	1	2	#OTHRM102- #OTHRM152	1	2 **OTHTW102**	1 #OTHVR102	2
OTHME102 – OTHME152	1	2		1	2	1 #OTHVR152	2
	1	2		1	2 **OTHTW152**	1	2
	1	2		1	2	1	2

IF RESPONDENT HAS TAKEN ANY HORMONES (IF YES TO ANY OF B 11 -15) ASK B17,
OTHERWISE GO TO B19.

B17.   I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason <u>why you</u> started taking hormones. (READ LIST a THROUGH i)

		NO	YES
a. To reduce the risk of heart disease	**REDUHAR2**	1	2
b. To reduce the risk of osteoporosis (brittle bones)	**OSTEOPO2**	1	2
c. To relieve menopausal symptoms	**MENOSYM2**	1	2
d. To stay young-looking	**YOUNGLK2**	1	2
e. A health care provider advised me to take them	**HCPADVI2**	1	2
f. A friend or relative advised me to take them	**FRNADVI2**	1	2
g. To improve my memory	**IMPRMEM2**	1	2
h. To regulate periods	**REGPERI2**	1	2
i. Any other? SPECIFY_____**HORMOTH2**__		1	2
_____	**#HORMSPE2**		
j. DON'T KNOW/REMEMBER	**DONTKNO2**	1	2

IF RESPONDENT STARTED TAKING ANY HORMONES INCLUDING BIRTH CONTROL PILLS, BUT IS NOT CURRENTLY TAKING ANY, (THAT IS, "YES" TO <u>ANY</u> OF B11-15 **AND** "NO" TO <u>ALL</u> OF B11b - 15b) ASK B18, OTHERWISE GO TO PAGE 8.

B18. Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping? PROBE: Any Others?
[DO NOT READ THE LIST. CODE 1 (NO) OR 2 (YES) FOR EACH ITEM.]

	NO	YES	
a. PROBLEMS WITH BLEEDING	1	2	**PRBBLEE2**
b. DIDN'T LIKE HAVING PERIODS	1	2	**HAVEPER2**
c. DIDN'T LIKE HOW I FELT ON THEM	1	2	**LIKEFEL2**
d. WORRIED ABOUT POSSIBLE SIDE EFFECTS	1	2	**SIDEEFF2**
e. WORRIED ABOUT CANCER	1	2	**CANCER2**
f. MY HEALTH CARE PROVIDER ADVISED ME TO STOP (FOR MEDICAL REASONS)	1	2	**ADVISTO2**
g. TOO EXPENSIVE	1	2	**EXPENSI2**
h. DON'T LIKE TO TAKE ANY MEDICATIONS	1	2	**NOLIKE2**
i. COULDN'T REMEMBER TO TAKE THEM	1	2	**NOREMB2**
j. DON'T KNOW	1	2	**DNTKNOW2**
k. OTHER, SPECIFY: _____	1	2	**STOPOTH2**
			#STOPSPE2
_____			
l. NO REASON GIVEN	1	2	**NOREASO2**

Now I would like to ask you about over-the-counter medications, <u>non-prescription</u>, that you have taken regularly at least 2 times per week for a month or more, since your last study visit.

IF YES TO ANY, RECORD MEDICATION NAME IN THE SPACES PROVIDED			a. What is the name of the medication?	b. Have you been taking it at least two times per week for the last month?	
Since your last study visit, have you taken.....	NO	YES		NO	YES
B19. Any over-the-counter medications for pain including headaches and arthritis?	1	2	_____	1	2
PAIN12			**#PAINMD12**	**PAINTW12**	
	1	2	_____	1	2
PAIN22			**#PAINMD22**	**PAINTW22**	
B20. Anything for problems sleeping?	1	2	_____	1	2
SLEEP12			**#SLEPMD12**	**SLEPTW12**	
	1	2	**#SLEPMD22**	1	2
SLEEP22				**SLEPTW22**	
B21. Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? (PLEASE LIST)	1	2	_____	1	2
			#OTCMD12-	**OTCTW12-**	
	1	2	**#OTCMD92**	1	2
				OTCTW92	
OTC12-OTC92	1	2	**#OTCMD102-**	1	2
OTC102-OTC152			**#OTCMD152**	**OTCTW102-**	
	1	2		1	2
				OTCTW152	

B22.   Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

REGVITA2

NO .... 1 **(GO TO PAGE 10)**

YES.. 2

 # Variable Excluded from Public Use Data File

B23.   IF YES: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? [HAND RESPONDENT CARD "A" AND READ RESPONSE CATEGORIES.]

	Don't take any	1-3 days per week	4-6 days per week	Every day
Multi-Vitamins, how often do you take...				
a. Regular Once-A-Day, Centrum, or Thera type **ONCEADA2**	1	2	3	4
b. Antioxidant combination type **ANTIOXI2**	1	2	3	4
c. Any others?				
#VTMSPE12, VTMOTH12	1	2	3	4
#VTMSPE22, VTMOTH22	1	2	3	4
#VTMSPE32, VTOTH32	1	2	3	4
#VTMSPE42, VTOTH42	1	2	3	4
Single Vitamins, not part of multi-vitamins, how often do you take...				
d. Vitamin A, not beta carotene **VITAMNA2**	1	2	3	4
e. Beta-carotene **BETACAR2**	1	2	3	4
f. Vitamin C **VITAMNC2**	1	2	3	4
g. Vitamin D **VITAMND2**	1	2	3	4
h. Vitamin E **VITAMNE2**	1	2	3	4
i. Calcium or Tums **CALCTUM2**	1	2	3	4
j. Iron **IRON2**	1	2	3	4
k. Any others?				
SPECIFY: #VITSPE12 , VITOTH12	1	2	3	4
#VITSPE22 , VITOTH22	1	2	3	4
#VITSPE32 , VITOTH32	1	2	3	4
#VITSPE42 , VITOTH42	1	2	3	4

B23.l   IF MULTIPLE VITAMIN USE REPORTED, Do you usually take multiple vitamins that:

MULTVIT2

Contain minerals (iron, calcium) 1
Do not contain minerals 2
DON'T KNOW .... -8

 # Variable Excluded from Public Use Data File

IF BLOOD WAS DRAWN (A15 IS YES), GO TO B24. OTHERWISE GO TO B26.

In order to interpret your blood tests, we need to ask you the following questions.

B24.   We've just talked about your prescription medications, over-the-counter medications, vitamins, and
        minerals you have taken since your last study visit. What did you take in the last 24 hours?
        [REVIEW SHADED COLUMNS AFTER RESPONDENT ANSWERS.
        IF CURRENT MEDICATION USE REPORTED (YES TO ANY SHADED COLUMN IN B1b-B21b)
        BUT NOT REPORTED HERE, PROBE FOR USE IN LAST 24 HOURS.]

    a.   _____   **#TAKEMDA2**

    b.   _____   **#TAKEMDB2**

    c.   _____   **#TAKEMDC2**

    d.   _____   **#TAKEMDD2**

    e.   _____   **#TAKEMDE2**

    f.   _____   **#TAKEMDF2**

    g.   _____   **#TAKEMDG2**

    h.   _____   **#TAKEMDH2**

    i.   _____   **#TAKEMDI2**

    j.   _____   **#TAKEMDJ2**

B25.   Have you had any alcohol in the last 24 hours?

                                                            ALCHL242
        NO 1
        YES.. 2

Now, I'm going to ask you some questions about your health and medical conditions.

B26. **Since your last study visit**, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

			NO	YES	DON'T KNOW
a.	Anemia?	**ANEMIA2**	1	2	-8
b.	Diabetes?	**DIABETE2**	1	2	-8
c	High blood pressure or hypertension?	**HIGHBP2**	1	2	-8
d.	High cholesterol?	**HBCHOLE2**	1	2	-8
e.	Migraines?	**MIGRAIN2**	1	2	-8
f.	Stroke?	**STROKE2**	1	2	-8
g.	Arthritis or osteoarthritis (degenerative joint disease)? **OSTEOAR2**		1	2	-8
h.	Overactive or underactive thyroid?	**THYROID2**	1	2	-8
i.	Heart attack?	**HEARTAT2**	1	2	-8
j.	Angina?	**ANGINA2**	1	2	-8
k.	Osteoporosis (brittle or thinning bones)? **OSTEOPR2**		1	2	-8
l.	Fibroids, benign growths of the uterus or womb? **FIBROID2**		1	2	-8
m.	Cancer, other than skin cancer?	**CANCERS2**	1 **(B29)**	2	-8 **(B29)**

B27.   What is/was the primary site of the cancer?   **SITESPE2**

SPECIFY: _____

a. IF BREAST CANCER: Have you taken Tamoxifen since your last study visit?
TAMOXIF2
NO 1
YES... 2
DON'T KNOW .... -8
NOT APPLICABLE.. -1

b. Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?
CHEMOTH2
NO 1
YES... 2
DON'T KNOW .... -8

B28.	DELETED

B29. **Since your last study visit**, how many times did you break or fracture a bone?
[IF MORE THAN ONE BONE WAS BROKEN DURING THE SAME EVENT COUNT AS ONE TIME.]

_____ # of times broken bones   (IF NONE, GO TO B30)   **BROKEBO2**

a.   Which bones did you break or fracture?
LIST BELOW.   [IF BONE WAS BROKEN
MORE THAN ONCE, RECORD EACH BREAK AND
SPECIFY WHEN "REBROKEN".
BE SPECIFIC IN IDENTIFYING WHICH BONE
WAS BROKEN (I.E. RIGHT TIBIA).]

b.   How did it happen? Was it for any of the following
reasons? [HAND RESPONDENT CARD "B"
AND READ RESPONSE CATEGORIES.]
- after a fall from a height above the ground greater than six inches,
- in a motor vehicle accident,
- while moving fast, like running, bicycling or skating,
- while playing sports,
- **or** because something heavy fell on you or struck you.

	NO	YES
1. _____	1	2
BONES12	**HAPPEN12**	
2. _____	1	2
BONES22	**HAPPEN22**	
3. _____	1	2
BONES32	**HAPPEN32**	

B30. **Since your last study visit**, have you consulted a doctor, nurse practitioner, chiropractor, or other health care provider for back pain?

                                                                                                                    BCKPAIN2
NO 1
YES... 2
DON'T KNOW .... -8

Since your last study visit, have you had any of the following surgeries or procedures?

	NO	YES	DON'T KNOW
B31. D and C, a scraping of the uterus for any reason, including abortion? **DANDC2**	1 **(B32)**	2	-8 **(B32)**

    a. Since your last study visit, how many times have you had a D and C?

    ____ # TIMES   **NUMDAND2**

	NO	YES	DON'T KNOW
B32. Hysterectomy (an operation to remove your uterus or womb)? **HYSTERE2**	1 **(B33)**	2	-8 **(B33)**

    a. When was this performed?

$$\underline{}\ \underline{}\ /\ \underline{}\ \underline{}\ \underline{}\ \underline{}$$
     M M   Y Y Y Y

    HYSTDAY2[†]

	NO	YES	DON'T KNOW
B33. Did you have one or both ovaries removed (an oophorectomy)? **OOPHORE2**	1 **(B34)**	2	-8 **(B34)**

    a. Was one ovary removed or were both ovaries removed?
    ONEOVAR2
    ONE OVARY REMOVED.........................1
    BOTH OVARIES REMOVED....................2
    DON'T KNOW...-8

	NO	YES	DON'T KNOW
B34. Uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy? **UTERPRO2**	1	2	-8
B35. Thyroid gland removed? **THYRREM2**	1	2	-8

[†] This date is given in days since the initial baseline interview.
Variable Excluded from Public Use Data File
Follow-up Visit 02 Interview Administered Questionnaire   Page 19

Now I would like to ask you about your menstrual periods.

C1.   Did you have any menstrual bleeding since your last study visit?   **BLEEDNG2**
          NO 1   **(C6)**
          YES.. 2

C2.   Did you have any menstrual bleeding in the <u>last 3 months</u>?   **BLD3MON2**
          NO 1
          YES.. 2

C3.   What was the date that you started your most recent menstrual bleeding? [PROMPT FOR MONTH AND
          YEAR, EVEN IF DAY IS UNKNOWN. ENTER -8 FOR DAY FIELD IF UNKNOWN]

          ____ ____ / ____ ____ / ____ ____ ____ ____
           M   M   D   D   Y   Y   Y   Y   **LMPDAY2**†

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were <u>not using birth control pills or other hormone medications</u>.

C4.   Which of the following <u>best</u> describes your menstrual periods since your last study visit? Have they:
          [HAND RESPONDENT CARD "C"]   **DESCPER2**

                    Become farther apart? 1
                    Become closer together? 2
                    Occurred at more variable intervals? 3
                    Stayed the same? 4
                    Become more regular? 5
                    DON'T KNOW .... -8
                    NOT APPLICABLE.. -1

C5.   Since your last study visit, have you ever had a menstrual flow that lasted more than 10 days? **MENSFLO2**

                    NO…………………………………………………………………….1
                    YES... 2
                    DON'T KNOW .... -8
                    REFUSED .... -7
                    NOT APPLICABLE.. -1

C6.   Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions,
          miscarriages, tubal or ectopic pregnancies.   **PRGNANT2**
                    NO 1   **(C7)**
                    YES.. 2

          a. IF YES: [HAND RESPONDENT CARD "D"] What was the outcome of the pregnancy?
              [READ RESPONSE CATEGORIES. IF RESPONDENT WAS PREGNANT MORE THAN
              ONCE SINCE LAST VISIT, RECORD OUTCOME OF MOST RECENT PREGNANCY.]
                                                                          OUTCOME2
                    Live birth 1
                    Still birth 2   **(C7)**
                    Miscarriage 3   **(C7)**
                    Abortion... 4   **(C7)**
                    Tubal/ectopic pregnancy... 5   **(C7)**
                    Still pregnant... 6   **(C7)**

          b. FOR LIVE BIRTHS ONLY: Are you currently breastfeeding? **BRSTFEE2**
                    NO 1
                    YES 2
              † This date is given in days since the initial baseline interview.

The next few questions focus on some other personal aspects of your life

C7. Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. [HAND RESPONDENT CARD "E"] Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10. **QLTYLIF2**

0	1	2	3	4	5	6	7	8	9	10
Worst Possible Quality										Best Possible Quality

C8. About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind? **CLOSE2**

WRITE IN NUMBER OF CLOSE FRIENDS AND RELATIVES: ___ ___
DON'T KNOW .... -8
REFUSED .... -7

C9. People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it?
[HAND RESPONDENT CARD "F" AND READ RESPONSE CATEGORIES]

	None of the time	A little of the time	Some of the time	Most of the time	All of the time
a. Someone you can count on to listen to you when you need to talk? **LISTEN2**	1	2	3	4	5
b. Someone to take you to the doctor if you needed it? **TAKETOM2**	1	2	3	4	5
c. Someone to confide in or talk to about yourself or your problems? **CONFIDE2**	1	2	3	4	5
d. Someone to help with daily chores if you were sick? **HELPSIC2**	1	2	3	4	5

C10. I would now like to ask you about your feelings over the past two weeks. Tell me how often you have felt or thought this way. [HAND RESPONDENT CARD "G" AND READ RESPONSE CATEGORIES]

*[READ STEM INSTRUCTIONS]	Never	Almost Never	Sometimes	Fairly Often	Very Often
In the past two weeks you have:					
*a. Felt unable to control important things in your life? **CONTROL2**	1	2	3	4	5
*b. Felt confident about your ability to handle your personal problems? **ABILITY2**	1	2	3	4	5
c. Felt that things were going your way? **YOURWAY2**	1	2	3	4	5
d. Felt difficulties were piling so high that you could not overcome them? **PILING2**	1	2	3	4	5

C11. I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved **this way during the past week**. [HAND RESPONDENT CARD "H" AND READ RESPONSE CATEGORIES]

* [READ STEM INSTRUCTIONS] During the past week:	Rarely or none of the time (less than 1 DAY)	Some or a little of the time (1-2 DAYS)	Occasionally or a moderate amount of the time (3-4 DAYS)	Most or all of the time (5-7 DAYS)
*a. I was bothered by things that usually don't bother me **BOTHER2**	1	2	3	4
*b. I did not feel like eating; my appetite was poor **APPETIT2**	1	2	3	4
*c. I felt that I could not shake off the blues even with help from my friends **BLUES2**	1	2	3	4
d. I felt that I was just as good as other people **GOOD2**	1	2	3	4
e. I had trouble keeping my mind on what I was doing **KEEPMIN2**	1	2	3	4
f. I felt depressed **DEPRESS2**	1	2	3	4
*g. I felt that everything I did was an effort **EFFORT2**	1	2	3	4
h. I felt hopeful about the future **HOPEFUL2**	1	2	3	4
i. I thought my life had been a failure **FAILURE2**	1	2	3	4
j. I felt fearful **FEARFUL2**	1	2	3	4
*k. My sleep was restless **RESTLES2**	1	2	3	4
l. I was happy **HAPPY2**	1	2	3	4
m. I talked less than usual **TALKLES2**	1	2	3	4
n. I felt lonely **LONELY2**	1	2	3	4
*o. People were unfriendly **UNFRNDL2**	1	2	3	4
p. I enjoyed life **ENJOY2**	1	2	3	4
q. I had crying spells **CRYING2**	1	2	3	4
r. I felt sad **SAD2**	1	2	3	4
*s. I felt that people disliked me **DISLIKE2**	1	2	3	4
t. I could not get going **GETGOIN2**	1	2	3	4

 # Variable Excluded from Public Use Data File

OCCUPATIONAL QUESTIONS

These next few questions concern employment. Since many people have more than one job at any given time, we will ask you to tell us about all of your jobs.

D1.   Since your last study visit, has there been a change in any of your jobs, that is where you work, the usual hours you worked, or your usual job tasks?   **CHNGJOB2**

      NO 1   **(D6)**
      YES 2

D2.   During the <u>past 2 weeks</u>, did you work at any time at a job or business, including work for pay performed at home? Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.   **JOB2**

      NO 1   **(D6)**
      YES 2

    a.   For each paid job you have had in the last two weeks, what was your job title?
                                                 #JOBTIT12
      JOB #1_____
                                                 #JOBTIT22
      JOB #2_____
                                                 #JOBTIT32
      JOB #3_____

    b.   Briefly, what are your usual job activities?
       [IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer for each job.]
                                                 #JOBACT12
      JOB #1_____

           _____
                                                 #JOBACT22
      JOB #2_____

           _____
                                                 #JOBACT32
      JOB #3_____

           _____

D3.   What are your usual hours of work each day for each job?

JOB #1:   START TIME: ___ ___ : ___ ___   A.M. 1.   P.M. 2.   **STRAMP12**
STRTIM12

STOP TIME: ___ ___ : ___ ___   A.M. 1.   P.M. 2.   **STPAMP12**
STPTIM12

ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) **ROTAT12**
NO 1
YES 2

JOB #2:   START TIME: ___ ___ : ___ ___   A.M. 1.   P.M. 2.   **STRAMP22**
STRTIM22

STOP TIME: ___ ___ : ___ ___   A.M. 1.   P.M. 2.   **STPAMP22**
STPTIM22

ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) **ROTAT22**
NO 1
YES 2

JOB #3:   START TIME: ___ ___ : ___ ___   A.M. 1.   P.M. 2.   **STRAMP32**
STRTIM32

STOP TIME: ___ ___ : ___ ___   A.M. 1.   P.M. 2.   **STPAMP32**
STPTIM32

ROTATING/ALTERNATING (ALTERNATING WEEKLY/MONTHLY) **ROTAT32**
NO 1
YES 2

D4.   On average, how many total hours a week do you work, for pay?   **HOURSPA2**

≤ 10 1
11-19 2
20-34 3
35-40 4
41-60 5
>60 6

D5.   What does the company or your part of the company, do or make? (For example, high school education, health care in hospital, automobile manufacturing, state labor department, retail shoe sales.)
[IF MORE THAN ONE JOB WAS MENTIONED, ASK: Please answer this for each job.]

NERI USE ONLY
CODE

JOB #1_____   ___ ___ ___

#JBMAKE12

JOB #2_____   ___ ___ ___

#JBMAKE22

JOB #3_____   ___ ___ ___

#JBMAKE32

 # Variable Excluded from Public Use Data File

D6.   Do you do volunteer work?   **VOLUNTE2**

      NO 1   **(D7)**
      YES.. 2

    a. What type of volunteer work do you do?   How many hours a week do you spend doing it?

        TYPE OF VOLUNTEER WORK   HRS/WK
          #TYPVOL12   **VLNTHR12**
        1. _____   _____

          _____
          #TYPVOL22   **VLNTHR22**
        2. _____   _____

          _____
          #TYPVOL32   **VLNTHR32**
        3. _____   _____

          _____

D7.   What is your current marital status? Would you say...   **MARITAL2**

      Single/never married.. 1
      Currently married or living as married 2
      Separated 3
      Widowed... 4
      Divorced 5
      DON'T KNOW .... -8
      REFUSED .... -7

IF A PARTNER OR SPOUSE IS REPORTED (2 OR 4 in D7), ASK D8, OTHERWISE GO TO PAGE 21.

D8.   What is/ was your partner or spouse's job title for their primary, usual job or occupation?

        PARTNJO2   **NERI USE ONLY CODE**

    _____ _____ _____

D9.   What does the company or part of the company, that your spouse or partner works for, do or make? (For
      example, high school education, health care in hospital, automobile manufacturing, state labor department,
      retail shoe sales.)

        #PRTNRMA2   **NERI USE ONLY CODE**

    _____   ___ ___ ___

We have a few final questions for you concerning your household.

F1.   Other than yourself, is there anyone else living in your household?   **HOUSEHL2**

      NO 1   **(END)**
      YES.. 2
      REFUSED .... -7   **(END)**

F2.   Please tell me their relationship to you, their gender, and their age.

a. **RELATIONSHIP TO YOURSELF**	**b.** **SEX**	**c.** **AGE**
1. _____ **RELAT12**	**SEX12**	**AGE12**
2. _____ **RELAT22**	**SEX22**	**AGE22**
3. _____ **RELAT32**	**SEX32**	**AGE32**
4. _____ **RELAT42**	**SEX42**	**AGE42**
5. _____ **RELAT52**	**SEX52**	**AGE52**
6. _____ **RELAT62**	**SEX62**	**AGE62**
7. _____ **RELAT72**	**SEX72**	**AGE72**
8. _____ **RELAT82**	**SEX82**	**AGE82**
9. _____ **RELAT92**	**SEX92**	**AGE92**
10. _____ **RELAT102**	**SEX102**	**AGE102**
11. _____ **RELAT112**	**SEX112**	**AGE112**
12. _____ **RELAT122**	**SEX122**	**AGE122**

Thank you. This ends this portion of the interview.

ADDITIONAL VARIABLE TRACKING OSTEOPOROSIS

The question below was not asked, but was created from the medication text fields in the other prescription medication question when a participant indicated they took a drug for osteoporosis. Two participants answered yes to this question.

	NO	YES
Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol)? **OSTEPR11**	1	2

SECTION A.   GENERAL INFORMATION

A1.   RESPONDENT ID: AFFIX ID LABEL HERE   **SWANID**

A2.   SWAN STUDY VISIT #   _____ _____   **#VISIT**

A3.   FORM VERSION: 02/01/1998   **#FORM_V**

A4.   DATE FORM COMPLETED: ___ ___ / ___ ___ / ___ ___ ___ ___
                            M   M   D   D   Y   Y   Y   Y   **SAADAY2**[†]

A5.   INTERVIEWER'S INITIALS: ___ ___ ___   **#INITS**

A6.   RESPONDENT'S DOB: ___ ___ / ___ ___ / ___ ___
                         M   M   D   D   Y   Y   **#DOB**

VERIFY WITH RESPONDENT

A7.   COMPLETED IN: **#LOCATIO2**

RESPONDENT'S HOME 1
CLINIC / OFFICE 2
RESPONDENT'S HOME W/ PROXY.. 3
CLINIC/OFFICE W/ PROXY 4

A8.   INTERVIEW LANGUAGE: **LANGSAA2**

ENGLISH 1
SPANISH 2
CANTONESE... 3
JAPANESE 4

A9.   INTERVIEWER-ADMINISTERED?   **#INTADMI2**

NO.. 1
YES…………………………………………………………………………….2

[†] This date is given in days since the initial baseline interview.
 # Variable Excluded from Public Use Data File

We have some questions that we are asking you to complete on your own. If anything is unclear to you, please feel free to ask questions. Study representatives are available and happy to help you. Please take as much time as you need with each question. It is very important to us that you complete the entire questionnaire. Please find the most appropriate response to each question and circle the number for the answer you choose.

Thank you for your participation in this important study.

We are interested in learning more about women's health during their 40's and 50's. This first set of questions ask about your health and use of health care.

B1. In general, would you say your health is excellent, very good, good, fair or poor?
(PLEASE CIRCLE ONE RESPONSE.) **OVERHLT2**

Excellent 1
Very good 2
Good 3
Fair... 4
Poor.. 5
Don't know .... -8

B2. Since your last study visit, how many different times did you stay in the hospital overnight or longer?

___ ___ # TIMES   **HOSPSTA2**

B3. Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count health care providers that you have seen during a visit for this study.)

___ ___ # TIMES   **MDTALK2**

Since your last study visit, have you had:
(PLEASE CIRCLE 1 FOR NO OR 2 FOR YES FOR EACH QUESTION.)

		NO	YES
B4.	A Pap Smear (a routine medical test in which the doctor examines the cervix)? **PAPSMEA2**	1	2
B5.	A breast physical examination (a doctor or medical assistant feels for lumps in the breast)? **BRSTEXA2**	1	2
B6.	A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)? **MAMOGRA2**	1	2

B7.   Since your last study visit, are there any health services that you needed but did not receive?

HLTHSER2

No 1   (GO TO B8)
Yes 2   (GO TO B7a)

IF YES:

B7a.   What kind of health services?   **HLTHSV12**

1._____

HLTHSV22

2._____

HLTHSV32

3._____

B7b.   What is the **primary** reason for not receiving these health services?
(PLEASE CIRCLE ONLY ONE RESPONSE.)   **PRIMREA2**

Insurance or health plan does not cover.. 1
Cannot afford... 2
Travel distance / lack of transportation.. 3
No health care provider 4
Too busy/ didn't have the time 5
Other 6

#REASSPE2

Please specify _____

B8.   Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

SMOKERE2

No 1   (GO TO B9)
Yes 2   (GO TO B8a)

B8a.   IF YES: How many cigarettes, on average, do you smoke per day now?
(If NONE, please indicate with a (0) zero and answer B8b.)

_____ CIGARETTES PER DAY   **AVCIGDA2**

B8b.   IF NONE, (You stopped smoking), What was the last month you smoked?

_____ MONTH   **#LASTSMO2**

If you are a smoker, please do not include yourself when answering question B9, B9a-b.

B9.   Since your last study visit, how many other members of your household have smoked tobacco,
inside the house (at least 1 cigarette, cigar or pipe bowl per day)?

_____ # PERSONS (IF ZERO, GO TO B10)   **HHMEMSM2**

B9a.   **During the past 7 days**, how many days were you exposed to tobacco smoke in your
home?

_____# DAYS (IF 0 DAYS, GO TO B10)   **HOMEXPD2**

B9b.   **Over the past 7 days**, when you were exposed to tobacco smoke in your home, how
many hours were you exposed during a typical day?

____ ____ # HOURS   **HOMEXPH2**

The next questions are about your consumption of alcoholic beverages.

B10.   Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks? **DRNKBEE2**

    No 1   (GO TO B16)
    Yes 2   (GO TO B11)

B11.   How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on
       average per day, week or month? (PLEASE CIRCLE ONLY ONE RESPONSE.) **GLASBEE2**

    None or less than one per month 1
    1-3 per month.. 2
    1 per week... 3
    2-4 per week 4
    5-6 per week 5
    1 per day 6
    2-3 per day 7
    4 per day 8
    5 or more per day.. 9

B12.   How many glasses of wine or wine coolers, (a medium glass or serving of wine is 4 to 6 ounces),
       did you drink on average per day, week or month? (CIRCLE ONE NUMBER)   **GLASWIN2**

    None or less than one per month 1
    1-3 per month.. 2
    1 per week... 3
    2-4 per week 4
    5-6 per week 5
    1 per day 6
    2-3 per day 7
    4 per day 8
    5 or more per day.. 9

B13.   How many glasses of liquor or mixed drinks, (a medium serving is one shot), did you drink on
       average, per day, week or month? (CIRCLE ONE NUMBER)   **GLASLIQ2**

    None or less than once per month... 1
    1-3 per month.. 2
    1 per week... 3
    2-4 per week 4
    5-6 per week 5
    1 per day 6
    2-3 per day 7
    4 per day 8
    5 or more per day.. 9

The next series of questions (B14 to B20) focus on common events in some of our lives.

B14. During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of your physical health**?
(CIRCLE ONE NUMBER ON EACH LINE)

		NO	YES
a. Cut down the amount of time you spent on work or other activities? **PHYCTDW2**		1	2
b. Accomplished less than you would like? **PHYACCO2**		1	2
c. Were limited in the kind of work or other activities? **PHYLIMI2**		1	2
d. Had difficulty performing the work or other activities (for example, it took extra effort)? **PHYDFCL2**		1	2

B15. During the **past 4 weeks**, have you had any of the following problems with your work or other regular daily activities **as a result of any emotional problems** (such as feeling depressed or anxious)? (CIRCLE ONE NUMBER ON EACH LINE)

		NO	YES
a. Cut down the **amount of time** you spent on work or other activities? **EMOCTDW2**		1	2
b. Accomplished less than you would like? **EMOACCO2**		1	2
c. Didn't do work or other activities as **carefully** as usual? **EMOCARE2**		1	2

B16. During the **past 4 weeks**, to what extent has your **physical health or emotional problems** interfered with your normal social activities with family, friends, neighbors, or groups?
(CIRCLE ONE NUMBER)

INTERFR2

1	2	3	4	5
Not at all	Slightly	Moderately	Quite a bit	Extremely

B17. How much bodily pain have you had during the **past 4 weeks**? (CIRCLE ONE NUMBER)

BODYPAI2

1	2	3	4	5	6
None	Very mild	Mild	Moderate	Severe	Very Severe

B18. During the **past 4 weeks**, how much did **pain** interfere with your normal work (including both work outside the home and housework)? (CIRCLE ONE NUMBER)

PAINTRF2

1	2	3	4	5
Not at all	A little bit	Moderately	Quite a bit	Extremely

B19. These next questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling.
(CIRCLE ONE NUMBER ON EACH LINE)

During the **past 4 weeks,** how much time...	All of the time	Most of the time	A good bit of the time	Some of the time	A little of the time	None of the time
a. Did you feel "full of pep"? **PEP2**	1	2	3	4	5	6
b. Did you have a lot of energy? **ENERGY2**	1	2	3	4	5	6
c. Did you feel worn out? **WORNOUT2**	1	2	3	4	5	6
d. Did you feel tired? **TIRED2**	1	2	3	4	5	6

B20. During the **past 4 weeks**, how much of the time has your **physical health or emotional problems** interfered with your social activities (like visiting with friends, relatives, etc.)?
(CIRCLE ONE NUMBER) **SOCIAL2**

1	2	3	4	5
All of the time	Most of the time	Some of the time	A little of the time	None of the time

Physical Activity Questions: Please circle only one number for each question.

C1.   In comparison with other women your age, is your usual level of physical activity:
        (CIRCLE ONE ANSWER)   **PHYSACT2**

                Much less than other women your age 1
                Somewhat less 2
                About the same as other women your age 3
                Somewhat more 4
                Much more than other women your age 5

These next questions are about your physical activity since your last study visit.

C2.   Since your last study visit, did you watch television...(CIRCLE ONE ANSWER)

                                                                WATCHTV2
                Never or less than 1 hour a week.. 1
                At least 1 hour/week but less than 1 hour a day 2
                1-2 hours a day 3
                2-4 hours a day 4
                More than 4 hours a day 5

C3.   Did you walk or bike to and from work, school or errands... (CIRCLE ONE ANSWER)

                                                                WALKBIK2
                Never or less than 5 minutes per day.. 1
                5-15 minutes per day 2
                16-30 minutes per day 3
                31-45 minutes per day 4
                More than 45 minutes per day…………………………………………. 5

C4.   Did you sweat from exertion...(CIRCLE ONE ANSWER)
                                                        SWEATPA2

                Never or less than once a month... 1
                Once a month... 2
                2-3 times a month 3
                Once a week.. 4
                More than once a week 5

C5. Since your last study visit, did you play sports or exercise... (CIRCLE ONE ANSWER)
SPORTS2

Never or less than once a month 1
Once a month 2
2-3 times a month 3
Once a week 4
More than once a week 5

C6. Since your last study visit, is your current level of physical activity doing chores around your home (such as cleaning, laundry, childcare, care of elders, etc., not performed for pay.)
CHORES2

Much greater now 1
Greater now 2
About the same 3
Less now 4
Much less now 5

C7. Since your last study visit, is your current level of physical activity <u>at work performed for pay</u>:
WORKPHY2

Much greater now 1
Greater now 2
About the same 3
Less now 4
Much less now 5
Doesn't Apply .... -1

C8. Since your last study visit, is your current level of physical activity in planned sports (such as volleyball, softball or tennis) and exercise (such as aerobics or jogging):
PLANSPO2

Much greater now 1
Greater now 2
About the same 3
Less now 4
Much less now 5

C9. Since your last study visit, is your current level of other routine physical activity (such as walking, gardening, climbing stairs, etc.):
ROUTINE2

Much greater now 1
Greater now 2
About the same 3
Less now 4
Much less now ....

The following questions are about specific health problems you may have had over the past two weeks.

D1.   Below is a list of common problems which affect us from time to time in our daily lives.
       Thinking back over the <u>past two weeks</u>, please circle the number corresponding to how often you
       experienced any of the following.

How often have you had...	**Not at all**	**1-5 days**	**6-8 days**	**9-13 days**	**Every day**
a. Stiffness or soreness in joints, neck or shoulder? **STIFF2**	1	2	3	4	5
b. Back aches or pains?**ACHES2**	1	2	3	4	5
c. Cold sweats? **COLDSWE2**	1	2	3	4	5
d. Night sweats? **NITESWE2**	1	2	3	4	5
e. Vaginal dryness? **VAGINDR2**	1	2	3	4	5
f. Feeling blue or depressed? **FEELBLU2**	1	2	3	4	5
g. Dizzy spells? **DIZZY2**	1	2	3	4	5
h. Irritability or grouchiness? **IRRITAB2**	1	2	3	4	5
i. Feeling tense or nervous? **NRVOUS2**	1	2	3	4	5
j. Forgetfulness? **FORGET2**	1	2	3	4	5
k. Frequent mood changes? **MOODCHG2**	1	2	3	4	5
l. Heart pounding or racing? **HARTRAC2**	1	2	3	4	5
m. Feeling fearful for no reason? **FEARFULA2**	1	2	3	4	5
n. Headaches? **HDACHE2**	1	2	3	4	5
o. Hot flashes or flushes? **HOTFLAS2**	1	2	3	4	5

D2. These questions (a - d) are about your sleep habits <u>over the past two weeks</u>. Please circle <u>one</u> answer for each of the following questions. Pick the answer that best describes how often you experienced the situation in the <u>past 2 weeks</u>.

	No, not in the past 2 weeks	Yes, less than once a week	Yes, 1 or 2 times a week	Yes, 3 or 4 times per week	Yes, 5 or more times a week
In the past two weeks...					
a. Did you have trouble falling asleep? **TRBLSLE2**	1	2	3	4	5
b. Did you wake up several times a night? **WAKEUP2**	1	2	3	4	5
c. Did you wake up earlier than you had planned to, and were unable to fall asleep again? **WAKEARL2**	1	2	3	4	5

d. Overall, was your typical night's sleep during the <u>past 2 weeks</u>: **TYPNIGH2**

1	2	3	4	5
Very Sound or Restful	Sound or Restful	Average Quality	Restless	Very Restless

A common complaint among women is having to urinate a lot or the involuntary loss of urine.

D3. How often do you <u>usually</u> get up from bed at night to urinate? (CIRCLE ONLY ONE ANSWER)
GETUPUR2
Never 1
Rarely (less than once a week)... 2
Once per week.. 3
A few times per week... 4
Once a night, every night 5
More than once per night ....

D4. Since your last study visit, have you had any urinary tract infections?
UTI2
No 1
Yes... 2

D5.   Since your last study visit, have you ever leaked, even a very small amount, of urine involuntarily?

INVOLEA2

No .... 1 (GO TO D15)
Yes 2
     ↓
     IF YES:
     a. **In the last month**, about how many days have you lost any urine, even a small amount,
         beyond your control? (CIRCLE ONLY ONE ANSWER)

DAYSLEA2

Never 1
Less than one day per week 2
Several days per week... 3
Almost daily/daily... 4

     b. Under what circumstances does it occur?
         (CIRCLE 1 FOR NO OR 2 FOR YES FOR EACH QUESTION)

			NO	YES
1.	Coughing	**COUGHIN2**	1	2
2.	Laughing	**LAUGHIN2**	1	2
3.	Sneezing	**SNEEZIN2**	1	2
4.	Jogging	**JOGGING2**	1	2
5.	Picking up an object from the floor	**PICKUP2**	1	2
6.	When you have an urge to void and		1	2
	can't get to a toilet fast enough.	**URGEVOI2**		
7.	Other	**OTHRLEA2**	1	2
	Specify: _____	**#LEAKSPE2**		

     c. How much urine do you lose when you leak? (CIRCLE ONLY ONE ANSWER.)

AMTLEAK2

A drop or two 1
Enough to change undergarments or wear a liner or pad.. 2
Enough to wet outer clothing 3
Enough to wet the floor... 4

     d. On a scale from 0 to 10, where 0 = Not at all bothered and 10 = Extremely bothered,
         how much does the leakage of urine bother you?   (CIRCLE ONE NUMBER):

LEAKBOT2

0	1	2	3	4	5	6	7	8	9	10
Not at all					Somewhat					Extremely
bothered					bothered					bothered

Dietary and behavioral therapies are often used to treat conditions or to maintain good health. Please tell us about any of these therapies you may have used.

D6.   In the past 12 months, have you used any of the following for any reason?
        (CIRCLE ONLY ONE NUMBER FOR EACH)

		NO	YES
a. Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy?		1	2
NUTRIRE2			
b. Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas?		1	2
HERBREM2			
c. Psychological methods, such as meditation, mental imagery, or relaxation techniques? **PSYCMET2**		1	2
d. Physical methods, such as massage, acupressure, acupuncture, or chiropractic therapy? **PHYSMET2**		1	2
e. Folk medicine or traditional Chinese medicine?		1	2
FOLKMED2			
f. Any others? **OTHRTHE2**		1	2

f. Any others?   **OTHRTHE2**
   IF YES, please specify:

   _____

   _____

   _____

   _____

                           SPECOTH2

E1. These next questions ask about events that we sometimes experience in our lives. **Since your last study visit,** have you experienced any of the following: If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4 . If you have and it was very upsetting and is still upsetting, circle 5. (PLEASE CIRCLE ONE ANSWER FOR EACH QUESTION.)

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very Upsetting and still upsetting
a. Started school, a training program, or new job? **STARTNE2**	1	2	3	4	5
b. Had trouble with a boss or conditions at work got worse? **WORKTRB2**	1	2	3	4	5
c. Quit, fired or laid off from a job? **QUITJOB2**	1	2	3	4	5
d. Took on a greatly increased work load at job? **WORKLOA2**	1	2	3	4	5
e. Husband/partner became unemployed? **PRTUNEM2**	1	2	3	4	5
f. Major money problems? **MONEYPR2**	1	2	3	4	5
g. Relations with husband/partner changed for the worse but without separation or divorce? **WORSREL2**	1	2	3	4	5
h. Were separated or divorced or a long-term relationship ended? **RELATEN2**	1	2	3	4	5
i. Had a serious problem with child or family member (other than husband/partner) or with a close friend? **SERIPRO2**	1	2	3	4	5
j. A child moved out of the house or left the area? **CHILDMO2**	1	2	3	4	5
k. Took on responsibility for the care of another child, grandchild, parent, other family member or friend? **RESPCAR2**	1	2	3	4	5
l. Family member had legal problems or a problem with police? **LEGALPR2**	1	2	3	4	5

	NO	YES Not at all upsetting	YES Somewhat upsetting	YES Very upsetting	YES Very Upsetting and still upsetting
m. A close relative (husband/partner, child or parent) died. . .					
1. husband/partner? **HUSBDIE2**	1	2	3	4	5
2. child? **CHLDDIE2**	1	2	3	4	5
3. parent? **PRNTDIE2**	1	2	3	4	5
n. A close friend or family member <u>other than</u> a husband/partner, child or parent died? **CLOSDIE2**	1	2	3	4	5
o. Major accident, assault, disaster, robbery or other violent event happened to yourself? **SELFVIO2**	1	2	3	4	5
p. Major accident, assault, disaster, robbery or other violent event happened to a family member? **FAMLVIO2**	1	2	3	4	5
q. Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend? **PHYSILL2**	1	2	3	4	5
r. Other major event not included above? **MAJEVEN2**	1	2	3	4	5
Specify: _____					

SECTIONS F & G DELETED FROM QUESTIONNAIRE

These next questions concern different aspects (or roles) of your life and how you feel about them.

H1.   Are you currently employed for pay?

EMPLYPA2

No 1   (GO TO H2)
Yes.. 2

    a.   How rewarding is your job? (CIRCLE ONE NUMBER)

REWRDJO2

Not at all 1
A little.. 2
Somewhat 3
Quite a bit 4
Extremely 5

    b.   How stressful is your job? (CIRCLE ONE NUMBER)

STRSSJO2

Not at all 1
A little.. 2
Somewhat 3
Quite a bit 4
Extremely 5

H2.   Are you currently caring for an older or disabled family member?

CRNTCAR2

No 1   (GO TO H3)
Yes.. 2

    a.   How rewarding is your role as caregiver? (CIRCLE ONE NUMBER)

RWRDCAR2

Not at all 1
A little.. 2
Somewhat 3
Quite a bit 4
Extremely 5

    b.   How stressful is your role as caregiver? (CIRCLE ONE NUMBER)

STRSCAR2

Not at all 1
A little.. 2
Somewhat 3
Quite a bit 4
Extremely 5

H3.   Are you currently married or in a committed relationship?

CRNTMAR2

No 1   (GO TO H4)

Yes 2

a.   How rewarding is this relationship? (CIRCLE ONE NUMBER)

RWRDREL2

Not at all 1

A little.. 2

Somewhat 3

Quite a bit 4

Extremely 5

b.   How stressful is this relationship? (CIRCLE ONE NUMBER)

STRSREL2

Not at all 1

A little.. 2

Somewhat 3

Quite a bit 4

Extremely 5

H4.   Do you have any children or stepchildren?

CHILDRE2

No 1   (GO TO I1)

Yes 2

a.   How rewarding is your role as a mother? (CIRCLE ONE NUMBER)

REWRDMO2

Not at all 1

A little.. 2

Somewhat 3

Quite a bit 4

Extremely 5

b.   How stressful is your role as a mother? (CIRCLE ONE NUMBER)

STRSSMO2

Not at all 1

A little.. 2

Somewhat 3

Quite a bit 4

Extremely 5

We would like to ask you for some important information that will help us to understand your answers better. Please remember that all of your answers will of course remain confidential.

I1.   What is your total family income (before taxes) from all sources within your household in the last year? (Circle the answer that is your <u>best</u> guess.)

INCOME2$

LESS THAN $19,999	1
$20,000 TO $49,999	2
$50,000 TO $99,999	3
$100,000 OR MORE	4
REFUSED	-7
DON'T KNOW	-8

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is TRUE OF YOU in general.

J1.   Please circle the number that corresponds to your answer for each statement below:

(CIRCLE ONLY ONE ANSWER FOR EACH QUESTION)

	Not at all True	A little bit true	Moderately true	Quite a bit true	Extremely true
a. I am often aware of various things happening within my body.	1	2	3	4	5
AWAREBO2					
b. Sudden loud noises really bother me.	1	2	3	4	5
NOISES2					
c. I hate to be too hot or too cold. **HOTCOLD2**	1	2	3	4	5
d. I am quick to sense the hunger contractions in my stomach. **HUNGER2**	1	2	3	4	5
e. I can't stand pain. **STNDPAI2**	1	2	3	4	5

SECTION K DELETED FROM QUESTIONNAIRE

$ I.1 Income categories have been condensed from the original questionnaire

Variable Excluded from Public Use Data File

The following section will ask you about personal feelings. These questions are important, as our feelings may directly affect our health or influence how we respond to health issues.

L1. In your day-to-day life have you had the following experiences: (CIRCLE ONE ANSWER FOR EACH)

		Often	Sometimes	Rarely	Never
a.	You are treated with less courtesy than other people. **COURTES2**	1	2	3	4
b.	You are treated with less respect than other people. **RESPECT2**	1	2	3	4
c.	You receive poorer service than other people at restaurants or stores. **POORSER2**	1	2	3	4
d.	People act as if they think you are not smart. **NOTSMAR2**	1	2	3	4
e.	People act as if they are afraid of you. **AFRAIDO2**	1	2	3	4
f.	People act as if they think you are dishonest. **DISHONS2**	1	2	3	4
g.	People act as if they're better than you are. **BETTER2**	1	2	3	4
h.	You or your family members are called names or insulted. **INSULTE2**	1	2	3	4
i.	You are threatened or harassed. **HARASSE2**	1	2	3	4
j.	People ignore you or act as if you are not there. **IGNORED2**	1	2	3	4

IF YOU ANSWERED "OFTEN" OR "SOMETIMES", TO ONE OR MORE STATEMENTS IN L1, PLEASE ANSWER QUESTION L2.

L2. Were any of the following reasons why you "sometimes" or "often" had these experiences? (CIRCLE ONE ANSWER FOR EACH.)

		NO	YES
a. Race	**BCRACE2**	1	2
b. Ethnicity	**BCETHN2**	1	2
c. Gender	**BCGENDR2**	1	2
d. Age	**BCAGE2**	1	2
e. Income Level	**BCINCML2**	1	2
f. Language	**BCLANG2**	1	2
g. Body Weight	**BCWGHT2**	1	2
h. Physical Appearance (other than body weight) **BCPHAPP2**		1	2
i. Sexual Orientation	**BCORIEN2**	1	2
j. Other	**OTHEREX2**	1	2
Specify: _____	**#OTHRSPE2**		

Thank you for your time. This ends <u>this</u> questionnaire.
Please give it to the study personnel.

 # Variable Excluded from Public Use Data File

SECTION A.   GENERAL INFORMATION

AFFIX ID LABEL HERE

A1.   RESPONDENT ID: **SWANID**

A2.   SWAN STUDY VISIT #   _____ _____   **#VISIT**

A3.   FORM VERSION: 0 2 / 0 1 / 1 9 9 7   **#FORM_V**

                               M   M   D   D   Y   Y   Y   Y

A4.   DATE FORM COMPLETED: ___ ___ / ___ ___ / ___ ___ ___ ___   **SABDAY2**†

                                   M   M   D   D   Y   Y   Y   Y

A5.   INTERVIEWER'S INITIALS: ___ ___ ___   **#INITS**

A6.   RESPONDENT'S DOB: ___ ___ / ___ ___ / ___ ___   **#DOB**

                           M   M   D   D   Y   Y

VERIFY WITH RESPONDENT

A7.   COMPLETED IN: **#LOCATIO2**

     RESPONDENT'S HOME 1
     CLINIC/OFFICE 2
     RESPONDENT'S HOME W/ PROXY 3
     CLINIC/ OFFICE W/ PROXY 4

A8.   INTERVIEW LANGUAGE: **LANGSAB2**

     ENGLISH 1
     SPANISH 2
     CANTONESE... 3
     JAPANESE 4

A9.   INTERVIEWER-ADMINISTERED? **#ADMIN2**

     NO.. 1
     YES 2

† This date is given in days since the initial baseline interview, which is day zero.

 # Variable Excluded from Public Use Data File

This questionnaire covers material that is sensitive and personal. For some women, sexual activity is an important part of their lives, but for others, it is not. Everyone has different ideas on this subject. To help us understand how these matters affect women's lives and health, we would like you to answer the following questions from your own personal viewpoint. There are no right or wrong answers. Remember, confidentiality is assured. While we hope you are willing to answer all of the questions, if there are questions you would prefer not to answer, you are free to skip them. Please find the most appropriate response to each question, and circle the number for the answer you choose.

B1. How important is sex in your life? (CIRCLE ONE NUMBER)   **IMPORSE2**

1	2	3	4	5
Extremely Important	Quite Important	Moderately Important	Not Very Important	Not At All Important

B2. During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner? (CIRCLE ONE NUMBER)   **DESIRSE2**

1	2	3	4	5
Not At All	Once or Twice/Month	About Once/Week	More Than Once/Week	Daily

B3. During the past 6 months, have you engaged in sexual activities with a partner? (CIRCLE ONE NUMBER)   **ENGAGSE2**

No.. 1   (GO TO B3.a)
Yes 2   (GO TO B4)

B3.a People do not engage in sexual activities with partners for many reasons. Please circle 1 (NO) or 2 (YES) for each reason listed below. Please answer all four questions.

I have not had sex in the last 6 months because:

	NO	YES
1) I do not have a partner at this time. **NOPARTN2**	1	2
2) My partner has a physical problem that interferes with sex. **PARTPRO2**	1	2
3) I have a physical problem that interferes with sex. **PHYSPRO2**	1	2
4) Other: Please Specify_____ **NOSEXOT2** _____ **#NOSEXSP2**	1	2

PLEASE TURN TO PAGE 5, AND ANSWER QUESTION B10.

B4. In the past 6 months, how physically pleasurable was your relationship with your partner:

1	2	3	4	5
Extremely Pleasurable	Very Pleasurable	Moderately Pleasurable **PHYSPLE2**	Slightly Pleasurable	Not At All Pleasurable

B5. In the past 6 months, how emotionally satisfying was your relationship with your partner?

1	2	3	4	5
Extremely Satisfying	Very Satisfying	Moderately Satisfying	Slightly Satisfying	Not At All Satisfying

SATISFY2

B6. During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? (CIRCLE ONE ANSWER FOR EACH QUESTION. IF AN ACTIVITY DOES NOT APPLY TO YOU, CIRCLE 1 [NOT AT ALL].)

	Not At All	Once or Twice/Month	About Once/Week	More Than Once/Week	Daily
a) Kissing or hugging? **KISSING2**	1	2	3	4	5
b) Sexual touching or caressing? **TOUCHIN2**	1	2	3	4	5
c) Oral sex? **ORALSEX2**	1	2	3	4	5
d) Sexual intercourse? **INTCOUR2**	1	2	3	4	5

B7. During the last 6 months, how often did you feel aroused during sexual activity? **AROUSED2**

1	2	3	4	5
Always	Almost Always	Sometimes	Almost Never	Never

B8. During the past 6 months, have you felt vaginal or pelvic pain during intercourse? **PELVIC2**

1	2	3	4	5	6
Always	Almost Always	Sometimes	Almost Never	Never	No intercourse in last 6 months

B9.   During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable?   **LUBRICN2**

1	2	3	4	5	6
Always	Almost Always	Sometimes	Almost Never	Never	No intercourse in last 6 months

B10.   On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

1	2	3	4	5	6
Not at all	Less than once a Month	Once or Twice a Month	About once a week	More than once a week	Daily

MASTURB2

Thank you for helping us with this important research study.

Please place the completed questionnaire in the envelope provided, seal it, and give it to the study personnel.

Again, thank you for your help.

Study of Women's Health Across the Nation

SELF-ADMINISTERED QUESTIONNAIRE PART C

ANNUAL FOLLOW-UP

SECTION A.   GENERAL INFORMATION

A1.   RESPONDENT ID:

AFFIX ID LABEL HERE

SWANID

A2.   SWAN STUDY VISIT #   _____ _____   **#VISIT**

A3.   FORM VERSION: 02/01/1998   **#FORM_V**

A4.   DATE FORM COMPLETED: __ __ / __ __ / __ __ __ __   **SACDAY2**[†]
                            M M   D D   Y Y Y Y

A5.   INTERVIEWER'S INITIALS: ___ ___ ___   **#INITS**

A6.   RESPONDENT'S DOB: __ __ / __ __ / __ __   **#DOB**
                               M M   D D   Y Y
                        VERIFY WITH RESPONDENT

A7.   COMPLETED IN: **#LOCATIO2**

        RESPONDENT'S HOME 1
        CLINIC / OFFICE 2
        RESPONDENT'S HOME W/ PROXY 3
        CLINIC/OFFICE W/ PROXY 4

A8.   INTERVIEW LANGUAGE: **LANGSAC2**

        ENGLISH.. 1
        SPANISH.. 2
        CANTONESE 3
        JAPANESE 4

A9.   INTERVIEWER-ADMINISTERED?   **#ADMIN2**

        NO 1
        YES 2

[†] This date is given in days since the initial baseline interview, which is day zero.
Variable Excluded from Public Use Data File

We are interested in learning more about your health, health care decisions and practices. Once again, all your responses will be kept strictly confidential. It is very important that you answer each question the best you can. Please find the most appropriate response to each question, and circle the number for the answer you choose.

B1. Do you have a health care provider from whom you **primarily** get your care for women's health conditions?   **PROVIDE2**

No 1   **(GO TO C1)**
Yes.. 2   **(GO TO B2)**

B2. What is the name of this health care provider? _____ _____
                               (FIRST) **#PROVNAM2**   (LAST) **#PROVLAS2**

B3. What is the name and location of the institution where he/she practices?
                               #INSTITU2   **#CITYTOW2**

                               _____ _____
                               (INSTITUTION NAME)   (CITY/TOWN)

    B3.a. What type of practice is this?   **TYPEPRA2**

    Hospital 1
    Office.. 2
    Clinic 3
    Other 4
        Specify:_____   **#SPECIF12**

B4. Which of the following best describes this provider's specialty.
    (PLEASE CIRCLE ONE RESPONSE)   **SPECIAL2**

    A family practitioner 1
    An internist 2
    A gynecologist... 3
    A nurse practitioner or physician assistant.................... 4
    A naturopath (one who uses natural (non-medicinal) therapy)............................ 5
    Other 6
        Specify:_____   **SPECIFY2**
    No specialty 7
    Don't know ....-8

B5. Since your last study visit, about how many times did you see or talk to **this** health care provider regarding your own health?

                   _____ _____#Times   **VISIPRO2**

B6. Please indicate what role you prefer that this health care provider take in deciding about your health:
    (PLEASE CIRCLE ONLY ONE NUMBER)   **ROLE2**

                   1   2   3   4   5   6   7
                   _____
    My provider's role is to   My provider's role is to
    provide information and   evaluate my situation and
    let me make my own decision   make the best decision for me

B7. Here are some statements that describe ways health care providers sometimes interact with their patients. Using the scale provided, indicate how often each statement is true for you and your health care provider for women's health conditions (the provider you listed above). If a statement describes something that has never come up for you, respond according to how you think your provider would most likely respond.

		Almost Always	Often	Neutral	Seldom	Almost Never
a.	My heath care provider encourages me to make my own decisions regarding treatment plans. **ENCOURA2**	5	4	3	2	1
b.	When my health care provider recommends treatment plans he/she also discusses alternatives. **DISCUSS2**	5	4	3	2	1
c.	If I refuse treatment, my health care provider respects my decision. **REFUSAL2**	5	4	3	2	1
d.	My health care provider encourages me to participate in decisions about my health care. **PARTICI2**	5	4	3	2	1
e.	My health care provider seriously considers any alternative treatments that I suggest. **ALTERNA2**	5	4	3	2	1
f.	If I tell my health care provider my treatment plan is too difficult or too much trouble, he/she changes it.**CHANGES2**	5	4	3	2	1
g.	My health care provider encourages me to trust my own judgment about my health care. **JUDGEMN2**	5	4	3	2	1

 # Variable Excluded from Public Use Data File

B8. In the past year, have you talked to any health care providers or other professionals for problems with emotions, "nerves", or mental health? **EMOTION2**

```
NO ....................................................................................... 1  (GO TO C1)
YES...................................................................................... 2  (GO TO B9)
```

B9. In the past year, have you seen or talked with any of the following health care providers or other professionals for treatment of emotional problems?

	NO	YES	B9.1 **IF YES**: How many times have you seen or talked to **this** kind of provider or professional in the past year?
a. Primary care provider / family physician (not an OB/GYN physician) **PRIMARY2**	1	2	____ ____ ____ times **PRIMAR12**
b. OB/GYN (Obstetrician/gynecologist) physician **OBSTETR2**	1	2	____ ____ ____ times **OBSTET12**
c. Nurse practitioner / registered nurse or physician assistant **PRACTIT2**	1	2	____ ____ ____ times **PRACTI12**
d. Psychiatrist **PSYCHIA2**	1	2	____ ____ ____ times **PSYCHI12**
e. Psychologist, social worker or counselor **PSYCHOL2**	1	2	____ ____ ____ times **PSYCHO12**
f. Other **OTHER2** Specify: _____ **OTHER_S2** _____	1 1	2 2	**OTHER12** ____ ____ ____ times ____ ____ ____ times

C1.   Since your last study visit, have you had any of the following conditions?

	NO	YES	C1.1. **IF YES,** has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?	
			NO	YES
a. endometriosis (abnormal growths in lining of uterus) **ENDO2**	1	2	1 **ENDODIF2**	2
b. pelvic pain (pain in the lowest part of the abdomen) **PELVICP2**	1	2	1 **DIFFPEL2**	2
c. pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina) **PROLAPS2**	1	2	1 **DIFFPRO2**	2
d. pelvic cancer (cancer of the vulva, cervix, uterus,or ovaries) **PCANCER2**	1	2	1 **DIFFCAN2**	2
e. abnormal bleeding (bleeding from the vagina that is different from usual: irregular, heavy, or long in duration) **ABBLEED2**	1	2	1 **DIFFBLE2**	2

SECTION A. GENERAL INFORMATION

A1. RESPONDENT ID:

AFFIX ID LABEL HERE

SWANID

A2. SWAN STUDY VISIT #   ___ ___   **#VISIT**

A3. READING: PRIMARY DATA COLLECTION...............1

QC DATA COLLECTION.........................2

#FORM_V

A4. FORM VERSION: <u> 0 </u> <u> 2 </u> / <u> 0 </u> <u> 1 </u> / <u> 1 </u> <u> 9 </u> <u> 9 </u> <u> 7 </u>
                          M   M   D   D   Y   Y   Y   Y

PHYDAY2[†]

A5. DATE FORM COMPLETED: ____ ____ / ____ ____ / ____ ____ ____ ____
                              M   M   D   D   Y   Y   Y   Y

A6. RESPONDENT'S DOB: ____ ____ / ____ ____ / ____ ____   **#DOB**
                           M   M   D   D   Y   Y

VERIFY WITH RESPONDENT

A7. MEASUREMENTS COMPLETED IN: **#LOCATIO2**

RESPONDENT'S HOME.....................1

CLINIC/OFFICE..................................2

A8. TECHNICIAN'S INITIALS

   a.   BLOOD PRESSURE   ____ ____ ____   **#INITSA2**
   b.   HEIGHT/WEIGHT   ____ ____ ____   **#INITSB2**
   c.   WAIST/HIP   ____ ____ ____   **#INITSC2**

[†] This date is given in days since the initial baseline interview, which is day zero.

 # Variable Excluded from Public Use Data File

Section B. Measurements

B.1.   ARM LENGTH   ☐☐ . ☐ cm   **#ARMLNGT2**

B.2.   ARM CIRCUMFERENCE   ☐☐ . ☐ cm   **#ARMCIRC2**

B.3.   CUFF SIZE USED (Circle one.)   1. Pediatric   3. Large Adult
     #CUFFSIZ2   2. Adult   4. Thigh

Wait 5 minutes before measurements. Respondent is to sit quietly for 5 minutes with feet flat on the floor (legs uncrossed) and is to refrain from talking during the measurements.

WAIT 2 MINUTES BETWEEN EACH BLOOD PRESSURE READING.

B.4.   PULSE   ☐☐ beats/30 sec   **PULSE2**

B.5.   BLOOD PRESSURE **#1** (SYS./DIA. 5th Phase)   ☐☐☐ / ☐☐☐   mmHg
    SYSBP12 / DIABP12

B.6.   BLOOD PRESSURE **#2** (SYS./DIA. 5th Phase)   ☐☐☐ / ☐☐☐   mmHg
    SYSBP22 / DIABP22

Ask the respondent to remove her shoes before measuring height and weight.

B.7.   HEIGHT   **HEIGHT2**   ☐☐☐ . ☐☐ cm

B.7.1. Measurement Method   **HTMETHO2**   1. Stadiometer   2. Portable

B.8.   WEIGHT   **WEIGHT2**   ☐☐☐ . ☐ kg

B.8.1. Scales   **SCALE2**   1. Balance Beam   2. Clinic Digital
             3. Portable

B.9.   WAIST CIRCUMFERENCE   **WAIST2**   ☐☐☐ . ☐ cm

  B.9.1.   Measurement taken in: **WASTMEA2** 1. Undergarments   2. Light clothing

B.10. HIP CIRCUMFERENCE   **HIP2**   ☐☐☐ . ☐ cm

  B.10.1.   Measurement taken in: **HIPMEAS2** 1. Undergarments   2. Light clothing

B.11. **Please note if there were any unusual circumstances or deviations from the protocol.**

        #DEVIATE2

_____

_____

ADDITIONAL MEASURES COLLECTED

The following measures that were collected at baseline have been included in the codebook:

SERUM HORMONE MEASURES

1. *Variables for assays*

Variable	*Assay*	*Units*
DHAS2	Dehydroepiandrosterone sulfate	ug/dL
E2AVE2*	Estradiol (see important note below)	pg/mL
FSH2	Follicle-stimulating hormone	mIU/mL
SHBG2	Sex hormone-binding globulin	nM
T2	Testosterone	ng/dL

* IMPORTANT NOTE: There were originally two estradiol result variables because estradiol was run in duplicate. E2AVE2 is the within-person arithmetic average of the two estradiol variables.

2. *Flags and other variables*

Variable	*Meaning*	*Codes*
CYCDAY2	Day of cycle	n/a
FLGCV2	Both Estradiol results are > 20 pg/mL and the within-subject coefficient of variation (CV) is > 15%.	0=no, 1=yes
FLGDIF2	One or both Estradiol results $\leq$ 20 pg/mL and the difference between them is > 10 pg/mL. Note: Differences were found between some of the Estradiol duplicate measurements. The following guidelines were decided upon: 1. If both E2 values>20 pg/ml, CV must be $\leq$15%. 2. If one or both E2$\leq$20 pg/ml, the two E2 results must agree within 10 pg/ml. ***DATA WITH THESE FLAGS SHOULD BE OMITTED FROM DATA ANALYSES, OR USED WITH CAUTION IF INCLUDED IN ANALYSES.***	

*1=yes means flagged

3. *Changes to the data:*

- <u>Lower limit of detection</u> (LLD). Hormone results below the LLD were recoded to a value of '.L'.

- LLDs changed over time. The following LLDs were provided by the lab:

Hormone	Time Window on hormone measurement corresponding to LLD	Lower Limit of Detection
DHEAS	~ Sep. 15, 1997	<1.52 ug/dL (Initial value)
	Sep. 16, 1997 ~ Jan. 14, 1999	<0.304 ug/dL
	Jan. 15, 1999 ~	<1.5 ug/dL
E2	~ Aug. 11, 1999	<1.0 pg/mL (Initial value)
	Aug. 12, 1999 ~ Feb. 20, 2000	<1.0 pg/mL
	Feb. 21, 2000 ~ Aug. 27, 2001	<2.0 pg/mL
	Aug. 28, 2001 ~ May 03, 2009	<4.0 pg/mL
FSH	~ Aug. 05, 1999	<1.05 mIU/mL (Initial value)
	Aug. 06, 1999 ~ Nov. 10, 1999	<1.0 mIU/mL
	Nov. 11, 1999 ~ Jul. 19, 2000	<0.7 mIU/mL
	Jul. 20, 2000 ~ Oct. 29, 2002	<0.6 mIU/mL
SHBG	~ Sep. 15, 1997	<1.95 nM (Initial value)
	Sep. 16, 1997 ~ Aug. 05, 1999	<1.95 nM
	Aug. 06, 1999 ~ Oct. 31, 1999	<1.9 nM
	Nov. 01, 1999 ~ Mar. 22, 2006	<2.0 nM
T	~ Jun. 04, 1998	<2.19 ng/dL (Initial value)
	Jun. 05, 1998 ~ Jun. 17, 1999	<2.2 ng/dL
	Jun. 18, 1999 ~	<2.0 ng/dL

BONE MINERAL DENSITY MEASURES

Five of the seven clinical sites did DXA bone scans on the spine and hip. The total bone mineral density scores had to be calibrated in order to apply machine change calibration correction factors.

Variable	Meaning	Codes
SPSCDAY2	Spine Scan Day	
SPSCTIM2	Spine Scan Time	
SPSCMOD2	Spine Scan Mode	5 = 2000 machine 11=4500 machine
HPSCDAY2	Hip Scan Day	
HPSCTIM2	Hip Scan Time	
HPSCMOD2	Hip Scan Mode	5 = 2000 machine 11=4500 machine
SPBMDT2	Total Spine BMD w/cross-calibration applied	
HPBMDT2	Total Hip BMD w/cross-calibration applied	
BMDFLG2	PI recommended for spine exclusion	0=no 1=yes

ICPSR 29401

Study of Womens Health Across the Nation (SWAN), 1998-2000: Visit 02 Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Study of Womens Health Across the Nation (SWAN), 1998-2000: Visit 02 Dataset

SWANID	SWANID
Location:	1-5 (width: 5; decimal: 0)
Variable Type:	numeric

VISIT	Study Visit
Location:	6-7 (width: 2; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	23	0.8 %
02	2725	99.2 %

INTDAY2	Interview Day
Location:	8-11 (width: 4; decimal: 0)
Variable Type:	numeric

AGE2	Visit 2 Age
Location:	12-13 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%
43	6	0.2 %
44	278	10.1 %
45	324	11.8 %
46	343	12.5 %
47	322	11.7 %
48	328	11.9 %
49	326	11.9 %
50	263	9.6 %
51	225	8.2 %
52	149	5.4 %
53	98	3.6 %
54	58	2.1 %
55	5	0.2 %
. (M)	23	0.8 %

LANGINT2	Language of Interview
Location:	14-14 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	English	2400	87.3 %

Value	Label	Unweighted Frequency	%
2	Spanish	133	4.8 %
3	Cantonese	84	3.1 %
4	Japanese	108	3.9 %
. (M)	-	23	0.8 %

PREGNAN2 — Currently Pregnant

Location:	15-16 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	6	0.2 %
1	No	2483	90.4 %
2	Yes	3	0.1 %
. (M)	-	256	9.3 %

PREVBLO2 — Blood Drawn Previously

Location:	17-17 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	872	31.7 %
2	Yes	5	0.2 %
. (M)	-	1871	68.1 %

EATDRIN2 — Eat/Drink in last 12 hrs

Location:	18-18 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	2385	86.8 %
2	Yes	101	3.7 %
. (M)	-	262	9.5 %

STRTPER2 — Start Period in Last Week

Location:	19-19 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	905	32.9 %
2	Yes	1581	57.5 %
. (M)	-	262	9.5 %

DAYBLE2	Day that you started to bleed
Location:	20-22 (width: 3; decimal: 0)
Variable Type:	numeric

BLDRWAT2	Blood Draw Attempted
Location:	23-23 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Yes, as per protocol	1810	65.9 %
2	Yes, menses too variable	278	10.1 %
3	Yes, Last attempt	397	14.4 %
5	No, Not fasting and/or not in window	1	0.0 %
. (M)	-	262	9.5 %

BLDDRAW2	Blood Drawn
Location:	24-24 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	2480	90.2 %
. (M)	-	262	9.5 %

SPEDAY2	Blood Specimen Day
Location:	25-28 (width: 4; decimal: 0)
Variable Type:	numeric

ANTICO12	Anticoagulant #1
Location:	29-29 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	2686	97.7 %
2	Yes	39	1.4 %
. (M)	-	23	0.8 %

ACOATW12	Anticoagulant #1 taken 2x/wk for last mo
Location:	30-30 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	10	0.4 %
2	Yes	29	1.1 %
. (M)	-	2709	98.6 %

ANTICO22	Anticoagulant #2

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	36	1.3 %
2	Yes	3	0.1 %
. (M)	-	2709	98.6 %

ACOATW22	Anticoagulant #2 taken 2x/wk for last mo

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	1	0.0 %
. (M)	-	2745	99.9 %

HEART12	Heart med #1

Location: 33-33 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2652	96.5 %
2	Yes	73	2.7 %
. (M)	-	23	0.8 %

HARTTW12	Heart med #1 taken 2x/wk for last mo

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	20	0.7 %
2	Yes	53	1.9 %
. (M)	-	2675	97.3 %

HEART22	Heart med #2

Location: 35-35 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	55	2.0 %
2	Yes	18	0.7 %

Value	Label	Unweighted Frequency	%
. (M)	-	2675	97.3 %

HARTTW22 — Heart med #2 taken 2x/wk for last mo

Location:	36-36 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	15	0.5 %
. (M)	-	2730	99.3 %

CHOLST12 — Cholesterol med #1

Location:	37-37 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	2655	96.6 %
2	Yes	70	2.5 %
. (M)	-	23	0.8 %

CHOLTW12 — Cholesterol med #1 taken 2x/wk for last mo

Location:	38-38 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	15	0.5 %
2	Yes	55	2.0 %
. (M)	-	2678	97.5 %

CHOLST22 — Cholesterol med #2

Location:	39-39 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	64	2.3 %
2	Yes	6	0.2 %
. (M)	-	2678	97.5 %

CHOLTW22 — Cholesterol med #2 taken 2x/wk for last mo

Location:	40-40 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	4	0.1 %
2	Yes	2	0.1 %
. (M)	-	2742	99.8 %

BP12	**Blood pressure med #1**		

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2303	83.8 %
2	Yes	422	15.4 %
. (M)	-	23	0.8 %

BPTW12	**Blood pressure med #1 taken 2x/wk last mo**		

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	33	1.2 %
2	Yes	389	14.2 %
. (M)	-	2326	84.6 %

BP22	**Blood pressure med #2**		

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	302	11.0 %
2	Yes	119	4.3 %
. (M)	-	2327	84.7 %

BPTW22	**Blood pressure med #2 taken 2x/wk last mo**		

Location: 44-44 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	12	0.4 %
2	Yes	107	3.9 %
. (M)	-	2629	95.7 %

DIURET12	**Diuretic #1**		

Location: 45-45 (width: 1; decimal: 0)

Variable Type:	numeric		

Value	*Label*	*Unweighted Frequency*	*%*
1	No	2570	93.5 %
2	Yes	155	5.6 %
. (M)	-	23	0.8 %

DIURTW12	**Diuretic #1 taken 2x/wk for last mo**		
Location:	46-46 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	*Label*	*Unweighted Frequency*	*%*
1	No	55	2.0 %
2	Yes	100	3.6 %
. (M)	-	2593	94.4 %

DIURET22	**Diuretic #2**		
Location:	47-47 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	*Label*	*Unweighted Frequency*	*%*
1	No	149	5.4 %
2	Yes	6	0.2 %
. (M)	-	2593	94.4 %

DIURTW22	**Diuretic #2 taken 2x/wk for last mo**		
Location:	48-48 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	*Label*	*Unweighted Frequency*	*%*
1	No	3	0.1 %
2	Yes	3	0.1 %
. (M)	-	2742	99.8 %

THYROI12	**Thyroid med #1**		
Location:	49-49 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	*Label*	*Unweighted Frequency*	*%*
1	No	2517	91.6 %
2	Yes	208	7.6 %
. (M)	-	23	0.8 %

THYRTW12	**Thyroid med #1 taken 2x/wk for last mo**		

Location:	50-50 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	7	0.3 %
2	Yes	201	7.3 %
. (M)	-	2540	92.4 %

THYROI22	Thyroid med #2

Location:	51-51 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	201	7.3 %
2	Yes	7	0.3 %
. (M)	-	2540	92.4 %

THYRTW22	Thyroid med #2 taken 2x/wk for last mo

Location:	52-52 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	5	0.2 %
. (M)	-	2741	99.7 %

INSULN12	Insulin med #1

Location:	53-53 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	2618	95.3 %
2	Yes	107	3.9 %
. (M)	-	23	0.8 %

INSUTW12	Insulin med #1 taken 2x/wk for last mo

Location:	54-54 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	7	0.3 %
2	Yes	99	3.6 %
. (M)	-	2642	96.1 %

INSULN22	Insulin med #2		

Location: 55-55 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	62	2.3 %
2	Yes	45	1.6 %
. (M)	-	2641	96.1 %

INSUTW22	Insulin med #2 taken 2x/wk for last mo		

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	43	1.6 %
. (M)	-	2703	98.4 %

NERVS12	Nervous cond med #1		

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2364	86.0 %
2	Yes	361	13.1 %
. (M)	-	23	0.8 %

NERVTW12	Nervous cond med #1 taken 2x/wk last mo		

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	122	4.4 %
2	Yes	239	8.7 %
. (M)	-	2387	86.9 %

NERVS22	Nervous cond med #2		

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	250	9.1 %
2	Yes	111	4.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	2387	86.9 %

NERVTW22 — Nervous cond med #2 taken 2x/wk last mo

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	36	1.3 %
2	Yes	75	2.7 %
. (M)	-	2637	96.0 %

STEROI12 — Steroid #1

Location: 61-61 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2553	92.9 %
2	Yes	172	6.3 %
. (M)	-	23	0.8 %

STERTW12 — Steroid #1 taken 2x/wk for last mo

Location: 62-62 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	126	4.6 %
2	Yes	46	1.7 %
. (M)	-	2576	93.7 %

STEROI22 — Steroid #2

Location: 63-63 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	143	5.2 %
2	Yes	29	1.1 %
. (M)	-	2576	93.7 %

STERTW22 — Steroid #2 taken 2x/wk for last mo

Location: 64-64 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	13	0.5 %
2	Yes	16	0.6 %
. (M)	-	2719	98.9 %

| **FERTIL12** | **Fertility med #1** | | |

Location: 65-65 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2721	99.0 %
2	Yes	4	0.1 %
. (M)	-	23	0.8 %

| **FRTLTW12** | **Fertility med #1 taken 2x/wk last mo** | | |

Location: 66-66 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	2	0.1 %
. (M)	-	2744	99.9 %

| **FERTIL22** | **Fertility med #2** | | |

Location: 67-67 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	2	0.1 %
. (M)	-	2744	99.9 %

| **FRTLTW22** | **Fertility med #2 taken 2x/wk last mo** | | |

Location: 68-68 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
. (M)	-	2746	99.9 %

| **BCP12** | **Birth Control Pill #1** | | |

Location: 69-69 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2657	96.7 %
2	Yes	68	2.5 %
. (M)	-	23	0.8 %

BCPTWI12 — Birth Control Pill #1 taken 2x/wk last mo

Location: 70-70 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	31	1.1 %
2	Yes	37	1.3 %
. (M)	-	2680	97.5 %

BCP22 — Birth Control Pill #2

Location: 71-71 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	66	2.4 %
2	Yes	2	0.1 %
. (M)	-	2680	97.5 %

BCPTWI22 — Birth control pills #2 taken 2x/wk last mo

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	Yes	2	0.1 %
. (M)	-	2746	99.9 %

ESTROG12 — Estrogen pills #1

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2575	93.7 %
2	Yes	149	5.4 %
. (M)	-	24	0.9 %

ESTRTW12 — Estrogen pills #1 taken 2x/wk for last mo

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	34	1.2 %
2	Yes	115	4.2 %
. (M)	-	2599	94.6 %

| **ESTROG22** | | **Estrogen pills #2** | |

Location:	75-75 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	139	5.1 %
2	Yes	10	0.4 %
. (M)	-	2599	94.6 %

| **ESTRTW22** | | **Estrogen pills #2 taken 2x/wk for last mo** | |

Location:	76-76 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	8	0.3 %
. (M)	-	2738	99.6 %

| **ESTRDA12** | | **Estr #1 rx daily or off & on** | |

Location:	77-78 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	2	0.1 %
1	Every Day	118	4.3 %
2	Off and On	25	0.9 %
. (M)	-	2603	94.7 %

| **ESTRDA22** | | **Estr #2 rx daily or off & on** | |

Location:	79-79 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Every Day	6	0.2 %
2	Off and On	4	0.1 %
. (M)	-	2738	99.6 %

| **ESTRNJ12** | | **Estrogen inj/patch #1** | |

Location:	80-80 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	2705	98.4 %
2	Yes	20	0.7 %
. (M)	-	23	0.8 %

EINJTW12 — Estrogen inj/patch #1 taken 2x/wk last mo

Location:	81-82 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	1	0.0 %
1	No	5	0.2 %
2	Yes	15	0.5 %
. (M)	-	2727	99.2 %

ESTRNJ22 — Estrogen inj/patch #2

Location:	83-83 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	20	0.7 %
2	Yes	1	0.0 %
. (M)	-	2727	99.2 %

EINJTW22 — Estrogen inj/patch #2 taken 2x/wk last mo

Location:	84-84 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
. (M)	-	2747	100.0 %

COMBIN12 — Comb estrogen/progestin #1

Location:	85-85 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	2629	95.7 %
2	Yes	96	3.5 %
. (M)	-	23	0.8 %

COMBTW12	Comb estrogen/progestin #1 taken 2x/wk last mo

Location: 86-86 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	25	0.9 %
2	Yes	71	2.6 %
. (M)	-	2652	96.5 %

COMBIN22	Comb estrogen/progestin #2

Location: 87-87 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	91	3.3 %
2	Yes	4	0.1 %
. (M)	-	2653	96.5 %

COMBTW22	Comb estrogen/progestin #2 taken 2x/wk last mo

Location: 88-88 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	1	0.0 %
. (M)	-	2744	99.9 %

PROGES12	Progestin pills #1

Location: 89-89 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2584	94.0 %
2	Yes	141	5.1 %
. (M)	-	23	0.8 %

PROGTW12	Progestin pills #1 taken 2x/wk last mo

Location: 90-90 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	51	1.9 %
2	Yes	90	3.3 %

Value	Label	Unweighted Frequency	%
. (M)	-	2607	94.9 %

PROGES22	**Progestin pills #2**		

Location: 91-91 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	136	4.9 %
2	Yes	4	0.1 %
. (M)	-	2608	94.9 %

PROGTW22	**Progestin pills #2 taken 2x/wk last mo**		

Location: 92-92 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	2	0.1 %
. (M)	-	2744	99.9 %

PROGDA12	**Prog #1 rx daily or off & on**		

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	3	0.1 %
1	Every Day	62	2.3 %
2	Off and On	76	2.8 %
. (M)	-	2607	94.9 %

PROGDA22	**Prog #2 rx daily or off & on**		

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Every Day	2	0.1 %
2	Off and On	2	0.1 %
. (M)	-	2744	99.9 %

OTHMED12	**Other rx med #1**		

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	1330	48.4 %
2	Yes	1395	50.8 %
. (M)	-	23	0.8 %

OTHRTW12 — Other rx med #1 taken 2x/wk last mo

Location: 97-97 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	788	28.7 %
2	Yes	604	22.0 %
. (M)	-	1356	49.3 %

OTHMED22 — Other rx med #2

Location: 98-98 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	640	23.3 %
2	Yes	754	27.4 %
. (M)	-	1354	49.3 %

OTHRTW22 — Other rx med #2 taken 2x/wk last mo

Location: 99-99 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	426	15.5 %
2	Yes	328	11.9 %
. (M)	-	1994	72.6 %

OTHMED32 — Other rx med #3

Location: 100-100 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	318	11.6 %
2	Yes	436	15.9 %
. (M)	-	1994	72.6 %

OTHRTW32 — Other rx med #3 taken 2x/wk last mo

Location: 101-101 (width: 1; decimal: 0)

	Variable Type:	numeric		

Value	Label		Unweighted Frequency	%
1	No		248	9.0 %
2	Yes		188	6.8 %
. (M)	-		2312	84.1 %

OTHMED42	**Other rx med #4**

Location:	102-102 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	193	7.0 %
2	Yes	243	8.8 %
. (M)	-	2312	84.1 %

OTHRTW42	**Other rx med #4 taken 2x/wk last mo**

Location:	103-103 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	141	5.1 %
2	Yes	102	3.7 %
. (M)	-	2505	91.2 %

OTHMED52	**Other rx med #5**

Location:	104-104 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	98	3.6 %
2	Yes	145	5.3 %
. (M)	-	2505	91.2 %

OTHRTW52	**Other rx med #5 taken 2x/wk last mo**

Location:	105-105 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	90	3.3 %
2	Yes	54	2.0 %
. (M)	-	2604	94.8 %

OTHMED62	**Other rx med #6**

Location:	106-106 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	61	2.2 %
2	Yes	84	3.1 %
. (M)	-	2603	94.7 %

OTHRTW62 — Other rx med #6 taken 2x/wk last mo

Location:	107-107 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	54	2.0 %
2	Yes	30	1.1 %
. (M)	-	2664	96.9 %

OTHMED72 — Other rx med #7

Location:	108-108 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	26	0.9 %
2	Yes	58	2.1 %
. (M)	-	2664	96.9 %

OTHRTW72 — Other rx med #7 taken 2x/wk last mo

Location:	109-109 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	39	1.4 %
2	Yes	18	0.7 %
. (M)	-	2691	97.9 %

OTHMED82 — Other rx med #8

Location:	110-110 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	27	1.0 %
2	Yes	31	1.1 %
. (M)	-	2690	97.9 %

OTHRTW82	Other rx med #8 taken 2x/wk last mo		

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	25	0.9 %
2	Yes	6	0.2 %
. (M)	-	2717	98.9 %

OTHMED92	Other rx med #9		

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	16	0.6 %
2	Yes	15	0.5 %
. (M)	-	2717	98.9 %

OTHRTW92	Other rx med #9 taken 2x/wk last mo		

Location: 113-113 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	10	0.4 %
2	Yes	5	0.2 %
. (M)	-	2733	99.5 %

OTHME102	Other rx med #10		

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	10	0.4 %
. (M)	-	2733	99.5 %

OTHTW102	Other rx med #10 taken 2x/wk last mo		

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	2	0.1 %

Value	Label	Unweighted Frequency	%
. (M)	-	2738	99.6 %

OTHME112 — Other rx med #11

Location: 116-116 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	5	0.2 %
. (M)	-	2738	99.6 %

OTHTW112 — Other rx med #11 taken 2x/wk last mo

Location: 117-117 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	4	0.1 %
2	Yes	1	0.0 %
. (M)	-	2743	99.8 %

OTHME122 — Other rx med #12

Location: 118-118 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	3	0.1 %
. (M)	-	2743	99.8 %

OTHTW122 — Other rx med #12 taken 2x/wk last mo

Location: 119-119 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	1	0.0 %
. (M)	-	2745	99.9 %

OTHME132 — Other rx med #13

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	1	0.0 %
. (M)	-	2745	99.9 %

OTHTW132 — **Other rx med #13 taken 2x/wk last mo**

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	Yes	1	0.0 %
. (M)	-	2747	100.0 %

OTHME142 — **Other rx med #14**

Location: 122-122 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	Yes	1	0.0 %
. (M)	-	2747	100.0 %

OTHTW142 — **Other rx med #14 taken 2x/wk last mo**

Location: 123-123 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
. (M)	-	2747	100.0 %

OTHME152 — **Other rx med #15**

Location: 124-124 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	Yes	1	0.0 %
. (M)	-	2747	100.0 %

OTHTW152 — **Other rx med #15 taken 2x/wk last mo**

Location: 125-125 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	2747	100.0 %

REDUHAR2 — Reduce risk of heart disease

Location: 126-126 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	257	9.4 %
2	Yes	91	3.3 %
. (M)	-	2400	87.3 %

OSTEOPO2 — Reduce risk of osteoporosis

Location: 127-127 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	226	8.2 %
2	Yes	122	4.4 %
. (M)	-	2400	87.3 %

MENOSYM2 — Relieve menopausal symptoms

Location: 128-128 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	111	4.0 %
2	Yes	237	8.6 %
. (M)	-	2400	87.3 %

YOUNGLK2 — Stay young-looking

Location: 129-129 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	313	11.4 %
2	Yes	35	1.3 %
. (M)	-	2400	87.3 %

HCPADVI2 — Health care provider advised

Location: 130-130 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	75	2.7 %
2	Yes	273	9.9 %
. (M)	-	2400	87.3 %

FRNADVI2 — Friend/relative advised

Location: 131-131 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	293	10.7 %
2	Yes	55	2.0 %
. (M)	-	2400	87.3 %

IMPRMEM2 — Improve memory

Location: 132-132 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	305	11.1 %
2	Yes	43	1.6 %
. (M)	-	2400	87.3 %

REGPERI2 — Regulate periods

Location: 133-133 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	211	7.7 %
2	Yes	137	5.0 %
. (M)	-	2400	87.3 %

HORMOTH2 — Take hormones for other reasons

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	252	9.2 %
2	Yes	96	3.5 %
. (M)	-	2400	87.3 %

DONTKNO2 — Don't know/rem why take hormones

Location: 135-135 (width: 1; decimal: 0)

Variable Type:	numeric	

Value	Label	Unweighted Frequency	%
1	No	344	12.5 %
. (M)	-	2404	87.5 %

PRBBLEE2 — Problems w/bleeding

Location: 136-136 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	82	3.0 %
2	Yes	13	0.5 %
. (M)	-	2653	96.5 %

HAVEPER2 — Did not like having periods

Location: 137-137 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	89	3.2 %
2	Yes	5	0.2 %
. (M)	-	2654	96.6 %

LIKEFEL2 — Did not like how felt on them

Location: 138-138 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	80	2.9 %
2	Yes	14	0.5 %
. (M)	-	2654	96.6 %

SIDEEFF2 — Worried about poss side effects

Location: 139-139 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	77	2.8 %
2	Yes	17	0.6 %
. (M)	-	2654	96.6 %

CANCER2 — Worried about cancer

Location: 140-140 (width: 1; decimal: 0)

Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	85	3.1 %
2	Yes	9	0.3 %
. (M)	-	2654	96.6 %

ADVISTO2   **Health care prov advised to stop**

Location:	141-141 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	78	2.8 %
2	Yes	16	0.6 %
. (M)	-	2654	96.6 %

EXPENSI2   **Too expensive**

Location:	142-142 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	93	3.4 %
2	Yes	1	0.0 %
. (M)	-	2654	96.6 %

NOLIKE2   **Do not like taking meds**

Location:	143-143 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	88	3.2 %
2	Yes	6	0.2 %
. (M)	-	2654	96.6 %

NOREMEB2   **Couldn't remember to take them**

Location:	144-144 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	93	3.4 %
2	Yes	1	0.0 %
. (M)	-	2654	96.6 %

DNTKNOW2   **Don't know why stopped hormones**

Location:	145-145 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	93	3.4 %
2	Yes	1	0.0 %
. (M)	-	2654	96.6 %

STOPOTH2	**Stopped hormones other reason**

Location:	146-146 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	25	0.9 %
2	Yes	69	2.5 %
. (M)	-	2654	96.6 %

NOREASO2	**Stopped hormones no reason given**

Location:	147-147 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	94	3.4 %
. (M)	-	2654	96.6 %

PAIN12	**OTC Pain med #1**

Location:	148-148 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	1864	67.8 %
2	Yes	860	31.3 %
. (M)	-	24	0.9 %

PAINTW12	**OTC Pain med #1 taken 2x/wk last mo**

Location:	149-149 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	334	12.2 %
2	Yes	525	19.1 %
. (M)	-	1889	68.7 %

PAIN22	**OTC Pain med #2**

Location:	150-150 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	614	22.3 %
2	Yes	246	9.0 %
. (M)	-	1888	68.7 %

PAINTW22 — **OTC Pain med #2 taken 2x/wk last mo**

Location:	151-151 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	142	5.2 %
2	Yes	104	3.8 %
. (M)	-	2502	91.0 %

SLEEP12 — **OTC Sleep med #1**

Location:	152-152 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	2613	95.1 %
2	Yes	112	4.1 %
. (M)	-	23	0.8 %

SLEPTW12 — **OTC Sleep med #1 taken 2x/wk last mo**

Location:	153-153 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	46	1.7 %
2	Yes	66	2.4 %
. (M)	-	2636	95.9 %

SLEEP22 — **OTC Sleep med #2**

Location:	154-154 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	100	3.6 %
2	Yes	12	0.4 %
. (M)	-	2636	95.9 %

SLEPTW22	OTC Sleep med #2 taken 2x/wk last mo		
Location:	155-155 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	7	0.3 %
. (M)	-	2736	99.6 %

OTC12	Other OTC med #1		
Location:	156-156 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	2220	80.8 %
2	Yes	505	18.4 %
. (M)	-	23	0.8 %

OTCTW12	Other OTC med #1 taken 2x/wk last mo		
Location:	157-157 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	160	5.8 %
2	Yes	344	12.5 %
. (M)	-	2244	81.7 %

OTC22	Other OTC med #2		
Location:	158-158 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	360	13.1 %
2	Yes	145	5.3 %
. (M)	-	2243	81.6 %

OTCTW22	Other OTC med #2 taken 2x/wk last mo		
Location:	159-159 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	52	1.9 %
2	Yes	93	3.4 %

Value	Label	Unweighted Frequency	%
. (M)	-	2603	94.7 %

OTC32 — Other OTC med #3

Location: 160-160 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	92	3.3 %
2	Yes	53	1.9 %
. (M)	-	2603	94.7 %

OTCTW32 — Other OTC med #3 taken 2x/wk last mo

Location: 161-161 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	16	0.6 %
2	Yes	37	1.3 %
. (M)	-	2695	98.1 %

OTC42 — Other OTC med #4

Location: 162-162 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	29	1.1 %
2	Yes	24	0.9 %
. (M)	-	2695	98.1 %

OTCTW42 — Other OTC med #4 taken 2x/wk last mo

Location: 163-163 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	18	0.7 %
. (M)	-	2724	99.1 %

OTC52 — Other OTC med #5

Location: 164-164 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	10	0.4 %
2	Yes	14	0.5 %
. (M)	-	2724	99.1 %

OTCTW52 — Other OTC med #5 taken 2x/wk last mo

Location: 165-165 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	12	0.4 %
. (M)	-	2734	99.5 %

OTC62 — Other OTC med #6

Location: 166-166 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	7	0.3 %
2	Yes	7	0.3 %
. (M)	-	2734	99.5 %

OTCTW62 — Other OTC med #6 taken 2x/wk last mo

Location: 167-167 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	4	0.1 %
. (M)	-	2741	99.7 %

OTC72 — Other OTC med #7

Location: 168-168 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	5	0.2 %
. (M)	-	2741	99.7 %

OTCTW72 — Other OTC med #7 taken 2x/wk last mo

Location: 169-169 (width: 1; decimal: 0)

Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	4	0.1 %
. (M)	-	2743	99.8 %

OTC82   **Other OTC med #8**

Location:	170-170 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	4	0.1 %
. (M)	-	2743	99.8 %

OTCTW82   **Other OTC med #8 taken 2x/wk last mo**

Location:	171-171 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
2	Yes	4	0.1 %
. (M)	-	2744	99.9 %

OTC92   **Other OTC med #9**

Location:	172-172 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	3	0.1 %
. (M)	-	2744	99.9 %

OTCTW92   **Other OTC med #9 taken 2x/wk last mo**

Location:	173-173 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
. (M)	-	2745	99.9 %

OTC102   **Other OTC med #10**

Location:	174-174 (width: 1; decimal: 0)

Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
2	Yes	3	0.1 %
. (M)	-	2745	99.9 %

OTCTW102 — Other OTC med #10 taken 2x/wk last mo

Location:	175-175 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
. (M)	-	2745	99.9 %

OTC112 — Other OTC med #11

Location:	176-176 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
. (M)	-	2745	99.9 %

OTCTW112 — Other OTC med #11 taken 2x/wk last mo

Location:	177-177 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
2	Yes	2	0.1 %
. (M)	-	2746	99.9 %

OTC122 — Other OTC med #12

Location:	178-178 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
. (M)	-	2746	99.9 %

OTCTW122 — Other OTC med #12 taken 2x/wk last mo

Location:	179-179 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
2	Yes	1	0.0 %
. (M)	-	2747	100.0 %

| **OTC132** | **Other OTC med #13** | | |

Location: 180-180 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	Yes	1	0.0 %
. (M)	-	2747	100.0 %

| **OTCTW132** | **Other OTC med #13 taken 2x/wk last mo** | | |

Location: 181-181 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	Yes	1	0.0 %
. (M)	-	2747	100.0 %

| **OTC142** | **Other OTC med #14** | | |

Location: 182-182 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	Yes	1	0.0 %
. (M)	-	2747	100.0 %

| **OTCTW142** | **Other OTC med #14 taken 2x/wk last mo** | | |

Location: 183-183 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	Yes	1	0.0 %
. (M)	-	2747	100.0 %

| **OTC152** | **Other OTC med #15** | | |

Location: 184-184 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	Yes	1	0.0 %
. (M)	-	2747	100.0 %

| OTCTW152 | Other OTC med #15 taken 2x/wk last mo | | |

Location: 185-185 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	Yes	1	0.0 %
. (M)	-	2747	100.0 %

| REGVITA2 | Take any vitamins/minerals 1x/wk | | |

Location: 186-186 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	987	35.9 %
2	Yes	1738	63.2 %
. (M)	-	23	0.8 %

| ONCEADA2 | How often take multi-vitamin | | |

Location: 187-187 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	716	26.1 %
2	1-3 days/week	204	7.4 %
3	4-6 days/week	148	5.4 %
4	Every day	670	24.4 %
. (M)	-	1010	36.8 %

| ANTIOXI2 | How often take antioxidant | | |

Location: 188-188 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	1419	51.6 %
2	1-3 days/week	70	2.5 %
3	4-6 days/week	60	2.2 %
4	Every day	186	6.8 %
. (M)	-	1013	36.9 %

| VTMOTH12 | How often take other multi-vit #1 | | |

Location: 189-189 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	1	0.0 %
2	1-3 days/week	46	1.7 %
3	4-6 days/week	53	1.9 %
4	Every day	192	7.0 %
. (M)	-	2456	89.4 %

VTMOTH22	**How often take other multi-vit #2**

Location: 190-190 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	2	0.1 %
2	1-3 days/week	14	0.5 %
3	4-6 days/week	11	0.4 %
4	Every day	37	1.3 %
. (M)	-	2684	97.7 %

VTMOTH32	**How often take other multi-vit #3**

Location: 191-191 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	1-3 days/week	2	0.1 %
3	4-6 days/week	2	0.1 %
4	Every day	12	0.4 %
. (M)	-	2732	99.4 %

VTMOTH42	**How often take other multi-vit #4**

Location: 192-192 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	1-3 days/week	4	0.1 %
3	4-6 days/week	1	0.0 %
4	Every day	5	0.2 %
. (M)	-	2738	99.6 %

VITAMNA2	**How often take vitamin A**

Location: 193-193 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	1669	60.7 %
2	1-3 days/week	23	0.8 %
3	4-6 days/week	6	0.2 %
4	Every day	40	1.5 %
. (M)	-	1010	36.8 %

BETACAR2	**How often take beta-carotene**

Location: 194-194 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	1657	60.3 %
2	1-3 days/week	17	0.6 %
3	4-6 days/week	18	0.7 %
4	Every day	45	1.6 %
. (M)	-	1011	36.8 %

VITAMNC2	**How often take vitamin C**

Location: 195-195 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	1129	41.1 %
2	1-3 days/week	157	5.7 %
3	4-6 days/week	90	3.3 %
4	Every day	362	13.2 %
. (M)	-	1010	36.8 %

VITAMND2	**How often take vitamin D**

Location: 196-196 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	1627	59.2 %
2	1-3 days/week	16	0.6 %
3	4-6 days/week	19	0.7 %
4	Every day	76	2.8 %
. (M)	-	1010	36.8 %

VITAMNE2	**How often take vitamin E**

Location: 197-197 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	1116	40.6 %
2	1-3 days/week	118	4.3 %
3	4-6 days/week	101	3.7 %
4	Every day	403	14.7 %
. (M)	-	1010	36.8 %

CALCTUM2	**How often take calcium/Tums**

Location:	198-198 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	942	34.3 %
2	1-3 days/week	188	6.8 %
3	4-6 days/week	128	4.7 %
4	Every day	480	17.5 %
. (M)	-	1010	36.8 %

IRON2	**How often take iron**

Location:	199-199 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	1533	55.8 %
2	1-3 days/week	54	2.0 %
3	4-6 days/week	29	1.1 %
4	Every day	122	4.4 %
. (M)	-	1010	36.8 %

VITOTH12	**How often take other vit #1**

Location:	200-200 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	6	0.2 %
2	1-3 days/week	121	4.4 %
3	4-6 days/week	86	3.1 %
4	Every day	399	14.5 %
. (M)	-	2136	77.7 %

VITOTH22	**How often take other vit #2**

Location:	201-201 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Do not take any	4	0.1 %
2	1-3 days/week	52	1.9 %
3	4-6 days/week	55	2.0 %
4	Every day	193	7.0 %
. (M)	-	2444	88.9 %

VITOTH32	**How often take other vit #3**		
Location:	202-202 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	Do not take any	1	0.0 %
2	1-3 days/week	24	0.9 %
3	4-6 days/week	26	0.9 %
4	Every day	107	3.9 %
. (M)	-	2590	94.3 %

VITOTH42	**How often take other vit #4**		
Location:	203-203 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
2	1-3 days/week	12	0.4 %
3	4-6 days/week	24	0.9 %
4	Every day	66	2.4 %
. (M)	-	2646	96.3 %

MULTVIT2	**If multi, w/wo minerals**		
Location:	204-205 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-8	Do not know	24	0.9 %
1	Contains minerals (iron/calc)	1251	45.5 %
2	Do not contain minerals	75	2.7 %
. (M)	-	1398	50.9 %

ALCHL242	**Alcohol in Last 24 hrs**		
Location:	206-206 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	No	2117	77.0 %
2	Yes	368	13.4 %
. (M)	-	263	9.6 %

ANEMIA2 — Anemia since last visit

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	2	0.1 %
1	No	2478	90.2 %
2	Yes	244	8.9 %
. (M)	-	24	0.9 %

DIABETE2 — Diabetes since last visit

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
1	No	2599	94.6 %
2	Yes	124	4.5 %
. (M)	-	24	0.9 %

HIGHBP2 — Hypertension since last visit

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	2	0.1 %
1	No	2281	83.0 %
2	Yes	441	16.0 %
. (M)	-	24	0.9 %

HBCHOLE2 — High cholesterol since last visit

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	4	0.1 %
1	No	2423	88.2 %
2	Yes	297	10.8 %

Value	Label	Unweighted Frequency	%
. (M)	-	24	0.9 %

MIGRAIN2 — Migraines since last visit

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	2	0.1 %
1	No	2553	92.9 %
2	Yes	169	6.1 %
. (M)	-	24	0.9 %

STROKE2 — Stroke since last visit

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
1	No	2717	98.9 %
2	Yes	6	0.2 %
. (M)	-	24	0.9 %

OSTEOAR2 — Arthritis since last visit

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	5	0.2 %
1	No	2416	87.9 %
2	Yes	303	11.0 %
. (M)	-	24	0.9 %

THYROID2 — Over/underactive Thyroid since last visit

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	5	0.2 %
1	No	2516	91.6 %
2	Yes	203	7.4 %
. (M)	-	24	0.9 %

HEARTAT2	Heart attack since last visit		

Location: 223-223 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2718	98.9 %
2	Yes	6	0.2 %
. (M)	-	24	0.9 %

ANGINA2	Angina since last visit		

Location: 224-224 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2711	98.7 %
2	Yes	13	0.5 %
. (M)	-	24	0.9 %

OSTEOPR2	Osteoporosis since last visit		

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
1	No	2701	98.3 %
2	Yes	22	0.8 %
. (M)	-	24	0.9 %

FIBROID2	Fibroids since last visit		

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
1	No	2407	87.6 %
2	Yes	316	11.5 %
. (M)	-	24	0.9 %

CANCERS2	Cancer since last visit		

Location: 229-229 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2704	98.4 %
2	Yes	19	0.7 %
. (M)	-	25	0.9 %

SITESPE2	**Primary site of cancer**

Location: 230-259 (width: 30; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	2729	99.3 %
BRAIN	1	0.0 %
BREAST	2	0.1 %
BREAST (LEFT)	2	0.1 %
BREAST (RIGHT)	1	0.0 %
BREAST CANCER	2	0.1 %
CERVICAL/VAGINAL	1	0.0 %
COLON	2	0.1 %
KIDNEY	1	0.0 %
LEFT BREAST	1	0.0 %
LEFT BREAST CANCER	1	0.0 %
LEFT HAND	1	0.0 %
LIVER	1	0.0 %
OVARIAN	1	0.0 %
POLYPS IN COLON (REMOVED)	1	0.0 %
UTERINE CANCER,TUMORS IN OVARS	1	0.0 %

TAMOXIF2	**Taken Tamoxifen since last visit**

Location: 260-260 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	5	0.2 %
. (M)	-	2737	99.6 %

CHEMOTH2	**Chemotherapy/radiation for cancer**

Location: 261-261 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %

Value	Label	Unweighted Frequency	%
2	Yes	10	0.4 %
. (M)	-	2729	99.3 %

BROKEBO2 — # times broke bones since last visit

Location:	262-262 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	-	2676	97.4 %
1	-	46	1.7 %
2	-	1	0.0 %
4	-	1	0.0 %
. (M)	-	24	0.9 %

BONES12 — Bone #1 broken

Location:	263-292 (width: 30; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	2700	98.3 %
"MOST LIKELY THE 'RADIUS'"	1	0.0 %
1 RIB ON THE RIGHT SIDE	1	0.0 %
2 RIBS	1	0.0 %
4TH TOE LEFT FOOT	1	0.0 %
A LITTLE BONE IN LEFT WRIST	1	0.0 %
ANKLE	3	0.1 %
ANKLE, BOTH BONES FRONT & BACK	1	0.0 %
BIG TOE- SMASHED ALL BONES	1	0.0 %
BONE IN LEFT FOOT	1	0.0 %
BROKE THIRD TOE ON LEFT FOOT	1	0.0 %
COLLARBONE	1	0.0 %
DISTAL FIBULA	1	0.0 %
FIBULA RIGHT	1	0.0 %
FOOT	1	0.0 %
FRACTURE STRESS HEEL	1	0.0 %
FRACTURED RIGHT ANKLE	1	0.0 %
GREAT TOE	1	0.0 %
KNOT BONE ON WRIST	1	0.0 %
LEFT ANKLE	4	0.1 %
LEFT ANKLE (BOTH BONES)	1	0.0 %
LEFT FIBULA TIP	1	0.0 %

Value	Unweighted Frequency	%
LEFT FIFTH (BABY) TOE	1	0.0 %
LEFT FOOT	1	0.0 %
LEFT FOOT, BROKEN TOE	1	0.0 %
LEFT FOOT, SIDE	1	0.0 %
LEFT FOOT-RIGHT AROUND ANKLE-	1	0.0 %
LEFTHAND-2ND DIGIT DISTAL PHAL	1	0.0 %
MIDDLE TOE ON LEFT FOOT (HIT F	1	0.0 %
NOSE (FELL DOWN STAIRS)	1	0.0 %
PINKY FINGER JOINT POINT AT TI	1	0.0 %
RIGHT FOOT	1	0.0 %
RIGHT GREAT TOE	1	0.0 %
RIGHT HAND METACARPAL	1	0.0 %
RIGHT KNEE	1	0.0 %
ROTATOR CUFF	1	0.0 %
SHOULDER (LEFT)	1	0.0 %
THUMB ON LEFT HAND	1	0.0 %
TOE LEFT MIDDLE	1	0.0 %
TOE, MOVING FAST	1	0.0 %
TWO SMALLEST TOES ON RT FT	1	0.0 %
ULNA	1	0.0 %
WRIST BONE (ULNA) "HAIRLINE FR	1	0.0 %
WRIST-ONLY ONCE	1	0.0 %

HAPPEN12	**How happened #1**
Location:	293-293 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	13	0.5 %
2	Yes	35	1.3 %
. (M)	-	2700	98.3 %

BONES22	**Bone #2 broken**
Location:	294-323 (width: 30; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	2741	99.7 %
ANOTHER BONE IN WRIST	1	0.0 %
BONE ON CALF	1	0.0 %
FIBULA RIGHT	1	0.0 %

Value	Unweighted Frequency	%
LEFT ANKLE	1	0.0 %
METATARSAL	1	0.0 %
REBROKEN 2 SMALL TOES ON RT FT	1	0.0 %
THE BONE OPPOSITE THE KNOT BON	1	0.0 %

HAPPEN22 **How happened #2**

Location: 324-324 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	4	0.1 %
. (M)	-	2741	99.7 %

BONES32 **Bone #3 broken**

Location: 325-354 (width: 30; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	2746	99.9 %
BIG TOE-LEFT	1	0.0 %
TIBA RIGHT	1	0.0 %

HAPPEN32 **How happened #3**

Location: 355-355 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
2	Yes	2	0.1 %
. (M)	-	2746	99.9 %

BCKPAIN2 **Back pain since last visit**

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
1	No	2226	81.0 %
2	Yes	497	18.1 %
. (M)	-	24	0.9 %

DANDC2 **D & C since last visit**

| Location: | 358-358 (width: 1; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
1	No	2679	97.5 %
2	Yes	46	1.7 %
. (M)	-	23	0.8 %

NUMDAND2 — D & C # of times

| Location: | 359-359 (width: 1; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
1	-	46	1.7 %
. (M)	-	2702	98.3 %

HYSTERE2 — Hysterectomy since last visit

| Location: | 360-361 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
1	No	2690	97.9 %
2	Yes	34	1.2 %
. (M)	-	23	0.8 %

HYSTDAY2 — Day of hysterectomy

| Location: | 362-364 (width: 3; decimal: 0) |
| Variable Type: | numeric |

Value	Unweighted Frequency	%
57	1	0.0 %
303	1	0.0 %
352	1	0.0 %
375	1	0.0 %
395	1	0.0 %
408	1	0.0 %
419	1	0.0 %
446	1	0.0 %
450	1	0.0 %
454	1	0.0 %
460	1	0.0 %
489	1	0.0 %

Value	Unweighted Frequency	%
490	1	0.0 %
495	1	0.0 %
505	1	0.0 %
515	1	0.0 %
524	1	0.0 %
535	1	0.0 %
580	1	0.0 %
584	1	0.0 %
615	1	0.0 %
617	1	0.0 %
642	1	0.0 %
651	1	0.0 %
684	1	0.0 %
686	1	0.0 %
687	1	0.0 %
696	1	0.0 %
736	1	0.0 %
745	1	0.0 %
830	1	0.0 %
855	1	0.0 %
867	1	0.0 %
. (M)	2715	98.8 %

OOPHORE2 — Ovaries removed since last visit

Location: 365-365 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2689	97.9 %
2	Yes	36	1.3 %
. (M)	-	23	0.8 %

ONEOVAR2 — One or both ovaries removed

Location: 366-367 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
-1	N/A	1	0.0 %
1	No	8	0.3 %
2	Yes	27	1.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	2711	98.7 %

UTERPRO2 — Uterine procedure since last visit

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
1	No	2609	94.9 %
2	Yes	115	4.2 %
. (M)	-	23	0.8 %

THYRREM2 — Thyroid gland removed since last visit

Location: 370-370 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2721	99.0 %
2	Yes	4	0.1 %
. (M)	-	23	0.8 %

BLEEDNG2 — Menstrual bleeding since last visit

Location: 371-371 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	190	6.9 %
2	Yes	2534	92.2 %
. (M)	-	24	0.9 %

BLD3MON2 — Menstrual bleeding in last 3 mos

Location: 372-372 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	254	9.2 %
2	Yes	2280	83.0 %
. (M)	-	214	7.8 %

LMPDAY2 — Last Menstrual Period Day

Location: 373-376 (width: 4; decimal: 0)

Variable Type: numeric

DESCPER2	Describe your menstrual periods

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	4	0.1 %
1	Become Farther Apart	510	18.6 %
2	Become Closer Together	346	12.6 %
3	Occurred At More Variable Intervals	578	21.0 %
4	Stayed The Same	955	34.8 %
5	Become More Regular	72	2.6 %
. (M)	-	283	10.3 %

MENSFLO2	Menstrual flow lasted > 10 days

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	5	0.2 %
1	No	2181	79.4 %
2	Yes	316	11.5 %
. (M)	-	246	9.0 %

PRGNANT2	Pregnant since last visit

Location: 381-381 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	2715	98.8 %
2	Yes	8	0.3 %
. (M)	-	25	0.9 %

OUTCOME2	Outcome of pregnancy

Location: 382-382 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Live Birth	2	0.1 %
2	Still Birth	1	0.0 %
3	Miscarriage	4	0.1 %
6	Still Pregnant	1	0.0 %
. (M)	-	2740	99.7 %

BRSTFEE2	Currently breastfeeding

Location:	383-383 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
. (M)	-	2746	99.9 %

QLTYLIF2 — **Quality of life**

Location:	384-385 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%
0	6	0.2 %
1	5	0.2 %
2	14	0.5 %
3	40	1.5 %
4	52	1.9 %
5	215	7.8 %
6	204	7.4 %
7	554	20.2 %
8	926	33.7 %
9	485	17.6 %
10	224	8.2 %
. (M)	23	0.8 %

CLOSE2 — **How many close friends**

Location:	386-388 (width: 3; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	3	0.1 %
0	-	24	0.9 %
1	-	96	3.5 %
2	-	316	11.5 %
3	-	396	14.4 %
4	-	386	14.0 %
5	-	515	18.7 %
6	-	238	8.7 %
7	-	106	3.9 %
8	-	135	4.9 %
9	-	21	0.8 %
10	-	274	10.0 %

Value	Label	Unweighted Frequency	%
11	-	6	0.2 %
12	-	59	2.1 %
13	-	1	0.0 %
15	-	47	1.7 %
16	-	1	0.0 %
17	-	2	0.1 %
18	-	4	0.1 %
20	-	59	2.1 %
23	-	1	0.0 %
25	-	19	0.7 %
30	-	8	0.3 %
50	-	4	0.1 %
60	-	1	0.0 %
80	>=80 times	3	0.1 %
. (M)	-	23	0.8 %

LISTEN2	**Support - someone to listen**

Location: 389-389 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	None Of The Time	12	0.4 %
2	A Little Of The Time	80	2.9 %
3	Some Of The Time	245	8.9 %
4	Most Of The Time	990	36.0 %
5	All Of The Time	1398	50.9 %
. (M)	-	23	0.8 %

TAKETOM2	**Support - take to doctor**

Location: 390-390 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	None Of The Time	82	3.0 %
2	A Little Of The Time	108	3.9 %
3	Some Of The Time	215	7.8 %
4	Most Of The Time	789	28.7 %
5	All Of The Time	1531	55.7 %
. (M)	-	23	0.8 %

CONFIDE2	**Support - confide in**

Location:	391-391 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	None Of The Time	25	0.9 %
2	A Little Of The Time	76	2.8 %
3	Some Of The Time	279	10.2 %
4	Most Of The Time	966	35.2 %
5	All Of The Time	1379	50.2 %
. (M)	-	23	0.8 %

HELPSIC2   Support - help w/chores when sick

Location:	392-392 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	None Of The Time	126	4.6 %
2	A Little Of The Time	252	9.2 %
3	Some Of The Time	527	19.2 %
4	Most Of The Time	790	28.7 %
5	All Of The Time	1030	37.5 %
. (M)	-	23	0.8 %

CONTROL2   Unable to control imp things in your life

Location:	393-393 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Never	1005	36.6 %
2	Almost Never	921	33.5 %
3	Sometimes	601	21.9 %
4	Fairly Often	127	4.6 %
5	Very Often	70	2.5 %
. (M)	-	24	0.9 %

ABILITY2   Confident in ability to handle problems

Location:	394-394 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Never	27	1.0 %
2	Almost Never	78	2.8 %
3	Sometimes	425	15.5 %

Value	Label	Unweighted Frequency	%
4	Fairly Often	1063	38.7 %
5	Very Often	1131	41.2 %
. (M)	-	24	0.9 %

YOURWAY2	Things were going your way

Location:	395-395 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Never	30	1.1 %
2	Almost Never	123	4.5 %
3	Sometimes	694	25.3 %
4	Fairly Often	1213	44.1 %
5	Very Often	664	24.2 %
. (M)	-	24	0.9 %

PILING2	Difficulties piling up

Location:	396-396 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Never	1118	40.7 %
2	Almost Never	939	34.2 %
3	Sometimes	500	18.2 %
4	Fairly Often	126	4.6 %
5	Very Often	42	1.5 %
. (M)	-	23	0.8 %

BOTHER2	Bothered past week

Location:	397-397 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1618	58.9 %
2	Some/A Little Of The Time (1-2 Days)	750	27.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	281	10.2 %
4	Most/All Of The Time (5-7 Days)	74	2.7 %
. (M)	-	25	0.9 %

APPETIT2	Lost appetite past week

Location:	398-398 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2147	78.1 %
2	Some/A Little Of The Time (1-2 Days)	358	13.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	154	5.6 %
4	Most/All Of The Time (5-7 Days)	64	2.3 %
. (M)	-	25	0.9 %

BLUES2 **Had blues past week**

Location: 399-399 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1960	71.3 %
2	Some/A Little Of The Time (1-2 Days)	523	19.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	164	6.0 %
4	Most/All Of The Time (5-7 Days)	76	2.8 %
. (M)	-	25	0.9 %

GOOD2 **As good as others past week**

Location: 400-400 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	79	2.9 %
2	Some/A Little Of The Time (1-2 Days)	159	5.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	326	11.9 %
4	Most/All Of The Time (5-7 Days)	2158	78.5 %
. (M)	-	26	0.9 %

KEEPMIN2 **Mind on what doing past week**

Location: 401-401 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1256	45.7 %
2	Some/A Little Of The Time (1-2 Days)	886	32.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	452	16.4 %
4	Most/All Of The Time (5-7 Days)	129	4.7 %
. (M)	-	25	0.9 %

DEPRESS2 **Felt depressed past week**

Location: 402-402 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1694	61.6 %
2	Some/A Little Of The Time (1-2 Days)	685	24.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	233	8.5 %
4	Most/All Of The Time (5-7 Days)	111	4.0 %
. (M)	-	25	0.9 %

EFFORT2	Everything an effort past week
Location:	403-403 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1553	56.5 %
2	Some/A Little Of The Time (1-2 Days)	732	26.6 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	281	10.2 %
4	Most/All Of The Time (5-7 Days)	157	5.7 %
. (M)	-	25	0.9 %

HOPEFUL2	Hopeful about future past week
Location:	404-404 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	101	3.7 %
2	Some/A Little Of The Time (1-2 Days)	269	9.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	582	21.2 %
4	Most/All Of The Time (5-7 Days)	1771	64.4 %
. (M)	-	25	0.9 %

FAILURE2	Life has been failure past week
Location:	405-405 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2342	85.2 %
2	Some/A Little Of The Time (1-2 Days)	253	9.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	90	3.3 %
4	Most/All Of The Time (5-7 Days)	38	1.4 %
. (M)	-	25	0.9 %

FEARFUL2	Felt fearful past week
Location:	406-406 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2124	77.3 %
2	Some/A Little Of The Time (1-2 Days)	447	16.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	114	4.1 %
4	Most/All Of The Time (5-7 Days)	38	1.4 %
. (M)	-	25	0.9 %

RESTLES2   **Sleep was restless past week**

Location: 407-407 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1246	45.3 %
2	Some/A Little Of The Time (1-2 Days)	835	30.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	361	13.1 %
4	Most/All Of The Time (5-7 Days)	280	10.2 %
. (M)	-	26	0.9 %

HAPPY2   **Happy past week**

Location: 408-408 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	105	3.8 %
2	Some/A Little Of The Time (1-2 Days)	378	13.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	710	25.8 %
4	Most/All Of The Time (5-7 Days)	1530	55.7 %
. (M)	-	25	0.9 %

TALKLES2   **Talked less than usual past week**

Location: 409-409 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1828	66.5 %
2	Some/A Little Of The Time (1-2 Days)	584	21.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	237	8.6 %
4	Most/All Of The Time (5-7 Days)	74	2.7 %
. (M)	-	25	0.9 %

LONELY2   **Felt lonely past week**

Location: 410-410 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1901	69.2 %
2	Some/A Little Of The Time (1-2 Days)	577	21.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	170	6.2 %
4	Most/All Of The Time (5-7 Days)	75	2.7 %
. (M)	-	25	0.9 %

UNFRNDL2 — People unfriendly past week

Location: 411-411 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2327	84.7 %
2	Some/A Little Of The Time (1-2 Days)	296	10.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	78	2.8 %
4	Most/All Of The Time (5-7 Days)	21	0.8 %
. (M)	-	26	0.9 %

ENJOY2 — Enjoyed life past week

Location: 412-412 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	88	3.2 %
2	Some/A Little Of The Time (1-2 Days)	301	11.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	515	18.7 %
4	Most/All Of The Time (5-7 Days)	1819	66.2 %
. (M)	-	25	0.9 %

CRYING2 — Crying spells past week

Location: 413-413 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2170	79.0 %
2	Some/A Little Of The Time (1-2 Days)	355	12.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	138	5.0 %
4	Most/All Of The Time (5-7 Days)	59	2.1 %
. (M)	-	26	0.9 %

SAD2 — Felt sad past week

Location: 414-414 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1686	61.4 %
2	Some/A Little Of The Time (1-2 Days)	763	27.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	179	6.5 %
4	Most/All Of The Time (5-7 Days)	92	3.3 %
. (M)	-	28	1.0 %

DISLIKE2	**People disliked me past week**

Location: 415-415 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2415	87.9 %
2	Some/A Little Of The Time (1-2 Days)	241	8.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	49	1.8 %
4	Most/All Of The Time (5-7 Days)	18	0.7 %
. (M)	-	25	0.9 %

GETGOIN2	**Could not get going past week**

Location: 416-416 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1630	59.3 %
2	Some/A Little Of The Time (1-2 Days)	771	28.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	227	8.3 %
4	Most/All Of The Time (5-7 Days)	95	3.5 %
. (M)	-	25	0.9 %

CHNGJOB2	**Change in job since last visit**

Location: 417-417 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	1777	64.7 %
2	Yes	947	34.5 %
. (M)	-	24	0.9 %

JOB2	**Work for pay past 2 wks**

Location: 418-418 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	106	3.9 %
2	Yes	841	30.6 %
. (M)	-	1801	65.5 %

STRTIM12	**Work start time**

Location: 419-423 (width: 5; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	1989	72.4 %
01:00	6	0.2 %
01:30	3	0.1 %
02:00	4	0.1 %
02:15	1	0.0 %
02:30	3	0.1 %
03:00	16	0.6 %
03:30	4	0.1 %
03:45	1	0.0 %
04:00	12	0.4 %
04:30	2	0.1 %
05:00	8	0.3 %
05:30	4	0.1 %
06:00	18	0.7 %
06:30	15	0.5 %
06:45	5	0.2 %
06:50	1	0.0 %
07:00	70	2.5 %
07:15	6	0.2 %
07:20	1	0.0 %
07:30	63	2.3 %
07:35	1	0.0 %
07:40	2	0.1 %
07:45	7	0.3 %
07:50	1	0.0 %
08:00	187	6.8 %
08:10	1	0.0 %
08:15	5	0.2 %
08:20	1	0.0 %
08:30	97	3.5 %
08:35	1	0.0 %

Value	Unweighted Frequency	%
08:45	6	0.2 %
09:00	113	4.1 %
09:15	1	0.0 %
09:20	1	0.0 %
09:30	17	0.6 %
10:00	40	1.5 %
10:30	5	0.2 %
10:45	2	0.1 %
11:00	15	0.5 %
11:15	1	0.0 %
11:30	2	0.1 %
11:45	1	0.0 %
12:00	7	0.3 %
12:20	1	0.0 %
12:30	1	0.0 %

STRAMP12 **Work start AM/PM**

Location: 424-424 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	AM	682	24.8 %
2	PM	77	2.8 %
. (M)	-	1989	72.4 %

STPTIM12 **Work stop time**

Location: 425-429 (width: 5; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	1989	72.4 %
01:00	19	0.7 %
01:30	7	0.3 %
01:55	1	0.0 %
02:00	26	0.9 %
02:06	1	0.0 %
02:30	21	0.8 %
02:45	3	0.1 %
02:50	1	0.0 %
03:00	37	1.3 %
03:05	1	0.0 %

Value	Unweighted Frequency	%
03:10	1	0.0 %
03:20	2	0.1 %
03:30	32	1.2 %
03:40	1	0.0 %
03:45	5	0.2 %
04:00	71	2.6 %
04:05	1	0.0 %
04:10	1	0.0 %
04:15	6	0.2 %
04:30	61	2.2 %
04:45	5	0.2 %
05:00	154	5.6 %
05:15	3	0.1 %
05:30	49	1.8 %
05:45	1	0.0 %
06:00	80	2.9 %
06:15	3	0.1 %
06:30	20	0.7 %
07:00	37	1.3 %
07:15	1	0.0 %
07:30	7	0.3 %
07:45	1	0.0 %
08:00	15	0.5 %
08:30	3	0.1 %
09:00	13	0.5 %
09:30	2	0.1 %
09:38	1	0.0 %
10:00	13	0.5 %
10:30	5	0.2 %
10:45	1	0.0 %
11:00	12	0.4 %
11:30	8	0.3 %
11:45	1	0.0 %
12:00	18	0.7 %
12:30	7	0.3 %
12:45	1	0.0 %

STPAMP12	**Work stop AM/PM**

Location: 430-430 (width: 1; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	AM	46	1.7 %
2	PM	713	25.9 %
. (M)	-	1989	72.4 %

ROTAT12   **Work rotating/alternating**

Location: 431-431 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	751	27.3 %
2	Yes	88	3.2 %
. (M)	-	1909	69.5 %

STRTIM22   **Work start time (2)**

Location: 432-436 (width: 5; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	2632	95.8 %
01:00	5	0.2 %
01:30	1	0.0 %
02:00	5	0.2 %
02:30	5	0.2 %
03:00	3	0.1 %
03:30	1	0.0 %
04:00	8	0.3 %
04:15	1	0.0 %
04:30	1	0.0 %
05:00	4	0.1 %
05:30	3	0.1 %
06:00	9	0.3 %
06:30	5	0.2 %
07:00	10	0.4 %
07:30	3	0.1 %
08:00	13	0.5 %
08:30	7	0.3 %
09:00	10	0.4 %
09:30	1	0.0 %
10:00	7	0.3 %
10:30	2	0.1 %
11:00	2	0.1 %

Value	Unweighted Frequency	%
11:30	1	0.0 %
11:45	1	0.0 %
12:00	5	0.2 %
12:30	3	0.1 %

STRAMP22	**Work start AM/PM (2)**

Location:	437-437 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	AM	52	1.9 %
2	PM	64	2.3 %
. (M)	-	2632	95.8 %

STPTIM22	**Work stop time (2)**

Location:	438-442 (width: 5; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	2632	95.8 %
01:00	1	0.0 %
01:30	3	0.1 %
02:00	4	0.1 %
02:30	3	0.1 %
02:46	1	0.0 %
03:00	8	0.3 %
03:30	2	0.1 %
04:00	2	0.1 %
04:30	2	0.1 %
05:00	16	0.6 %
05:30	6	0.2 %
06:00	12	0.4 %
06:30	2	0.1 %
07:00	7	0.3 %
08:00	5	0.2 %
08:30	6	0.2 %
09:00	6	0.2 %
09:10	1	0.0 %
09:30	4	0.1 %
10:00	13	0.5 %
11:00	7	0.3 %

Value	Unweighted Frequency	%
12:00	2	0.1 %
12:30	1	0.0 %
12:45	1	0.0 %
6 :30	1	0.0 %

STPAMP22	Work stop AM/PM (2)

Location: 443-443 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	AM	10	0.4 %
2	PM	106	3.9 %
. (M)	-	2632	95.8 %

ROTAT22	Work rotating/alternating (2)

Location: 444-444 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	114	4.1 %
2	Yes	52	1.9 %
. (M)	-	2582	94.0 %

STRTIM32	Work start time (3)

Location: 445-449 (width: 5; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	2732	99.4 %
02:00	1	0.0 %
03:00	1	0.0 %
05:00	1	0.0 %
05:30	1	0.0 %
06:00	3	0.1 %
06:30	1	0.0 %
08:00	1	0.0 %
08:15	1	0.0 %
08:30	1	0.0 %
09:00	2	0.1 %
09:30	1	0.0 %
11:00	1	0.0 %

Value	Unweighted Frequency	%
12:00	1	0.0 %

STRAMP32	**Work start AM/PM (3)**

Location:	450-450 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	AM	6	0.2 %
2	PM	10	0.4 %
. (M)	-	2732	99.4 %

STPTIM32	**Work stop time (3)**

Location:	451-455 (width: 5; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	2732	99.4 %
01:00	1	0.0 %
02:00	1	0.0 %
02:35	1	0.0 %
03:00	1	0.0 %
05:00	1	0.0 %
06:00	1	0.0 %
06:30	1	0.0 %
09:00	5	0.2 %
09:30	1	0.0 %
10:00	1	0.0 %
10:30	1	0.0 %
12:30	1	0.0 %

STPAMP32	**Work stop AM/PM (3)**

Location:	456-456 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	AM	3	0.1 %
2	PM	13	0.5 %
. (M)	-	2732	99.4 %

ROTAT32	**Work rotating/alternating (3)**

Location:	457-457 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	14	0.5 %
2	Yes	17	0.6 %
. (M)	-	2717	98.9 %

HOURSPA2 — How many hrs/wk work for pay

Location: 458-458 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	<= 10 hrs	29	1.1 %
2	11-19 hrs	35	1.3 %
3	20-34 hrs	144	5.2 %
4	35-40 hrs	343	12.5 %
5	41-60 hrs	257	9.4 %
6	>60 hrs	32	1.2 %
. (M)	-	1908	69.4 %

VOLUNTE2 — Do volunteer work

Location: 459-459 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	No	1675	61.0 %
2	Yes	1048	38.1 %
. (M)	-	25	0.9 %

VLNTHR12 — Volunteer (1) hrs/wk

Location: 460-464 (width: 5; decimal: 2)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0.00	-	8	0.3 %
0.03	-	1	0.0 %
0.08	-	1	0.0 %
0.09	-	1	0.0 %
0.10	-	4	0.1 %
0.17	-	1	0.0 %
0.20	-	1	0.0 %
0.25	-	14	0.5 %
0.30	-	6	0.2 %
0.35	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.50	-	43	1.6 %
0.70	-	2	0.1 %
0.75	-	13	0.5 %
0.80	-	1	0.0 %
0.83	-	1	0.0 %
1.00	-	226	8.2 %
1.13	-	1	0.0 %
1.15	-	1	0.0 %
1.25	-	5	0.2 %
1.50	-	22	0.8 %
1.54	-	1	0.0 %
1.75	-	1	0.0 %
2.00	-	237	8.6 %
2.50	-	14	0.5 %
3.00	-	120	4.4 %
3.50	-	6	0.2 %
4.00	-	75	2.7 %
4.50	-	1	0.0 %
5.00	-	60	2.2 %
6.00	-	31	1.1 %
7.00	-	10	0.4 %
7.50	-	1	0.0 %
8.00	-	21	0.8 %
9.00	-	2	0.1 %
10.00	-	42	1.5 %
12.00	-	14	0.5 %
13.00	-	1	0.0 %
15.00	-	17	0.6 %
16.00	-	3	0.1 %
18.00	-	1	0.0 %
20.00	-	13	0.5 %
21.00	-	2	0.1 %
23.00	-	1	0.0 %
24.00	-	3	0.1 %
25.00	-	7	0.3 %
28.00	-	1	0.0 %
35.00	-	1	0.0 %
37.00	-	1	0.0 %
40.00	-	2	0.1 %
44.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
45.00	-	1	0.0 %
48.00	-	1	0.0 %
50.00	-	1	0.0 %
60.00	-	1	0.0 %
. (M)	-	1701	61.9 %

VLNTHR22 **Volunteer (2) hrs/wk**

Location:	465-469 (width: 5; decimal: 2)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0.00	-	5	0.2 %
0.08	-	1	0.0 %
0.10	-	2	0.1 %
0.15	-	1	0.0 %
0.17	-	1	0.0 %
0.25	-	8	0.3 %
0.30	-	1	0.0 %
0.38	-	1	0.0 %
0.50	-	33	1.2 %
0.57	-	1	0.0 %
0.60	-	1	0.0 %
0.70	-	1	0.0 %
0.75	-	6	0.2 %
0.80	-	1	0.0 %
0.96	-	1	0.0 %
1.00	-	127	4.6 %
1.25	-	2	0.1 %
1.50	-	6	0.2 %
2.00	-	72	2.6 %
2.50	-	5	0.2 %
3.00	-	41	1.5 %
3.50	-	1	0.0 %
4.00	-	31	1.1 %
4.50	-	2	0.1 %
5.00	-	18	0.7 %
6.00	-	9	0.3 %
7.00	-	1	0.0 %
7.69	-	1	0.0 %
8.00	-	7	0.3 %

Value	Label	Unweighted Frequency	%
9.00	-	1	0.0 %
10.00	-	6	0.2 %
12.00	-	3	0.1 %
15.00	-	2	0.1 %
16.00	-	1	0.0 %
18.00	-	1	0.0 %
20.00	-	3	0.1 %
25.00	-	1	0.0 %
28.00	-	1	0.0 %
. (M)	-	2342	85.2 %

VLNTHR32   **Volunteer (3) hrs/wk**

Location: 470-474 (width: 5; decimal: 2)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0.00	-	2	0.1 %
0.10	-	1	0.0 %
0.12	-	1	0.0 %
0.25	-	4	0.1 %
0.38	-	1	0.0 %
0.50	-	8	0.3 %
0.75	-	2	0.1 %
1.00	-	39	1.4 %
1.50	-	2	0.1 %
2.00	-	25	0.9 %
2.50	-	2	0.1 %
3.00	-	10	0.4 %
4.00	-	5	0.2 %
5.00	-	13	0.5 %
6.00	-	3	0.1 %
8.00	-	2	0.1 %
9.00	-	1	0.0 %
10.00	-	3	0.1 %
40.00	-	1	0.0 %
. (M)	-	2623	95.5 %

MARITAL2   **Marital status**

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-8	Do not know	1	0.0 %
-7	Refused	1	0.0 %
1	Single/Never Married	346	12.6 %
2	Currently Married/Living as Married	1792	65.2 %
3	Separated	106	3.9 %
4	Widowed	70	2.5 %
5	Divorced	408	14.8 %
. (M)	-	24	0.9 %

PARTNJO2	Partner/spouse job title
Location:	477-506 (width: 30; decimal: 0)
Variable Type:	character

HOUSEHL2	Anyone living in your household
Location:	507-507 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	No	292	10.6 %
2	Yes	2430	88.4 %
. (M)	-	26	0.9 %

RELAT12	Relationship to yourself (1)
Location:	508-537 (width: 30; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	318	11.6 %
AUNT	2	0.1 %
BEST FRIEND/BOYFRIEND	1	0.0 %
BOYFRIEND	25	0.9 %
BROTHER	13	0.5 %
BROTHER-IN-LAW	1	0.0 %
CHILD	1	0.0 %
CHILD (SON)	1	0.0 %
COLLEGE STUDENT RENTING ROOM	1	0.0 %
COMPANION	4	0.1 %
COUSIN	4	0.1 %
DAD	1	0.0 %
DAUGHER	1	0.0 %
DAUGHTER	359	13.1 %
DAUGHTERS	1	0.0 %

Value	Unweighted Frequency	%
DTR	1	0.0 %
DUAGHTER	1	0.0 %
EX-HUSBAND	2	0.1 %
FATHER	14	0.5 %
FIANCE	6	0.2 %
FIANCEE	2	0.1 %
FORMER SIGNIFICANT OTHER	1	0.0 %
FOSTER CHILD	1	0.0 %
FOSTER DAUGHTER	2	0.1 %
FOSTER SON	1	0.0 %
FRIEND	17	0.6 %
FRIEND/HOUSEMATE	1	0.0 %
FUTURE HUSBAND	1	0.0 %
GIRLFRIEND	2	0.1 %
GODMOTHER	1	0.0 %
GODSON	1	0.0 %
GRANDAUGHTER	1	0.0 %
GRANDCHILD	1	0.0 %
GRANDDAUGHTER	5	0.2 %
GRANDMA	1	0.0 %
GRANDMOTHER	1	0.0 %
GRANDSON	8	0.3 %
GREAT AUNT	1	0.0 %
HHUSBAND	1	0.0 %
HOUSEMATE	2	0.1 %
HUBAND	1	0.0 %
HUSAND	1	0.0 %
HUSBAD	2	0.1 %
HUSBAND	1375	50.0 %
LONG TERM PARTNER	1	0.0 %
LOVER	3	0.1 %
MALE FRIEND	1	0.0 %
MATE	1	0.0 %
MOM	1	0.0 %
MOTHER	55	2.0 %
MOTHER-IN-LAW	2	0.1 %
NEPHEW	3	0.1 %
NIECE	3	0.1 %
OTHER HALF	1	0.0 %
PARNTER	1	0.0 %

Value	Unweighted Frequency	%
PARTNER	37	1.3 %
PARTNER (BOYFRIEND)	1	0.0 %
RELIGIOUS SISTER	1	0.0 %
RENTER	1	0.0 %
ROOM-MATE	1	0.0 %
ROOMMATE	10	0.4 %
SIGNIFICANT OTHER	9	0.3 %
SISTER	18	0.7 %
SISTER OF MERCY	1	0.0 %
SISTER-IN-LAW	1	0.0 %
SON	364	13.2 %
SON IN LAW	1	0.0 %
SON'S FRIEND	1	0.0 %
SON(AWAY AT COLLEGE)	1	0.0 %
SON-IN-LAW	2	0.1 %
SPOUSE	31	1.1 %
STEP-SON	1	0.0 %
STEP-SON (TWIN)	1	0.0 %
STEPDAUGHTER	1	0.0 %
STEPSON	1	0.0 %
STEPSON (MENTALLY RETARDED)	1	0.0 %
STUDENT	1	0.0 %
TENANT	1	0.0 %
UNCLE	1	0.0 %
X-HUSBAND	1	0.0 %

SEX12   **Gender (1)**

Location: 538-539 (width: 2; decimal: 0)
Variable Type: character

Value	Label	Unweighted Frequency	%
	-	318	11.6 %
F	-	505	18.4 %
M	-	1925	70.1 %

AGE12   **Age (1)**

Location: 540-541 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2	-	3	0.1 %
3	-	4	0.1 %
4	-	9	0.3 %
5	-	11	0.4 %
6	-	12	0.4 %
7	-	13	0.5 %
8	-	10	0.4 %
9	-	18	0.7 %
10	-	22	0.8 %
11	-	27	1.0 %
12	-	28	1.0 %
13	-	38	1.4 %
14	-	43	1.6 %
15	-	50	1.8 %
16	-	35	1.3 %
17	-	58	2.1 %
18	-	57	2.1 %
19	-	46	1.7 %
20	-	32	1.2 %
21	-	46	1.7 %
22	-	44	1.6 %
23	-	34	1.2 %
24	-	24	0.9 %
25	-	24	0.9 %
26	-	19	0.7 %
27	-	14	0.5 %
28	-	12	0.4 %
29	-	14	0.5 %
30	-	14	0.5 %
31	-	5	0.2 %
32	-	4	0.1 %
33	-	8	0.3 %
34	-	4	0.1 %
35	-	6	0.2 %
36	-	6	0.2 %
37	-	7	0.3 %
38	-	11	0.4 %
39	-	11	0.4 %
40	-	19	0.7 %
41	-	16	0.6 %

Value	Label	Unweighted Frequency	%
42	-	32	1.2 %
43	-	40	1.5 %
44	-	53	1.9 %
45	-	95	3.5 %
46	-	82	3.0 %
47	-	84	3.1 %
48	-	139	5.1 %
49	-	126	4.6 %
50	-	124	4.5 %
51	-	107	3.9 %
52	-	142	5.2 %
53	-	72	2.6 %
54	-	74	2.7 %
55	-	64	2.3 %
56	-	47	1.7 %
57	-	45	1.6 %
58	-	32	1.2 %
59	-	25	0.9 %
60	-	30	1.1 %
61	-	10	0.4 %
62	-	18	0.7 %
63	-	19	0.7 %
64	-	4	0.1 %
65	-	7	0.3 %
66	-	3	0.1 %
67	-	4	0.1 %
68	-	6	0.2 %
69	-	2	0.1 %
70	-	7	0.3 %
71	-	5	0.2 %
72	-	9	0.3 %
73	-	1	0.0 %
74	-	8	0.3 %
75	-	4	0.1 %
76	-	5	0.2 %
77	-	8	0.3 %
78	-	5	0.2 %
79	-	2	0.1 %
80	-	4	0.1 %
81	-	1	0.0 %

Value	Label	Unweighted Frequency	%
82	-	4	0.1 %
83	-	3	0.1 %
84	-	5	0.2 %
85	-	3	0.1 %
86	-	1	0.0 %
88	-	1	0.0 %
89	-	2	0.1 %
90	-	1	0.0 %
93	-	2	0.1 %
94	-	1	0.0 %
96	-	1	0.0 %
. (M)	-	320	11.6 %

RELAT22 — Relationship to yourself (2)

Location: 542-571 (width: 30; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	1014	36.9 %
-8	1	0.0 %
AUNT	2	0.1 %
BOARDER-JAPANESE STUDENT	1	0.0 %
BOY	1	0.0 %
BOY-FRIEND	1	0.0 %
BOYFRIEND	6	0.2 %
BROTHER	13	0.5 %
BROTHER IN LAW	1	0.0 %
CHILD	4	0.1 %
COUSIN	6	0.2 %
DAD	1	0.0 %
DAUGHTER	682	24.8 %
DAUGHTER (MENTALLY RETARDED)	1	0.0 %
DAUGHTER'S BOYFRIEND	1	0.0 %
DAUGHTER'S FRIEND	1	0.0 %
DAUGHTER'S GODFATHER	1	0.0 %
DAUGHTER-IN-LAW	3	0.1 %
DAUGHTERS	1	0.0 %
DAUGTHER	1	0.0 %
DAUHGTER	1	0.0 %
EX HUSBAND	1	0.0 %

Value	Unweighted Frequency	%
EX-HUSBAND	2	0.1 %
FATHER	8	0.3 %
FATHER-IN-LAW	6	0.2 %
FIANCEE	1	0.0 %
FIRST SON	2	0.1 %
FOSTER DAUGHTER	2	0.1 %
FRIEND	8	0.3 %
FRIEND'S SON	1	0.0 %
FUTURE DAUGHTER-IN-LAW	1	0.0 %
GRANDDAUGHTER	11	0.4 %
GRANDSON	26	0.9 %
GRANDSON'S MOTHER	1	0.0 %
GRANDSONS	1	0.0 %
GREAT NIECE	1	0.0 %
HUSBAND	99	3.6 %
HUSNBAND	1	0.0 %
LOVER'S SON	1	0.0 %
MALE	2	0.1 %
MALE FRIEND	1	0.0 %
MOM	1	0.0 %
MOTHER	27	1.0 %
MOTHER-IN-LAW	9	0.3 %
NEICE	1	0.0 %
NEPHEW	7	0.3 %
NIECE	4	0.1 %
OLDER BROTHER	1	0.0 %
PARTNER	4	0.1 %
ROOMMATE	5	0.2 %
ROOMMATE'S SISTER	1	0.0 %
SIGNIFICANT OTHER	2	0.1 %
SISTER	14	0.5 %
SISTER IN LAW	1	0.0 %
SISTER OF MERCY	1	0.0 %
SISTER-IN-LAW	2	0.1 %
SON	718	26.1 %
SON'S FINACEE	1	0.0 %
SON'S FRIEND'S MOTHER	1	0.0 %
SON'S GIRLFRIEND	2	0.1 %
SON(AWAY AT COLLEGE)	1	0.0 %
SON-IN-LAW	2	0.1 %

Value	Unweighted Frequency	%
SPOUSE	3	0.1 %
STEP SON	1	0.0 %
STEP-DAUGHTER	4	0.1 %
STEP-FATHER	1	0.0 %
STEP-SON	2	0.1 %
STEP-SON (TWIN)	1	0.0 %
STEPDAUGHTER	4	0.1 %
STEPFATHER	1	0.0 %
STEPSON	4	0.1 %
STUDENT RENTER	1	0.0 %
TENANT	2	0.1 %

SEX22 — Gender (2)

Location: 572-573 (width: 2; decimal: 0)
Variable Type: character

Value	Label	Unweighted Frequency	%
	-	1014	36.9 %
F	-	791	28.8 %
M	-	943	34.3 %

AGE22 — Age (2)

Location: 574-575 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	-	6	0.2 %
2	-	4	0.1 %
3	-	8	0.3 %
4	-	12	0.4 %
5	-	16	0.6 %
6	-	25	0.9 %
7	-	24	0.9 %
8	-	38	1.4 %
9	-	47	1.7 %
10	-	54	2.0 %
11	-	59	2.1 %
12	-	61	2.2 %
13	-	77	2.8 %
14	-	69	2.5 %
15	-	84	3.1 %

Value	Label	Unweighted Frequency	%
16	-	97	3.5 %
17	-	117	4.3 %
18	-	110	4.0 %
19	-	94	3.4 %
20	-	96	3.5 %
21	-	93	3.4 %
22	-	65	2.4 %
23	-	63	2.3 %
24	-	45	1.6 %
25	-	40	1.5 %
26	-	28	1.0 %
27	-	31	1.1 %
28	-	15	0.5 %
29	-	5	0.2 %
30	-	9	0.3 %
31	-	4	0.1 %
32	-	8	0.3 %
33	-	2	0.1 %
34	-	3	0.1 %
36	-	1	0.0 %
37	-	3	0.1 %
38	-	3	0.1 %
39	-	1	0.0 %
40	-	6	0.2 %
41	-	1	0.0 %
42	-	3	0.1 %
43	-	8	0.3 %
44	-	7	0.3 %
45	-	9	0.3 %
46	-	7	0.3 %
47	-	11	0.4 %
48	-	11	0.4 %
49	-	14	0.5 %
50	-	19	0.7 %
51	-	16	0.6 %
52	-	11	0.4 %
53	-	8	0.3 %
54	-	3	0.1 %
55	-	3	0.1 %
56	-	5	0.2 %

Value	Label	Unweighted Frequency	%
57	-	3	0.1 %
58	-	1	0.0 %
60	-	3	0.1 %
61	-	3	0.1 %
62	-	3	0.1 %
64	-	3	0.1 %
66	-	1	0.0 %
67	-	4	0.1 %
68	-	2	0.1 %
69	-	1	0.0 %
70	-	3	0.1 %
71	-	1	0.0 %
72	-	4	0.1 %
73	-	1	0.0 %
74	-	4	0.1 %
75	-	3	0.1 %
76	-	9	0.3 %
77	-	4	0.1 %
78	-	3	0.1 %
79	-	6	0.2 %
80	-	1	0.0 %
81	-	2	0.1 %
83	-	3	0.1 %
85	-	1	0.0 %
87	-	1	0.0 %
89	-	1	0.0 %
95	-	1	0.0 %
. (M)	-	1017	37.0 %

RELAT32	Relationship to yourself (3)

Location: 576-605 (width: 30; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	1658	60.3 %
-8	1	0.0 %
AUNT	1	0.0 %
BOARDER-JAPANESE STUDENT	1	0.0 %
BOY FRIEND	1	0.0 %
BOYFRIEND	3	0.1 %

Value	Unweighted Frequency	%
BROTHER	5	0.2 %
BROTHER INLAW	1	0.0 %
BROTHER-IN-LAW	2	0.1 %
CHILD	3	0.1 %
COUSIN	1	0.0 %
DAUGHER	1	0.0 %
DAUGHTER	366	13.3 %
DAUGHTER'S BOYFRIEND	1	0.0 %
DAUGHTER'S FIANCE	1	0.0 %
DAUGHTER-IN-LAW	5	0.2 %
DAUGHTERF	1	0.0 %
DAUTHER	1	0.0 %
DRANDDAUGHTER	1	0.0 %
DTR	1	0.0 %
FATHER	5	0.2 %
FATHER-IN-LAW	2	0.1 %
FEMALE	1	0.0 %
FEMALE FRIEND	1	0.0 %
FIANCE	2	0.1 %
FOSTER SON	1	0.0 %
FRIEND	3	0.1 %
FRIEND OF DAUGHTER	1	0.0 %
FRIEND'S DAUGHTER	1	0.0 %
GRANDAUGHTER	3	0.1 %
GRANDCHILD	2	0.1 %
GRANDDAUGHTER	21	0.8 %
GRANDMOTHER	1	0.0 %
GRANDSON	33	1.2 %
GREAT NEPHEW	1	0.0 %
HUSBAD	1	0.0 %
HUSBAND	125	4.5 %
MALE FRIEND	1	0.0 %
MOTHER	8	0.3 %
MOTHER IN LAW	2	0.1 %
MOTHER-IN-LAW	5	0.2 %
NEPHEW	11	0.4 %
NEPHEW (GREAT)	1	0.0 %
NIECE	4	0.1 %
PARTNER	4	0.1 %
ROOMMATE	2	0.1 %

Value	Unweighted Frequency	%
ROOMMATE'S SISTER'S CHILD	1	0.0 %
SECOND SON	2	0.1 %
SISTER	8	0.3 %
SISTER OF MERCY	1	0.0 %
SON	423	15.4 %
SON (ADOPTED)	1	0.0 %
SON'S FRIEND	2	0.1 %
SON'S GIRLFRIEND	2	0.1 %
SON-IN-LAW	4	0.1 %
SPOUSE	2	0.1 %
STEP-DAUGHTER	2	0.1 %
STEPSON	1	0.0 %
STUDENT FROM UKRAINE	1	0.0 %
UNCLE	1	0.0 %

SEX32		**Gender (3)**		

Location: 606-607 (width: 2; decimal: 0)
Variable Type: character

Value	Label	Unweighted Frequency	%
	-	1658	60.3 %
F	-	443	16.1 %
M	-	647	23.5 %

AGE32		**Age (3)**		

Location: 608-609 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	-	14	0.5 %
2	-	8	0.3 %
3	-	11	0.4 %
4	-	9	0.3 %
5	-	20	0.7 %
6	-	28	1.0 %
7	-	22	0.8 %
8	-	33	1.2 %
9	-	43	1.6 %
10	-	35	1.3 %
11	-	50	1.8 %
12	-	48	1.7 %

Value	Label	Unweighted Frequency	%
13	-	41	1.5 %
14	-	57	2.1 %
15	-	53	1.9 %
16	-	53	1.9 %
17	-	78	2.8 %
18	-	46	1.7 %
19	-	46	1.7 %
20	-	48	1.7 %
21	-	35	1.3 %
22	-	25	0.9 %
23	-	22	0.8 %
24	-	20	0.7 %
25	-	13	0.5 %
26	-	14	0.5 %
27	-	8	0.3 %
28	-	2	0.1 %
29	-	11	0.4 %
30	-	5	0.2 %
31	-	1	0.0 %
32	-	2	0.1 %
34	-	1	0.0 %
35	-	2	0.1 %
36	-	2	0.1 %
38	-	1	0.0 %
39	-	2	0.1 %
40	-	2	0.1 %
41	-	4	0.1 %
42	-	5	0.2 %
43	-	3	0.1 %
44	-	6	0.2 %
45	-	8	0.3 %
46	-	7	0.3 %
47	-	17	0.6 %
48	-	13	0.5 %
49	-	25	0.9 %
50	-	8	0.3 %
51	-	11	0.4 %
52	-	14	0.5 %
53	-	6	0.2 %
54	-	7	0.3 %

Value	Label	Unweighted Frequency	%
55	-	4	0.1 %
56	-	2	0.1 %
57	-	3	0.1 %
58	-	3	0.1 %
59	-	2	0.1 %
60	-	1	0.0 %
62	-	1	0.0 %
65	-	2	0.1 %
70	-	4	0.1 %
72	-	2	0.1 %
74	-	2	0.1 %
75	-	2	0.1 %
76	-	1	0.0 %
77	-	1	0.0 %
78	-	2	0.1 %
79	-	1	0.0 %
80	-	2	0.1 %
81	-	2	0.1 %
82	-	1	0.0 %
83	-	2	0.1 %
84	-	3	0.1 %
85	-	1	0.0 %
. (M)	-	1659	60.4 %

RELAT42	**Relationship to yourself (4)**

Location: 610-639 (width: 30; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	2293	83.4 %
AUNT	2	0.1 %
BABY	1	0.0 %
BOYFRIEND	2	0.1 %
BROTHER	3	0.1 %
BROTHER-IN-LAW	3	0.1 %
CHILD	1	0.0 %
DAD	1	0.0 %
DAUGHTER	153	5.6 %
DAUGHTER'S BOYFRIEND	2	0.1 %
DAUGHTER'S BOYFRIEND (FIANCE)	1	0.0 %

Value	Unweighted Frequency	%
DAUGHTER-IN-LAW	1	0.0 %
DAUGTHER	1	0.0 %
FATHER	2	0.1 %
FATHER-IN-LAW	3	0.1 %
FIANCE	1	0.0 %
FIRST SON'S FIANCEE	1	0.0 %
FOSTER DAUGHTER	1	0.0 %
FOSTER SON	1	0.0 %
FOSTER-SON	1	0.0 %
FRIEND	4	0.1 %
FRIEND'S BROTHER	1	0.0 %
FULL-TIME ATTENDANT, ROTATES D	1	0.0 %
GIRLFRIEND	1	0.0 %
GRAND-DAUGHTER	1	0.0 %
GRANDAUGHTER	2	0.1 %
GRANDCHILD	2	0.1 %
GRANDDAUGHTER	13	0.5 %
GRANDSON	31	1.1 %
GREAT NEPHEW	1	0.0 %
HUSBAND	41	1.5 %
MALE FRIEND	1	0.0 %
MOTHER	2	0.1 %
MOTHER - IN LAW	1	0.0 %
MOTHER IN LAW	1	0.0 %
MOTHER INLAW	1	0.0 %
MOTHER-IN-LAW	3	0.1 %
NEPHEW	6	0.2 %
NIECE	4	0.1 %
PARTNER	2	0.1 %
PRIVATE DUTY LIVE-IN NURSE	1	0.0 %
SISTER	4	0.1 %
SISTER-IN-LAW	3	0.1 %
SON	140	5.1 %
SON'S FRIEND	1	0.0 %
SON'S GIRLFRIEND	2	0.1 %
SON-IN-LAW	1	0.0 %
STEP-DAUGHTERS' MOTHER	1	0.0 %
STEP-SON	1	0.0 %
STEPDAUGHTER	1	0.0 %

SEX42   **Gender (4)**

Location: 640-641 (width: 2; decimal: 0)
Variable Type: character

Value	Label	Unweighted Frequency	%
	-	2293	83.4 %
F	-	205	7.5 %
M	-	250	9.1 %

AGE42	**Age (4)**

Location: 642-643 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	-	13	0.5 %
2	-	13	0.5 %
3	-	8	0.3 %
4	-	12	0.4 %
5	-	5	0.2 %
6	-	11	0.4 %
7	-	9	0.3 %
8	-	17	0.6 %
9	-	16	0.6 %
10	-	25	0.9 %
11	-	21	0.8 %
12	-	21	0.8 %
13	-	23	0.8 %
14	-	25	0.9 %
15	-	20	0.7 %
16	-	22	0.8 %
17	-	17	0.6 %
18	-	18	0.7 %
19	-	14	0.5 %
20	-	12	0.4 %
21	-	12	0.4 %
22	-	10	0.4 %
23	-	8	0.3 %
24	-	5	0.2 %
25	-	5	0.2 %
26	-	3	0.1 %
27	-	5	0.2 %
28	-	1	0.0 %
31	-	1	0.0 %

Value	Label	Unweighted Frequency	%
32	-	2	0.1 %
33	-	1	0.0 %
36	-	1	0.0 %
38	-	2	0.1 %
39	-	1	0.0 %
42	-	3	0.1 %
43	-	4	0.1 %
44	-	1	0.0 %
45	-	6	0.2 %
46	-	3	0.1 %
47	-	6	0.2 %
48	-	4	0.1 %
49	-	5	0.2 %
50	-	4	0.1 %
51	-	6	0.2 %
52	-	3	0.1 %
53	-	2	0.1 %
54	-	1	0.0 %
55	-	3	0.1 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	2	0.1 %
62	-	1	0.0 %
63	-	1	0.0 %
66	-	1	0.0 %
69	-	1	0.0 %
71	-	1	0.0 %
73	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
77	-	2	0.1 %
78	-	1	0.0 %
79	-	1	0.0 %
81	-	1	0.0 %
82	-	1	0.0 %
83	-	1	0.0 %
85	-	1	0.0 %
86	-	1	0.0 %
87	-	1	0.0 %
. (M)	-	2296	83.6 %

RELAT52	Relationship to yourself (5)

Location:	644-673 (width: 30; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	2579	93.9 %
AUNT'S STEPDAUGHTER	1	0.0 %
BOYFRIEND	1	0.0 %
BOYFRIEND OF SISTER	1	0.0 %
BROTHER	1	0.0 %
BROTHER-IN-LAW	2	0.1 %
DAUGHTER	37	1.3 %
DAUGTHER	1	0.0 %
FATHER-IN-LAW	1	0.0 %
FOSTER SON	1	0.0 %
FOSTER-DAUGHTER	1	0.0 %
FRIEND	2	0.1 %
GIRLFRIEND'S HUSBAND	1	0.0 %
GRAND-DAUGHTER	1	0.0 %
GRANDAUGHTER	1	0.0 %
GRANDCHILD	1	0.0 %
GRANDDAUGHTER	15	0.5 %
GRANDSON	14	0.5 %
GREAT NIECE	1	0.0 %
HOUSE KEEPER	1	0.0 %
HOUSEKEEPER	2	0.1 %
HUSBAND	11	0.4 %
HUSBAND'S SISTER	1	0.0 %
MOTHER	3	0.1 %
MOTHER-IN-LAW	1	0.0 %
NEICE	1	0.0 %
NEPHEW	3	0.1 %
NIECE	3	0.1 %
SISTER	1	0.0 %
SISTER'S HUSBAND	1	0.0 %
SON	54	2.0 %
SON-IN-LAW	1	0.0 %
STEP-SON	1	0.0 %
TWINS	1	0.0 %
YOUNG BOY	1	0.0 %

SEX52	Gender (5)

| Location: | 674-675 (width: 2; decimal: 0) |
| Variable Type: | character |

Value	Label	Unweighted Frequency	%
	-	2579	93.9 %
F	-	73	2.7 %
M	-	96	3.5 %

AGE52 — Age (5)

| Location: | 676-677 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
1	-	10	0.4 %
2	-	5	0.2 %
3	-	6	0.2 %
4	-	6	0.2 %
5	-	8	0.3 %
6	-	6	0.2 %
7	-	9	0.3 %
8	-	10	0.4 %
9	-	7	0.3 %
10	-	2	0.1 %
11	-	6	0.2 %
12	-	13	0.5 %
13	-	7	0.3 %
14	-	7	0.3 %
15	-	5	0.2 %
16	-	3	0.1 %
17	-	2	0.1 %
18	-	7	0.3 %
19	-	5	0.2 %
20	-	1	0.0 %
21	-	3	0.1 %
22	-	3	0.1 %
23	-	3	0.1 %
25	-	3	0.1 %
26	-	2	0.1 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
34	-	1	0.0 %
39	-	1	0.0 %

Value	Label	Unweighted Frequency	%
40	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	3	0.1 %
49	-	1	0.0 %
50	-	3	0.1 %
52	-	1	0.0 %
55	-	1	0.0 %
56	-	2	0.1 %
60	-	2	0.1 %
64	-	1	0.0 %
68	-	1	0.0 %
74	-	1	0.0 %
78	-	2	0.1 %
82	-	1	0.0 %
. (M)	-	2579	93.9 %

RELAT62 — Relationship to yourself (6)

Location: 678-707 (width: 30; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	2696	98.1 %
ADOPTED SON	1	0.0 %
BROTHER	1	0.0 %
DAUGHTER	8	0.3 %
DAUGHTER'S BOYFRIEND	1	0.0 %
DAUGHTER-VACATION ONLY	1	0.0 %
FATHER	1	0.0 %
FATHER'S GIRLFRIEND	1	0.0 %
GRANDAUGHTER	2	0.1 %
GRANDCHILD	2	0.1 %
GRANDDAUGHTER	6	0.2 %
GRANDSON	6	0.2 %
HUSBAND	3	0.1 %
HUSBAND'S SISTER'S DAUGHTER	1	0.0 %
NEPHEW	2	0.1 %

Value	Unweighted Frequency	%
NIECE	1	0.0 %
SISTER	1	0.0 %
SON	13	0.5 %
SON'S GIRLFRIEND	1	0.0 %

SEX62 — Gender (6)

Location: 708-709 (width: 2; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	2696	98.1 %
F	-	22	0.8 %
M	-	30	1.1 %

AGE62 — Age (6)

Location: 710-711 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	-	6	0.2 %
2	-	2	0.1 %
3	-	3	0.1 %
5	-	3	0.1 %
6	-	1	0.0 %
7	-	3	0.1 %
8	-	2	0.1 %
9	-	1	0.0 %
10	-	3	0.1 %
11	-	2	0.1 %
12	-	4	0.1 %
13	-	2	0.1 %
15	-	3	0.1 %
16	-	2	0.1 %
17	-	1	0.0 %
18	-	2	0.1 %
20	-	1	0.0 %
21	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
29	-	1	0.0 %
35	-	1	0.0 %

Value	Label	Unweighted Frequency	%
38	-	1	0.0 %
42	-	1	0.0 %
47	-	1	0.0 %
56	-	1	0.0 %
60	-	1	0.0 %
85	-	1	0.0 %
. (M)	-	2696	98.1 %

RELAT72 — Relationship to yourself (7)

Location: 712-741 (width: 30; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	2717	98.9 %
BROTHER-IN-LAW	1	0.0 %
DAUGHTER	3	0.1 %
FOSTER DAUGHTER	1	0.0 %
GRANDAUGHTER	1	0.0 %
GRANDCHILD	2	0.1 %
GRANDDAUGHTER	7	0.3 %
GRANDMOTHER	1	0.0 %
GRANDSON	6	0.2 %
HUSBAND	3	0.1 %
NEPHEW	2	0.1 %
SON	3	0.1 %
SON'S GIRLFRIEND	1	0.0 %

SEX72 — Gender (7)

Location: 742-743 (width: 2; decimal: 0)

Variable Type: character

Value	Label	Unweighted Frequency	%
	-	2717	98.9 %
F	-	14	0.5 %
M	-	17	0.6 %

AGE72 — Age (7)

Location: 744-745 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	-	5	0.2 %
2	-	4	0.1 %
3	-	3	0.1 %
4	-	2	0.1 %
5	-	2	0.1 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.1 %
10	-	2	0.1 %
11	-	1	0.0 %
12	-	1	0.0 %
14	-	1	0.0 %
22	-	1	0.0 %
46	-	1	0.0 %
49	-	1	0.0 %
54	-	1	0.0 %
57	-	1	0.0 %
84	-	1	0.0 %
. (M)	-	2717	98.9 %

RELAT82 — Relationship to yourself (8)

Location: 746-775 (width: 30; decimal: 0)
Variable Type: character

Value	Unweighted Frequency	%
	2738	99.6 %
ADOPTED DAUGHTER	1	0.0 %
DAUGHTER	2	0.1 %
GRANDAUGHTER	1	0.0 %
GRANDCHILD	1	0.0 %
GRANDSON	2	0.1 %
GREAT NIECE	1	0.0 %
MOTHER	1	0.0 %
SON	1	0.0 %

SEX82 — Gender (8)

Location: 776-777 (width: 2; decimal: 0)
Variable Type: character

Value	Label	Unweighted Frequency	%
	-	2738	99.6 %

Value	Label	Unweighted Frequency	%
F	-	7	0.3 %
M	-	3	0.1 %

AGE82 — Age (8)

Location:	778-779 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
7	-	2	0.1 %
9	-	1	0.0 %
84	-	1	0.0 %
. (M)	-	2738	99.6 %

RELAT92 — Relationship to yourself (9)

Location:	780-809 (width: 30; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	2743	99.8 %
ADOPTED DAUGHTER	1	0.0 %
DAUGHTER	2	0.1 %
MOTHER-IN-LAW	1	0.0 %
SON	1	0.0 %

SEX92 — Gender (9)

Location:	810-811 (width: 2; decimal: 0)
Variable Type:	character

Value	Label	Unweighted Frequency	%
	-	2743	99.8 %
F	-	4	0.1 %
M	-	1	0.0 %

AGE92 — Age (9)

Location:	812-813 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
5	-	1	0.0 %
8	-	1	0.0 %
12	-	1	0.0 %
84	-	1	0.0 %
. (M)	-	2743	99.8 %

RELAT102	**Relationship to yourself (10)**
Location:	814-843 (width: 30; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	2745	99.9 %
DAUGHTER	3	0.1 %

SEX102	**Gender (10)**
Location:	844-845 (width: 2; decimal: 0)
Variable Type:	character

Value	Label	Unweighted Frequency	%
	-	2745	99.9 %
F	-	3	0.1 %

AGE102	**Age (10)**
Location:	846-847 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
7	-	1	0.0 %
11	-	1	0.0 %
. (M)	-	2745	99.9 %

RELAT112	**Relationship to yourself (11)**
Location:	848-877 (width: 30; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	2746	99.9 %
DAUGHTER	1	0.0 %
GRANDSON	1	0.0 %

SEX112	Gender (11)

Location:	878-879 (width: 2; decimal: 0)
Variable Type:	character

Value	Label	Unweighted Frequency	%
	-	2746	99.9 %
F	-	1	0.0 %
M	-	1	0.0 %

AGE112	Age (11)

Location:	880-881 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
6	-	1	0.0 %
10	-	1	0.0 %
. (M)	-	2746	99.9 %

RELAT122	Relationship to yourself (12)

Location:	882-911 (width: 30; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	2746	99.9 %
DAUGHTER	1	0.0 %
GRANDDAUGHTER	1	0.0 %

SEX122	Gender (12)

Location:	912-913 (width: 2; decimal: 0)
Variable Type:	character

Value	Label	Unweighted Frequency	%
	-	2746	99.9 %
F	-	2	0.1 %

AGE122	Age (12)

Location:	914-915 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
22	-	1	0.0 %
. (M)	-	2746	99.9 %

OSTEPR12	**Osteoporosis medications**

Location: 916-916 (width: 1; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
1	2723	99.1 %
2	2	0.1 %
. (M)	23	0.8 %

STATUS2	**Menopausal Status**

Location: 917-917 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Hysterectomy/both ovaries removed	62	2.3 %
2	Post-menopausal	164	6.0 %
3	Late Peri	207	7.5 %
4	Early Peri	1562	56.8 %
5	Pre-menopausal	450	16.4 %
6	Pregnant/breastfeeding	2	0.1 %
7	Unknown due to HT use	277	10.1 %
. (M)	-	24	0.9 %

FLGINTV2	**Completed after V2 cutoff(01/31/2000)**

Location: 918-918 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
0	No	2720	99.0 %
1	Yes	5	0.2 %
. (M)	-	23	0.8 %

SAADAY2	**Self-administered-Part A Day**

Location: 919-922 (width: 4; decimal: 0)

Variable Type: numeric

LANGSAA2	**Language of Self-A**

Location: 923-923 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	English	2359	85.8 %
2	Spanish	140	5.1 %
3	Cantonese	89	3.2 %

Value	Label	Unweighted Frequency	%
4	Japanese	110	4.0 %
. (M)	-	50	1.8 %

OVERHLT2 — Overall health

Location: 924-925 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	10	0.4 %
-8	Do not know	3	0.1 %
1	Excellent	455	16.6 %
2	Very good	1028	37.4 %
3	Good	867	31.6 %
4	Fair	290	10.6 %
5	Poor	45	1.6 %
. (M)	-	50	1.8 %

HOSPSTA2 — Hospital stays since last visit

Location: 926-928 (width: 3; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	14	0.5 %
0	-	2483	90.4 %
1	-	147	5.3 %
2	-	34	1.2 %
3	-	5	0.2 %
4	-	4	0.1 %
5	-	2	0.1 %
6	-	2	0.1 %
7	-	3	0.1 %
9	-	2	0.1 %
10	-	1	0.0 %
15	-	1	0.0 %
. (M)	-	50	1.8 %

MDTALK2 — # times talk to since last visit

Location: 929-931 (width: 3; decimal: 0)

Variable Type: numeric

- Study 29401 -

Value	Label	Unweighted Frequency	%
-9	Missing	19	0.7 %
0	-	309	11.2 %
1	-	472	17.2 %
2	-	513	18.7 %
3	-	337	12.3 %
4	-	302	11.0 %
5	-	186	6.8 %
6	-	131	4.8 %
7	-	44	1.6 %
8	-	67	2.4 %
9	-	19	0.7 %
10	-	113	4.1 %
11	-	2	0.1 %
12	-	38	1.4 %
13	-	1	0.0 %
14	-	5	0.2 %
15	-	21	0.8 %
16	-	5	0.2 %
17	-	4	0.1 %
18	-	4	0.1 %
19	-	1	0.0 %
20	-	33	1.2 %
21	-	3	0.1 %
22	-	1	0.0 %
24	-	8	0.3 %
25	-	12	0.4 %
26	-	2	0.1 %
27	-	2	0.1 %
30	-	22	0.8 %
31	-	1	0.0 %
35	-	4	0.1 %
40	-	2	0.1 %
42	-	1	0.0 %
45	-	3	0.1 %
48	-	1	0.0 %
50	-	2	0.1 %
52	-	1	0.0 %
57	-	1	0.0 %
70	-	1	0.0 %
90	>=90 times	5	0.2 %

Value	Label	Unweighted Frequency	%
. (M)	-	50	1.8 %

PAPSMEA2 — Pap smear since last visit

Location:	932-933 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
1	No	829	30.2 %
2	Yes	1864	67.8 %
. (M)	-	50	1.8 %

BRSTEXA2 — Breast exam since last visit

Location:	934-935 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
1	No	748	27.2 %
2	Yes	1947	70.9 %
. (M)	-	50	1.8 %

MAMOGRA2 — Mammogram since last visit

Location:	936-937 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	No	1080	39.3 %
2	Yes	1610	58.6 %
. (M)	-	50	1.8 %

HLTHSER2 — Health services did not receive

Location:	938-939 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	14	0.5 %
1	No	2392	87.0 %
2	Yes	292	10.6 %
. (M)	-	50	1.8 %

HLTHSV12	Health services (1)

Location:	940-969 (width: 30; decimal: 0)
Variable Type:	character

HLTHSV22	Health services (2)

Location:	970-999 (width: 30; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	50	1.8 %
-1	2593	94.4 %
-9	4	0.1 %
ACUPUNCTURE	1	0.0 %
ALLERGIES	1	0.0 %
ANNUAL OB-GYN CHECK-UP	1	0.0 %
ARTHRITIS (TREATMENT)	1	0.0 %
B-5	1	0.0 %
BLOOD TEST	1	0.0 %
BREAST EXAM	6	0.2 %
BREAST EXAMINATION	1	0.0 %
BREAST PHYSICAL	1	0.0 %
BREAST PHYSICAL EXAM	1	0.0 %
CHEST PAIN & SHORTNESS OF BREA	1	0.0 %
CHEST PAIN, TACHYCARDIA	1	0.0 %
CHIROPRACTER FOR NECK/BACK	1	0.0 %
CHRONIC BACK PAIN	1	0.0 %
CONSTANT FALLING	1	0.0 %
CONSULTATION FOR OSTEOPOROSIS	1	0.0 %
DENTAL	1	0.0 %
DENTAL VISIT	1	0.0 %
DERMATOLOGICAL CHECK	1	0.0 %
EMOTIONAL	1	0.0 %
EYE	1	0.0 %
EYE CARE & GLASSES	1	0.0 %
EYE EXAM (REGULAR)	1	0.0 %
FLU SHOTS	1	0.0 %
FOOT CARE	1	0.0 %
GLASSES	1	0.0 %
GOOD UROLOGIST/OB.GYN. FOR INC	1	0.0 %
GYN DOCTOR	1	0.0 %
I MAY NEED TO SEE A PODIATRIST	1	0.0 %
INTERNAL PAIN	1	0.0 %

Value	Unweighted Frequency	%
KNEE EXAM	1	0.0 %
MAMMOGRAM	31	1.1 %
MAMMOGRAM (SCHEDULED)	1	0.0 %
MASTECTOMY	1	0.0 %
MEDICAL PROVIDER FOR MY BACK	1	0.0 %
MENTAL HEALTH CARE	1	0.0 %
MILD SKIN RASH ON HIPS/THIGHS	1	0.0 %
MORE INFORMATION ON HRT	1	0.0 %
NEED A MAMMOGRAM	1	0.0 %
NEUROLOGIST FOR MY NERVES	1	0.0 %
ORTHOPEDIC	1	0.0 %
OTHOPEDIC DOCTOR-SORE SHOULDER	1	0.0 %
PAP SMEAR	12	0.4 %
PELVIC EXAM	2	0.1 %
PHYSICAL CHECK-UP	1	0.0 %
PODIATRIST	1	0.0 %
PRESCRIPTION SERVICES	1	0.0 %
RASH INSIDE OF INNER THIGH	1	0.0 %
REMOVAL OF CERVICAL POLYP	1	0.0 %
RT LOWER BACK PAIN	1	0.0 %
SHOULD HAVE HAD A PAP SMEAR	1	0.0 %
SORE SHOULDER; MASSAGE THERAPY	1	0.0 %
THERAPIST-FOR DEPRESSION	1	0.0 %
UTERINE CANCER EXAMINATION	1	0.0 %

HLTHSV32	**Health services (3)**

Location:	1000-1029 (width: 30; decimal: 0)
Variable Type:	character

Value	Unweighted Frequency	%
	50	1.8 %
-1	2654	96.6 %
-9	4	0.1 %
ARTHRITIS	1	0.0 %
B-6	1	0.0 %
BLOOD TESTS	1	0.0 %
BREAST BIOPSY	1	0.0 %
BREAST EXAM	3	0.1 %
CARDIOLOGIST	1	0.0 %
CHEMOTHERAPY & RADIATION	1	0.0 %

Value	Unweighted Frequency	%
COMPLETE PHYSICAL	1	0.0 %
DIABETES	1	0.0 %
DR VISIT FOR DIABETES	1	0.0 %
EYE INFECTION	1	0.0 %
FAMILY COUNSELING WITH KIDS	1	0.0 %
FREQUENT COLD AND BODY PAIN	1	0.0 %
GENERAL CHECK-UP	1	0.0 %
GENERAL PHYSICAL EXAM	1	0.0 %
GOOD DERMATOLOGIST FOR ATROCIO	1	0.0 %
HEADACHES	1	0.0 %
INTERNIST 2 CHCK GALLSTN/LIVER	1	0.0 %
LOW BACK PAIN	1	0.0 %
MAMMOGRAM	8	0.3 %
ORTHOPEDIC SERVICES	1	0.0 %
PAP SMEAR (HAD PERIOD AT VISI	1	0.0 %
PELVIC EXAM	1	0.0 %
PHYSICAL	1	0.0 %
PODIATRIST-MORTON'S NEUROMA	1	0.0 %
REGULAR DENTAL CHECKUP	1	0.0 %
REGULAR SCREENING	1	0.0 %
REPETITIVE STRAIN INJURY TO AR	1	0.0 %
SKIN CHECKUP	1	0.0 %
SLIGHT DISCHARGE SINCE LAST P.	1	0.0 %
THERE ARE SOME OTHER MINOR ACH	1	0.0 %

PRIMREA2 — Primary reason not receive health care

Location: 1030-1031 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	18	0.7 %
-1	N/A	2406	87.6 %
1	Not covered by ins/health plan	27	1.0 %
2	Cannot afford	48	1.7 %
3	Travel distance/lack of transport	2	0.1 %
4	No health care provider	16	0.6 %
5	Too busy/no time	105	3.8 %
6	Other	76	2.8 %
. (M)	-	50	1.8 %

SMOKERE2 — Smoked regularly since last visit

Location:	1032-1033 (width: 2; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	6	0.2 %
1	No	2281	83.0 %
2	Yes	411	15.0 %
. (M)	-	50	1.8 %

AVCIGDA2 — Avg cigarettes/day since last visit

Location:	1034-1036 (width: 3; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
-1	N/A	2287	83.2 %
0	-	22	0.8 %
1	-	9	0.3 %
2	-	11	0.4 %
3	-	22	0.8 %
4	-	21	0.8 %
5	-	34	1.2 %
6	-	20	0.7 %
7	-	11	0.4 %
8	-	10	0.4 %
9	-	1	0.0 %
10	-	65	2.4 %
12	-	8	0.3 %
13	-	2	0.1 %
15	-	36	1.3 %
16	-	2	0.1 %
17	-	2	0.1 %
18	-	5	0.2 %
20	-	91	3.3 %
21	-	1	0.0 %
25	-	7	0.3 %
30	-	17	0.6 %
35	-	2	0.1 %
40	-	8	0.3 %
47	-	1	0.0 %
. (M)	-	50	1.8 %

HHMEMSM2 — Household members who smoke

Location: 1037-1038 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	37	1.3 %
-1	N/A	1	0.0 %
0	-	2151	78.3 %
1	-	395	14.4 %
2	-	86	3.1 %
3	-	15	0.5 %
4	-	6	0.2 %
5	-	4	0.1 %
6	-	1	0.0 %
7	-	2	0.1 %
. (M)	-	50	1.8 %

HOMEXPD2	Days exposed to smoke in home past week

Location: 1039-1040 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
-1	N/A	2189	79.7 %
0	-	105	3.8 %
1	-	27	1.0 %
2	-	31	1.1 %
3	-	29	1.1 %
4	-	18	0.7 %
5	-	23	0.8 %
6	-	2	0.1 %
7	-	267	9.7 %
. (M)	-	50	1.8 %

HOMEXPH2	Hrs exposed to smoke in home past week

Location: 1041-1043 (width: 3; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
-1	N/A	2301	83.7 %
0	-	8	0.3 %
1	-	106	3.9 %
2	-	62	2.3 %

Value	Label	Unweighted Frequency	%
3	-	34	1.2 %
4	-	43	1.6 %
5	-	25	0.9 %
6	-	25	0.9 %
7	-	8	0.3 %
8	-	23	0.8 %
9	-	2	0.1 %
10	-	13	0.5 %
11	-	1	0.0 %
12	-	15	0.5 %
13	-	1	0.0 %
14	-	4	0.1 %
15	-	3	0.1 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	2	0.1 %
24	-	11	0.4 %
. (M)	-	50	1.8 %

DRNKBEE2 — Drink alcoholic bev since last visit

Location: 1044-1045 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	11	0.4 %
1	No	814	29.6 %
2	Yes	1873	68.2 %
. (M)	-	50	1.8 %

GLASBEE2 — Avg glasses of beer

Location: 1046-1047 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	10	0.4 %
-1	N/A	825	30.0 %
1	None or < 1/mo	1237	45.0 %
2	1-3/mo	331	12.0 %
3	1/wk	81	2.9 %

Value	Label	Unweighted Frequency	%
4	2-4/wk	117	4.3 %
5	5-6/wk	48	1.7 %
6	1/day	20	0.7 %
7	2-3/day	22	0.8 %
8	4/day	3	0.1 %
9	>= 5/day	4	0.1 %
. (M)	-	50	1.8 %

GLASWIN2	Avg glasses of wine

Location: 1048-1049 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	825	30.0 %
1	None or < 1/mo	896	32.6 %
2	1-3/mo	488	17.8 %
3	1/wk	126	4.6 %
4	2-4/wk	199	7.2 %
5	5-6/wk	59	2.1 %
6	1/day	51	1.9 %
7	2-3/day	49	1.8 %
8	4/day	4	0.1 %
. (M)	-	50	1.8 %

GLASLIQ2	Avg glasses of liquor

Location: 1050-1051 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	4	0.1 %
-1	N/A	825	30.0 %
1	None or < 1/mo	1305	47.5 %
2	1-3/mo	374	13.6 %
3	1/wk	65	2.4 %
4	2-4/wk	78	2.8 %
5	5-6/wk	20	0.7 %
6	1/day	11	0.4 %
7	2-3/day	13	0.5 %
8	4/day	2	0.1 %
9	>= 5/day	1	0.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	50	1.8 %

PHYCTDW2 — Cut down on activ/work past mo due to health

Location:	1052-1053 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	4	0.1 %
1	No	2224	80.9 %
2	Yes	470	17.1 %
. (M)	-	50	1.8 %

PHYACCO2 — Accomplished less past mo due to health

Location:	1054-1055 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	4	0.1 %
1	No	1933	70.3 %
2	Yes	761	27.7 %
. (M)	-	50	1.8 %

PHYLIMI2 — Limited in activ/work past mo due to health

Location:	1056-1057 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	6	0.2 %
1	No	2162	78.7 %
2	Yes	530	19.3 %
. (M)	-	50	1.8 %

PHYDFCL2 — Difficulty perf activ/work past mo due to health

Location:	1058-1059 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
1	No	2049	74.6 %
2	Yes	644	23.4 %
. (M)	-	50	1.8 %

EMOCTDW2	Cut down on activ/work past mo due to emot prob		

Location: 1060-1061 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
1	No	2303	83.8 %
2	Yes	390	14.2 %
. (M)	-	50	1.8 %

EMOACCO2	Accomplished less past mo due to emot prob		

Location: 1062-1063 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
1	No	2049	74.6 %
2	Yes	646	23.5 %
. (M)	-	50	1.8 %

EMOCARE2	Activ/work less carefully past mo due to emot prob		

Location: 1064-1065 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	No	2250	81.9 %
2	Yes	440	16.0 %
. (M)	-	50	1.8 %

INTERFR2	Phys health/emot prob interfered w/normal social activ		

Location: 1066-1067 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
1	Not At All	1483	54.0 %
2	Slightly	735	26.7 %
3	Moderately	315	11.5 %
4	Quite A Bit	144	5.2 %
5	Extremely	19	0.7 %
. (M)	-	50	1.8 %

BODYPAI2	Bodily pain past mo		

Location:	1068-1069 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
1	None	498	18.1 %
2	Very Mild	898	32.7 %
3	Mild	580	21.1 %
4	Moderately	541	19.7 %
5	Severe	151	5.5 %
6	Very Severe	28	1.0 %
. (M)	-	50	1.8 %

PAINTRF2	**Pain interfere w/work past mo**

Location:	1070-1071 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	Not At All	1448	52.7 %
2	A Little Bit	747	27.2 %
3	Moderately	321	11.7 %
4	Quite A Bit	146	5.3 %
5	Extremely	28	1.0 %
. (M)	-	50	1.8 %

PEP2	**Full of pep last mo**

Location:	1072-1073 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	13	0.5 %
1	All Of The Time	54	2.0 %
2	Most Of The Time	628	22.9 %
3	A Good Bit Of The Time	624	22.7 %
4	Some Of The Time	737	26.8 %
5	A Little Of The Time	468	17.0 %
6	None Of The Time	174	6.3 %
. (M)	-	50	1.8 %

ENERGY2	**Lots energy last mo**

Location:	1074-1075 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	12	0.4 %
1	All Of The Time	57	2.1 %
2	Most Of The Time	596	21.7 %
3	A Good Bit Of The Time	616	22.4 %
4	Some Of The Time	757	27.5 %
5	A Little Of The Time	488	17.8 %
6	None Of The Time	172	6.3 %
. (M)	-	50	1.8 %

WORNOUT2	**Felt worn out last mo**		

Location:	1076-1077 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	12	0.4 %
1	All Of The Time	43	1.6 %
2	Most Of The Time	218	7.9 %
3	A Good Bit Of The Time	397	14.4 %
4	Some Of The Time	855	31.1 %
5	A Little Of The Time	919	33.4 %
6	None Of The Time	254	9.2 %
. (M)	-	50	1.8 %

TIRED2	**Felt tired last mo**		

Location:	1078-1079 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	13	0.5 %
1	All Of The Time	72	2.6 %
2	Most Of The Time	249	9.1 %
3	A Good Bit Of The Time	416	15.1 %
4	Some Of The Time	948	34.5 %
5	A Little Of The Time	904	32.9 %
6	None Of The Time	96	3.5 %
. (M)	-	50	1.8 %

SOCIAL2	**Phys health/emot prob interfered w/social activ/visiting**		

Location:	1080-1081 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	All Of The Time	63	2.3 %
2	Most Of The Time	110	4.0 %
3	Some Of The Time	445	16.2 %
4	A Little Of The Time	685	24.9 %
5	None Of The Time	1387	50.5 %
. (M)	-	50	1.8 %

PHYSACT2	Recreational activity compared to other women same age

Location:	1082-1083 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
1	Much Less	164	6.0 %
2	Somewhat Less	499	18.2 %
3	The Same	1057	38.5 %
4	Somewhat More	703	25.6 %
5	Much More	270	9.8 %
. (M)	-	50	1.8 %

WATCHTV2	Time spent past yr watching TV

Location:	1084-1085 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
1	Never Or Less Than 1 Hr/Wk	170	6.2 %
2	At Least 1 Hr/Wk But < 1 Hr/Day	526	19.1 %
3	1-2 Hrs/Day	1005	36.6 %
4	2-4 Hrs/Day	713	25.9 %
5	More Than 4 Hrs/Day	281	10.2 %
. (M)	-	50	1.8 %

WALKBIK2	Time spent walk/bike

Location:	1086-1087 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
1	Never/ < 5 Minutes Per Day	1336	48.6 %

Value	Label	Unweighted Frequency	%
2	5-15 Minutes/Day	622	22.6 %
3	16-30 Minutes/Day	420	15.3 %
4	31-45 Minutes/Day	153	5.6 %
5	More Than 45 Minutes/Day	164	6.0 %
. (M)	-	50	1.8 %

SWEATPA2	Time spent sweat from exertion

Location: 1088-1089 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
1	Never/Less Than Once A Month	924	33.6 %
2	Once A Month	268	9.8 %
3	2-3 Times A Month	387	14.1 %
4	Once/Wk	305	11.1 %
5	More Than Once/Wk	807	29.4 %
. (M)	-	50	1.8 %

SPORTS2	Time spent sport/exercise

Location: 1090-1091 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
1	Never/LT Once a Month	980	35.7 %
2	Once/Month	211	7.7 %
3	2-3 Times/Month	291	10.6 %
4	Once/Wk	300	10.9 %
5	More Than Once/Wk	907	33.0 %
. (M)	-	50	1.8 %

CHORES2	Chores-Current level of phys act

Location: 1092-1093 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	Much Greater Now	87	3.2 %
2	Greater Now	250	9.1 %
3	About the Same	2036	74.1 %

Value	Label	Unweighted Frequency	%
4	Less Now	263	9.6 %
5	Much less Now	54	2.0 %
. (M)	-	50	1.8 %

WORKPHY2		Work for pay-current level of phys act	

Location: 1094-1095 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	12	0.4 %
-1	N/A	459	16.7 %
1	Much Greater Now	107	3.9 %
2	Greater Now	307	11.2 %
3	About the Same	1639	59.6 %
4	Less Now	124	4.5 %
5	Much less Now	50	1.8 %
. (M)	-	50	1.8 %

PLANSPO2		Planned sports-current level of phys act	

Location: 1096-1097 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	20	0.7 %
1	Much Greater Now	72	2.6 %
2	Greater Now	278	10.1 %
3	About the Same	1683	61.2 %
4	Less Now	340	12.4 %
5	Much less Now	305	11.1 %
. (M)	-	50	1.8 %

ROUTINE2		Routine phys act-current level of phys act	

Location: 1098-1099 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	10	0.4 %
1	Much Greater Now	88	3.2 %
2	Greater Now	457	16.6 %
3	About the Same	1791	65.2 %
4	Less Now	267	9.7 %

Value	Label	Unweighted Frequency	%
5	Much less Now	85	3.1 %
. (M)	-	50	1.8 %

STIFF2 — Stiffness/soreness past 2 wks

Location: 1100-1101 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	Not At All	684	24.9 %
2	1-5 Days	1200	43.7 %
3	6-8 Days	210	7.6 %
4	9-13 Days	161	5.9 %
5	Every Day	435	15.8 %
. (M)	-	50	1.8 %

ACHES2 — Back aches/pains past 2 wks

Location: 1102-1103 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	13	0.5 %
1	Not At All	1055	38.4 %
2	1-5 Days	1051	38.2 %
3	6-8 Days	185	6.7 %
4	9-13 Days	129	4.7 %
5	Every Day	265	9.6 %
. (M)	-	50	1.8 %

COLDSWE2 — Cold sweats past 2 wks

Location: 1104-1105 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	22	0.8 %
1	Not At All	2363	86.0 %
2	1-5 Days	230	8.4 %
3	6-8 Days	40	1.5 %
4	9-13 Days	15	0.5 %
5	Every Day	28	1.0 %
. (M)	-	50	1.8 %

NITESWE2	Night sweats past 2 wks		

Location: 1106-1107 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
1	Not At All	1795	65.3 %
2	1-5 Days	630	22.9 %
3	6-8 Days	119	4.3 %
4	9-13 Days	73	2.7 %
5	Every Day	72	2.6 %
. (M)	-	50	1.8 %

VAGINDR2	Vaginal dryness past 2 wks		

Location: 1108-1109 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	16	0.6 %
1	Not At All	2068	75.3 %
2	1-5 Days	419	15.2 %
3	6-8 Days	81	2.9 %
4	9-13 Days	43	1.6 %
5	Every Day	71	2.6 %
. (M)	-	50	1.8 %

FEELBLU2	Feeling blue past 2 wks		

Location: 1110-1111 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
1	Not At All	1210	44.0 %
2	1-5 Days	1120	40.8 %
3	6-8 Days	178	6.5 %
4	9-13 Days	96	3.5 %
5	Every Day	85	3.1 %
. (M)	-	50	1.8 %

DIZZY2	Dizzy spells past 2 wks		

Location: 1112-1113 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
1	Not At All	2136	77.7 %
2	1-5 Days	480	17.5 %
3	6-8 Days	37	1.3 %
4	9-13 Days	19	0.7 %
5	Every Day	17	0.6 %
. (M)	-	50	1.8 %

IRRITAB2	Irritability past 2 wks
Location:	1114-1115 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
1	Not At All	885	32.2 %
2	1-5 Days	1480	53.9 %
3	6-8 Days	197	7.2 %
4	9-13 Days	80	2.9 %
5	Every Day	47	1.7 %
. (M)	-	50	1.8 %

NRVOUS2	Tense/nervous past 2 wks
Location:	1116-1117 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
1	Not At All	1059	38.5 %
2	1-5 Days	1254	45.6 %
3	6-8 Days	215	7.8 %
4	9-13 Days	84	3.1 %
5	Every Day	81	2.9 %
. (M)	-	50	1.8 %

FORGET2	Forgetfulness past 2 wks
Location:	1118-1119 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	10	0.4 %
1	Not At All	934	34.0 %

Value	Label	Unweighted Frequency	%
2	1-5 Days	1257	45.7 %
3	6-8 Days	255	9.3 %
4	9-13 Days	90	3.3 %
5	Every Day	152	5.5 %
. (M)	-	50	1.8 %

MOODCHG2 — Freq mood changes past 2 wks

Location: 1120-1121 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	10	0.4 %
1	Not At All	1518	55.2 %
2	1-5 Days	907	33.0 %
3	6-8 Days	153	5.6 %
4	9-13 Days	59	2.1 %
5	Every Day	51	1.9 %
. (M)	-	50	1.8 %

HARTRAC2 — Heart pounding/racing past 2 wks

Location: 1122-1123 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
1	Not At All	1964	71.5 %
2	1-5 Days	583	21.2 %
3	6-8 Days	83	3.0 %
4	9-13 Days	35	1.3 %
5	Every Day	24	0.9 %
. (M)	-	50	1.8 %

FEARFULA2 — Feeling fearful past 2 wks

Location: 1124-1125 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	12	0.4 %
1	Not At All	2203	80.2 %
2	1-5 Days	366	13.3 %
3	6-8 Days	56	2.0 %

Value	Label	Unweighted Frequency	%
4	9-13 Days	39	1.4 %
5	Every Day	22	0.8 %
. (M)	-	50	1.8 %

HDACHE2	Headaches past 2 wks		

Location: 1126-1127 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	Not At All	1043	38.0 %
2	1-5 Days	1312	47.7 %
3	6-8 Days	189	6.9 %
4	9-13 Days	88	3.2 %
5	Every Day	58	2.1 %
. (M)	-	50	1.8 %

HOTFLAS2	Hot flashes past 2 wks		

Location: 1128-1129 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
1	Not At All	1697	61.8 %
2	1-5 Days	645	23.5 %
3	6-8 Days	145	5.3 %
4	9-13 Days	81	2.9 %
5	Every Day	127	4.6 %
. (M)	-	50	1.8 %

TRBLSLE2	Trouble falling asleep past 2 wks		

Location: 1130-1131 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	4	0.1 %
1	No, Not In The Past 2 Wks	1496	54.4 %
2	Yes, < Once A Wk	495	18.0 %
3	Yes, 1-2 Times/Wk	364	13.2 %
4	Yes, 3-4 Times/Wk	196	7.1 %
5	Yes, 5 or More Times/Wk	143	5.2 %

Value	Label	Unweighted Frequency	%
. (M)	-	50	1.8 %

| **WAKEUP2** | | **Wake up several times/night past 2 wks** | |

Location: 1132-1133 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
1	No, Not In The Past 2 Wks	894	32.5 %
2	Yes, < Once A Wk	496	18.0 %
3	Yes, 1-2 Times/Wk	525	19.1 %
4	Yes, 3-4 Times/Wk	382	13.9 %
5	Yes, 5 or More Times/Wk	396	14.4 %
. (M)	-	50	1.8 %

| **WAKEARL2** | | **Wake up early past 2 wks** | |

Location: 1134-1135 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
1	No, Not In The Past 2 Wks	1352	49.2 %
2	Yes, < Once A Wk	533	19.4 %
3	Yes, 1-2 Times/Wk	404	14.7 %
4	Yes, 3-4 Times/Wk	234	8.5 %
5	Yes, 5 or More Times/Wk	170	6.2 %
. (M)	-	50	1.8 %

| **TYPNIGH2** | | **Typical night's sleep past 2 wks** | |

Location: 1136-1137 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
1	Very sound or restful	264	9.6 %
2	Sound or restful	686	25.0 %
3	Average quality	1130	41.1 %
4	Restless	496	18.0 %
5	Very restless	115	4.2 %
. (M)	-	50	1.8 %

| **GETUPUR2** | | **How often get up to urinate** | |

Location:	1138-1139 (width: 2; decimal: 0)	
Variable Type:	numeric	

Value	Label	Unweighted Frequency	%
-9	Missing	6	0.2 %
1	Never	430	15.6 %
2	Rarely (< Once A Wk)	634	23.1 %
3	Once/Wk	182	6.6 %
4	A Few Times/Wk	515	18.7 %
5	Once A Night, Every Night	631	23.0 %
6	More Than Once Per Night	300	10.9 %
. (M)	-	50	1.8 %

UTI2   **Urinary tract inf since last visit**

Location:	1140-1141 (width: 2; decimal: 0)	
Variable Type:	numeric	

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
1	No	2438	88.7 %
2	Yes	251	9.1 %
. (M)	-	50	1.8 %

INVOLEA2   **Involuntary leakage since last visit**

Location:	1142-1143 (width: 2; decimal: 0)	
Variable Type:	numeric	

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
1	No	1057	38.5 %
2	Yes	1632	59.4 %
. (M)	-	50	1.8 %

DAYSLEA2   **Leakage days past mo**

Location:	1144-1145 (width: 2; decimal: 0)	
Variable Type:	numeric	

Value	Label	Unweighted Frequency	%
-9	Missing	10	0.4 %
-1	N/A	1066	38.8 %
1	Never	169	6.1 %
2	Less Than 1 Day/Week	958	34.9 %
3	Several Days/Week	329	12.0 %

Value	Label	Unweighted Frequency	%
4	Almost Daily/Daily	166	6.0 %
. (M)	-	50	1.8 %

COUGHIN2 — Coughing caused leakage

Location: 1146-1147 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	84	3.1 %
-1	N/A	1066	38.8 %
1	No	611	22.2 %
2	Yes	937	34.1 %
. (M)	-	50	1.8 %

LAUGHIN2 — Laughing caused leakage

Location: 1148-1149 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	135	4.9 %
-1	N/A	1066	38.8 %
1	No	1037	37.7 %
2	Yes	460	16.7 %
. (M)	-	50	1.8 %

SNEEZIN2 — Sneezing caused leakage

Location: 1150-1151 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	91	3.3 %
-1	N/A	1066	38.8 %
1	No	547	19.9 %
2	Yes	994	36.2 %
. (M)	-	50	1.8 %

JOGGING2 — Jogging caused leakage

Location: 1152-1153 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	162	5.9 %

Value	Label	Unweighted Frequency	%
-1	N/A	1066	38.8 %
1	No	1274	46.4 %
2	Yes	196	7.1 %
. (M)	-	50	1.8 %

PICKUP2 — Picking up object caused leakage

Location: 1154-1155 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	154	5.6 %
-1	N/A	1066	38.8 %
1	No	1317	47.9 %
2	Yes	161	5.9 %
. (M)	-	50	1.8 %

URGEVOI2 — Urge to void caused leakage

Location: 1156-1157 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	91	3.3 %
-1	N/A	1066	38.8 %
1	No	719	26.2 %
2	Yes	822	29.9 %
. (M)	-	50	1.8 %

OTHRLEA2 — Other causes of leakage

Location: 1158-1159 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	207	7.5 %
-1	N/A	1066	38.8 %
1	No	1262	45.9 %
2	Yes	163	5.9 %
. (M)	-	50	1.8 %

AMTLEAK2 — Amount of leakage

Location: 1160-1161 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	13	0.5 %
-1	N/A	1066	38.8 %
1	A Drop Or Two	1005	36.6 %
2	Enough to Change Underwear/Wear Liner	563	20.5 %
3	Enough to Wet Outer Clothing	40	1.5 %
4	Enough to Wet Floor	11	0.4 %
. (M)	-	50	1.8 %

LEAKBOT2	**Leakage bothers (scale 0-10)**
Location:	1162-1164 (width: 3; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
-1	N/A	1066	38.8 %
0	-	125	4.5 %
1	-	202	7.4 %
2	-	205	7.5 %
3	-	183	6.7 %
4	-	114	4.1 %
5	-	304	11.1 %
6	-	93	3.4 %
7	-	93	3.4 %
8	-	116	4.2 %
9	-	52	1.9 %
10	-	142	5.2 %
. (M)	-	50	1.8 %

NUTRIRE2	**Nutritional remedies past yr**
Location:	1165-1166 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	6	0.2 %
1	No	1688	61.4 %
2	Yes	1004	36.5 %
. (M)	-	50	1.8 %

HERBREM2	**Herbal remedies past yr**
Location:	1167-1168 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
1	No	2007	73.0 %
2	Yes	688	25.0 %
. (M)	-	50	1.8 %

| **PSYCMET2** | **Psychological methods past yr** | | |

Location:	1169-1170 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	4	0.1 %
1	No	2153	78.3 %
2	Yes	541	19.7 %
. (M)	-	50	1.8 %

| **PHYSMET2** | **Physical methods past yr** | | |

Location:	1171-1172 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
1	No	2092	76.1 %
2	Yes	601	21.9 %
. (M)	-	50	1.8 %

| **FOLKMED2** | **Folk medicine past yr** | | |

Location:	1173-1174 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	6	0.2 %
1	No	2561	93.2 %
2	Yes	131	4.8 %
. (M)	-	50	1.8 %

| **OTHRTHE2** | **Other diet/behav therapies past yr** | | |

Location:	1175-1176 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	79	2.9 %
1	No	2327	84.7 %

Value	Label	Unweighted Frequency	%
2	Yes	292	10.6 %
. (M)	-	50	1.8 %

SPECOTH2	Other diet/behav therapies-specify

Location:	1177-1206 (width: 30; decimal: 0)
Variable Type:	character

STARTNE2	Started new job/school upsetting since last visit

Location:	1207-1208 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
1	No	2055	74.8 %
2	Yes, Not At All Upsetting	353	12.8 %
3	Yes, Somewhat Upsetting	219	8.0 %
4	Yes, Very Upsetting	44	1.6 %
5	Yes, Very Upsetting & Still Upsetting	25	0.9 %
. (M)	-	50	1.8 %

WORKTRB2	Work problems upsetting since last visit

Location:	1209-1210 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	No	1763	64.2 %
2	Yes, Not At All Upsetting	119	4.3 %
3	Yes, Somewhat Upsetting	542	19.7 %
4	Yes, Very Upsetting	178	6.5 %
5	Yes, Very Upsetting & Still Upsetting	88	3.2 %
. (M)	-	50	1.8 %

QUITJOB2	Quit job upsetting since last visit

Location:	1211-1212 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
1	No	2471	89.9 %
2	Yes, Not At All Upsetting	94	3.4 %
3	Yes, Somewhat Upsetting	59	2.1 %

Value	Label	Unweighted Frequency	%
4	Yes, Very Upsetting	39	1.4 %
5	Yes, Very Upsetting & Still Upsetting	28	1.0 %
. (M)	-	50	1.8 %

WORKLOA2 — **Increase work load upsetting since last visit**

Location: 1213-1214 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	12	0.4 %
1	No	1844	67.1 %
2	Yes, Not At All Upsetting	328	11.9 %
3	Yes, Somewhat Upsetting	399	14.5 %
4	Yes, Very Upsetting	72	2.6 %
5	Yes, Very Upsetting & Still Upsetting	43	1.6 %
. (M)	-	50	1.8 %

PRTUNEM2 — **Partner unemployed upsetting since last visit**

Location: 1215-1216 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	No	2511	91.4 %
2	Yes, Not At All Upsetting	40	1.5 %
3	Yes, Somewhat Upsetting	73	2.7 %
4	Yes, Very Upsetting	33	1.2 %
5	Yes, Very Upsetting & Still Upsetting	33	1.2 %
. (M)	-	50	1.8 %

MONEYPR2 — **Money problems upsetting since last visit**

Location: 1217-1218 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	4	0.1 %
1	No	1999	72.7 %
2	Yes, Not At All Upsetting	94	3.4 %
3	Yes, Somewhat Upsetting	360	13.1 %
4	Yes, Very Upsetting	124	4.5 %
5	Yes, Very Upsetting & Still Upsetting	117	4.3 %

Value	Label	Unweighted Frequency	%
. (M)	-	50	1.8 %

WORSREL2 — Worsening relationship upsetting since last visit

Location: 1219-1220 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
1	No	2344	85.3 %
2	Yes, Not At All Upsetting	48	1.7 %
3	Yes, Somewhat Upsetting	174	6.3 %
4	Yes, Very Upsetting	62	2.3 %
5	Yes, Very Upsetting & Still Upsetting	61	2.2 %
. (M)	-	50	1.8 %

RELATEN2 — Ended relationship upsetting since last visit

Location: 1221-1222 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
1	No	2548	92.7 %
2	Yes, Not At All Upsetting	24	0.9 %
3	Yes, Somewhat Upsetting	53	1.9 %
4	Yes, Very Upsetting	30	1.1 %
5	Yes, Very Upsetting & Still Upsetting	34	1.2 %
. (M)	-	50	1.8 %

SERIPRO2 — Serious family problem upsetting since last visit

Location: 1223-1224 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
1	No	1893	68.9 %
2	Yes, Not At All Upsetting	56	2.0 %
3	Yes, Somewhat Upsetting	354	12.9 %
4	Yes, Very Upsetting	214	7.8 %
5	Yes, Very Upsetting & Still Upsetting	174	6.3 %
. (M)	-	50	1.8 %

CHILDMO2 — Child moved upsetting since last visit

Location: 1225-1226 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	4	0.1 %
1	No	2221	80.8 %
2	Yes, Not At All Upsetting	202	7.4 %
3	Yes, Somewhat Upsetting	186	6.8 %
4	Yes, Very Upsetting	46	1.7 %
5	Yes, Very Upsetting & Still Upsetting	39	1.4 %
. (M)	-	50	1.8 %

RESPCAR2 — Responsibility for care upsetting since last visit

Location: 1227-1228 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
1	No	2304	83.8 %
2	Yes, Not At All Upsetting	146	5.3 %
3	Yes, Somewhat Upsetting	168	6.1 %
4	Yes, Very Upsetting	40	1.5 %
5	Yes, Very Upsetting & Still Upsetting	38	1.4 %
. (M)	-	50	1.8 %

LEGALPR2 — Legal problems upsetting since last visit

Location: 1229-1230 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	3	0.1 %
1	No	2369	86.2 %
2	Yes, Not At All Upsetting	49	1.8 %
3	Yes, Somewhat Upsetting	154	5.6 %
4	Yes, Very Upsetting	69	2.5 %
5	Yes, Very Upsetting & Still Upsetting	54	2.0 %
. (M)	-	50	1.8 %

HUSBDIE2 — Husband/partner died upsetting since last visit

Location: 1231-1232 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	18	0.7 %
1	No	2642	96.1 %
2	Yes, Not At All Upsetting	6	0.2 %
3	Yes, Somewhat Upsetting	4	0.1 %
4	Yes, Very Upsetting	6	0.2 %
5	Yes, Very Upsetting & Still Upsetting	22	0.8 %
. (M)	-	50	1.8 %

CHLDDIE2	Child died upsetting since last visit

Location:	1233-1234 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	32	1.2 %
1	No	2647	96.3 %
3	Yes, Somewhat Upsetting	5	0.2 %
4	Yes, Very Upsetting	5	0.2 %
5	Yes, Very Upsetting & Still Upsetting	9	0.3 %
. (M)	-	50	1.8 %

PRNTDIE2	Parent died upsetting since last visit

Location:	1235-1236 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	27	1.0 %
1	No	2496	90.8 %
2	Yes, Not At All Upsetting	10	0.4 %
3	Yes, Somewhat Upsetting	57	2.1 %
4	Yes, Very Upsetting	62	2.3 %
5	Yes, Very Upsetting & Still Upsetting	46	1.7 %
. (M)	-	50	1.8 %

CLOSDIE2	Other close friend/relative died upsetting since last visit

Location:	1237-1238 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	10	0.4 %
1	No	1998	72.7 %
2	Yes, Not At All Upsetting	83	3.0 %

Value	Label	Unweighted Frequency	%
3	Yes, Somewhat Upsetting	320	11.6 %
4	Yes, Very Upsetting	202	7.4 %
5	Yes, Very Upsetting & Still Upsetting	85	3.1 %
. (M)	-	50	1.8 %

SELFVIO2 — Violent event to self upsetting since last visit

Location: 1239-1240 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
1	No	2561	93.2 %
2	Yes, Not At All Upsetting	16	0.6 %
3	Yes, Somewhat Upsetting	48	1.7 %
4	Yes, Very Upsetting	43	1.6 %
5	Yes, Very Upsetting & Still Upsetting	23	0.8 %
. (M)	-	50	1.8 %

FAMLVIO2 — Violent event to other fam mem upsetting since last visit

Location: 1241-1242 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
1	No	2485	90.4 %
2	Yes, Not At All Upsetting	21	0.8 %
3	Yes, Somewhat Upsetting	92	3.3 %
4	Yes, Very Upsetting	60	2.2 %
5	Yes, Very Upsetting & Still Upsetting	38	1.4 %
. (M)	-	50	1.8 %

PHYSILL2 — Serious illness family upsetting since last visit

Location: 1243-1244 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
1	No	2041	74.3 %
2	Yes, Not At All Upsetting	34	1.2 %
3	Yes, Somewhat Upsetting	307	11.2 %
4	Yes, Very Upsetting	182	6.6 %

Value	Label	Unweighted Frequency	%
5	Yes, Very Upsetting & Still Upsetting	127	4.6 %
. (M)	-	50	1.8 %

MAJEVEN2 — Other major event upsetting since last visit

Location: 1245-1246 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	38	1.4 %
1	No	2412	87.8 %
2	Yes, Not At All Upsetting	16	0.6 %
3	Yes, Somewhat Upsetting	92	3.3 %
4	Yes, Very Upsetting	73	2.7 %
5	Yes, Very Upsetting & Still Upsetting	67	2.4 %
. (M)	-	50	1.8 %

EMPLYPA2 — Employed for pay

Location: 1247-1248 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	20	0.7 %
1	No	503	18.3 %
2	Yes	2175	79.1 %
. (M)	-	50	1.8 %

REWRDJO2 — How rewarding is job

Location: 1249-1250 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	31	1.1 %
-1	N/A	523	19.0 %
1	Not At All	64	2.3 %
2	A Little	195	7.1 %
3	Somewhat	670	24.4 %
4	Quite A Bit	896	32.6 %
5	Extremely	319	11.6 %
. (M)	-	50	1.8 %

STRSSJO2 — How stressful is job

Location: 1251-1252 (width: 2; decimal: 0)

| Variable Type: | numeric | | | |

Value	Label	Unweighted Frequency	%
-9	Missing	31	1.1 %
-1	N/A	523	19.0 %
1	Not At All	162	5.9 %
2	A Little	387	14.1 %
3	Somewhat	708	25.8 %
4	Quite A Bit	616	22.4 %
5	Extremely	271	9.9 %
. (M)	-	50	1.8 %

CRNTCAR2 — Caring for older/disabled fam mem

Location: 1253-1254 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	16	0.6 %
1	No	2344	85.3 %
2	Yes	338	12.3 %
. (M)	-	50	1.8 %

RWRDCAR2 — How rewarding caregiver role

Location: 1255-1256 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
-1	N/A	2359	85.8 %
1	Not At All	34	1.2 %
2	A Little	67	2.4 %
3	Somewhat	88	3.2 %
4	Quite A Bit	98	3.6 %
5	Extremely	45	1.6 %
. (M)	-	50	1.8 %

STRSCAR2 — How stressful caregiver role

Location: 1257-1258 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
-1	N/A	2360	85.9 %

Value	Label	Unweighted Frequency	%
1	Not At All	22	0.8 %
2	A Little	73	2.7 %
3	Somewhat	111	4.0 %
4	Quite A Bit	80	2.9 %
5	Extremely	45	1.6 %
. (M)	-	50	1.8 %

CRNTMAR2	Currently married/committed rel

Location: 1259-1260 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	8	0.3 %
1	No	687	25.0 %
2	Yes	2003	72.9 %
. (M)	-	50	1.8 %

RWRDREL2	How rewarding is relationship

Location: 1261-1262 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	19	0.7 %
-1	N/A	694	25.3 %
1	Not At All	79	2.9 %
2	A Little	120	4.4 %
3	Somewhat	398	14.5 %
4	Quite A Bit	778	28.3 %
5	Extremely	610	22.2 %
. (M)	-	50	1.8 %

STRSREL2	How stressful is relationship

Location: 1263-1264 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	18	0.7 %
-1	N/A	695	25.3 %
1	Not At All	455	16.6 %
2	A Little	756	27.5 %
3	Somewhat	496	18.0 %

Value	Label	Unweighted Frequency	%
4	Quite A Bit	189	6.9 %
5	Extremely	89	3.2 %
. (M)	-	50	1.8 %

CHILDRE2 — Have children/stepchildren

Location: 1265-1266 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	15	0.5 %
1	No	468	17.0 %
2	Yes	2215	80.6 %
. (M)	-	50	1.8 %

REWRDMO2 — How rewarding is role as mother

Location: 1267-1268 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	13	0.5 %
-1	N/A	483	17.6 %
1	Not At All	24	0.9 %
2	A Little	61	2.2 %
3	Somewhat	283	10.3 %
4	Quite A Bit	829	30.2 %
5	Extremely	1005	36.6 %
. (M)	-	50	1.8 %

STRSSMO2 — How stressful is role as mother

Location: 1269-1270 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	13	0.5 %
-1	N/A	483	17.6 %
1	Not At All	290	10.6 %
2	A Little	650	23.7 %
3	Somewhat	706	25.7 %
4	Quite A Bit	392	14.3 %
5	Extremely	164	6.0 %
. (M)	-	50	1.8 %

INCOME2	Total family income		

Location: 1271-1272 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
-8	Do not know	36	1.3 %
-7	Refused	76	2.8 %
1	Less Than $19,999	288	10.5 %
2	$20,000 to $49,999	749	27.3 %
3	$50,000 to $99,999	1020	37.1 %
4	$100,000 or More	522	19.0 %
. (M)	-	50	1.8 %

AWAREBO2	Aware things happening w/body		

Location: 1273-1274 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
1	Not At All True	101	3.7 %
2	A Little Bit True	362	13.2 %
3	Moderately True	643	23.4 %
4	Quite a Bit True	978	35.6 %
5	Extremely True	607	22.1 %
. (M)	-	50	1.8 %

NOISES2	Sudden noises bother me		

Location: 1275-1276 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	13	0.5 %
1	Not At All True	474	17.2 %
2	A Little Bit True	883	32.1 %
3	Moderately True	598	21.8 %
4	Quite a Bit True	497	18.1 %
5	Extremely True	233	8.5 %
. (M)	-	50	1.8 %

HOTCOLD2	Hate being too hot/cold		

Location: 1277-1278 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	11	0.4 %
1	Not At All True	147	5.3 %
2	A Little Bit True	588	21.4 %
3	Moderately True	736	26.8 %
4	Quite a Bit True	727	26.5 %
5	Extremely True	489	17.8 %
. (M)	-	50	1.8 %

HUNGER2   **Quick to sense hunger**

Location: 1279-1280 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	6	0.2 %
1	Not At All True	290	10.6 %
2	A Little Bit True	642	23.4 %
3	Moderately True	774	28.2 %
4	Quite a Bit True	663	24.1 %
5	Extremely True	323	11.8 %
. (M)	-	50	1.8 %

STNDPAI2   **Can't stand pain**

Location: 1281-1282 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	5	0.2 %
1	Not At All True	500	18.2 %
2	A Little Bit True	942	34.3 %
3	Moderately True	726	26.4 %
4	Quite a Bit True	311	11.3 %
5	Extremely True	214	7.8 %
. (M)	-	50	1.8 %

COURTES2   **Treated w/less courtesy than others**

Location: 1283-1284 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	12	0.4 %
1	Often	45	1.6 %

Value	Label	Unweighted Frequency	%
2	Sometimes	563	20.5 %
3	Rarely	1360	49.5 %
4	Never	718	26.1 %
. (M)	-	50	1.8 %

RESPECT2 — Treated w/less respect than others

Location: 1285-1286 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	11	0.4 %
1	Often	39	1.4 %
2	Sometimes	512	18.6 %
3	Rarely	1361	49.5 %
4	Never	775	28.2 %
. (M)	-	50	1.8 %

POORSER2 — Received poorer service than others

Location: 1287-1288 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	10	0.4 %
1	Often	20	0.7 %
2	Sometimes	335	12.2 %
3	Rarely	1327	48.3 %
4	Never	1006	36.6 %
. (M)	-	50	1.8 %

NOTSMAR2 — People think not as smart as others

Location: 1289-1290 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	12	0.4 %
1	Often	48	1.7 %
2	Sometimes	405	14.7 %
3	Rarely	1191	43.3 %
4	Never	1042	37.9 %
. (M)	-	50	1.8 %

AFRAIDO2 — People act as if afraid of you

| Location: | 1291-1292 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	14	0.5 %
1	Often	31	1.1 %
2	Sometimes	333	12.1 %
3	Rarely	913	33.2 %
4	Never	1407	51.2 %
. (M)	-	50	1.8 %

DISHONS2 — People think you are dishonest

| Location: | 1293-1294 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	15	0.5 %
1	Often	13	0.5 %
2	Sometimes	107	3.9 %
3	Rarely	747	27.2 %
4	Never	1816	66.1 %
. (M)	-	50	1.8 %

BETTER2 — People act as if better than you

| Location: | 1295-1296 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	10	0.4 %
1	Often	63	2.3 %
2	Sometimes	624	22.7 %
3	Rarely	1197	43.6 %
4	Never	804	29.3 %
. (M)	-	50	1.8 %

INSULTE2 — Insulted by other people

| Location: | 1297-1298 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Value	Label	Unweighted Frequency	%
-9	Missing	13	0.5 %
1	Often	18	0.7 %
2	Sometimes	108	3.9 %

Value	Label	Unweighted Frequency	%
3	Rarely	626	22.8 %
4	Never	1933	70.3 %
. (M)	-	50	1.8 %

HARASSE2 — Harrassed by other people

Location:	1299-1300 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	10	0.4 %
1	Often	23	0.8 %
2	Sometimes	85	3.1 %
3	Rarely	520	18.9 %
4	Never	2060	75.0 %
. (M)	-	50	1.8 %

IGNORED2 — Ignored by other people

Location:	1301-1302 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
1	Often	39	1.4 %
2	Sometimes	372	13.5 %
3	Rarely	1000	36.4 %
4	Never	1278	46.5 %
. (M)	-	50	1.8 %

BCRACE2 — Because of race

Location:	1303-1304 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.8 %
-1	N/A	1443	52.5 %
1	No	704	25.6 %
2	Yes	501	18.2 %
. (M)	-	50	1.8 %

BCETHN2 — Because of ethnicity

Location:	1305-1306 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	56	2.0 %
-1	N/A	1443	52.5 %
1	No	855	31.1 %
2	Yes	344	12.5 %
. (M)	-	50	1.8 %

BCGENDR2 — Because of gender

Location: 1307-1308 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.8 %
-1	N/A	1443	52.5 %
1	No	614	22.3 %
2	Yes	591	21.5 %
. (M)	-	50	1.8 %

BCAGE2 — Because of age

Location: 1309-1310 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	54	2.0 %
-1	N/A	1443	52.5 %
1	No	840	30.6 %
2	Yes	361	13.1 %
. (M)	-	50	1.8 %

BCINCML2 — Because of income level

Location: 1311-1312 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	53	1.9 %
-1	N/A	1443	52.5 %
1	No	954	34.7 %
2	Yes	248	9.0 %
. (M)	-	50	1.8 %

BCLANG2 — Because of language

Location: 1313-1314 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.8 %
-1	N/A	1443	52.5 %
1	No	1054	38.4 %
2	Yes	151	5.5 %
. (M)	-	50	1.8 %

BCWGHT2	**Because of weight**
Location:	1315-1316 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	58	2.1 %
-1	N/A	1443	52.5 %
1	No	950	34.6 %
2	Yes	247	9.0 %
. (M)	-	50	1.8 %

BCPHAPP2	**Because of phys appearance**
Location:	1317-1318 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	59	2.1 %
-1	N/A	1443	52.5 %
1	No	936	34.1 %
2	Yes	260	9.5 %
. (M)	-	50	1.8 %

BCORIEN2	**Because of sexual orientation**
Location:	1319-1320 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	61	2.2 %
-1	N/A	1443	52.5 %
1	No	1121	40.8 %
2	Yes	73	2.7 %
. (M)	-	50	1.8 %

OTHEREX2	**Because of other reason**
Location:	1321-1322 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	109	4.0 %
-1	N/A	1443	52.5 %
1	No	893	32.5 %
2	Yes	253	9.2 %
. (M)	-	50	1.8 %

FLGSAAV2   Completed after V2 cutoff(01/31/2000)

Location: 1323-1323 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	Yes	4	0.1 %
. (M)	-	2744	99.9 %

SABDAY2   Self-administered-Part B Day

Location: 1324-1327 (width: 4; decimal: 0)

Variable Type: numeric

LANGSAB2   Language of Self-B

Location: 1328-1328 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
1	English	2343	85.3 %
2	Spanish	139	5.1 %
3	Cantonese	87	3.2 %
4	Japanese	110	4.0 %
. (M)	-	69	2.5 %

IMPORSE2   Importance of Sex

Location: 1329-1330 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	28	1.0 %
1	Extremely Important	156	5.7 %
2	Quite Important	603	21.9 %
3	Moderately Important	1115	40.6 %
4	Not Very Important	589	21.4 %
5	Not At All Important	188	6.8 %
. (M)	-	69	2.5 %

DESIRSE2   Desire to Engage in Sex

Location:	1331-1332 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	28	1.0 %
1	Not At All	257	9.4 %
2	Once or Twice/Mon	1003	36.5 %
3	About Once/Wk	746	27.1 %
4	More than Once/Wk	588	21.4 %
5	Daily	57	2.1 %
. (M)	-	69	2.5 %

ENGAGSE2	**Engaged in Sexual Activity**

Location:	1333-1334 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	72	2.6 %
1	No	640	23.3 %
2	Yes	1967	71.6 %
. (M)	-	69	2.5 %

NOPARTN2	**No Sex Last 6 Mos: No Partner**

Location:	1335-1336 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	50	1.8 %
-1	N/A	2039	74.2 %
1	No	203	7.4 %
2	Yes	387	14.1 %
. (M)	-	69	2.5 %

PARTPRO2	**No Sex Last 6 Mos: Partner Phys Prob**

Location:	1337-1338 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	140	5.1 %
-1	N/A	2039	74.2 %
1	No	428	15.6 %
2	Yes	72	2.6 %
. (M)	-	69	2.5 %

PHYSPRO2	**No Sex Last 6 Mos: Phys Prob**		

Location: 1339-1340 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	145	5.3 %
-1	N/A	2039	74.2 %
1	No	473	17.2 %
2	Yes	22	0.8 %
. (M)	-	69	2.5 %

NOSEXOT2	**No Sex Last 6 Mos: Other Reason**		

Location: 1341-1342 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	268	9.8 %
-1	N/A	2039	74.2 %
1	No	253	9.2 %
2	Yes	119	4.3 %
. (M)	-	69	2.5 %

PHYSPLE2	**Physically Pleasurable**		

Location: 1343-1344 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	60	2.2 %
-1	N/A	639	23.3 %
1	Extremely Pleasurable	316	11.5 %
2	Very Pleasurable	867	31.6 %
3	Moderately Pleasurable	593	21.6 %
4	Slightly Pleasurable	168	6.1 %
5	Not At All Pleasurable	36	1.3 %
. (M)	-	69	2.5 %

SATISFY2	**Emotionally Satisfying**		

Location: 1345-1346 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	63	2.3 %
-1	N/A	640	23.3 %

Value	Label	Unweighted Frequency	%
1	Extremely Satisfying	294	10.7 %
2	Very Satisfying	773	28.1 %
3	Moderately Satisfying	658	23.9 %
4	Slightly Satisfying	183	6.7 %
5	Not At All Satisfying	68	2.5 %
. (M)	-	69	2.5 %

KISSING2	Freq of Sexual Activity: Kissing

Location: 1347-1348 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	72	2.6 %
-1	N/A	641	23.3 %
1	Not At All	81	2.9 %
2	Once or Twice/Mon	266	9.7 %
3	About Once/Wk	223	8.1 %
4	More than Once/Wk	490	17.8 %
5	Daily	906	33.0 %
. (M)	-	69	2.5 %

TOUCHIN2	Freq of Sexual Activity: Touching

Location: 1349-1350 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	83	3.0 %
-1	N/A	640	23.3 %
1	Not At All	63	2.3 %
2	Once or Twice/Mon	468	17.0 %
3	About Once/Wk	464	16.9 %
4	More than Once/Wk	716	26.1 %
5	Daily	245	8.9 %
. (M)	-	69	2.5 %

ORALSEX2	Freq of Sexual Activity: Oral Sex

Location: 1351-1352 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	118	4.3 %

Value	Label	Unweighted Frequency	%
-1	N/A	640	23.3 %
1	Not At All	864	31.4 %
2	Once or Twice/Mon	675	24.6 %
3	About Once/Wk	244	8.9 %
4	More than Once/Wk	132	4.8 %
5	Daily	6	0.2 %
. (M)	-	69	2.5 %

INTCOUR2	Freq of Sexual Activity: Intercourse
Location:	1353-1354 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	89	3.2 %
-1	N/A	640	23.3 %
1	Not At All	75	2.7 %
2	Once or Twice/Mon	734	26.7 %
3	About Once/Wk	611	22.2 %
4	More than Once/Wk	503	18.3 %
5	Daily	27	1.0 %
. (M)	-	69	2.5 %

AROUSED2	Freq of Arousal during sexual activity
Location:	1355-1356 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	63	2.3 %
-1	N/A	640	23.3 %
1	Always	569	20.7 %
2	Almost Always	783	28.5 %
3	Sometimes	522	19.0 %
4	Almost Never	84	3.1 %
5	Never	18	0.7 %
. (M)	-	69	2.5 %

PELVIC2	Vaginal or Pelvic Pain
Location:	1357-1358 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	64	2.3 %
-1	N/A	640	23.3 %
1	Always	12	0.4 %
2	Almost Always	41	1.5 %
3	Sometimes	360	13.1 %
4	Almost Never	424	15.4 %
5	Never	1070	38.9 %
6	No Intercourse In Last 6 Mons	68	2.5 %
. (M)	-	69	2.5 %

LUBRICN2	**Use of Lubricants**

Location: 1359-1360 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	67	2.4 %
-1	N/A	640	23.3 %
1	Always	98	3.6 %
2	Almost Always	109	4.0 %
3	Sometimes	193	7.0 %
4	Almost Never	172	6.3 %
5	Never	1355	49.3 %
6	No Intercourse In Last 6 Mons	45	1.6 %
. (M)	-	69	2.5 %

MASTURB2	**Freq of Masturbation**

Location: 1361-1362 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	108	3.9 %
1	Not At All	1327	48.3 %
2	Less Than Once/Mon	579	21.1 %
3	Once or Twice/Mon	398	14.5 %
4	About Once/Wk	181	6.6 %
5	More than Once/Wk	81	2.9 %
6	Daily	5	0.2 %
. (M)	-	69	2.5 %

FLGSABV2	**Completed after V2 cutoff (01/31/2000)**

Location: 1363-1363 (width: 1; decimal: 0)

Variable Type:	numeric	

Value	Label	Unweighted Frequency	%
0	No	2675	97.3 %
1	Yes	4	0.1 %
. (M)	-	69	2.5 %

SACDAY2 — Self-administered-Part C Day

Location:	1364-1367 (width: 4; decimal: 0)
Variable Type:	numeric

LANGSAC2 — Language of Self-C

Location:	1368-1368 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	English	2348	85.4 %
2	Spanish	137	5.0 %
3	Cantonese	87	3.2 %
4	Japanese	110	4.0 %
. (M)	-	66	2.4 %

PROVIDE2 — Primary Health Care Provider

Location:	1369-1370 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	11	0.4 %
1	No	527	19.2 %
2	Yes	2144	78.0 %
. (M)	-	66	2.4 %

TYPEPRA2 — Type of practice

Location:	1371-1372 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	38	1.4 %
-1	N/A	538	19.6 %
1	Hospital	268	9.8 %
2	Office	1197	43.6 %
3	Clinic	524	19.1 %
4	Other	117	4.3 %
. (M)	-	66	2.4 %

SPECIAL2	Provider's Specialty		

Location: 1373-1374 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	27	1.0 %
-8	Do not know	38	1.4 %
-1	N/A	538	19.6 %
1	Family Practitioner	647	23.5 %
2	Internist	372	13.5 %
3	Gynecologist	876	31.9 %
4	Nurse pract/physician asst	132	4.8 %
5	Naturopath	1	0.0 %
6	Other	44	1.6 %
7	No specialty	7	0.3 %
. (M)	-	66	2.4 %

SPECIFY2	Prov Specialty-Specify		

Location: 1375-1389 (width: 15; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	66	2.4 %
-1	2638	96.0 %
-9	2	0.1 %
ACUPUNCTURIST	1	0.0 %
ALL MEDICAL PRA	1	0.0 %
CANCER SPECIALI	1	0.0 %
CARDIOLOGIST	3	0.1 %
CARDIOLOGY	1	0.0 %
D.O.	1	0.0 %
DIABETES,ENDOCR	1	0.0 %
ENDOCRINOLOGIST	2	0.1 %
GASTRO-OLOGIST	1	0.0 %
GENERAL	1	0.0 %
GENERAL DR.	1	0.0 %
GYNECOLOGIST/OB	1	0.0 %
HAP	1	0.0 %
HMO	3	0.1 %
INF.DIS	1	0.0 %
INTERNAL MED.	2	0.1 %
INTERNAL MEDICI	2	0.1 %

Value	Unweighted Frequency	%
INTERNIST SPECI	1	0.0 %
LUNG DOCTOR	1	0.0 %
MEDICAL	1	0.0 %
MEDICAL DOCTOR	1	0.0 %
NEPHROLOGIST	1	0.0 %
NEUROLOGIST	1	0.0 %
OB-GYN NURSE PR	1	0.0 %
OB/GYN	1	0.0 %
ONCOLOGIST	2	0.1 %
OSTEOPATH	1	0.0 %
PHYS THERAPY	1	0.0 %
PPG@ VA HOSPITA	1	0.0 %
PRIMARY CARE	1	0.0 %
PRIMARY CARE PH	1	0.0 %
PSYCHIATRIC	1	0.0 %
PULMONIST	1	0.0 %
SURGEON	1	0.0 %

VISIPRO2	**See/talk to HCP #times**

Location: 1390-1392 (width: 3; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	21	0.8 %
-8	Do not know	1	0.0 %
-1	N/A	538	19.6 %
0	-	229	8.3 %
1	-	716	26.1 %
2	-	498	18.1 %
3	-	262	9.5 %
4	-	153	5.6 %
5	-	77	2.8 %
6	-	60	2.2 %
7	-	15	0.5 %
8	-	27	1.0 %
9	-	2	0.1 %
10	-	33	1.2 %
11	-	1	0.0 %
12	-	21	0.8 %
13	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15	-	4	0.1 %
16	-	2	0.1 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	11	0.4 %
24	-	2	0.1 %
25	-	1	0.0 %
30	-	2	0.1 %
90	>=90 times	3	0.1 %
. (M)	-	66	2.4 %

ROLE2 — Role in health care decisions

Location: 1393-1394 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	11	0.4 %
-1	N/A	538	19.6 %
1	-	436	15.9 %
2	-	301	11.0 %
3	-	231	8.4 %
4	-	537	19.5 %
5	-	295	10.7 %
6	-	171	6.2 %
7	-	162	5.9 %
. (M)	-	66	2.4 %

ENCOURA2 — Encourage to make own dec

Location: 1395-1396 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	16	0.6 %
-1	N/A	538	19.6 %
1	Almost Never	76	2.8 %
2	Seldom	151	5.5 %
3	Neutral	533	19.4 %
4	Often	707	25.7 %
5	Almost always	661	24.1 %
. (M)	-	66	2.4 %

DISCUSS2 — Discusses alternatives

Location:	1397-1398 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	17	0.6 %
-1	N/A	538	19.6 %
1	Almost Never	49	1.8 %
2	Seldom	122	4.4 %
3	Neutral	331	12.0 %
4	Often	821	29.9 %
5	Almost always	804	29.3 %
. (M)	-	66	2.4 %

REFUSAL2 — If refuse, respects decision

Location:	1399-1400 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	34	1.2 %
-8	Do not know	1	0.0 %
-1	N/A	538	19.6 %
1	Almost Never	65	2.4 %
2	Seldom	69	2.5 %
3	Neutral	692	25.2 %
4	Often	559	20.3 %
5	Almost always	724	26.3 %
. (M)	-	66	2.4 %

PARTICI2 — Encourages participation

Location:	1401-1402 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	22	0.8 %
-1	N/A	538	19.6 %
1	Almost Never	37	1.3 %
2	Seldom	62	2.3 %
3	Neutral	337	12.3 %
4	Often	735	26.7 %
5	Almost always	951	34.6 %
. (M)	-	66	2.4 %

ALTERNA2 — Considers alternatives suggest

Location: 1403-1404 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	30	1.1 %
-8	Do not know	1	0.0 %
-1	N/A	538	19.6 %
1	Almost Never	70	2.5 %
2	Seldom	98	3.6 %
3	Neutral	771	28.1 %
4	Often	616	22.4 %
5	Almost always	558	20.3 %
. (M)	-	66	2.4 %

CHANGES2	**Changes if requested**

Location: 1405-1406 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	39	1.4 %
-8	Do not know	1	0.0 %
-1	N/A	538	19.6 %
1	Almost Never	89	3.2 %
2	Seldom	113	4.1 %
3	Neutral	913	33.2 %
4	Often	529	19.3 %
5	Almost always	460	16.7 %
. (M)	-	66	2.4 %

JUDGEMN2	**Enc to trust own judgement**

Location: 1407-1408 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	31	1.1 %
-1	N/A	538	19.6 %
1	Almost Never	88	3.2 %
2	Seldom	110	4.0 %
3	Neutral	671	24.4 %
4	Often	688	25.0 %
5	Almost always	556	20.2 %
. (M)	-	66	2.4 %

EMOTION2	**Talk to HCP emotional problems**

Location:	1409-1410 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	2677	97.4 %
1	No	3	0.1 %
. (M)	-	66	2.4 %

PRIMARY2	**Talk to PCP**

Location:	1411-1412 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2681	97.6 %
. (M)	-	66	2.4 %

PRIMAR12	**Talk to PCP # times**

Location:	1413-1414 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2682	97.6 %
. (M)	-	66	2.4 %

OBSTETR2	**Talk to OB/GYN**

Location:	1415-1416 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2682	97.6 %
. (M)	-	66	2.4 %

OBSTET12	**Talk to OB/GYN # times**

Location:	1417-1418 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2682	97.6 %
. (M)	-	66	2.4 %

PRACTIT2	**Talk to NP/PA**

Location:	1419-1420 (width: 2; decimal: 0)

Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
-1	N/A	2682	97.6 %
. (M)	-	66	2.4 %

PRACTI12 — Talk to NP/PA # times

Location:	1421-1422 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2682	97.6 %
. (M)	-	66	2.4 %

PSYCHIA2 — Talk to Psychiatrist

Location:	1423-1424 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2682	97.6 %
. (M)	-	66	2.4 %

PSYCHI12 — Talk to Psychiatrist # times

Location:	1425-1426 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2682	97.6 %
. (M)	-	66	2.4 %

PSYCHOL2 — Talk to Psychologist

Location:	1427-1428 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2682	97.6 %
. (M)	-	66	2.4 %

PSYCHO12 — Talk to Psychologist #times

Location:	1429-1430 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2682	97.6 %

Value	Label	Unweighted Frequency	%
. (M)	-	66	2.4 %

OTHER2 — Talk to Other

Location: 1431-1432 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2682	97.6 %
. (M)	-	66	2.4 %

OTHER12 — Talk to Other # times

Location: 1433-1434 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-1	N/A	2682	97.6 %
. (M)	-	66	2.4 %

OTHER_S2 — Talk to Other-Specify

Location: 1435-1459 (width: 25; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	66	2.4 %
-1	2682	97.6 %

ENDO2 — Endometriosis

Location: 1460-1461 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	13	0.5 %
-8	Do not know	1	0.0 %
-1	N/A	1	0.0 %
1	No	2590	94.3 %
2	Yes	77	2.8 %
. (M)	-	66	2.4 %

ENDODIF2 — Endomet difficult daily

Location: 1462-1463 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	2	0.1 %
-1	N/A	2605	94.8 %
1	No	62	2.3 %
2	Yes	13	0.5 %
. (M)	-	66	2.4 %

PELVICP2   **Pelvic pain**

Location: 1464-1465 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	14	0.5 %
-1	N/A	1	0.0 %
1	No	2257	82.1 %
2	Yes	410	14.9 %
. (M)	-	66	2.4 %

DIFFPEL2   **Pelvic Pain diff daily**

Location: 1466-1467 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	23	0.8 %
-1	N/A	2272	82.7 %
1	No	297	10.8 %
2	Yes	90	3.3 %
. (M)	-	66	2.4 %

PROLAPS2   **Prolapse**

Location: 1468-1469 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	15	0.5 %
-1	N/A	1	0.0 %
1	No	2584	94.0 %
2	Yes	82	3.0 %
. (M)	-	66	2.4 %

DIFFPRO2   **Prolapse diff daily**

Location: 1470-1471 (width: 2; decimal: 0)
Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	9	0.3 %
-1	N/A	2600	94.6 %
1	No	57	2.1 %
2	Yes	16	0.6 %
. (M)	-	66	2.4 %

PCANCER2	**Pelvic Cancer**		

Location: 1472-1473 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	13	0.5 %
-1	N/A	1	0.0 %
1	No	2662	96.9 %
2	Yes	6	0.2 %
. (M)	-	66	2.4 %

DIFFCAN2	**Pelv cancer diff daily**		

Location: 1474-1475 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2676	97.4 %
1	No	2	0.1 %
2	Yes	3	0.1 %
. (M)	-	66	2.4 %

ABBLEED2	**Abnormal bleeding**		

Location: 1476-1477 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	12	0.4 %
-1	N/A	1	0.0 %
1	No	2259	82.2 %
2	Yes	410	14.9 %
. (M)	-	66	2.4 %

DIFFBLE2	**Abnormal bleeding diff daily**		

Location: 1478-1479 (width: 2; decimal: 0)

Variable Type: numeric

Value	Label	Unweighted Frequency	%
-9	Missing	15	0.5 %
-1	N/A	2272	82.7 %
1	No	254	9.2 %
2	Yes	141	5.1 %
. (M)	-	66	2.4 %

PHYDAY2	**Physical measures Day**
Location:	1480-1483 (width: 4; decimal: 0)
Variable Type:	numeric

PULSE2	**Pulse, beats/30 seconds**
Location:	1484-1485 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%
16	1	0.0 %
19	1	0.0 %
20	1	0.0 %
21	1	0.0 %
22	2	0.1 %
23	6	0.2 %
24	11	0.4 %
25	17	0.6 %
26	22	0.8 %
27	33	1.2 %
28	77	2.8 %
29	106	3.9 %
30	181	6.6 %
31	178	6.5 %
32	244	8.9 %
33	194	7.1 %
34	270	9.8 %
35	256	9.3 %
36	247	9.0 %
37	138	5.0 %
38	178	6.5 %
39	112	4.1 %
40	112	4.1 %
41	64	2.3 %
42	60	2.2 %
43	38	1.4 %

Value	Unweighted Frequency	%
44	38	1.4 %
45	21	0.8 %
46	18	0.7 %
47	11	0.4 %
48	11	0.4 %
49	8	0.3 %
50	5	0.2 %
51	1	0.0 %
54	1	0.0 %
55	1	0.0 %
56	1	0.0 %
60	2	0.1 %
. (M)	80	2.9 %

SYSBP12 — Systolic BP #1

Location: 1486-1488 (width: 3; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
80	1	0.0 %
82	5	0.2 %
84	3	0.1 %
86	8	0.3 %
88	11	0.4 %
90	41	1.5 %
92	42	1.5 %
94	45	1.6 %
95	1	0.0 %
96	58	2.1 %
98	103	3.7 %
100	133	4.8 %
102	111	4.0 %
104	99	3.6 %
105	2	0.1 %
106	92	3.3 %
108	167	6.1 %
110	217	7.9 %
112	141	5.1 %
114	108	3.9 %
115	8	0.3 %

Value	Unweighted Frequency	%
116	85	3.1 %
118	146	5.3 %
119	1	0.0 %
120	181	6.6 %
122	109	4.0 %
124	75	2.7 %
125	3	0.1 %
126	68	2.5 %
128	87	3.2 %
130	106	3.9 %
132	53	1.9 %
134	34	1.2 %
136	34	1.2 %
138	47	1.7 %
140	48	1.7 %
141	1	0.0 %
142	36	1.3 %
144	13	0.5 %
146	11	0.4 %
148	22	0.8 %
150	24	0.9 %
152	13	0.5 %
153	1	0.0 %
154	9	0.3 %
156	5	0.2 %
158	6	0.2 %
160	12	0.4 %
162	4	0.1 %
163	2	0.1 %
164	7	0.3 %
166	1	0.0 %
168	4	0.1 %
170	4	0.1 %
172	2	0.1 %
176	1	0.0 %
178	4	0.1 %
180	3	0.1 %
186	1	0.0 %
188	2	0.1 %
198	1	0.0 %

Value	Unweighted Frequency	%
200	1	0.0 %
220	1	0.0 %
230	1	0.0 %
. (M)	83	3.0 %

DIABP12	**Diastolic BP #1**

Location:	1489-1491 (width: 3; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%
42	1	0.0 %
46	2	0.1 %
48	6	0.2 %
50	16	0.6 %
52	14	0.5 %
54	20	0.7 %
56	17	0.6 %
58	63	2.3 %
60	108	3.9 %
62	105	3.8 %
64	102	3.7 %
66	118	4.3 %
67	1	0.0 %
68	229	8.3 %
70	292	10.6 %
72	177	6.4 %
74	141	5.1 %
75	11	0.4 %
76	146	5.3 %
78	250	9.1 %
80	243	8.8 %
82	125	4.5 %
84	89	3.2 %
85	2	0.1 %
86	61	2.2 %
88	95	3.5 %
90	96	3.5 %
92	35	1.3 %
94	23	0.8 %
96	13	0.5 %

Value	Unweighted Frequency	%
98	24	0.9 %
100	13	0.5 %
102	6	0.2 %
104	1	0.0 %
108	1	0.0 %
110	5	0.2 %
112	2	0.1 %
118	2	0.1 %
120	2	0.1 %
124	2	0.1 %
128	1	0.0 %
. (M)	88	3.2 %

SYSBP22   **Systolic BP #2**

Location: 1492-1494 (width: 3; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
78	1	0.0 %
80	1	0.0 %
82	1	0.0 %
84	6	0.2 %
86	5	0.2 %
88	16	0.6 %
90	50	1.8 %
92	35	1.3 %
94	56	2.0 %
95	1	0.0 %
96	65	2.4 %
98	94	3.4 %
100	128	4.7 %
102	127	4.6 %
103	1	0.0 %
104	120	4.4 %
106	101	3.7 %
108	152	5.5 %
109	1	0.0 %
110	200	7.3 %
112	137	5.0 %
114	94	3.4 %

Value	Unweighted Frequency	%
115	9	0.3 %
116	111	4.0 %
118	140	5.1 %
120	168	6.1 %
122	97	3.5 %
124	90	3.3 %
125	2	0.1 %
126	65	2.4 %
128	99	3.6 %
130	84	3.1 %
132	54	2.0 %
134	39	1.4 %
136	39	1.4 %
138	44	1.6 %
140	34	1.2 %
142	33	1.2 %
144	21	0.8 %
146	17	0.6 %
148	19	0.7 %
150	19	0.7 %
152	16	0.6 %
154	11	0.4 %
156	4	0.1 %
158	10	0.4 %
160	8	0.3 %
162	9	0.3 %
164	2	0.1 %
166	2	0.1 %
168	4	0.1 %
170	7	0.3 %
172	1	0.0 %
176	1	0.0 %
178	5	0.2 %
180	3	0.1 %
182	1	0.0 %
188	1	0.0 %
196	1	0.0 %
226	1	0.0 %
234	1	0.0 %
. (M)	84	3.1 %

DIABP22	Diastolic BP #2		

Location: 1495-1497 (width: 3; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
40	2	0.1 %
42	1	0.0 %
44	2	0.1 %
46	1	0.0 %
48	3	0.1 %
50	16	0.6 %
52	11	0.4 %
54	21	0.8 %
56	28	1.0 %
58	62	2.3 %
60	114	4.1 %
62	100	3.6 %
64	108	3.9 %
66	115	4.2 %
68	220	8.0 %
70	279	10.2 %
72	171	6.2 %
73	4	0.1 %
74	192	7.0 %
75	7	0.3 %
76	161	5.9 %
78	233	8.5 %
80	221	8.0 %
82	124	4.5 %
84	84	3.1 %
85	2	0.1 %
86	79	2.9 %
88	86	3.1 %
90	81	2.9 %
92	36	1.3 %
94	21	0.8 %
96	24	0.9 %
98	17	0.6 %
100	14	0.5 %
102	4	0.1 %
104	2	0.1 %
106	2	0.1 %

Value	Unweighted Frequency	%
108	3	0.1 %
110	1	0.0 %
112	2	0.1 %
114	1	0.0 %
118	2	0.1 %
120	2	0.1 %
122	1	0.0 %
130	1	0.0 %
. (M)	87	3.2 %

HEIGHT2	**Height (in cm)**
Location:	1498-1504 (width: 7; decimal: 2)
Variable Type:	numeric

HTMETHO2	**Height Measurement Method**
Location:	1505-1505 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Stadiometer	2368	86.2 %
2	Portable	254	9.2 %
4	Self-Reported	4	0.1 %
. (M)	-	122	4.4 %

WEIGHT2	**Weight (in kg)**
Location:	1506-1511 (width: 6; decimal: 1)
Variable Type:	numeric

SCALE2	**Weight Scale Type**
Location:	1512-1512 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Balance Beam	1524	55.5 %
2	Clinic Digital	389	14.2 %
3	Portable	706	25.7 %
4	Self-Reported	7	0.3 %
. (M)	-	122	4.4 %

WAIST2	**Waist Circumference**
Location:	1513-1518 (width: 6; decimal: 1)
Variable Type:	numeric

WASTMEA2	**Waist measurement taken in:**

Location:	1519-1519 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
1	Undergarments	2233	81.3 %
2	Light Clothing	382	13.9 %
. (M)	-	133	4.8 %

HIP2 — **Hip Circumference**

Location:	1520-1525 (width: 6; decimal: 1)
Variable Type:	numeric

HIPMEAS2 — **Hip Measurement taken in:**

Location:	1526-1526 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
1	Undergarments	2134	77.7 %
2	Light Clothing	477	17.4 %
. (M)	-	137	5.0 %

BMI2 — **Body Mass Index**

Location:	1527-1532 (width: 6; decimal: 3)
Variable Type:	numeric

HRMDAY2 — **Hormone measures Day**

Location:	1533-1536 (width: 4; decimal: 0)
Variable Type:	numeric

CYCDAY2 — **Day of cycle**

Location:	1537-1537 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%
2	271	9.9 %
3	450	16.4 %
4	410	14.9 %
5	401	14.6 %
. (M)	1216	44.3 %

DHAS2 — **Dehydroepiandrosterone sulfate (ug/dL)**

Location:	1538-1543 (width: 6; decimal: 1)
Variable Type:	numeric

FSH2 — **Follicle-stimulating hormone (mIU/mL)**

Location:	1544-1549 (width: 6; decimal: 1)

Variable Type:	numeric

SHBG2 — **Sex hormone-binding globulin (nM)**

Location:	1550-1555 (width: 6; decimal: 1)
Variable Type:	numeric

T2 — **Testosterone (ng/dL)**

Location:	1556-1561 (width: 6; decimal: 1)
Variable Type:	numeric

E2AVE2 — **Estradiol (average, pg/mL)**

Location:	1562-1569 (width: 8; decimal: 3)
Variable Type:	numeric

FLGCV2 — **Both E2>20 pg/mL & CV>15%**

Location:	1570-1570 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	No	2449	89.1 %
1	Yes	64	2.3 %
. (M)	-	235	8.6 %

FLGDIF2 — **1 or both E2<=20 pg/mL & dif>10**

Location:	1571-1571 (width: 1; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
0	No	2512	91.4 %
1	Yes	1	0.0 %
. (M)	-	235	8.6 %

SPSCDAY2 — **Spine Scan Day**

Location:	1572-1575 (width: 4; decimal: 0)
Variable Type:	numeric

SPSCTIM2 — **Spine Scan Time**

Location:	1576-1583 (width: 8; decimal: 0)
Variable Type:	character

SPSCMOD2 — **Spine Scan Mode**

Location:	1584-1585 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Label	Unweighted Frequency	%
5	2000 machine	759	27.6 %
11	4500 machine	1182	43.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	807	29.4 %

HPSCDAY2	**Hip Scan Day**		
Location:	1586-1589 (width: 4; decimal: 0)		
Variable Type:	numeric		

HPSCTIM2	**Hip Scan Time**		
Location:	1590-1597 (width: 8; decimal: 0)		
Variable Type:	character		

Value	Unweighted Frequency	%
	2748	100.0 %

HPSCMOD2	**Hip Scan Mode**		
Location:	1598-1598 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Label	Unweighted Frequency	%
. (M)	-	2748	100.0 %

SPBMDT2	**Total Spine BMD w/cross-calibration applied**		
Location:	1599-1604 (width: 6; decimal: 3)		
Variable Type:	numeric		

HPBMDT2	**Total Hip BMD w/cross-calibration applied**		
Location:	1605-1610 (width: 6; decimal: 3)		
Variable Type:	numeric		

BMDFLG2	**PI recommended for spine exclusion**		
Location:	1611-1611 (width: 1; decimal: 0)		
Variable Type:	numeric		

Value	Unweighted Frequency	%
0	1940	70.6 %
1	2	0.1 %
. (M)	806	29.3 %

Visits 1 & 2 bibliography

Zhang D, Lin X, Sowers M. **Two-Stage Functional Mixed Models for Evaluating the Effect of Longitudinal Covariate Profiles on Scalar Outcome.** Biometrics. 2007;63(2):351-362.
 Primary Question: What is the best way to analyze the Daily Hormone Study, with daily urinary hormone profiles across the menstrual cycle, with single measures of an outcome such as bone mineral density?
 Summary of Findings: Extensions of the statistical work originally developed and published by Zhang, Lin, and Sowers allow the use of longitudinal and non-linear data (like that occurring in menstrual cycles) to be related to bone mineral density.

Pirraglia PA, Sanyal P, Singer DE, Ferris TG. **Depressive Symptom Burden as a Barrier to Screening for Breast and Cervical Cancers.** Journal of Women's Health. 2004;13(6):731-738.
 Primary Question: Women with higher CES-D score and no insurance are less likely have screening for breast and cervical cancer.
 Summary of Findings: High Depressive symptom burden was independent predictor predictor of lower odds of cancer screening in women. Depression may be a modifiable factor in improving rates of cancer screening in women.

Bair YA, Gold EB, Azari RA, Greendale G, Sternfeld B, Harkey MR, Kravitz RL. **Use of conventional and complementary health care during the transition to menopause: longitudinal results from the Study of Women's Health Across the Nation (SWAN).** Menopause. 2005;12(1):31-39.
 Primary Question: Are women replacing conventional health care with complementary and alternative medicine (CAM) during menopause?
 Summary of Findings: Rather than replacing conventional health services, women who use CAM also use more conventional health care. Additionally, women with more consistent CAM use also had increasing conventional health care contacts throughout a 2 year period.

Sternfeld B, Wang H, Quesenberry CP Jr, Abrams B, Everson-Rose SA, Greendale GA, Matthews KA, Torrens JI, Sowers M. **Physical Activity and Changes in Weight and Waist Circumference in Midlife Women: Findings from the Study of Women's Health Across the Nation.** American Journal of Epidemiology. 2004;160(9):912-922.
 Primary Question: How does aging, change in menopausal status and change in physical activity affect changes in body fat and fat distribution during mid-life?
 Summary of Findings: Weight and waist circumference increased on average, but was not related to change in menopausal status. Women who increased participation in sports/exercise and daily routine activity had less of an increase in weight and waist, while those who decreased their activity level had the greatest gains.

Everson-Rose SA, Meyer PM, Powell LH, Pandey D, Torrens JI, Kravitz HM, Bromberger JT, Matthews KA. **Depressive Symptoms, Insulin Resistance, and Risk of Diabetes in Women at Midlife.** Diabetes Care. 2004;27(12):2856-2862.
 Primary Question: Does a high level of depressive symptoms predict increased risk of diabetes and increases in insulin resistance over time? Do associations vary by race?
 Summary of Findings: Compared to Caucasian women, African-American women with a symptom score of 16 or higher on our measure of depression showed elevated risk of developing diabetes over 3 years of follow-up that could not be explained by known diabetes risk factors. Depressed African-Americans similarly showed significant increases in insulin

resistance over time, compared to non-depressed women. Depression was not related to changes in insulin resistance among the other racial groups.

Randolph JF Jr, Sowers M, Bondarenko IV, Harlow SD, Luborsky JL, Little RJ. **Change in Estradiol and Follicle-Stimulating Hormone across the Early Menopausal Transition: Effects of Ethnicity and Age.** Journal of Clinical Endocrinology and Metabolism. 2004;89(4):1555-1561.

> *Primary Question:* To assess whether ethnic differences exist in the patterns of change in estradiol (E2) and follicle-stimulating hormone (FSH) and, if so, whether these differences are explained by host characteristics
>
> *Summary of Findings:* Serum E2 concentrations decreased significantly with age, with a steeper decline at higher ages. FSH concentrations increased significantly with age, with a steeper increase at higher ages. Similar patterns in the decline of E2 and the increase in FSH with age were found across ethnic groups, but the levels of these hormones differed by race/ethnicity. These ethnic differences in E2 and FSH were independent of menopausal status. The effect of BMI on serum E2 and FSH levels varied by menopausal status.

Sowers MR, Jannausch M, McConnell D, Little R, Greendale GA, Finkelstein JS, Neer R, Johnston J, Ettinger B. **Hormone Predictors of Bone Mineral Density Changes during the Menopausal Transition.** Journal of Clinical Endocrinology and Metabolism. 2006;91(4):1261-1267.

> *Primary Question:* Do the hormones that are associated with the menopause change, particularly estradiol and follicle stimulating hormone, or their 4-year changes predicted the loss of bone mineral density?
>
> *Summary of Findings:* Over the 4-year observation period, there was a 5.6%, 3.9%, and 3.2% LS BMD loss, respectively, among pre- and early perimenopausal women who became postmenopausal (natural), postmenopausal (surgical) or late perimenopausal. This is the first study that has shown that baseline FSH concentration and 4-year FSH rise predicted 4-year spine and hip BMD loss. The manuscript identifies how much bone might be lost based on the level of FSH at the baseline and how much FSH changes over the 4-year period. The combination of baseline E2 and its 4-year change were not predictive of BMD loss. Further, neither testosterone, Free Androgen Index, nor dehydroepiandrosterone-sulfate concentrations were associated with BMD changes.

Gold EB, Colvin A, Avis N, Bromberger J, Greendale GA, Powell L, Sternfeld B, Matthews K. **Longitudinal Analysis of the Association Between Vasomotor Symptoms and Race/Ethnicity Across the Menopausal Transition: Study of Women's Health Across the Nation.** American Journal of Public Health. 2006;96(7):1226-1235.

> *Primary Question:* We had 3 goals, to determine: a) whether VMS reporting differs by race/ethnicity, b) the trajectory of VMS reporting by race/ethnicity over the perimenopausal transition, and c) whether racial/ethnic differences in VMS are explained by differences in other factors.
>
> *Summary of Findings:* Transition to late perimenopause was the strongest predictor of VMS (adjusted odds ratio [AOR]=6.64, 95% CI 4.80, 9.20). VMS reporting was highest in African Americans (AOR=1.63, 95% CI 1.21, 2.20). Age (AOR=1.17, 95% CI 1.13, 1.21), lower education (AOR=1.91, 95% CI 1.40, 2.61), increasing body mass index (AOR=1.03, 95% CI 1.01, 1.04) and smoking (AOR=1.63, 95% CI 1.25, 2.12), and anxiety (AOR=3.10, 95% CI 2.33, 4.12) were significantly independently related to VMS.

Lasley BL, Santoro N, Randolf JF, Gold EB, Crawford S, Weiss G, McConnell DS, Sowers MF. **The Relationship of Circulating Dehydroepiandrosterone, Testosterone, and Estradiol to Stages of the Menopausal Transition and Ethnicity.** <u>Journal of Clinical Endocrinology and Metabolism.</u> 2002;87(8):3760-3767.

> *Primary Question:* Is adrenal function is associated with stages of ovarian function during the menopausal transition?
>
> *Summary of Findings:* There is no uniform predictable decline in circulating dehydroepiandrosterone (DHEAS) in women undergoing the menopause transition. Circulating DHEAS concentrations transiently increase in some individuals, and this transient increase is linked to the later stages of the menopause transition. Changes and variability of DHEAS in the later menopause transition differed among the different ethnic groups. The linkage of ovarian function to adrenal function underscores the importance of characterizing ovarian status when studying women, and highlights the need for further mechanistic elucidation of the pathways responsible for transient adrenal androgen activation.

Bair YA, Gold EB, Greendale GA, Sternfeld B, Adler SR, Azari R, Harkey M. **Ethnic Differences in Use of Complementary and Alternative Medicine at Midlife: Longitudinal Results From SWAN Participants.** <u>American Journal of Public Health.</u> 2002;92(11):1832-1840.

> *Primary Question:* What is the prevalence of and what are the longitudinal correlates of use of complementary and alternative medicine (CAM) among mid-life women?
>
> *Summary of Findings:* Almost half of the women in SWAN used some kind of CAM at baseline, including herbs (18%), nutritional remedies (32%), psychological methods (20%), physical methods (20%) and folk medicine (6%). Women who reported psychological symptoms or used complementary and alternative medicines at baseline were mostly likely to be using CAM at the first year follow-up.