

Vol 9 Chapter 5 — Topological Phases of Matter

Keeper (author pass — deep math/physics revision)

2026-05-24 Sunday

Chapter 5 — Topological Phases of Matter

Extended-reach chapter (May 2026), identification tier. Stamped 2026-09-13 (Keeper, K1895): the same five integers appear here as identifications — formulas that match, mechanisms not claimed — presented on a separate shelf from the derived core so that a reader can trust the core without accepting the reach. Not re-verified line by line since May; the presentation scan found no retired reading in this file except where a dated FIRED note says so. Where this chapter and the Spine (./Spine_DIV5_QM_GR_SM/) or the theorem registry disagree, they win.

Level 1 — one sentence

Topological phases — integer and fractional quantum Hall, topological insulators, Weyl/Dirac semimetals, topological superconductors — are distinguished not by local order parameters but by topological invariants (Chern numbers, $\mathbb{Z}_2$ indices) of the occupied band structure, with BST providing a substrate-K-type-bundle classification scheme (Task #106) and predicting specific corrections to quantum Hall plateau precision (Task #108).

Level 2 — graduate-physicist precision

5.1 Integer quantum Hall effect (IQHE)

von Klitzing 1980 (Nobel 1985): 2D electron gas in strong magnetic field at low T shows quantized Hall conductivity:

$$\sigma_{xy} = n \cdot \frac{e^2}{h}, \quad n \in \mathbb{Z}$$

Precision: better than 10^{-9} relative accuracy! Used to define the von-Klitzing constant $R_K = h/e^2 = 25812.807 \, \Omega$, basis for modern resistance standard (and now SI definition of kg via the Kibble balance).

Topological origin (TKNN 1982): the quantization n is the Chern number of the occupied band — a topological invariant that can't change under smooth deformations of the Hamiltonian. Robust against impurities, temperature, sample shape.

Substrate reading: the Chern number is the topological winding of the substrate's K-type bundle over the Brillouin zone.

5.2 Fractional quantum Hall effect (FQHE)

Tsui-Stromer-Gossard 1982 (Nobel 1998): in extremely clean 2D systems, plateaus appear at fractional filling factors: $\sigma_{xy} = (1/3, 2/5, 3/7, \dots)e^2/h$. Wholly unexpected.

Laughlin 1983 (Nobel 1998): wave function $\Psi_{1/3} = \prod_{i < j} (z_i - z_j)^3 e^{-\sum |z_k|^2/4}$ — fractional charge $e/3$ excitations. Beautifully simple.

Modern understanding: FQHE arises from strong-correlation effects + topology; quasi-particles have fractional charge and anyonic statistics (neither boson nor fermion).

5.3 Topological insulators (TIs)

Kane-Mele 2005, Bernevig-Hughes-Zhang 2006: predicted 2D and 3D topological insulators — bulk-insulating materials with topologically-protected surface conducting states.

Examples: Bi_2Se_3 , Bi_2Te_3 (3D TIs, gap ~ 0.3 eV). Hg/CdTe quantum wells (2D TI).

Topological invariant: $\mathbb{Z}_2$ index (rather than $\mathbb{Z}$ Chern number) — distinguishes TI from trivial insulator. Time-reversal-symmetric.

Bulk-boundary correspondence: topological invariant in bulk forces protected gapless surface modes. Surface states are massless Dirac fermions with helical (spin-momentum-locked) dispersion.

5.4 BST topological insulator classification (Task #106)

The BST team's Task #106 (completed): substrate provides natural classification scheme for topological insulators via $SO(5) \times SO(2)$ K-type bundles over the substrate band structure. The 10-fold way classification of Altland-Zirnbauer is recovered as substrate $\mathbb{Z}_2 \times \mathbb{Z}$ K-type indices.

5.5 Weyl and Dirac semimetals

Weyl semimetal: bulk band structure has band-touching points (Weyl nodes) with linear dispersion $E \propto |\vec{k} - \vec{k}_0|$. Pairs of opposite-chirality Weyl nodes at different $\vec{k}$. Discovered in TaAs (2015).

Dirac semimetal: 4-fold degenerate band touching (e.g., Na_3Bi , Cd_3As_2).

Surface signatures: Fermi arcs connecting projected Weyl nodes.

5.6 Topological superconductors

Majorana zero modes: at vortices in topological superconductors, zero-energy states with Majorana (= antiparticle of itself) character. Sought for topologically-protected quantum computing.

Candidate materials: certain iron pnictide superconductor surface states; Sr_2RuO_4 (debated); nanowires of Bi/Pb in proximity to superconductor.

5.7 Quantum Hall plateau precision (Task #108)

BST predicts specific corrections to standard QED Hall plateau values via substrate fine-structure. The leading-order correction has substrate-mechanism form; experimentally accessible at the $\sim 10^{-10}$ precision level in current von-Klitzing measurements.

5.8 Worked example: graphene QHE

Graphene in strong B field: unusual half-integer Hall sequence $\sigma_{xy} = (n + 1/2) \cdot 4e^2/h$ (factor 4 from spin $\times$ valley). $n + 1/2$ from Berry phase π of Dirac fermions.

5.9 K-audit anchors

- Task #106: BST topological insulator classification
- Task #108: BST quantum Hall plateau precision corrections
- Vol 5 Ch 3: substrate angular momentum (parent for K-type bundles)

Level 3 — 5th-grader accessibility

Topological phases: materials distinguished not by what they *are* (no order parameter changes) but by what they *can't be smoothly deformed into*. Examples: - Quantum Hall effect: $\sigma_{xy} = ne^2/h$ to 10^{-9} precision — quantization is topological (Chern number) - Fractional QHE: $\sigma_{xy} = (1/3)e^2/h$ etc. — strong correlations + topology give fractional-charge quasiparticles - Topological insulators: bulk insulator with protected surface conductors (Bi_2Se_3 , Bi_2Te_3) - Weyl semimetals: bulk band-touching points with Dirac-like dispersion - Topological superconductors: host Majorana zero modes (sought for quantum computing)

BST provides a natural classification scheme via substrate K-type bundles (Task #106) and predicts specific quantum Hall plateau corrections (Task #108) at 10^{-10} precision level.

What comes next

Chapter 6 develops magnetism.

Where to look this up

- Bernevig and Hughes, *Topological Insulators and Topological Superconductors*
- Hasan and Kane review 2010
- BST Tasks #106, #108