

Vendor: IBM

Exam Code: A2180-315

Exam Name: Assessment: IBM WebSphere Message

Broker V6.1, Solution Development

Version: DEMO

QUESTION 1

There is a requirement to integrate Message Broker V6.1 with a messaging system that conforms to Java Message Service Specification V1.1. Which messaging transport should be used for integration purposes?

- A. MQ Mobile
- B. Broker JMS
- C. Web Services
- D. MQ Enterprise

Answer: B

QUESTION 2

A Message Broker V6.1 developer is implementing amessage flow with an JMSInput node, JavaCompute node and a JMSReply node. The logic in the JavaCompute node inserts a record to a database table using a JDBC Type 4 connection. Which three tasks have to be performed to ensure that the JMS, the database andthe JMS transactions are synchronized?

- A. Create the JDBC connection using an XADataSource.
- B. Set the Transaction mode of the JMSInput and JMSReply nodes to Local.
- C. Set the Transaction mode of the JMSInput and JMSReply nodes to Global.
- D. Set the Backout destination of the JMSInput node to hold In-doubt transactions.
- E. Use the broker Java API getJDBCType4Connection to initiate the JDBC connection.
- F. Configure a XAResourceManager for both the JDBC and JMS connections in the broker's queue manager.

Answer: CEF

QUESTION 3

Which component is the contract that describes to the Message Broker V6.1 developer how to build a Web service request?

- A. WSDL
- B. Namespace
- C. HTTP Header
- D. SOAP Envelope

Answer: A

QUESTION 4

When designing an online auction store, one of the key architectural decisions made was to handle and secure Web traffic using Message Broker V6.1. Two important aspects of security need to be addressed in the solution: authentication and message integrity. Which transport node is the most appropriate for implementing this scenario?

- A. MQ
- B. TCP
- C. SOAP
- D. HTTP

Answer: C

QUESTION 5

A Message Broker V6.1 developer builds a message flow to act as a server for an MQ based Request/Reply pattern that ends with an MQReply node. If amessage is received that does not specify a ReplyToQueue in the MQMD, what will the MQReply node do?

- A. Throw an exception.
- B. Put the message on the source queue.
- C. Put the message on the backout queue.
- D. Put the message on the dead letter queue.

Answer: A

QUESTION 6

A Message Broker V6.1 developer receives a request to authenticate and authorize Web service requests to a message flow with username and password provided as WS-Security username tokens against a Microsoft Active Directory. Whichaction must be performed by the developer to fulfill this request?

- A. Set the Use HTTPS property of the SOAPInput node.
- B. Add a username token in the WS-Security table of the SOAPInput node.
- C. Add a username and a password as user-defined SOAP headers of the SOAPInput node.
- D. Nothing, the Message Broker administrator that deploys the message associates the right security profile.

Answer: D

QUESTION 7

A Message Broker V6.1 developer needs to put an HTTP input message onto an MQ queue for downstream processing. After clearing the HTTP headers, what is the simplest way to build an MQMD?

- A. Write ESQL code to construct an MQMD.
- B. Let the MQOutput node build a default MQMD.
- C. Use the SOAPExtract node to build an MQMD.
- D. Use the ResetContentDescriptornode to build an MQMD.

Answer: B

QUESTION 8

A Message Broker V6.1 developer has been asked to develop a message flow that picks up a file every minute from ftp server ftp.acme.com with ftpuser as the username and Pa\$\$w0rd as the password. The developerhas added a FileInput node to the message flow. Which three other tasks need to be performed?

- A. Set Polling interval of FileInput node to: 60.
- B. Set ftp.acme.com as FTP server on FileInput node.
- C. Set ftpuser as Security identity on FileInput node.
- D. Set ftpuser/Pa\$\$w0rd as Security identity on FileInput node.
- E. Issue the "mqsisetdbparms MY_BROKER -n ftp::ftpuser -u ftpuser -p Pa\$\$w0rd" runtime command.
- F. Issue the "mqsicreateconfigurableservice MY_BROKER -c TCPIPServer -o 1452" runtime

command.

Answer: BCE

QUESTION 9

A Message Broker V6.1 developer wants to create a message flow that will act as a Web service. What does the developer need to utilize to assure the message elements are uniquely identifiable by the message flow parser?

- A. WSDL
- B. Namespace
- C. HTTP Header
- D. SOAP Envelope

Answer: B

QUESTION 10

A Message Broker V6.1 developer has been asked to develop a message flow to route SOAP/HTTP-based Web service requests to the appropriate provider without access to the WSDL of theproviders. Which set of built-in nodes is the most appropriate for implementing this message flow?

- A. An HTTPInput node, a Route node, an HTTPRequest node and an HTTPReply node.
- B. A SOAPInput node, an EndpointLookup node, a SOAPRequest node and a SOAPReply node.
- C. A SOAPInput node, a DatabaseRetrieve node, a SOAPRequest node and a SOAPReply node.
- D. An HTTPInput node, a DatabaseRetrieve node, an HTTPRequest node and an HTTPReply node.

Answer: D

QUESTION 11

A flow is being developed to interact with anEIS system using one of the native adapter nodes. As part of the development process, which artifacts should be dragged onto the flow editor canvas to create the flow template?

- A. WSDL
- B. Business Object
- C. Message Definition
- D. Adapter Connection

Answer: D

Thank You for Trying Our Product

Braindump2go Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.
- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams:

http://www.braindump2go.com/all-products.html





























10% Discount Coupon Code: BDNT2014