

Vendor: XML Master

Exam Code: 110-001

Exam Name: XML Master Basic V2

Version: DEMO

QUESTION 1

Press the Exhibit button to view "XML Schema Document". Select which of the following correctly describes a valid XML document with respect to "XML Schema Document".

```
[XML Schema Document]
< xml version="1.0"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"> <xs:element</pre>
name="ContactInformation" type="ContactType" /> <xs:complexType</pre>
name="ContactType">
<xs:sequence>
<xs:element name="Name" type="xs:string" maxOccurs="unbounded"/>
<xs:element name="eMail" type="xs:string" maxOccurs="unbounded"/>
<xs:attribute name="Date" type="xs:date" use="optional" />
</xs:complexType>
</xs:schema>
A. <ContactInformation Date="2004-07-31">
   <Name>Taro Yamada</Name>
   <eMail>Yamada@ABC.co.jp</eMail>
   </ContactInformation>
B. <ContactInformation>
   <Name/>
   <eMail/>
   </ContactInformation>
C. <ContactInformation Date="July 31, 2004">
   <Name>Taro Yamada</Name>
   <eMail>Yamada@ABC.co.jp</eMail>
   </ContactInformation>
D. <ContactInformation/>
```

Answer: AB

QUESTION 2

Press the Exhibit button to view "XML Document". Select which of the following correctly describes the results of applying "XSLT Stylesheet" to "XML Document". Assume that the input XML document and transformation results ignore meaningless whitespace.

```
[XML Documents]
cproduct list>
<LIST>Product List</LIST>
cproduct name="pen">
<name lang="ja">Pen</name>
</product>
cproduct name="paper">
<name lang="ja">Paper</name>
</product>
</product list>
[XSLT Stylesheet]
< xml version="1.0"?>
<xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform"</pre>
version="1.0"> <xsl:template match="/">
<LIST>
<xsl:for-each select="/product list/product">
<xsl:value-of select="name"/>
</xsl:for-each>
</LIST>
```

```
</xsl:template> </xsl:stylesheet>
```

- A. A file that does not contain any content will be output, because the XML document LIST element does not contain a name attribute.
- B. The following XML document will be output.

```
< xml version="1.0"?>
<LIST>PenPaper</LIST>
```

C. The following XML document will be output.

```
< xml version="1.0"?>
<LIST>
<name lang="jp">Pen</name>
<name lang="jp">Paper</name>
</LIST>
```

D. The following XML document will be output.

```
< xml version="1.0"?>
<LIST>
<name lang="jp">Pen</name>
<name lang="jp">Paper</name>
PenPaper
</LIST>
```

Answer: B

QUESTION 3

Select which of the following correctly describes an XML Schema definition when the MarketPrice element must be a positive integer. Assume the Schema namespace prefix is "xs".

```
A. <xs:element name="MarketPrice" type="xs:negativeInteger"/>
B. <xs:element name="MarketPrice" type="xs:positiveInteger"/>
C. <xs:element name="MarketPrice" type="xs:duration"/>
D. <xs:element name="MarketPrice" type="xs:hexBinary"/>
```

Answer: B

QUESTION 4

Select which of the following correctly describes (1) and (2) in the XML Schema document below when the content of the "Flag" element must be an integer of 0 or 1.

```
< xml version="1.0"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"> <xs:element
name="Flag" type="flagData"/>
<xs:simpleType name="flagData">
<xs:restriction base="xs:integer">
<(1) value="0"/>
<(2) value="1"/>
</xs:restriction>
</xs:simpleType>
</xs:schema>

A. (1) xs:minInclusive (2) xs:maxInclusive
B. (1) xs:enumeration (2) xs:enumeration
C. (1) xs:minOccurs (2) xs:maxOccurs
```

D. (1) xs:minExclusive (2) xs:maxExclusive

Answer: AB

QUESTION 5

Select which statement correctly describes the XML document below.

```
[XML Documents]
<!DOCTYPE ElementA [
<!ELEMENT ElementA EMPTY>
<!ATTLIST ElementA Attribute (ABC|DEF|GHI) #IMPLIED> ]>
<ElementA Attribute ="
A
B
C"/>
```

- A. This is not a well-formed document, because the attribute value cannot have a line feed in it.
- B. This is not a valid XML document, because an attribute cannot be designated for an element that is designated as EMPTY.
- C. This is not a valid XML document, because the attribute value is not a value listed in the attribute list declaration.
- D. This is a valid XML document.

Answer: C

QUESTION 6

Select which of the following correctly describes a namespace to which the "price" element in the XML document below belongs.

```
<message xmlns="urn:sample:order"
xmlns:product="urn:sample:product">
<product:list xmlns="urn:sample:list">
<name>XML study guide</name>
<price>536</price>
</product:list>
<order>
<customerID>J058974</customerID>
<number>1</number>
</order>
</message>
```

- A. urn:sample:order
- B. urn:sample:product
- C. urn:sample:list
- D. Does not belong to any namespace.

Answer: C

QUESTION 7

Select which of the following is coded using XML syntax:

- A. XHTML documents
- B. SOAP headers

- C. XSLT Stylesheets
- D. DOM

Answer: ABC

QUESTION 8

Select which of the following correctly describes an element type declaration that includes either the "home" element or the "mobile" element as a child element of the "telephone_number" element.

Answer: D

QUESTION 9

Select which statement is correct with regards to creating an XML document based on the DTD element type declaration below.

```
[element type declaration]
<!ELEMENT computer (notebook|server)*>
<!ELEMENT notebook (mouse*)>
<!ELEMENT mouse (#PCDATA)>
<!ELEMENT server (#PCDATA)>
```

- A. Both the "notebook" element and the "server" element can be written as a child element of the computer element.
- B. As a child element of the "computer" element, the "server" element can be written before the "notebook" element.
- C. When writing the "notebook" element, "mouse" must be written as a child element.
- D. Only one "mouse" element can be written as a child element of the "notebook" element.

Answer: AB

QUESTION 10

Select which DTD element type declaration correctly defines the "XML Documents" structure below.

```
[XML Documents]
<Documents>
<Product_Name>black pen</Product_Name>
+
<Product_Name> red pencil </Product_Name>
=
<Price>100</Price>
yen.
</Documents>

A. <!ELEMENT Documents (Product_Name|Price)*>
<!ELEMENT Product Name (#PCDATA)>
```

Answer: D

QUESTION 11

Select which of the following is correct with respect to the attribute list declaration for setting "notebook" as the default value in the CDATA "type" attribute included in the "computer" element.

```
A. <!ATTLIST type CDATA "notebook">
B. <!ATTLIST computer type CDATA notebook>
C. <!ATTLIST computer type CDATA "notebook">
D. <!ATTLIST computer type="notebook" CDATA>
```

Answer: C

QUESTION 12

Select which of the following correctly describes the DTD attribute list declaration when the "date" attribute and the "reception" attribute are included in the "Customer_Visit" element.

```
A. <!ATTLIST Customer_Visit (date, reception) CDATA #IMPLIED>
B. <!ATTLIST Customer_Visit (date|reception) CDATA #IMPLIED>
C. <!ATTLIST Customer_Visit date && reception CDATA #IMPLIED>
D. <!ATTLIST Customer_Visit date CDATA #IMPLIED reception CDATA #IMPLIED>
```

Answer: D

Thank You for Trying Our Product

Braindump2go Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: http://www.braindump2go.com/all-products.html

























10% Discount Coupon Code: BDNT2014