

Exam Code: 9L0-609

Exam Name: Mac OS X Deployment v10.4 Exam

Vendor: Apple

Version: DEMO

Part: A

1: The command-line utility asr can scan _____.

- A.info.plist files on .dmg files
- B.uncompressed .cdr.img files
- C.read/write and read-only .dmg files
- D.read-only or compressed .dmg files

Correct Answers: D

2: You have 30 student computers with Apple Remote Desktop enabled. Which of these actions can you perform on all the computers at the same time using Apple Remote Desktop Admin?

- A.Control the mouse pointers.
- B.Perform a live software restore.
- C.Download a file to the admin computer.
- D.Upload and run a custom installation package.

Correct Answers: D

3: Performing an Apple Software Restore image scan on a disk image creates a new checksum for the image so that _____.

- A.an image can be used by ASR as a source
- B.ASR can verify that the .rc file has been updated for restore
- C.file copy restores will occur at the speed of block copy restores
- D.block copy restores will occur at five times the speed of file copy restores

Correct Answers: A

4: What convention does Apple recommend for generating a unique package identifier?

- A.DNS convention or your company's domain with the package name at the beginning (Example: mypackage.apple.com)
- B.mixed java convention or your company's domain name with the package name at the end (Example: apple.com.mypackage)
- C.mixed DNS convention or your company's domain name in reverse with the package name at the beginning (Example: mypackage.com.apple)
- D.java package name convention or your company's domain name in reverse with the package name at the end (Example: com.apple.mypackage)

Correct Answers: D

5: You need to install Mac OS X v10.4 simultaneously on multiple computers from an ASR image using a strictly network-based solution. How do you accomplish this?

- A.Start up the computers from a diskless NetBoot image, then use ASR multicast to restore the volumes.
- B.Start up the computers from a non-diskless NetBoot image, then use ASR multicast to restore the volumes.
- C.Start up the computers from the ASR image using NetBoot services, then select Restore Target Volume when prompted.

D.Start up the computers from the target volumes, then use the command-line utility asr to restore the target volumes from the ASR multicast image.

Correct Answers: A

6: You plan to restore the volumes on more than 200 computers that run Mac OS X v10.4 and bind to Active Directory for authentication. Rather than use the single computer name assigned by Active Directory on every computer, you want to give each computer a unique computer name. Before creating the image, you first unbind your master image computer (model) while keeping the search paths configured. What is your next step?

A.Create a restore image for each of the computers you will be restoring.

B.Include a sharingnames.txt file in the disk image for ASR to use when creating unique computer names.

C.Include dsconfigd as a startup item for the image to create a new and unique binding for the computer.

D.Update the Active Directory schema to create a new and unique computer for each restored volume based on the ASR RID (restore ID).

Correct Answers: C

7: You have configured Mac OS X Server v10.4 to provide Software Update services to systems on your network. Using this service allows you to _____.

A.deliver Mac OS X restore images over a network using multicast

B.deploy custom installation packages to Mac OS X systems on a regular basis

C.gather system software information from remote Mac OS X systems before updating

D.stage and validate updates to Mac OS X before providing them to users on the network

Correct Answers: D

8: In which location does Mac OS X Server store packages on a Network Install disk image?

A./Library/NetBoot/Packages

B./Library/Installation/Packages

C./System/Installation/Packages

D./System/Library/Installation/CDIS

Correct Answers: C

9: What tool do you use in Mac OS X v10.4 to restore a target volume from an multicasted ASR source image?

A.Disk Utility

B.System Image Utility

C.the command line utility asr

D.Restore Target Volume in NetBoot services

Correct Answers: C

10: In Server Admin, you can choose to deliver a NetBoot image with the ciskless option selected. This feature is used to _____.

A.create a virtual pool of NetBoot images to balance the client load

- B.allow restoration of a target volume while started up from the NetBoot volume
- C.ensure that items saved to ~/Documents are located on a network home folder
- D.ensure better performance of the client computer by caching the NetBoot image

Correct Answers: B