

## Analysis output: all-atom contacts and geometry for OTOF\_1-124\_WTH.pdb

## **Summary statistics**

Contacts	Clashscore, all atoms:	8.52		79 <sup>th</sup> percentile* (N=1784, all resolutions)
	Clashscore is the number of serious steric overlaps (> 0.4 Å) per 1000 atoms.			
Protein Geometry	Poor rotamers	2	1.77%	Goal: <1%
	Ramachandran outliers	1	0.82%	Goal: <0.05%
	Ramachandran favored	117	95.90%	Goal: >98%
	/	1.93		79 <sup>th</sup> percentile* (N=27675, 0Å - 99Å)
	Cβ deviations >0.25Å	0	0.00%	Goal: 0
	IRad hackhone honds:	3 / 1013	0.30%	Goal: 0%
	Bad backbone angles:	1 / 1368	0.07%	Goal: <0.1%

In the two column results, the left column gives the raw count, right column gives the percentage.

By adding H to this model and allowing Asn/Gln/His flips, we could *automatically* improve your clashscore by 1 points.

## Multi-criterion visualizations

1 of 2 6/3/14, 10:01 AM

<sup>\* 100&</sup>lt;sup>th</sup> percentile is the best among structures of comparable resolution; 0<sup>th</sup> percentile is the worst. For clashscore the comparative set of structures was selected in 2004, for MolProbity score in 2006.

<sup>^</sup> MolProbity score combines the clashscore, rotamer, and Ramachandran evaluations into a single score, normalized to be on the same scale as X-ray resolution.



View (121 Kb)

## Single-criterion visualizations

- Clash list (679 bytes): View
- Ramachandran plot kinemage (412 Kb): View in KiNG | Download
- Ramachandran plot PDF (1.7 Mb): View
- Cβ deviation scatter plot (17 Kb): View in KiNG | Download



About MolProbity | Website for the Richardson Lab | Using ecloud x-H | Internal reference 4.1-537

2 of 2