


jobid: 7823	uid: 18622	nprocs: 1	runtime: 1 seconds
-------------	------------	-----------	--------------------

I/O performance *estimate* (at the MPI-IO layer): transferred **0.0 MiB** at **0.51 MiB/s**

I/O performance *estimate* (at the STDIO layer): transferred **0.0 MiB** at **4.00 MiB/s**




Most Common Access Sizes  
(POSIX or MPI-IO)

	access size	count
POSIX	8	1
	112	1
	4	1
MPI-IO ‡	8	1
	112	1
	4	1

‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary  
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	2	563	1.1K
read-only files	0	0	0
write-only files	2	563	1.1K
read/write files	0	0	0
created files	2	563	1.1K




Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0	N/A
Shared reads	0	0
Shared writes	1.9e-05	0.000138282775878906
Shared metadata	1.6e-05	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
UNKNOWN	0.00002	0.14483	0.00000	0.00000
/files4	0.00012	0.85517	0.00000	0.00000



*sequential*: An I/O op issued at an offset greater than where the previous I/O op ended.

*consecutive*: An I/O op issued at the offset immediately following the end of the previous I/O op.

#### Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			$\sigma$	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes