


jobid: 7765	uid: 18622	nprocs: 1	runtime: 1 seconds
-------------	------------	-----------	--------------------

I/O performance *estimate* (at the MPI-IO layer): transferred **0.3 MiB** at **725.10 MiB/s**

I/O performance *estimate* (at the STDIO layer): transferred **0.0 MiB** at **7.45 MiB/s**




Most Common Access Sizes
(POSIX or MPI-IO)

	access size	count
POSIX	8	1
	672	1
	160	1
MPI-IO ‡	262144	1
	160	1

‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	2	417	672
read-only files	1	672	672
write-only files	1	162	162
read/write files	0	0	0
created files	1	162	162




Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0	N/A
Shared reads	1.5e-05	0.00080108642578125
Shared writes	2.1e-05	0.000154495239257812
Shared metadata	1.1e-05	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
UNKNOWN	0.00015	1.00000	0.00000	0.00000
/files4	0.00000	0.00000	0.00080	1.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes