



jobid: 7963 uid: 18622 nprocs: 1 runtime: 1 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 0.0 MiB at 0.19 MiB/s I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 1.24 MiB/s










Most Common Access Sizes (POSIX or MPI-IO)

	access size	count
POSIX	48	1
MPI-IO ‡	48	1

NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary (estimated by POSIX I/O access offsets)

(654111111111111111111111111111111111111						
type	number of files	avg. size	max size			
total opened	2	31	48			
read-only files	0	0	0			
write-only files	2	31	48			
read/write files	0	0	0			
created files	2	31	48			




Average I/O per process (POSIX and STDIO)

	Cumulative time spent in	Amount of I/O (MB)
	I/O functions (seconds)	
Independent reads	0	0
Independent writes	0	0
Independent metadata	0	N/A
Shared reads	0	0
Shared writes	3e-05	5.81741333007812e-05
Shared metadata	2e-05	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Wr	rite	Read		
The System	MiB	Ratio	MiB	Ratio	
UNKNOWN	0.00001	0.21311	0.00000	0.00000	
/files4	0.00005	0.78689	0.00000	0.00000	



 ${\it sequential:} \ \, \text{An I/O op issued at an offset greater than where the previous I/O op ended.} \\ {\it consecutive:} \ \, \text{An I/O op issued at the offset immediately following the end of the previous I/O op.} \\$

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest			σ		
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes