



jobid: 7791 uid: 18622 nprocs: 1 runtime: 1 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 1.3 MiB at 1223.47 MiB/s I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 2.79 MiB/s










Most Common Access Sizes (POSIX or MPI-IO)

•				
	access size	count		
POSIX	8	6		
	4	4		
	112	3		
	2112	2		
MPI-IO ‡	262144	5		
	4	4		
	112	1		
	400	1		

NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary (estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	2	1.1K	2.1K
read-only files	0	0	0
write-only files	1	132	132
read/write files	1	2.1K	2.1K
created files	2	1.1K	2.1K




## Average I/O per process (POSIX and STDIO)

	Cumulative time spent in	Amount of I/O (MB)			
	I/O functions (seconds)				
Independent reads	0	0			
Independent writes	0	0			
Independent metadata	0	N/A			
Shared reads	3.2e-05	0.00533294677734375			
Shared writes	0.000104	0.000637054443359375			
Shared metadata	8.7e-05	N/A			

## Data Transfer Per Filesystem (POSIX and STDIO)

File System	Wr	rite	Read		
	MiB	Ratio	MiB	Ratio	
UNKNOWN	0.00013	0.19760	0.00000	0.00000	
/files4	0.00051	0.80240	0.00533	1.00000	



 ${\it sequential:} \ \, \text{An I/O op issued at an offset greater than where the previous I/O op ended.} \\ {\it consecutive:} \ \, \text{An I/O op issued at the offset immediately following the end of the previous I/O op.} \\$ 

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest			σ		
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes