A Representation of a Compiler in PDDL
With a limited number of instructions

Claudio Scheer[1]

[1]Master's Degree in Computer Science
Pontifical Catholic University of Rio Grande do Sul - PUCRS

Paper Proposal, May 2020

Table of Contents

Table of Contents

Sample frame title

This is a text in second frame. For the sake of showing an example.

- Text visible on slide 1

Sample frame title

This is a text in second frame. For the sake of showing an example.

- Text visible on slide 1
- Text visible on slide 2

Sample frame title

This is a text in second frame. For the sake of showing an example.

- Text visible on slide 1
- Text visible on slide 2
- Text visible on slides 3

Sample frame title

This is a text in second frame. For the sake of showing an example.

- Text visible on slide 1
- Text visible on slide 2

- Text visible on slide 4

In this slide

In this slide
the text will be partially visible

In this slide
the text will be partially visible
And finally everything will be there

Table of Contents

Sample frame title

In this slide, some important text will be highlighted because it's important. Please, don't abuse it.

> **Remark**
>
> Sample text

> **Important theorem**
>
> Sample text in red box

> **Examples**
>
> Sample text in green box. The title of the block is "Examples".

Two-column slide

This is a text in first column.

$$E = mc^2$$

- First item
- Second item

This text will be in the second column and on a second tought this is a nice looking layout in some cases.