

- Web development issues- III


- Objectives
- To review some process models in information systems development

Review of Process Models

What are/is process model(s)

Framework that describes the activities performed at each stage of a software development project.

Waterfall Model



- **Requirements** – defines needed information, function, behavior, performance and interfaces.
- **Design** – data structures, software architecture, interface representations, algorithmic details.
- **Implementation** – source code, database, user documentation, testing.

Waterfall Strengths

- Easy to understand, easy to use
- Provides structure to inexperienced staff
- Milestones are well understood
- Sets requirements stability
- Good for management control (plan, staff, track)
- Works well when quality is more important than cost or schedule


Waterfall Deficiencies

- All requirements must be known upfront
- Deliverables created for each phase are considered frozen – inhibits flexibility
- Can give a false impression of progress
- Does not reflect problem-solving nature of software development – iterations of phases
- Integration is one big bang at the end
- Little opportunity for customer to preview the system (until it may be too late)

When to use the Waterfall Model

- Requirements are very **well known**
- Product definition is **stable**
- Technology is **understood**
- New **version of an existing product**
- **Porting an existing product** to a new platform.

V-Shaped Process Model



- A variant of the Waterfall that emphasizes the verification and validation of the product.
- Testing of the product is planned in parallel with a corresponding phase of development

V-Shaped Steps

- **Project and Requirements Planning** – allocate resources
- **Product Requirements and Specification Analysis** – complete specification of the software system
- **Architecture or High-Level Design** – defines how software functions fulfill the design
- **Detailed Design** – develop algorithms for each architectural component
- **Production, operation and maintenance** – provide for enhancement and corrections
- **System and acceptance testing** – check the entire software system in its environment
- **Integration and Testing** – check that modules interconnect correctly
- **Unit testing** – check that each module acts as expected
- **Coding** – transform algorithms into software

V-Shaped Strengths

- Emphasize planning for **verification and validation** of the product in early stages of product development
- **Each deliverable must be testable**
- Project management can **track progress by milestones**
- **Easy to use**

V-Shaped Weaknesses

- Does not easily handle concurrent events
- Does not handle iterations or phases
- Does not easily handle dynamic changes in requirements
- Does not contain risk analysis activities

When to use the V-Shaped Model

- Excellent choice for **systems requiring high reliability** – hospital patient control applications
- **All requirements are known** up-front
- When it can be modified to **handle changing requirements beyond analysis phase**
- **Solution and technology are known**

Structured Evolutionary Prototyping Model

- Developers build a prototype during the requirements phase
- Prototype is evaluated by end users
- Users give corrective feedback
- Developers further refine the prototype
- When the user is satisfied, the prototype code is brought up to the standards needed for a final product.

Structured Evolutionary Prototyping Steps

- A preliminary project plan is developed
- An partial high-level paper model is created
- The model is source for a partial requirements specification
- A prototype is built with basic and critical attributes
- The designer builds
 - the database
 - user interface
 - algorithmic functions
- The designer demonstrates the prototype, the user evaluates for problems and suggests improvements.
- This loop continues until the user is satisfied

Structured Evolutionary Prototyping

Strengths

- Customers can “see” the system requirements as they are being gathered
- Developers learn from customers
- A more accurate end product
- Unexpected requirements accommodated
- Allows for flexible design and development
- Steady, visible signs of progress produced
- Interaction with the prototype stimulates awareness of additional needed functionality

Structured Evolutionary Prototyping Weaknesses

- Tendency to abandon structured program development for “code-and-fix” development
- Bad reputation for “quick-and-dirty” methods
- Overall maintainability may be overlooked
- The customer may want the prototype delivered.
- Process may continue forever (scope creep)

When to use Structured Evolutionary Prototyping

- Requirements are unstable or have to be clarified
- As the requirements clarification stage of a waterfall model
- Develop user interfaces
- Short-lived demonstrations
- New, original development
- With the analysis and design portions of object-oriented development.

Rapid Application Model (RAD)

- **Requirements planning phase** (a workshop utilizing structured discussion of business problems)
- **User description phase** – automated tools capture information from users
- **Construction phase** – productivity tools, such as code generators, screen generators, etc. inside a time-box. (“Do until done”)
- **Cutover phase** -- installation of the system, user acceptance testing and user training

RAD Strengths

- **Reduced cycle time** and improved productivity with fewer people means lower costs
- **Time-box** approach mitigates cost and schedule risk
- **Customer involved throughout** the complete cycle minimizes risk of not achieving customer satisfaction and business needs
- Focus moves from documentation to code (**WYSIWYG**).
- **Uses modeling concepts** to capture information about business, data, and processes.


RAD Weaknesses

- Accelerated development process **must give quick responses** to the user
- Risk of **never achieving closure**
- Hard to use with **legacy systems**
- Requires a system that can be **modularized**
- Developers and customers must be **committed to rapid-fire activities** in an abbreviated time frame.

When to use RAD

- Reasonably well-known requirements
- User involved throughout the life cycle
- Project can be time-boxed
- Functionality delivered in increments
- High performance not required
- Low technical risks
- System can be modularized

Incremental SDLC Model



- Construct a partial implementation of a total system
- Then slowly add increased functionality
- The incremental model prioritizes requirements of the system and then implements them in groups.
- Each subsequent release of the system adds function to the previous release, until all designed functionality has been implemented.

Incremental Model Strengths

- Develop high-risk or major functions first
- Each release delivers an operational product
- Customer can respond to each build
- Uses “divide and conquer” breakdown of tasks
- Lowers initial delivery cost
- Initial product delivery is faster
- Customers get important functionality early
- Risk of changing requirements is reduced


Incremental Model Weaknesses

- Requires good planning and design
- Requires early definition of a complete and fully functional system to allow for the definition of increments
- Well-defined module interfaces are required (some will be developed long before others)
- Total cost of the complete system is not lower

When to use the Incremental Model

- Risk, funding, schedule, program complexity, or need for **early realization of benefits**.
- Most of the requirements are known up-front but are expected to **evolve over time**
- A need to **get basic functionality to the market early**
- On projects which have **lengthy development schedules**
- On a project with **new technology**

Spiral Process Model



- Adds risk analysis, and 4gl RAD prototyping to the waterfall model
- Each cycle involves the same sequence of steps as the waterfall process model

Spiral Quadrant

Determine objectives, alternatives and constraints

- **Objectives:** functionality, performance, hardware/software interface, critical success factors, etc.
- **Alternatives:** build, reuse, buy, sub-contract, etc.
- **Constraints:** cost, schedule, interface, etc.

Spiral Quadrant

Evaluate alternatives, identify and resolve risks

- **Study alternatives** relative to objectives and constraints
- **Identify risks** (lack of experience, new technology, tight schedules, poor process, etc.)
- **Resolve risks** (evaluate if money could be lost by continuing system development)

Spiral Quadrant

Develop next-level product

- Typical activities:
 - Create a design
 - Review design
 - Develop code
 - Inspect code
 - Test product

Spiral Quadrant

Plan next phase

- Typical activities
 - Develop project plan
 - Develop configuration management plan
 - Develop a test plan
 - Develop an installation plan

Spiral Model Strengths

- Provides early indication of insurmountable risks, without much cost
- Users see the system early because of rapid prototyping tools
- Critical high-risk functions are developed first
- The design does not have to be perfect
- Users can be closely tied to all lifecycle steps
- Early and frequent feedback from users
- Cumulative costs assessed frequently

Spiral Model Weaknesses

- Time spent for evaluating risks too large for small or low-risk projects
- Time spent planning, resetting objectives, doing risk analysis and prototyping may be excessive
- The model is complex
- Risk assessment expertise is required
- Spiral may continue indefinitely
- Developers must be reassigned during non-development phase activities
- May be hard to define objective, verifiable milestones that indicate readiness to proceed through the next iteration

When to use Spiral Model

- When creation of a prototype is appropriate
- When costs and risk evaluation is important
- For medium to high-risk projects
- Long-term project commitment unwise because of potential changes to economic priorities
- Users are unsure of their needs
- Requirements are complex
- New product line
- Significant changes are expected (research and exploration)

Agile Models's

- Speed up or bypass one or more life cycle phases
- Usually less formal and reduced scope
- Used for time-critical applications
- Used in organizations that employ disciplined methods

Some Agile Methods

- Adaptive Software Development (ASD)
- Feature Driven Development (FDD)
- Crystal Clear
- Dynamic Software Development Method (DSDM)
- Rapid Application Development (RAD)
- Scrum
- Extreme Programming (XP)
- Rational Unify Process (RUP)

Extreme Programming - XP

For small-to-medium-sized teams
developing software with vague or rapidly
changing requirements

Coding is the key activity throughout a
software project

- Communication among teammates is done with code
- Life cycle and behavior of complex objects defined in test cases – again in code

XP Practices (1-6)

1. **Planning game** – determine scope of the next release by combining business priorities and technical estimates
2. **Small releases** – put a simple system into production, then release new versions in very short cycle
3. **Metaphor** – all development is guided by a simple shared story of how the whole system works
4. **Simple design** – system is designed as simply as possible (extra complexity removed as soon as found)
5. **Testing** – programmers continuously write unit tests; customers write tests for features
6. **Refactoring** – programmers continuously restructure the system without changing its behavior to remove duplication and simplify

XP Practices (7 – 12)

7. **Pair-programming** -- all production code is written with two programmers at one machine
8. **Collective ownership** – anyone can change any code anywhere in the system at any time.
9. **Continuous integration** – integrate and build the system many times a day – every time a task is completed.
10. **40-hour week** – work no more than 40 hours a week as a rule
11. **On-site customer** – a user is on the team and available full-time to answer questions
12. **Coding standards** – programmers write all code in accordance with rules emphasizing communication through the code

XP is “extreme” because

Commonsense practices taken to extreme levels

- If code reviews are good, **review code all the time** (pair programming)
- If testing is good, everybody will **test all the time**
- If simplicity is good, keep the system in the simplest design that supports its current functionality. (**simplest thing that works**)
- If design is good, everybody will design daily (**refactoring**)
- If architecture is important, everybody will work at defining and refining the architecture (**metaphor**)
- If integration testing is important, build and **integrate test several times a day** (continuous integration)
- If short iterations are good, **make iterations really, really short** (hours rather than weeks)

Feature Driven Design (FDD)

Five FDD process activities

1. **Develop an overall model** – Produce class and sequence diagrams from chief architect meeting with domain experts and developers.
2. **Build a features list** – Identify all the features that support requirements. The features are functionally decomposed into Business Activities steps within Subject Areas.
Features are functions that can be developed in two weeks and expressed in client terms with the template: <action> <result> <object>
i.e. Calculate the total of a sale
3. **Plan by feature** -- the development staff plans the development sequence of features
4. **Design by feature** -- the team produces sequence diagrams for the selected features
5. **Build by feature** – the team writes and tests the code

Dynamic Systems Development Method (DSDM)

Applies a framework for RAD and short time frames

Paradigm is the 80/20 rule

- majority of the requirements can be delivered in a relatively short amount of time.

DSDM Principles

1. Active user involvement imperative (Ambassador users)
2. DSDM teams empowered to make decisions
3. Focus on frequent product delivery
4. Product acceptance is fitness for business purpose
5. Iterative and incremental development - to converge on a solution
6. Requirements initially agreed at a high level
7. All changes made during development are reversible
8. Testing is integrated throughout the life cycle
9. Collaborative and co-operative approach among all stakeholders essential

DSDM Lifecycle

- Feasibility study
- Business study – prioritized requirements
- Functional model iteration
 - risk analysis
 - Time-box plan
- Design and build iteration
- Implementation

Adaptive Process Models

Combines RAD with software engineering best practices

- Project initiation
- Adaptive cycle planning
- Concurrent component engineering
- Quality review
- Final QA and release

Adaptive Steps

1. Project initialization – determine intent of project
2. Determine the project time-box (estimation duration of the project)
3. Determine the optimal number of cycles and the time-box for each
4. Write an objective statement for each cycle
5. Assign primary components to each cycle
6. Develop a project task list
7. Review the success of a cycle
8. Plan the next cycle

Tailored Process Models

- Any one model does not fit all projects
- If there is nothing that fits a particular project, pick a model that comes close and modify it for your needs.
- Project should consider risk but complete spiral too much – start with spiral & pare it down
- Project delivered in increments but there are serious reliability issues – combine incremental model with the V-shaped model
- Each team must pick or customize a SDLC model to fit its project

Conclusion

There are so many process models which are also called methodologies for information system development, you will discover that some may not really be applicable in web application development but with experience, some may still be applicable. It is also important to note that Agile methods are best suited for web application development because of web characteristics(Refer to the Web app characteristics by kappeel et al.)

Study:

There are so many process models categorized under the Agile Methodology, Study Scrum and Kanban methodology and other Agile methodologies as well