



Calculation Methods Impact on Real-Driving-Emissions Particulate Number Evaluation: Moving Averaging Window in China 6 vs. Raw Mileage Averaging in Euro 6d

Haixu Liu, Chunbo Li, Tinghong Tao, Yi Liu, Jian Chen, Xiangyu Feng, Qiang Li, and Zequn Wang Corning Inc.

Citation: Liu, H., Li, C., Tao, T., Liu, Y. et al., "Calculation Methods Impact on Real-Driving-Emissions Particulate Number Evaluation: Moving Averaging Window in China 6 vs. Raw Mileage Averaging in Euro 6d," SAE Technical Paper 2022-01-0567, 2022, doi:10.4271/2022-01-0567.

Received: 10 Jan 2022

Revised: 10 Jan 2022

Accepted: 05 Jan 2022

Abstract

RDE test has been introduced to the light-duty vehicle certification process in both China 6 and Euro 6d standards. The RDE test shall be performed on-road with PEMS, which is developed to complement the current laboratory certification of vehicles and ensure cars to deliver low emissions under more realistic on-road driving conditions. Particulate matter has been highly perceived as a significant contributor to human health risks and thus strictly regulated globally. For the RDE evaluation, the MAW method used by the China 6 standard is usually found less stringent than the RMA method used by the Euro 6d standard. In the present

study, both of the MAW and RMA methods were applied to different driving cycles and operating conditions, which met the general RDE test requirements, yet resulted in different evaluated PN results. Special focus was directed towards the initial vehicle operations, for example, the vehicle lift-off time after engine ignition and driving dynamics before engine fully warmed up, in addition to the CO_2 generation over the RDE cycle. The results showed that the calculation methods can greatly impact the RDE PN emission evaluation. Emphasis to details in the test procedures was recommended to appropriately protect the application and avoid underestimating the RDE emissions in case of realistic operating scenarios.

Introduction

The Real-Driving-Emissions (RDE) framework was triggered in the early 2010s under the supervision of the European Commission [1]. It aims to stipulate that the manufacturers shall enable the vehicles to comply with emissions standards in real-world use, covering a representative range of driving conditions [2–4]. The on-road test procedure is based on the application of Portable Emissions Measurement System (PEMS) since 2014 to determine heavy-duty vehicles' in-use compliance in Euro 6. The Not-To-Exceed (NTE) limit was allowed to include the PEMS uncertainties, with a so-called Conformity Factor (CF) for NO_x and Particulate Number (PN) emissions. Since the RDE test becomes a type-approval certification in both Europe and China, it brings lots of challenges to control the particulate emissions under various on-road boundary conditions and thus leads to dedicated efforts by manufactures in developing PN control technologies [5–8].

In fact, the RDE legislation in Europe was introduced into the Euro 6 through 4 packages [9]. The 1st RDE package was voted in May 2015 and defined the RDE test procedures. The package 2 was voted in October 2015 and defined the NO_x CF as well as the introduction dates. The RDE package 3 (voted

in December 2016) added a PN CF and included the RDE cold-start emissions. The RDE package 4 was voted in May 2018 and dealt with In-Service Conformity (ISC) RDE testing and market surveillance. The manufacturers were allowed to meet the RDE requirements in two phases, i.e. transitional phase and compliant phase [10]. In the transitional phase, the 1st package is only used to monitor and report the RDE emissions without the requirement of an NTE limit, which was applied to Euro 6c in April 2016. The compliant phase is in regard to the RDE package 2, 3, and 4. The RDE type approval test was mandatory in Euro 6d-TEMP from September 2017, with package 2 adopted against a temporary NO_x CF of 2.1 and package 3 adopted against an additional temporary PN CF of 1.5. Euro 6d took effect in January 2020 with the final CF of NO_x as 1.5 defined in package 2 and lowered to 1.43 in package 4, and the final PN CF as 1.5 defined in package 3.

The China 6 standard was released on December 23, 2016, and took effect on July 1, 2020 [11]. It takes the best practices from European regulation and introduces RDE requirements based on the RDE package 2 in Euro 6d, with modification addressing the unique driving conditions in China. Similarly, the China 6 RDE comes into forces with two subsequent stages. The transitional stage China 6a only requires monitor

FIGURE 20 PN emissions in windows of RDE tests with 300s lift-off time.





FIGURE 21 PN emissions in windows of RDE tests with 15s and 450s lift-off time.



dynamics with a cold engine, and the fuel consumption or the CO₂ emission ratio between the RDE cycle and WLTC cycle after the engine warmed up. Therefore, besides the extreme or “worst-case” RDE test boundary conditions, the manufacturers should give emphasis to the RDE test procedures during their clean engine development to comply with the China 6 RDE standard.

References

- Peter, M., “Real Driving Emissions Test Procedure for Exhaust Gas Pollutant Emissions of Cars and Light Commercial Vehicles in Europe,” Policy update by *The International Council on Clean Transportation*, Jan. 12, 2017, <https://theicct.org/publications/real-driving-emissions-test-procedure-exhaust-gas-pollutant-emissions-cars-and-light>.
- Wang, X., Thomas, D., Ge, Y., Yu, W. et al., “Proceedings of Real Driving Emission (RDE) Measurement in China,” SAE Technical Paper [2018-01-0653](#) (2018), doi:[10.4271/2018-01-0653](#).
- Merkisz, J., Pawel, F., Lijewski, P., and Bielaczyc, P., “The Comparison of the Emissions from Light Duty Vehicle in On-Road and NEDC Tests,” SAE Technical Paper [2010-01-121-12](#) (2010), doi:[10.4271/2010-01-1298](#).
- May, J., Bosteels, D., and Favre, C., “An Assessment of Emissions from Light-Duty Vehicles Using PEMS and Chassis Dynamometer Testing,” *SAE Int. J. Engines* 7, no. 3 (2014), doi:[10.4271/2014-01-1581](#).
- Dadam, S., Nieuwstadt, M., Lehmen, A., Ravi, V. et al., “A Unique Application of Gasoline Particulate Filter Pressure Sensing Diagnostics,” *SAE Int. J. Passeng. Cars - Mech. Syst.* 14, no. 2 (2021): 105-116, doi:[10.4271/06-14-02-0007](#).
- Ali, Imtiaz, Zhu, Di, and Kumar, Vivek. “Effects of Differential Pressure Measurement Characteristics on High Pressure-EGR Estimation Error in SI-Engines,” *Int. J. Engine Res.*, November 2021, doi:[10.1177/14680874211055580](#).
- Ryoko, C., Franziska, J., Dominik, R., and Thorsten, B., “Investigation of Emissions and Gasoline Particulate Filter Performance for Sub 23 nm Particles,” in *JASE Annual Congress Proceedings (Spring)*, 2020, 005.
- Feng, X., Liu, H., Li, W., Lu, Z. et al., “On-Vehicle Fuel Cut Testing for Gasoline Particulate Filter Applications,” SAE Technical Paper [2019-01-0968](#) (2019), doi:[10.4271/2019-01-0968](#).
- “EU: Cars and Light Trucks: RDE Testing,” Website of Dieselnets, https://dieselnets.com/standards/eu/ld_rde.php.
- Official Journal of the European Union, “Emissions from Light Passenger and Commercial Vehicles (Euro 6),” Commission Regulation (EU) 2016/646, Amending Regulation (EC) No 692/2008, Apr. 20, 2016.
- Huiming, G., Yunshan, G., Junfang, W., and Hang, Y., “Light-Duty Vehicle Emissions Control: A Brief Introduction to the China 6 Emissions Standard - The Key Regulation Improvements and Areas for Further Developments Are Reviewed,” *Johnson Matthey Technol. Rev.* 61, no. 4 (2017): 269-278, doi:[10.1595/205651317X696199](#).

12. China Official Announcement, "Implementation of the CN6 Emission Standards for HD Diesel," Ministry of Ecological Environment, Ministry of Industry and Information Technology, and China Customs Head Office, No. 14, Apr. 25, 2021.
13. National Standards of the People's Republic of China, "Light Vehicle Emission Limits and Measurement Methods (China VI Stage)," China GB 18352.6, Dec. 23, 2016.
14. Liu, H., Li, C., Tao, T., He, S. et al., "PN Emission Measurements and Real-Driving-Emissions (RDE) Simulation on China 6 Light-Duty Gasoline Vehicles," SAE Technical Paper 2021-01-0588 (2021), doi:10.4271/2021-01-0588.
15. Ameen, W., "NYC Is the Third Most Traffic Congested City in the World," Curbed New York, Feb. 6, 2018, <https://ny.curbed.com/2018/2/6/16979696/new-york-city-traffic-congestion-second-worst>.
16. Kyodo News, "Japan Grapples with Traffic Jams, Visitors' Manners Amid Tourism Boom," Kyodo News, June 2019, 12, <https://english.kyodonews.net/news/2019/06/3c33f81ca851-japan-grapples-with-traffic-jams-visitors-manners-amid-tourism-boom.html>.
17. Yi, W., "Traffic Jams in Beijing at the Rush Hour of the Last Working Day before the Mid-Autumn Festival," Chinanews, Sep. 19, 2021, <https://www.tellerreport.com/life/2021-09-18-traffic-jams-in-beijing-at-the-rush-hour-of-the-last-working-day-before-the-mid-autumn-festival.rkgVH6cXXY.html>.
18. Kai, Z. and Stuart, B., "Air Pollution and Health Risks due to Vehicle Traffic," *Sci Total Environ.* 0 (2013): 307-316, doi:10.1016/j.scitotenv.2013.01.074.
19. Farun, A., Liu, J., Lu, W., and Daranee, J., "A Review of the Effect of Traffic-Related Air Pollution around Schools on Student Health and Its Mitigation," *J. Transp. Health.*, doi:10.1016/j.jth.2021.101249.
20. Şahin, Ü.A., Onata, B., Akin, Ö., Ayvaz, C. et al., "Temporal Variations of Atmospheric Black Carbon and Its Relation to Other Pollutants and Meteorological Factors at an Urban Traffic Site in Istanbul," *Atmos. Pollut. Res.* 11 (2020): 1051-1062, doi:10.1016/j.apr.2020.03.009.
21. Jonathan, I.L., Jonathan, J.B., and Katherine, V.S., "Evaluation of the Public Health Impacts of Traffic Congestion: A Health Risk Assessment," *Environ. Health* 9, no. 65 (2010): 65, doi:10.1186/1476-069X-9-65.
22. Khalfan, A., Andrews, G., and Li, H., "Real World Driving: Emissions in Highly Congested Traffic," SAE Technical Paper 2017-01-2388 (2017), doi:10.4271/2017-01-2388.
23. "Amending Regulation (EC) No 692/2008 as Regards Emissions from Light Passenger and Commercial Vehicles (Euro 6)," *Commission Regulation (EU) 2016/427*, March 2016, 10.
24. "Amending Directive 2007/46/EC of the European Parliament and of the Council, Commission Regulation (EC) No 692/2008 and Commission Regulation (EU) 2017/1151," *Commission Regulation (EU) 2018/1832*, November 2018, 5.
25. Barouch, G., Michael, C., Victor, V.M., Pierre, B. et al., "Framework for the Assessment of PEMS (Portable Emissions Measurement Systems) Uncertainty," *Environ. Res.* 166 (2018): 251-260, doi:10.1016/j.envres.2018.06.012.
26. Merksiz, J., Bielaczyc, P., Pielecha, J., and Woodburn, J., "RDE Testing of Passenger Cars: The Effect of the Cold Start on the Emissions Results," SAE Technical Paper 2019-01-0747 (2019), doi:10.4271/2019-01-0747.
27. Dieselnets, "RTS95 Cycle," Website of Dieselnets, <https://dieselnets.com/standards/cycles/rts95.php>.

Contact Information

Haixu Liu

Corning Incorporated
LiuH8@corning.com

Definitions/Abbreviations

RDE - Real Driving Emissions

PEMS - Portable Emissions Measuring System

PN - Particulate Number

NTE - Not-To-Exceed

CF - Conformity Factor

ISC - In-Service Compliance

MAW - Moving Averaging Window

RMA - Raw Mileage Averaging

CVS - Constant volume sampler system

GPF - Gasoline Particulate Filter

GDI - Gasoline Direct Injection

MPI - Multi-Port Injection

TC - Turbo Charged

NA - Natural Aspirated

PMP - Particle Measurement Programme

CPC - Condensation Particle Counters

PTT - Particle Transfer Tube

VPR - Volatile Particle Remover

WLTC - Worldwide harmonized Light vehicles Test Cycles

RTS95 - RTS is derived from standardized random test and 95 refers to aggressive driving style

($v \cdot a_{pos}$)_{urban}[95] - 95th percentile of the product of vehicle speed per positive acceleration greater than 0.1 m/s² for urban trip [m²/s³ or W/kg]

RPA_{urban} - relative positive acceleration for urban trip [m/s² or kW/(kg×km)]