SAE INTERNATIONAL

ARTICLE INFO
Article ID: 03-16-02-0013

doi:10.4271/03-16-02-0013

Application of Low-Cost Transducers for Indirect In-Cylinder Pressure Measurements

Enrico Corti,[1] Lorenzo Raggini,[2] Alessandro Rossi,[3] Alessandro Brusa,[4] Luca Solieri,[5] Daire Corrigan,[6] Nicola Silvestri[7] and Matteo Cucchi[7]

[1]Universita degli Studi di Bologna Scuola di Ingegneria e Architettura, DIN, Italy
[2]Universita degli Studi di Bologna Scuola di Ingegneria e Architettura, Italy
[3]Università di Bologna Scuola di Ingegneria e Architettura, Italy
[4]University of Bologna, Italy
[5]Alma Automotive srl, Italy
[6]Ferrari Auto SpA, UK
[7]Ferrari Auto SpA, Italy

Abstract

The aim of this work is to present the results achieved in the evaluation of combustion metrics using low-cost sensors for the indirect measurement of cylinder pressure. The developed transducers are piezoelectric rings placed under the spark plugs. Tests were carried out on three different engines running in various speed and load conditions. The article shows the characteristics of the signals generated by the piezo-ring sensors, compared to those coming from laboratory-grade pressure transducers: focus is to assess the achievable accuracy in the determination of frequently used combustion metrics, such as those related to knock intensity (Maximum Amplitude of Pressure Oscillations, MAPO), combustion phasing (MFB_{10}, MFB_{50}, ...), and peak pressure. Despite some issues related to the variation in sensitivity (temperature effect) to mechanical noise at high engine speeds and to signal deviation from the actual cylinder pressure trace in some portions of the engine cycle, the article shows that combustion metrics evaluated using low-cost sensors are meant to be used for combustion feedback control.

History

Received: 18 Nov 2021
Revised: 28 Feb 2022
Accepted: 06 Apr 2022
e-Available: 25 Apr 2022

Keywords

Cylinder pressure, Combustion metrics, Knock, Peak pressure, Combustion phase, Piezoelectric washer

Citation

Corti, E., Raggini, L., Rossi, A., Brusa, A. et al., "Application of Low-Cost Transducers for Indirect In-Cylinder Pressure Measurements," *SAE Int. J. Engines* 16(2):2023, doi:10.4271/03-16-02-0013.

ISSN: 1946-3936
e-ISSN: 1946-3944

MFB_{90} - Crank angle at which the 90% of fuel mass inside the cylinder is burned

OEM - Original equipment manufacturer

P - Pressure inside the combustion chamber

PCB - Printed circuit boards

PFI - Port fuel injection

P_{max} - Maximum value assumed by the pressure inside the combustion chamber

R^2 - Bravais-Pearson correlation coefficient

RCCI - Reactivity controlled compression ignition

RDE - Real Driving Emission

RMSE - Root mean square error

ROHR - Rate of heat release

RPM - Revolutions per minute

SACI - Spark-assisted compression ignition

SOC - Start of combustion

TJI - Turbulent jet ignition

V - Volume inside the combustion chamber

dP - Derivative of the pressure inside the combustion chamber

dV - Derivative of the volume inside the combustion chamber

dθ - Derivative angle

k - Adiabatic index

rl - relative load evaluated by the engine control unit

ΔF_b - Bolt force variation

ΔF_c - Joint force variation

ΔL_b - Bolt deformation

Δt_j - Joint deformation

$\Delta\delta$ - Bolt and joint strain variation

θ - Crank angle

θ_{start} - Starting crank angle of the angular window for the evaluation of the CHR

θ_{end} - Final crank angle of the angular window for the evaluation of the CHR

Literature

1. Johnson, T., "Diesel Emission Control in Review," *SAE Int. J. Fuels Lubr.* 1, no. 1 (2009): 68-81, https://doi.org/10.4271/2008-01-0069.
2. Johnson, T. and Joshi, A., "Review of Vehicle Engine Efficiency and Emissions," SAE Technical Paper 2017-01-0907, 2017, https://doi.org/10.4271/2017-01-0907.
3. Dadam, S., Nieuwstadt, M., Lehmen, A., Ravi, V. et al., "A Unique Application of Gasoline Particulate Filter Pressure Sensing Diagnostics," *SAE Int. J. Passeng. Cars - Mech. Syst.* 14, no. 2 (2021): 105-116, https://doi.org/10.4271/06-14-02-0007.
4. Roberts, P.J., Mumby, R., Mason, A., Redford-Knight, L. et al., "RDE Plus—The Development of a Road, Rig and Engine-in-the-Loop Test Methodology for Real Driving Emissions Compliance," SAE Technical Paper 2019-01-0756, 2019, https://doi.org/10.4271/2019-01-0756.
5. Mock, P., "CO_2 Emission Standards for Passenger Cars and Light-Commercial Vehicles in the European Union," 2019, accessed January 9, 2019, https://theicct.org/sites/default/files/publications/EU-LCV-CO2-2030_ICCTupdate_20190123.pdf.
6. Dadam, S., Imtiaz, A., Di, Z., and Vivek, K., "Effects of Differential Pressure Measurement Characteristics on High Pressure-EGR Estimation Error in SI-Engines," *International Journal of Engine Research* (2021), https://doi.org/10.1177/14680874211055580.
7. Katic, V., Dumnic, B., Corba, Z., and Milicevic, D., "Electrification of the Vehicle Propulsion System—An Overview," *Facta Universitatis, Series: Electronics and Energetics* 27 (2014): 299-316, http://doi.org/10.2298/FUEE1402299K.
8. Albrahim, M., Zahrani, A.A., Arora, A. et al., "An Overview of Key Evolutions in the Light-Duty Vehicle Sector and Their Impact on Oil Demand," *Energy Transit* 3 (2019): 81-103, https://doi.org/10.1007/s41825-019-00017-7.
9. Marchenko, O.V. and Solomin, S.V., "The Future Energy: Hydrogen versus Electricity," *International Journal of Hydrogen Energy* 40, no. 10 (2015): 3801-3805, https://doi.org/10.1016/j.ijhydene.2015.01.132.
10. Liu, L., Cheng, S.Y., Li, J.B., and Huang, Y.F., "Mitigating Environmental Pollution and Impacts from Fossil Fuels: The Role of Alternative Fuels," *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects* 29, no. 12 (2007): 1069-1080, https://doi.org/10.1080/15567030601003627.
11. Situ, L., "Electric Vehicle Development: The Past, Present & Future," in *2009 3rd International Conference on Power Electronics Systems and Applications (PESA)*, Hong Kong, China, 2009, 1-3.
12. Zhang, R. and Fujimori, S., "The Role of Transport Electrification in Global Climate Change Mitigation Scenarios," *Environmental Research Letters* 15, no. 3 (2019): 034019, https://doi.org/10.1088/1748-9326/ab6658.
13. Wanitschke, A. and Hoffmann, S., "Are Battery Electric Vehicles the Future? An Uncertainty Comparison with Hydrogen and Combustion Engines," *Environmental Innovation and Societal Transitions* 35 (2020): 509-523, https://doi.org/10.1016/j.eist.2019.03.003.
14. Karden, E., Ploumen, S., Fricke, B., Miller, T. et al., "Energy Storage Devices for Future Hybrid Electric Vehicles," *Journal of Power Sources* 168, no. 1 (2007): 2-11, https://doi.org/10.1016/j.jpowsour.2006.10.090.
15. Macioszek, E., "Electric Vehicles—Problems and Issues," in Sierpiński, G. (Ed), *Smart and Green Solutions for Transport Systems. TSTP 2019. Advances in Intelligent Systems and*

Computing, vol. 1091 (Cham, Switzerland: Springer, 2020), https://doi.org/10.1007/978-3-030-35543-2_14.

16. Dadam, S., Jentz, R., Lenzen, T., and Meissner, H., "Diagnostic Evaluation of Exhaust Gas Recirculation (EGR) System on Gasoline Electric Hybrid Vehicle," SAE Technical Paper 2020-01-0902, 2020, https://doi.org/10.4271/2020-01-0902.
17. Chung, I., Kang, H., Park, J., and Lee, J., "Fuel Economy Improvement Analysis of Hybrid Electric Vehicle," *International Journal of Automotive Technology* 20, no. 3 (2019): 531-537, https://doi.org/10.1007/s12239-019-0050-7.
18. Solouk, A., Shakiba-herfeh, M., Kannan, K., Solmaz, H. et al., "Fuel Economy Benefits of Integrating a Multi-Mode Low Temperature Combustion (LTC) Engine in a Series Extended Range Electric Powertrain," SAE Technical Paper 2016-01-2361, 2016, https://doi.org/10.4271/2016-01-2361.
19. Takahashi, D., Nakata, K., Yoshihara, Y., Ohta, Y. et al., "Combustion Development to Achieve Engine Thermal Efficiency of 40% for Hybrid Vehicles," SAE Technical Paper 2015-01-1254, 2015, https://doi.org/10.4271/2015-01-1254.
20. Overington, S. and Rajakaruna, S., "High-Efficiency Control of Internal Combustion Engines in Blended Charge Depletion/Charge Sustenance Strategies for Plug-In Hybrid Electric Vehicles," *IEEE Transactions on Vehicular Technology* 64, no. 1 (2015): 48-61, https://doi.org/10.1109/TVT.2014.2321454.
21. Ciampolini, M. and Ferrara, G., "Low Temperature Combustion the future of Internal Combustion Engines," 2019, https://e-l.unifi.it/pluginfile.php/615503/mod_resource/content/1/SI-LTC.pdf.
22. Krishnamoorthi, M., Malayalamurthi, R., He, Z., and Kandasamy, S., "A Review on Low Temperature Combustion Engines: Performance, Combustion and Emission Characteristics," *Renewable and Sustainable Energy Reviews* 116 (2019): 109404, https://doi.org/10.1016/j.rser.2019.109404.
23. Krishnasamy, A., "A Comparison of Different Low Temperature Combustion Strategies in a Small Single Cylinder Diesel Engine under Low Load Conditions," SAE Technical Paper 2017-01-2363, 2017, https://doi.org/10.4271/2017-01-2363.
24. Cho, K., Latimer, E., Lorey, M., Cleary, D. et al., "Gasoline Fuels Assessment for Delphi's Second Generation Gasoline Direct-Injection Compression Ignition (GDCI) Multi-Cylinder Engine," *SAE Int. J. Engines* 10, no. 4 (2017): 1430-1442, https://doi.org/10.4271/2017-01-0743.
25. Sequino, L., Mancaruso, E., Monsalve-Serrano, J., and Garcia, A., "Infrared/Visible Optical Diagnostics of RCCI Combustion with Dieseline in a Compression Ignition Engine," *SAE Int. J. Adv. & Curr. Prac. in Mobility* 2, no. 3 (2020): 1411-1421, https://doi.org/10.4271/2020-01-0557.
26. Triantopoulos, V., Bohac, S., Martz, J., Lavoie, G. et al., "The Effect of EGR Dilution on the Heat Release Rates in Boosted Spark-Assisted Compression Ignition (SACI) Engines," *SAE Int. J. Adv. & Curr. Prac. in Mobility* 2, no. 4 (2020): 2183-2195, https://doi.org/10.4271/2020-01-1134.
27. Hua, J., Zhou, L., Gao, Q., Feng, Z. et al., "Effects on Cycle-to-Cycle Variations and Knocking Combustion of Turbulent Jet Ignition (TJI) with a Small Volume Pre-Chamber," SAE Technical Paper 2020-01-1119, 2020, https://doi.org/10.4271/2020-01-1119.
28. Alvarez, C.E.C., Couto, G.E., Roso, V.R., Thiriet, A.B. et al., "A Review of Prechamber Ignition Systems as Lean Combustion Technology for SI Engines," *Applied Thermal Engineering* 128 (2018): 107-120, https://doi.org/10.1016/j.applthermaleng.2017.08.118.
29. Bassano, C., Deiana, P., Lietti, L., and Visconti, C.G., "P2G Movable Modular Plant Operation on Synthetic Methane Production from CO_2 and Hydrogen from Renewables Sources," *Fuel* 253 (2019): 1071-1079, https://doi.org/10.1016/j.fuel.2019.05.074.
30. Luque, R. and Speight, J.G., "1—Gasification and Synthetic Liquid Fuel Production: An Overview," in Luque, R. and Speight, J.G. (Eds), *Woodhead Publishing Series in Energy, Gasification for Synthetic Fuel Production* (Woodhead Publishing: Sawston, Cambridge, 2015), 3-27, https://doi.org/10.1016/B978-0-85709-802-3.00001-1.
31. Buttler, A. and Spliethoff, H., "Current Status of Water Electrolysis for Energy Storage, Grid Balancing and Sector Coupling via Power-to-Gas and Power-to-Liquids: A Review," *Renewable and Sustainable Energy Reviews* 82 (2018): 2440-2454, https://doi.org/10.1016/j.rser.2017.09.003.
32. Bičáková, O. and Straka, P., "Production of Hydrogen from Renewable Resources and Its Effectiveness," *International Journal of Hydrogen Energy* 37, no. 16 (2012): 11563-11578, https://doi.org/10.1016/j.ijhydene.2012.05.047.
33. Albrecht, M., Deeg, H., Schwarzenthal, D., and Eilts, P., "The Influence of Fuel Composition and Renewable Fuel Components on the Emissions of a GDI Engine," SAE Technical Paper 2020-37-0025, 2020, https://doi.org/10.4271/2020-37-0025.
34. Rossi, E., Hummel, S., Cupo, F., Vacca, A. et al., "Experimental and Numerical Investigation for Improved Mixture Formation of an eFuel Compared to Standard Gasoline," SAE Technical Paper 2021-24-0019, 2021, https://doi.org/10.4271/2021-24-0019.
35. Yip, H.L., Srna, A., Yuen, A.C.Y., Kook, S. et al., "A Review of Hydrogen Direct Injection for Internal Combustion Engines: Towards Carbon-Free Combustion," *Applied Sciences* 9, no. 22 (2019): 4842, https://doi.org/10.3390/app9224842.
36. Muradov, N.Z. and Veziroğlu, T.N., "'Green' Path from Fossil-Based to Hydrogen Economy: An Overview of Carbon-Neutral Technologies," *International Journal of Hydrogen Energy* 33, no. 23 (2008): 6804-6839, https://doi.org/10.1016/j.ijhydene.2008.08.054.
37. Sopena, C., Diéguez, P.M., Sáinz, D., Urroz, J.C. et al., "Conversion of a Commercial Spark Ignition Engine to Run on Hydrogen: Performance Comparison Using Hydrogen and Gasoline," *International Journal of Hydrogen Energy* 35

(2010): 1420-1429, https://doi.org/10.1016/j.ijhydene.2009.11.090.

38. Verhelst, S. and Wallner, T., "Hydrogen-Fueled Internal Combustion Engines," *Progress in Energy and Combustion Science* 35, no. 6 (2009): 490-527, https://doi.org/10.1016/j.pecs.2009.08.001.
39. Nakai, E., Goto, T., Ezumi, K., Tsumura, Y. et al., "Mazda Skyactiv-X 2.0 L Gasoline Engine," Presented at in *28th Aachen Colloquium Automobile and Engine Technology*, Aachen, 2019, 55-78.
40. Li, H. and Karim, G.A., "Knock in Spark Ignition Hydrogen Engines," *International Journal of Hydrogen Energy* 29, no. 8 (2004): 859-865, https://doi.org/10.1016/j.ijhydene.2003.09.013.
41. Szwaja, S., Bhandary, K.R., and Naber, J.D., "Comparisons of Hydrogen and Gasoline Combustion Knock in a Spark Ignition Engine," *International Journal of Hydrogen Energy* 32, no. 18 (2007): 5076-5087, https://doi.org/10.1016/j.ijhydene.2007.07.063.
42. Ravaglioli, V., Carra, F., Moro, D., De Cesare, M. et al., "Remote Sensing Methodology for the Closed-Loop Control of RCCI Dual Fuel Combustion," SAE Technical Paper 2018-01-0253, 2018, https://doi.org/10.4271/2018-01-0253.
43. Carlucci, A.P., Laforgia, D., Motz, S., Saracino, R. et al., "Advanced Closed Loop Combustion Control of a LTC Diesel Engine Based on In-Cylinder Pressure Signals," *Energy Conversion and Management* 77 (2014): 193-207, https://doi.org/10.1016/j.enconman.2013.08.054.
44. De Cesare, M., Ravaglioli, V., Carra, F., and Stola, F., "Review of Combustion Indexes Remote Sensing Applied to Different Combustion Types," SAE Technical Paper 2019-01-1132, 2019, https://doi.org/10.4271/2019-01-1132.
45. Ponti, F., "Indicated Torque Estimation Using a Torsional Behavior Model of the Engine," SAE Technical Paper 2005-01-3761, 2005, https://doi.org/10.4271/2005-01-3761.
46. Cavina, N., Sgatti, S., Cavanna, F., and Bisanti, G., "Combustion Monitoring Based on Engine Acoustic Emission Signal Processing," SAE Technical Paper 2009-01-1024, 2009, https://doi.org/10.4271/2009-01-1024.
47. Fiorini, N., Romani, L., Bellissima, A., Vichi, G. et al., "An Indirect In-Cylinder Pressure Measurement Technique Based on the Estimation of the Mechanical Strength Acting on an Engine Head Screw: Development and Assessment," *Energy Procedia* 148 (2018): 695-702, https://doi.org/10.1016/j.egypro.2018.08.159.
48. Teitelbaum, B.R. and Carrico, J.P., Integrated spark plug-combustion pressure sensor. US Patent 4,169,388, December 13, 1978.
49. Randall, K. and Powell, J., "A Cylinder Pressure Sensor for Spark Advance Control and Knock Detection," SAE Technical Paper 790139, 1979, https://doi.org/10.4271/790139.
50. Shimasaki, Y., Kobayashi, M., Sakamoto, H., Ueno, M. et al., "Study on Engine Management System Using In-Cylinder Pressure Sensor Integrated with Spark Plug," SAE Technical Paper 2004-01-0519, 2004, https://doi.org/10.4271/2004-01-0519.
51. Fiorini, N., Romani, L., Ferrara, G., Vichi, G. et al., "A Methodology for the Estimation of In-Cylinder Pressure in a Four-Stroke Internal Combustion Engine Based on the Combination of a Strain Washer Signal with a 0D Thermodynamic Model," *AIP Conference Proceedings* 2191 (2019): 020073, https://doi.org/10.1063/1.5138806.
52. Corti, E., Abbondanza, M., Ponti, F., and Raggini, L., "The Use of Piezoelectric Washers for Feedback Combustion Control," *SAE Int. J. Adv. & Curr. Prac. in Mobility* 2, no. 4 (2020): 2217-2228, https://doi.org/10.4271/2020-01-1146.
53. Fukuoka, T., *Threaded Fasteners for Engineers and Design—Solid Mechanics and Numerical Analysis* (Corona Publishing Co Ltd., Japan, 2015)
54. Shigley, J.E. and Mischke, C.R., *Standard Handbook of Machine Design*, 2nd ed. (New York: McGrawHill, 1996), 727-729.
55. Zakarian, D., Khachatrian, A., and Firstov, S., "Universal Temperature Dependence of Young's Modulus," *Metal Powder Report* 74, no. 4 (2019): 204-206, https://doi.org/10.1016/j.mprp.2018.12.079.
56. Singh, P.P. and Munish Kumar, F., "Temperature Dependence of Bulk Modulus and Second-Order Elastic Constants," *Physica B: Condensed Matter* 344, no. 1-4 (2004): 41-51, https://doi.org/10.1016/j.physb.2003.07.012.
57. Rajaram, G., Kumaran, S., and Srinivasa Rao, T., "High Temperature Tensile and Wear Behaviour of Aluminum Silicon Alloy," *Materials Science and Engineering: A* 528, no. 1 (2010): 247-253, https://doi.org/10.1016/j.msea.2010.09.020.
58. Herrmann, J., Inden, G., and Sauthoff, G., "Deformation Behaviour of Iron-Rich Iron-Aluminium Alloys at High Temperatures," *Acta Materialia* 51, no. 11 (2003): 3233-3242, https://doi.org/10.1016/S1359-6454(03)00144-7.
59. Maurya, R.K., *Characteristics and Control of Low-Temperature Combustion Engines* (Cham, Switzerland: Springer International Publishing, 2018), http://doi.org/10.1007/978-3-319-68508-3.
60. Ravaglioli, V. and Bussi, C., "Model-Based Pre-Ignition Diagnostics in a Race Car Application," *Energies, MDPI, Open Access Journal* 12(12):1-12, June 2019, https://doi.org/10.3390/en12122277.
61. Heywood, J.B., *Internal Combustion Engine Fundamentals* (New York: McGraw Hill Professionals, 2018), ISBN:1260116115.
62. Shimasaki, Y., Kobayashi, M., Sakamoto, H., Ueno, M. et al., "Pressure Sensor Integrated with Spark Plug," SAE Technical Paper 2004-01-0519, 2004, https://doi.org/10.4271/2004-01-0519.