

Solution to Question 1 (essay question) – 25 marks

Remark: For making short comments for tutors.

- | | |
|---|--------------------------------|
| (a) hello | 4 |
| (b) goodbye running a long time until it goes over to a second line perhaps | |
| (c) (i) Sub sub | 2 |
| (ii) Sub sub | 2 |
| | 4 Subtotal for part (c) |

Unit A, pages 1–2

5 Total for Question 1

Remarks:

You can place longer remarks inside the longremark environment.

Solution to Question 2

- | | |
|--|---|
| (a) First part of the solution, inside the solution environment. | 4 |
| (b) Some mathematics: $\int_0^\infty x$ and | |
| $a^2 = b^2 = c^2$ | 2 |

Remark: Award no marks for this part of the question.

- | | | |
|-----------------------------------|----------|------------------------------|
| (c) Marks with marginal comments. | 40 | Method. Ignore all |
| (d) The final part. | 3 | attempts at this question. |
| | 1 | Subtotal for part (d) |

Unit B, Theorem 1.1

5 Total for Question 2

Solution to Question 3 – 25 marks

- | | | |
|---|----------|-------|
| (a) Marks can also be called using | 4 | |
| (b) Formatting in marks: these don't get automatically summed. | 3 | 1A 2M |
| (c) (i) Sub sub | 2 | |
| (ii) Sub sub question that runs a long time until it goes over to a second line | 2 | |

Emulate the OUPTeX intertext command using the (built-in) enumitem command.

- | | |
|-------------------------|----------------|
| (d) Numbering continues | |
| | 3 Total |

Solution to Question 4 – 10 marks

(a) Subtotals can be calculated automatically using <code>\subtotal*</code> or <code>\subtotal*[comment]</code>	2
(b) Totals can be calculated automatically using <code>\total*</code> or <code>\total*[comment]</code>	3
	5 Subtotal

5 Total

Solution to Question 5 – 3 marks

(a) The lines after a <code>subtotal</code> command can be customized using the <code>\setSubtotalHline[<options>]</code> command, the <code><options></code> are <code>moveleft</code> , <code>width</code> , <code>height</code> , <code>color</code> , and <code>draw line</code> . These options can be used in any combination (and should probably be set once in the preamble); for example,	
• default behaviour	0 Subtotal

• <code>\setSubtotalHline[moveleft=0pt]</code>	0 Subtotal
--	-------------------

• <code>\setSubtotalHline[moveleft=-2cm,width=.5\textwidth]</code>	0 Subtotal
--	-------------------

• <code>\setSubtotalHline[color=green]</code>	2
	3 Subtotal

• <code>\setSubtotalHline[moveleft=0pt,height=5pt,color=orange]</code>	0 Subtotal
--	-------------------

• turn off: <code>\setSubtotalHline[draw line=false]</code>	1
	1 Subtotal

- (b) The lines after a `total` command can be customised using the `\setTotalHline[<options>]` command, and have exactly the same options as its `\setSubtotalHline` counterpart.

For example,

• default behaviour	1 Total
---------------------	----------------

• <code>\setTotalHline[moveleft=10pt]</code>	3 Total
--	----------------

• <code>\setTotalHline[moveleft=2cm,width=.75\textwidth]</code>	3 Total
---	----------------

• <code>\setTotalHline[color=purple]</code>	3 Total
---	----------------

• <code>\setTotalHline[moveleft=0pt,height=.5pt,color=yellow]</code>	3 Total
--	----------------

• turn off: <code>\setTotalHline[draw line=false]</code>	3 Total
--	----------------

CMA 41

Solution to Question 1 (inline multi-choice) – 25 marks

Remark: Inline options work in the Tutornote class file in exactly the same way as in the assignment booklet.

Options

A yes **B** no **C** maybe **D** well... **E** never!
F yes **G** yes **H** yes

Solution to Question 2 (inline multi-choice) – 25 marks

Choose an inline option from four columns.

Options

A yes **B** no **C** maybe **D** well...
E never! **F** yes **G** yes **H** yes

Solution to Question 3 – C marks

Choose an inline option at 1.5 spacing.

Options

A yes **B** no **C** maybe
D well... **E** never! **F** yes
G yes **H** yes

Solution to Question 4 (stupid question) – 25 marks

Choose an option.

Options

A There are no options
B There is one option
C This option is the wrong choice

QUIZB 01

Cut-off date 1 April 2015

Solution to Question 1 (changing subquestion labels) – 8 marks

- (i) enumitem lets you change the labelling of subquestions 4
- (ii) goodbye running a long time until it goes over to a second line perhaps

Solution to Question 2 (changing subquestion labels 2) – 8 marks

- (A) enumitem lets you change the labelling of subquestions 4
- (B) goodbye running a long time until it goes over to a second line perhaps

Solution to Question 3 (Starred version showing no marks)

This question has no marks associated with it on its first line. 4

Solution to Question 4Another starred question, this time with no optional argument.
