

MANUAL LMD SQL

SELECT basics

Introducing the world table of countries

1. The example uses a **WHERE** clause to show the population of 'France'. Note that strings (pieces of text area that are data) should be in 'single quotes'.

Modify it to show the population of Germany.

Código:

```
-- muestra la población en francia  
  
select population from world where name='France';
```

Corrección:

```
-- muestra la población en alemania  
  
select population from world where name='Germany';
```

Correct answer	
population	
80716000	

Scandinavia

2. Checking a list with the word **IN** allows us to check if an item is in a list. The example shows the name and population for the countries 'Brazil', 'Russia', 'India' and 'China'.

Show the name and the population for 'Sweden', 'Norway' and 'Denmark'.

Código:

```
-- muestra el nombre del país y la población del campo "name" donde coincida con  
"brasil", "rusia", "india" y "china"  
  
select name, population from world where name in('Brazil', 'Russia', 'India',  
'China');
```

Corrección:

```
-- muestra el nombre del país y la población del campo "name" donde coincida con "suecia", "noruega" y "dinamarca"
```

```
select name, population from world where name in('Sweden', 'Norway', 'Denmark');
```

Correct answer

name	population
Denmark	5634437
Norway	5124383
Sweden	9675885

Just the right size

3. Which countries are not too small and not too big? **between** allows range checking (range specified is inclusive of boundary values). The example below shows countries with an area of 250,000-300,000 sq. km.

Modify it to show the country and the area for countries with an area between 200,000 and 250,000.

Código:

```
-- muestra el nombre de los países cuyo área esté entre 250000 y 300000
```

```
select name, area from world where area between 250000 and 300000;
```

Corrección:

```
-- muestra el nombre de los países cuyo área esté entre 200000 y 250000
```

```
select name, area from world where area between 200000 and 250000;
```

Correct answer	
name	area
Belarus	207600
Ghana	238533
Guinea	245857
Guyana	214969
Laos	236800
Romania	238391
Uganda	241550

SELECT basics - quiz

1. Select the code which produces this table:

name	population
Bahrain	1234571
Swaziland	1220000
Timor-Leste	1066409

Respuesta:

```
SELECT name, population
FROM world
WHERE population BETWEEN 1000000 AND 1250000
```

Muestra el nombre y la población de aquellos países cuya población esté entre 1000000 y 1250000.

2. Pick the result you would obtain from this code:

```
select name, population from world where name like "A1%"
```

Respuesta:

Table-E	
Albania	3200000
Algeria	32900000

Muestra el nombre y la población de aquellos países cuyo nombre empiece por "A".

3. Select the code which shows the countries that end in A or L.

Respuesta:

```
SELECT name FROM world
WHERE name LIKE '%a' OR name LIKE '%l'
```

Muestra el nombre de los países cuyo nombre termina por "a" o por "l".

4. Pick the result from the query:

```
select name, length(name) from world where length(name)=5 and region='Europe';
```

Respuesta:

name	length(name)
Italy	5
Malta	5
Spain	5

Muestra el nombre y la longitud del nombre para aquellos países cuyo nombre tenga una longitud de 5 caracteres y correspondan a la región de "Europa".

5. Here are the first few rows of the world table:

name	region	area	population	gdp
Afghanistan	South Asia	652225	26000000	
Albania	Europe	28728	3200000	6656000000
Algeria	Middle East	2400000	32900000	75012000000
Andorra	Europe	468	64000	
...				

Pick the result you would obtain from this code:

```
select name, area*2 from world where population=64000;
```

Respuesta:

Andorra	936
---------	-----

Muestra el nombre y el area (multiplicada por 2) de aquellos países cuya población sea igual a 64000.

6. Select the code that would show the countries with an area larger than 50000 and a population smaller than 10000000.

Respuesta:

```
SELECT name, area, population
FROM world
WHERE area > 50000 AND population < 10000000
```

Muestra el nombre, el área y la población de aquellos países cuyo área sea mayor que 50000 y su población sea menor que 10000000.

7. Select the code that shows the population density of Chine, Australia, Nigeria and France.

Respuesta:

```
SELECT name, population/area
FROM world
WHERE name IN ('China', 'Nigeria', 'France', 'Australia')
```

Muestra el nombre y la densidad de población (población/área) de aquellos países cuyo nombre coincida con "China", "Nigeria", "Francia" o "Australia" en el campo "name".

SELECT from world

Introduction

1. Observe the result of running this SQL command to show the name, continent and population of all countries.

Código:

```
-- muestra el nombre, el continente y la población de todos los países de la tabla

select name, continent, population from world;
```

Corrección (es lo mismo):

```
select name, continent, population from world;
```

Correct answer		
name	continent	population
Afghanistan	Asia	25500100
Albania	Europe	2821977
Algeria	Africa	38700000
Andorra	Europe	76098
Angola	Africa	19183590
Antigua and Barbuda	Caribbean	86295
Argentina	South America	42669500

Large Countries

2. Show the name for the countries that have a population of at least 200 million. 200 million is 200000000, there are eight zeros.

Código:

```
-- muestra el nombre de aquellos países cuya población sea igual a 64105700

select name from world where population=64105700;
```

Corrección:

```
-- muestra el nombre de aquellos países cuya población sea mayor o igual a
200000000

select name from world where population>=200000000;
```

Correct answer	
name	
Brazil	
China	
India	
Indonesia	
United States	

Per capita GDP

3. Give the **name** and the per capita GDP for those countries with a **population** of at least 200 million.

Respuesta:

```
-- muestra el nombre y el per capita de aquellos países cuya población sea mayor o  
igual a 200000000
```

```
select name, gdp/population from world where population>=200000000;
```

Correct answer

name	
Brazil	11115.264751422625
China	6121.710598592322
India	1504.793124478397
Indonesia	3482.020488188676
United States	51032.29454636844

South America In millions

4. Show the **name** and **population** in millions for the countries of the **continent** 'South America'. Divide the population by 1000000 to get population in millions.

Respuesta:

```
-- muestra el nombre y la población (en millones) para cada país perteneciente al  
continente "sudamérica"
```

```
select name, population/1000000 from world where continent='South America';
```

Correct answer

name	
Argentina	42.6695
Bolivia	10.027254
Brazil	202.794
Chile	17.773
Colombia	47.662
Ecuador	15.7742
Guyana	0.784894

France, Germany, Italy

5. Show the **name** and **population** for France, Germany, Italy.

Respuesta:

```
-- muestra el nombre y la población de cada país que coincide en nombre con  
"francia", "alemania" o "italia" en el campo "name"  
  
select name, population from world where name in('France', 'Germany', 'Italy');
```

Correct answer

name	population
France	65906000
Germany	80716000
Italy	60782668

United

6. Show the countries which have a **name** that includes the word 'United'.

Respuesta:

```
-- muestra el nombre de todos los países cuyo nombre contenga "united" en alguna  
parte de su nombre  
  
select name from world where name like '%United%';
```

Correct answer

name
United Arab Emirates
United Kingdom
United States

Two ways to be big

7. Two ways to be big: A country is big if it has an area of more than 3 million sq km or it has a population of more than 250 million.

Show the countries that are big by area or big by population. Show name, population and area.

Respuesta:

```
-- muestra el nombre, la población y el área de los países con un área mayor que 3000000 o una población mayor que 250000000
```

```
select name, population, area from world where area>3000000 or population>250000000;
```

Correct answer

name	population	area
Australia	23545500	7692024
Brazil	202794000	8515767
Canada	35427524	9984670
China	1365370000	9596961
India	1246160000	3166414
Indonesia	252164800	1904569
Russia	146000000	17125242

One or the other (but not both)

8. Exclusive OR (XOR). Show the countries that are big by area (more than 3 million) or big by population (more than 250 million) but not both. Show name, population and area.

Respuesta:

```
/*  
muestra el nombre, la población y el área de los países que cumplan una de estas dos condiciones:  
- que su area sea mayor que 3000000 y su población menor que 250000000  
- que su area sea menor que 3000000 y su población mayor que 250000000  
*/
```

```
select name, population, area from world where (area>3000000 and population<250000000) or (area<3000000 and population>250000000);
```

Correct answer

name	population	area
Australia	23545500	7692024
Brazil	202794000	8515767
Canada	35427524	9984670
Indonesia	252164800	1904569
Russia	146000000	17125242

Rounding

9. Show the **name** and **population** in millions and the GDP in billions for the countries of the **continent** 'South America'. Use the ROUND function to show the values to two decimal places.

For South America show population in millions and GDP in billions both to 2 decimal places.

Respuesta:

```
-- muestra el nombre, la población (en millones y redondeada a 2 decimales) y el
gdp (en billones y con 2 decimales) para los países que tengan como continente
"sudamérica"
```

```
select name, round(population/1000000, 2), round(gdp/1000000000, 2) from world
where continent='South America';
```

Correct answer

name		
Argentina	42.67	477.03
Bolivia	10.03	27.04
Brazil	202.79	2254.11
Chile	17.77	268.31
Colombia	47.66	369.81
Ecuador	15.77	87.5
Guyana	0.78	2.85

Trillion dollar economies

10. Show the **name** and per-capita GDP for those countries with a GDP of at least one trillion (1000000000000; that is 12 zeros). Round this value to the nearest 1000.

Show per-capita GDP for the trillion dollar countries to the nearest \$1000.

Respuesta:

```
-- muestra el nombre y el per capita (el gdp entre la población, redondeado a los miles) de los países con un gdp más cercano a 1000000000000
```

```
select name, round(gdp/population, -3) from world where gdp>1000000000000;
```

Correct answer

name	
Australia	66000
Brazil	11000
Canada	45000
China	6000
France	40000
Germany	42000
India	2000

Name and capital have the same length

11. Greece has capital Athens. Each of the strings 'Greece', and 'Athens' has 6 characters.

Show the name and capital where the name and the capital have the same number of characters.

Respuesta:

```
-- la función LENGTH hay que cambiarla por LEN si se utiliza Microsoft SQL (arriba a la derecha en la tuerca)
```

```
-- muestra el nombre, la longitud del nombre, la capital y la longitud de la capital de los países cuyo nombre y capital sean iguales en longitud
```

```
select name, len(name), capital, len(capital) from world where len(name)=len(capital);
```

Result:

name		capital	
Algeria	7	Algiers	7
Angola	6	Luanda	6
Armenia	7	Yerevan	7
Botswana	8	Gaborone	8
Canada	6	Ottowa	6
Djibouti	8	Djibouti	8
Egypt	5	Cairo	5

Matching name and capital

12. The capital of Sweden is Stockholm. Both words start with the letter 'S'.

Show the name and the capital where the first letters of each match. Don't include countries where the name and the capital are the same word.

Respuesta:

```
-- muestra el nombre y la capital de los países cuyo nombre y capital empiezan por la misma letra, y que además el nombre y la capital no son la misma palabra
```

```
select name, capital from world where left(name, 1)=left(capital, 1) and name<>capital;
```

Correct answer

name	capital
Algeria	Algiers
Andorra	Andorra la Vella
Barbados	Bridgetown
Belize	Belmopan
Brazil	Brasília
Brunei	Bandar Seri Begawan
Burundi	Bujumbura

All the vowels


13. Equatorial Guinea and Dominican Republic have all of the vowels (a e i o u) in the name. They don't count because they have more than one word in the name.

Find the country that has all the vowels and no spaces in its name.

Respuesta:

```
-- muestra el nombre de los países cuyo nombre solo tiene una palabra, es decir,  
no tiene espacios, y además contiene todas las vocales individualmente
```


```
select name from world where name not like '% %' and name like '%a%' and name like  
'%e%' and name like '%i%' and name like '%o%' and name like '%u%';
```



SELECT from world - quiz

1. Select the code which gives the name of countries beginning with U.


Respuesta:



Muestra el nombre de aquellos países cuyo nombre empieza por "U".

2. Select the code which shows just the population of United Kingdom.

Respuesta:




Muestra la población de aquellos países cuyo nombre coincida con "Reino Unido".

3. Select the answer which shows the problem with this SQL code - the intended result should be the continent of France:

```
select continent from world where 'name'='France';
```


Respuesta:



Muestra el continente de cada país cuyo nombre sea "Francia".

4. Select the result that would be obtained from the following code:


```
select name, population/10 from world where population<10000;
```



Muestra el nombre y la población (dividida entre 10) cuya población sea menor que 10000.

5. Select the code which would reveal the name and population of countries in Europe and Asia.


Respuesta:



Muestra el nombre y la población de los países cuyo campo "continent" coincida con "Europe" o "Asia".<>

6. Select the code which would give two rows.

Respuesta:



Muestra el nombre de aquellos países cuyo campo "name" coincida con "Cuba" o "Togo".

7. Select the result that would be obtained from this code:

```
select name from world where continent='South America' and population>40000000;
```

Respuesta:



Muestra el nombre de los países que cumplen estas dos condiciones:

- que su continente sea "South America"
- que su población sea mayor que 40000000

SELECT from nobel

Winners from 1950

1. Change the query shown so that it displays Nobel prizes for 1950.

Código:

```
-- muestra el año, la materia y el ganador del año 1960  
  
select yr, subject, winner from nobel where yr=1960;
```

Corrección:

```
-- muestra el año, la materia y el ganador del año 1950  
  
select yr, subject, winner from nobel where yr=1950;
```

Correct answer

yr	subject	winner
1950	Chemistry	Kurt Alder
1950	Chemistry	Otto Diels
1950	Literature	Bertrand Russell
1950	Medicine	Edward C. Kendall
1950	Medicine	Philip S. Hench
1950	Medicine	Tadeus Reichstein
1950	Peace	Ralph Bunche

1962 Literature

2. Show who won the 1962 prize for literature.

Código:

```
-- muestra el ganador del año 1960, cuya materia coincide con "physics"

select winner from nobel where yr=1960 and subject='physics';
```

Corrección:

```
-- muestra el ganador del año 1962, cuya materia coincide con "literature"

select winner from nobel where yr=1962 and subject='literature';
```

Correct answer

winner

John Steinbeck

Albert Einstein

3. Show the year and subject that won 'Albert Einstein' his prize.

Respuesta:

```
-- muestra el año y la materia del ganador "Albert Einstein"
```



```
select yr, subject from nobel where winner like 'Albert Einstein';
```

Correct answer

yr	subject
1921	Physics

Recent Peace Prizes

4. Give the name of the 'peace' winners since the year 2000, including 2000.

Respuesta:

```
-- muestra el ganador cuya materia coincide con "peace" y cuyo año coincide con el  
2000 o un año posterior
```

```
select winner from nobel where subject like 'peace' and yr>=2000;
```

Correct answer

winner
Kim Dae-jung
Kofi Annan
United Nations
Jimmy Carter
Shirin Ebadi
Wangari Maathai
International Atomic Energy Agency

Literature in the 1980's

5. Show all details (yr, subject, winner) of the literature prize winners for 1980 to 1989 inclusive.

Respuesta:

```
-- muestra todos los datos de los registros cuya materia coincida con "literature"  
y su año se sitúe entre el 1980 y el 1989, ambos inclusive
```

```
select * from nobel where subject like 'literature' and yr>=1980 and yr<=1989;
```

Correct answer		
yr	subject	winner
1980	Literature	Czeslaw Milosz
1981	Literature	Elias Canetti
1982	Literature	Gabriel García Márquez
1983	Literature	William Golding
1984	Literature	Jaroslav Seifert
1985	Literature	Claude Simon
1986	Literature	Wole Soyinka

Only Presidents

6. Show all details of the presidential winners: Theodore Roosevelt, Thomas Woodrow Wilson, Jimmy Carter and Barack Obama.

Código:

```
-- muestra todos los datos de los registros cuyo año sea el 1970 y cuya materia
coincida con "cooking", "chemistry" o "literature"

select * from nobel where yr=1970 and subject in('cooking', 'chemistry',
'literature');
```

Corrección:

```
-- el nombre completo de Woodrow Wilson no funciona, hay que quitar "Thomas"

-- muestra todos los datos de los registros cuyo campo "winner" sea igual a
"Theodore Roosevelt", "Woodrow Wilson", "Jimmy Carter" o "Barack Obama"

select * from nobel where winner in('Theodore Roosevelt', 'Woodrow Wilson', 'Jimmy
Carter', 'Barack Obama');
```

Correct answer		
yr	subject	winner
1906	Peace	Theodore Roosevelt
1919	Peace	Woodrow Wilson
2002	Peace	Jimmy Carter
2009	Peace	Barack Obama

John

7. Show the winners with first name John.

Respuesta:

```
-- muestra el ganador cuyo nombre (campo "winner") comienza por "John"

select winner from nobel where winner like 'John%';
```

Correct answer

winner
John Macleod
John Galsworthy
John H. Northrop
John R. Mott
John Cockcroft
John F. Enders
John Bardeen

Chemistry and Physics from different years

8. Show the year, subject, and name of physics winners for 1980 together with the chemistry winners for 1984.

Respuesta:

```
/*
muestra todos los datos de los registros que cumplen solo una de estas
condiciones:
- que la materia del registro sea "physics" y el año sea el 1980
- que la materia del registro sea "chemistry" y el año sea el 1984
*/

select * from nobel where (subject like 'physics' and yr=1980) or (subject like
'chemistry' and yr=1984);
```

Correct answer

yr	subject	winner
1980	Physics	James Cronin
1980	Physics	Val Fitch
1984	Chemistry	Bruce Merrifield

Exclude Chemists and Medics

9. Show the year, subject, and name of winners for 1980 excluding chemistry and medicine.

Respuesta:

```
-- muestra todos los datos de los registros donde la materia no coincide con  
"chemistry" ni con "medicine", y además el año sea el 1980  
  
select * from nobel where subject not in('chemistry', 'medicine') and yr=1980;
```

Correct answer

yr	subject	winner
1980	Economics	Lawrence R. Klein
1980	Literature	Czeslaw Milosz
1980	Peace	Adolfo Pérez Esquivel
1980	Physics	James Cronin
1980	Physics	Val Fitch

Early Medicine, Late Literature

10. Show year, subject, and name of people who won a 'Medicine' prize in an early year (before 1910, not including 1910) together with winners of a 'Literature' prize in a later year (after 2004, including 2004).

Respuesta:

```
/*  
muestra todos los datos de los registros que cumplen solo una de estas  
condiciones:  
- que su materia sea "medicine" y su año sea anterior al 1910  
- que su materia sea "literature" y su año el 2004 o posterior  
*/
```

```
select * from nobel where (subject like 'medicine' and yr<1910) or (subject like 'literature' and yr>=2004);
```

Correct answer

yr	subject	winner
1901	Medicine	Emil von Behring
1902	Medicine	Ronald Ross
1903	Medicine	Niels Ryberg Finsen
1904	Medicine	Ivan Pavlov
1905	Medicine	Robert Koch
1906	Medicine	Camillo Golgi
1906	Medicine	Santiago Ramón y Cajal

Umlaut

11. Find all details of the prize won by Peter Grünberg.

Respuesta:

```
-- muestra todos los datos de los registros que tienen como ganador a "Peter Grünberg"
```

```
select * from nobel where winner like 'Peter Grünberg';
```

Correct answer

yr	subject	winner
2007	Physics	Peter Grünberg

Apostrophe

12. Find all details of the prize won by Eugene O'Neill.

Respuesta:

```
select * from nobel where winner like 'Eugene O''Neill';
```

Correct answer

yr	subject	winner
1936	Literature	Eugene O'Neill

Knights of the realm

13. List the winners, year and subject where the winner starts with Sir. Show the the most recent first, then by name order.

Respuesta:

```
select winner, yr, subject from nobel where winner like 'sir%' order by yr desc, winner;
```

Correct answer

winner	yr	subject
Sir Martin J. Evans	2007	Medicine
Sir Peter Mansfield	2003	Medicine
Sir Paul Nurse	2001	Medicine
Sir Harold Kroto	1996	Chemistry
Sir James W. Black	1988	Medicine
Sir Arthur Lewis	1979	Economics
Sir Nevill F. Mott	1977	Physics

Chemistry and Physics last

14. The expression subject IN ('chemistry','physics') can be used as a value - it will be 0 or 1.

Show the 1984 winners and subject ordered by subject and winner name; but list chemistry and physics last.

Código:

```
select winner, subject, subject in ('physics','chemistry') from nobel where yr=1984 order by subject,winner;
```

Corrección:

```
select winner, subject from nobel where yr=1984 order by subject in('physics',  
'chemistry'), subject, winner;
```


Error:

Incorrect syntax near the keyword 'in'.

SELECT from nobel - quiz

1. Pick the code which shows the name of winner's names beginning with C and ending in n.


Respuesta:



```
SELECT winner FROM nobel  
WHERE winner LIKE 'C%' AND winner LIKE '%n'
```

2. Select the code that shows how many Chemistry awards were given between 1950 and 1960.


Respuesta:



```
SELECT COUNT(subject) FROM nobel  
WHERE subject = 'Chemistry'  
AND yr BETWEEN 1950 and 1960
```

3. Pick the code that shows the amount of years where no Medicine awards were given.

Respuesta:



```
SELECT COUNT(DISTINCT yr) FROM nobel  
WHERE yr NOT IN (SELECT DISTINCT yr FROM nobel WHERE subject = 'Medicine')
```

4. Select the result that would be obtained from the following code:

```
select subject, winner from nobel where winner like 'sir%' and yr like '196%';
```

Respuesta:

Medicine	Sir John Eccles
Medicine	Sir Frank Macfarlane Burnet

5. Select the code which would show the year when neither a Physics or Chemistry award was given.

Respuesta:

```
SELECT yr FROM nobel
WHERE yr NOT IN(SELECT yr
                  FROM nobel
                  WHERE subject IN ('Chemistry','Physics'))
```

6. Select the code which shows the years when a Medicine award was given but no Peace or Literature award was.


Respuesta:

```
SELECT DISTINCT yr
FROM nobel
WHERE subject='Medicine'
AND yr NOT IN(SELECT yr FROM nobel
               WHERE subject='Literature')
AND yr NOT IN (SELECT yr FROM nobel
               WHERE subject='Peace')
```

7. Pick the result that would be obtained from the following code:

```
select subject, count(subject) from nobel where yr = '1960' group by subject;
```

Respuesta:



Chemistry	1
Literature	1
Medicine	2
Peace	1
Physics	1

SELECT in SELECT

Bigger than Russia

1. List each country name where the population is larger than that of 'Russia'.

Código:

```
select name from world where population > (select population from world where name = 'romania');
```

Corrección:

```
select name from world where population > (select population from world where name = 'russia');
```

Correct answer	
name	
Bangladesh	
Brazil	
China	
India	
Indonesia	
Nigeria	
Pakistan	

Richer than UK

2. Show the countries in Europe with a per capita GDP greater than 'United Kingdom'.

Respuesta:

```
select name from world where gdp/population>(select gdp/population from world
where name='united kingdom') and continent='europe';
```

Correct answer

name
Andorra
Austria
Belgium
Denmark
Finland
France
Germany

Neighbours of Argentina and Australia

3. List the name and continent of countries in the continents containing either Argentina or Australia. Order by name of the country.

Respuesta:

```
select name, continent from world where continent in(select continent from world
where name in('argentina', 'australia')) order by name;
```

Correct answer

name	continent
Argentina	South America
Australia	Oceania
Bolivia	South America
Brazil	South America
Chile	South America
Colombia	South America
Ecuador	South America

Between Canada and Poland

4. Which country has a population that is more than United Kingdom but less than Germany? Show the name and the population.

Respuesta:

```
select name, population from world where population > (select population from world
where name='united kingdom') and population < (select population from world where
name='germany');
```

Correct answer

name	population
Congo, Democratic Republic of	69360000
France	65906000
Iran	77552000
Thailand	64456700
Turkey	76667864

Percentages of Germany

5. Germany (population 80 million) has the largest population of the countries in Europe. Austria (population 8.5 million) has 11% of the population of Germany.

Show the name and the population of each country in Europe. Show the population as a percentage of the population of Germany.

Respuesta:



Bigger than every country in Europe

6. Which countries have a GDP greater than every country in Europe? [Give the name only.] (Some countries may have NULL gdp values).

Respuesta:

```
select name from world where gdp >= all(select gdp from world where gdp >= 0 and
continent='europe') and continent != 'europe';
```

Correct answer	
name	
China	
Japan	
United States	

Largest in each continent

7. Find the largest country (by area) in each continent, show the continent, the name and the area:

Código:

```
select continent, name, population from world x where population >= all(select
population from world y where y.continent=x.continent and population>0);
```

Corrección:

```
select continent, name, area from world x where area >= all(select area from world
y where y.continent=x.continent and area>0);
```

Correct answer		
continent	name	area
Africa	Algeria	2381741
Oceania	Australia	7692024
South America	Brazil	8515767
North America	Canada	9984670
Asia	China	9596961
Caribbean	Cuba	109884
Europe	Kazakhstan	2724900

First country of each continent (alphabetically)

8. List each continent and the name of the country that comes first alphabetically.

Respuesta:

```
select continent, name from world x where name <= all(select name from world y
where y.continent = x.continent);
```

Correct answer

continent	name
Africa	Algeria
Asia	Afghanistan
Caribbean	Antigua and Barbuda
Eurasia	Armenia
Europe	Albania
North America	Belize
Oceania	Australia

Difficult Questions That Utilize Techniques Not Covered In Prior Sections

9. Find the continents where all countries have a population ≤ 25000000 . then find the names of countries associated with these continents. show name, continent and population.< b>

Respuesta:

```
select name, continent, population from world x where 25000000 > all(select  
population from world y where x.continent = y.continent and y.population > 0);
```

Correct answer

name	continent	population
Antigua and Barbuda	Caribbean	86295
Australia	Oceania	23545500
Bahamas	Caribbean	351461
Barbados	Caribbean	285000
Cuba	Caribbean	11167325
Dominica	Caribbean	71293
Dominican Republic	Caribbean	9445281

Three time bigger

10. Some countries have populations more than three times that of all of their neighbours (in the same continent). Give the countries and continents.

Respuesta:

```
select name, continent from world x where population > all(select population*3
from world y where x.continent = y.continent and population > 0 and y.name !=
x.name);
```

Correct answer

name	continent
Russia	Eurasia
Australia	Oceania
Brazil	South America

SELECT in SELECT - quiz

1. Select the code that shows the name, region and population of the smallest country in each region.

Respuesta:

```
SELECT region, name, population FROM bbc x WHERE population <= ALL (SELECT population FROM bbc y WHERE y.region=x.region AND population>0)
```

2. Select the code that shows the countries belonging to regions with all populations over 50000.

Respuesta:

```
SELECT name,region,population FROM bbc x WHERE 50000 < ALL (SELECT population FROM bbc y WHERE x.region=y.region AND y.population>0)
```

3. Select the code that shows the countries with a less than a third of the population of the countries around it.

Respuesta:

```
SELECT name, region FROM bbc x
WHERE population < ALL (SELECT population/3 FROM bbc y WHERE y.region = x.region AND y.name != x.name)
```

4. Select the result that would be obtained from the following code:

```
select name from bbc where population>(select population from bbc where
name='united kingdom') and region in(select region from bbc where name='united
kingdom');
```

Respuesta:

Table-D	
<input checked="" type="checkbox"/>	France
	Germany
	Russia
	Turkey

5. Select the code that would show the countries with a greater GDP than any country in Africa (some countries may have NULL gdp values).

Respuesta:

```
SELECT name FROM bbc
WHERE gdp > (SELECT MAX(gdp) FROM bbc WHERE region = 'Africa')
```

6. Select the code that shows the countries with population smaller than Russia but bigger than Denmark.

Respuesta:

```
SELECT name FROM bbc
WHERE population < (SELECT population FROM bbc WHERE name='Russia')
AND population > (SELECT population FROM bbc WHERE name='Denmark')
```

7. Select the result that would be obtained from the following code:

```
select name from bbc where population>all(select max(population) from bbc where
region='europe') and region='south asia';
```

Respuesta:

Table-B	
<input checked="" type="checkbox"/>	Bangladesh
	India
	Pakistan

SUM and COUNT

Total world population

1. Show the total population of the world.

Respuesta:

```
select sum(population) from world;
```

Correct answer	
7118632738	

List of continents

2. List all the continents - just once each.

Respuesta:

```
select distinct(continent) from world;
```

Correct answer	
continent	
Africa	
Asia	
Caribbean	
Eurasia	
Europe	
North America	
Oceania	

GDP of Africa

3. Give the total GDP of Africa.

Respuesta:


```
select sum(gdp) from world where continent='africa';
```

Correct answer

Count the big countries

4. How many countries have an area of at least 1000000?

Respuesta:

```
select count(name) from world where area>=1000000;
```

Correct answer

Baltic states population

5. What is the total population of ('Estonia', 'Latvia', 'Lithuania')?

Respuesta:

```
select sum(population) from world where name in('estonia', 'latvia', 'lithuania');
```

Correct answer

Counting the countries of each continent

6. For each continent, show the continent and number of countries.

Respuesta:

```
select continent, count(name) from world group by continent;
```

Correct answer

continent	
Africa	53
Asia	47
Caribbean	11
Eurasia	2
Europe	44
North America	11
Oceania	14

Counting big countries in each continent

7. For each continent show the continent and number of countries with populations of at least 10 million.

Respuesta:

```
select continent, count(name) from world where population>=10000000 group by continent;
```

Correct answer

continent	
Africa	29
Asia	26
Caribbean	2
Eurasia	1
Europe	14
North America	4
Oceania	1

Counting big continents

8. List the continents that have a total population of at least 100 million.

Respuesta:


```
select continent from world group by continent having sum(population)>100000000;
```

Correct answer	
continent	
Africa	
Asia	
Eurasia	
Europe	
North America	
South America	

SUM and COUNT - quiz

1. Select the statement that shows the sum of population of all countries in 'Europe'.


Respuesta:



```
SELECT SUM(population) FROM bbc WHERE region = 'Europe'
```

2. Select the statement that shows the number of countries with population smaller than 150000.


Respuesta:



```
SELECT COUNT(name) FROM bbc WHERE population < 150000
```

3. Select the list of core SQL aggregate functions.

Respuesta:



```
AVG(), COUNT(), MAX(), MIN(), SUM()
```

4. Select the result that would be obtained from the following code:

```
select region, sum(area) from bbc where sum(area)>15000000 group by region;
```

Respuesta:



No result due to invalid use of the WHERE function

5. Select the statement that shows the average population of 'Poland', 'Germany' and 'Denmark'.

Respuesta:



```
SELECT AVG(population) FROM bbc WHERE name IN ('Poland', 'Germany', 'Denmark')
```

6. Select the statement that shows the medium population density of each region.

Respuesta:



```
SELECT region, SUM(population)/SUM(area) AS density FROM bbc GROUP BY region
```

7. Select the statement that shows the name and population density of the country with the largest population.

Respuesta:



```
SELECT name, population/area AS density FROM bbc WHERE population = (SELECT MAX(population) FROM bbc)
```

8. Pick the result that would be obtained from the following code:

```
select region, sum(area) from bbc group by region having sum(area)<=20000000;
```

Respuesta:



```
SELECT name, population/area AS density FROM bbc WHERE population = (SELECT MAX(population) FROM bbc)
```

JOIN

1. The first example shows the goal scored by a player with the last name 'Bender'. The `*` says to list all the columns in the table - a shorter way of saying `matchid, teamid, player, gtime`.

Código:

```
select * from goal where player like '%bender';
```

Corrección:

```
select matchid, player from goal where teamid='ger';
```

Correct answer

matchid	player
1008	Mario Gómez
1010	Mario Gómez
1010	Mario Gómez
1012	Lukas Podolski
1012	Lars Bender
1026	Philipp Lahm
1026	Sami Khedira

2. From the previous query you can see that Lars Bender's scored a goal in game 1012. Now we want to know what teams were playing in that match.

Notice in the that the column `matchid` in the `goal` table corresponds to the `id` column in the `game` table. We can look up information about game 1012 by finding that row in the game table.

Código:

```
select id, stadium, team1, team2 from game;
```

Corrección:

```
select id, stadium, team1, team2 from game where id=1012;
```

Correct answer

id	stadium	team1	team2
1012	Arena Lviv	DEN	GER

3. You can combine the two steps into a single query with a **JOIN**.

The **FROM** clause says to merge data from the goal table with that from the game table. The **ON** says how to figure out which rows in game go with which rows in goal - the matchid from goal must match id from game. (If we wanted to be more clear/specific we could say **ON (game.id=goal.matchid)**).

The code below shows the player (from the goal) and stadium name (from the game table) for every goal scored.

Modify it to show the player, teamid, stadium and mdate for every German goal.

Código:

```
select player, stadium from game join goal on(id=matchid);
```

Corrección:

```
select player, teamid, stadium, mdate from game join goal on(game.id =
goal.matchid and goal.teamid='ger');
```

Correct answer

player	teamid	stadium	mdate
Mario Gómez	GER	Arena Lviv	2012-06-09T00:00:00
Mario Gómez	GER	Metalist Stadium	2012-06-13T00:00:00
Mario Gómez	GER	Metalist Stadium	2012-06-13T00:00:00
Lukas Podolski	GER	Arena Lviv	2012-06-17T00:00:00
Lars Bender	GER	Arena Lviv	2012-06-17T00:00:00
Philipp Lahm	GER	PGE Arena Gdansk	2012-06-22T00:00:00
Sami Khedira	GER	PGE Arena Gdansk	2012-06-22T00:00:00

4. Show the team1, team2 and player for every goal scored by a player called Mario **player LIKE 'Mario%'**.

Respuesta:

```
select team1, team2, player from game join goal on(id=matchid and player like 'mario%');
```

Correct answer

team1	team2	player
GER	POR	Mario Gómez
NED	GER	Mario Gómez
NED	GER	Mario Gómez
IRL	CRO	Mario Mandžukic
IRL	CRO	Mario Mandžukic
ITA	CRO	Mario Mandžukic
ITA	IRL	Mario Balotelli

5. The table `eteam` gives details of every national team including the coach. You can `JOIN goal` to `eteam` using the phrase `goal JOIN eteam on teamid=id`.

Show `player`, `teamid`, `coach`, `gtime` for all goals scored in the first 10 minutes `gtime<=10< code>`.

Código:

```
select player, teamid, gtime from goal where gtime<=10;
```

Corrección:

```
select player, teamid, coach, gtime from goal join eteam on(teamid=id and gtime<=10);
```

Correct answer

player	teamid	coach	gtime
Petr Jiráček	CZE	Michal Bílek	3
Václav Pilar	CZE	Michal Bílek	6
Mario Mandžukic	CRO	Slaven Bilic	3
Fernando Torres	ESP	Vicente del Bosque	4

6. To `JOIN game` with `eteam` you could use either `game JOIN eteam ON (team1=eteam.id)` or `game JOIN eteam ON (team2=eteam.id)`.

Notice that because `id` is a column name in both `game` and `eteam` you must specify `eteam.id` instead of just `id`.

List the dates of the matches and the name of the team in which 'Fernando Santos' was the team1 coach.

Respuesta:

```
select mdate, teamname from game join eteam on (team1=eteam.id and coach like '%santos');
```

Correct answer

mdate	teamname
2012-06-12T00:00:00	Greece
2012-06-16T00:00:00	Greece

7. List the player for every goal scored in a game where the stadium was 'National Stadium, Warsaw'.

Respuesta:

```
select player from goal join game on (id=matchid and stadium='national stadium, warsaw');
```

Correct answer

player
Dimitris Salpingidis
Robert Lewandowski
Jakub Blaszczykowski
Alan Dzagoev
Giorgos Karagounis
Cristiano Ronaldo
Mesut Özil

8. The example query shows all goals scored in the Germany-Greece quarterfinal.

Instead show the name of all players who scored a goal against Germany.

Código:


```
select player, gtime from game join goal on matchid=id where(team1='ger' and team2='gre');
```

Corrección:

```
select distinct(player) from game join goal on matchid=id where((team1='ger' or team2='ger') and teamid!='ger');
```

Correct answer

player
Dimitris Salpingidis
Georgios Samaras
Mario Balotelli
Michael Krohn-Dehli
Robin van Persie

9. Show teamname and the total number of goals scored.

Código:

```
select teamname, player from eteam join goal on id=teamid order by teamname;
```

Corrección:

```
select teamname, count(player) from eteam join goal on id=teamid group by teamname;
```

Correct answer

teamname	
Croatia	4
Czech Republic	4
Denmark	4
England	5
France	3
Germany	10
Greece	5

10. Show the stadium and the number of goals scored in each stadium.

Respuesta:

```
select stadium, count(player) as goals from game join goal on (id=matchid) group by stadium;
```

Correct answer

stadium	goals
Arena Lviv	9
Donbass Arena	7
Metalist Stadium	7
National Stadium, Warsaw	9
Olimpiyskiy National Sports Complex	14
PGE Arena Gdansk	13
Stadion Miejski (Poznan)	8

11. For every match involving 'POL', show the matchid, date and the number of goals scored.**Código:**

```
select matchid, mdate, team1, team2, teamid from game join goal on matchid=id where (team1='pol' or team2='pol');
```

Corrección:

```
select matchid, mdate, count(player) as goals from game join goal on (matchid=id and (team1='pol' or team2='pol')) group by matchid, mdate;
```

Correct answer

matchid	mdate	goals
1001	2012-06-08T00:00:00	2
1004	2012-06-12T00:00:00	2
1005	2012-06-16T00:00:00	1

12. For every match where 'GER' scored, show matchid, match date and the number of goals scored by 'GER'.

Respuesta:

```
select id, mdate, count(player) from game join goal on (id=matchid and (team1 = 'ger' or team2 = 'ger')) and teamid='ger') group by id, mdate;
```

Correct answer

id	mdate	
1008	2012-06-09T00:00:00	1
1010	2012-06-13T00:00:00	2
1012	2012-06-17T00:00:00	2
1026	2012-06-22T00:00:00	4
1030	2012-06-28T00:00:00	1

13. List every match with the goals scored by each team as shown. This will use "CASE WHEN" which has not been explained in any previous exercises.

Código:

```
select mdate, team1, case when teamid=team1 then 1 else 0 end score1 from game join goal on matchid=id;
```


Respuesta:



JOIN - quiz


1. You want to find the stadium where player 'Dimitris Salpingidis' scored. Select the JOIN condition to use:

Respuesta:



2. You JOIN the tables goal and eteam in an SQL statement. Indicate the list of column names that may be used in the SELECT line:


Respuesta:



```
matchid, teamid, player, gtime, id, teamname, coach
```

3. Select the code which shows players, their team and the amount of goals they scored against Greece(GRE).

Respuesta:




```
SELECT player, teamid, COUNT(*)  
FROM game JOIN goal ON matchid = id  
WHERE (team1 = "GRE" OR team2 = "GRE")  
AND teamid != 'GRE'  
GROUP BY player, teamid
```

4. Select the result that would be obtained from this code:

```
select distinct teamid, mdate from goal join game on (matchid=id) where mdate = '9  
june 2012';
```

Respuesta:



DEN	9 June 2012
GER	9 June 2012

5. Select the code which would show the player and their team for those who have scored against Poland(POL) in National Stadium, Warsaw.

Respuesta:

```
SELECT DISTINCT player, teamid
FROM game JOIN goal ON matchid = id
WHERE stadium = 'National Stadium, Warsaw'
AND (team1 = 'POL' OR team2 = 'POL')
AND teamid != 'POL'
```

6. Select the code which shows the player, their team and the time they scored, for players who have played in Stadion Miejski (Wroclaw) but not against Italy(ITA).

Respuesta:

```
SELECT DISTINCT player, teamid, gtime
FROM game JOIN goal ON matchid = id
WHERE stadium = 'Stadion Miejski (Wroclaw)'
AND (( teamid = team2 AND team1 != 'ITA') OR ( teamid = team1 AND team2 != 'ITA'))
```

7. Select the result that would be obtained from this code:

```
select teamname, count(*) from eteam join goal on teamid=id group by teamname
having count(*)<3;
```

Respuesta:

Netherlands	2
Poland	2
Republic of Ireland	1
Ukraine	2

More JOIN

1962 movies

1. List the films where the yr is 1962 [Show id, title].

Respuesta:

```
select id, title from movie where yr=1962;
```

Correct answer

id	title
121	To Kill a Mockingbird
479	Dr. No
1082	Music Man, The
1496	What Ever Happened to Baby Jane?
1751	Cape Fear

When was Citizen Kane released?

2. Give year of 'Citizen Kane'.

Respuesta:

```
select yr from movie where title='citizen kane';
```

Correct answer

yr
1941

Star Trek movies

3. List all of the Star Trek movies, include the id, title and yr (all of these movies include the words Star Trek in the title). Order results by year.

Respuesta:

```
select id, title, yr from movie where title like '%star trek%' order by yr;
```

Correct answer		
id	title	yr
402	Star Trek: The Motion Picture	1979
209	Star Trek: The Wrath of Khan	1982
438	Star Trek III: The Search for Spock	1984
349	Star Trek IV: The Voyage Home	1986
472	Star Trek V: The Final Frontier	1989
410	Star Trek VI: The Undiscovered Country	1991
280	Star Trek: Generations	1994

id for actor Glenn Close

4. What id number does the actor 'Glenn Close' have?

Respuesta:

```
select id from actor where name like 'Glenn Close';
```

Correct answer	
id	
104	

id for Casablanca

5. What is the id of the film 'Casablanca'.

Respuesta:

```
select id from movie where title='casablanca';
```

Correct answer	
id	
27	

Cast list for Casablanca

6. Obtain the cast list for 'Casablanca'. Use movieid=11768, (or whatever value you got from the previous question).

Respuesta:

```
select name from actor, casting where id=actorid and movieid=(select id from movie where title='casablanca');
```

Correct answer	
name	
Humphrey Bogart	
Ingrid Bergman	
Claude Rains	
Peter Lorre	
Paul Henreid	
John Qualen	
Curt Bois	

Alien cast list

7. Obtain the cast list for the film 'Alien'.

Respuesta:

```
select name from actor join casting on(id=actorid and movieid=(select id from movie where title='alien'));
```

Correct answer	
name	
Sigourney Weaver	
Ian Holm	
Harry Dean Stanton	
Tom Skerritt	
John Hurt	
Veronica Cartwright	
Yaphet Kotto	

Harrison Ford movies

8. List the films in which 'Harrison Ford' has appeared.

Respuesta:

```
select title from movie join casting on(id=movieid and actorid=(select id from actor where name='harrison ford'));
```

Correct answer	
title	
Star Wars	
Star Wars: Episode V - The Empire Strikes Back	
Raiders of the Lost Ark	
Star Wars: Episode VI - Return of the Jedi	
Blade Runner	
Indiana Jones and the Last Crusade	
Fugitive, The	

Harrison Ford as a supporting actor

9. List the films where 'Harrison Ford' has appeared - but not in the starring role. [Note: the ord field of casting gives the position of the actor. If ord=1 then this actor is in the starring role].

Respuesta:

```
select title from movie join casting on(id=movieid and actorid=(select id from actor where name='harrison ford') and ord!=1);
```

Correct answer	
title	
Star Wars	
Star Wars: Episode V - The Empire Strikes Back	
Star Wars: Episode VI - Return of the Jedi	
Apocalypse Now	
American Graffiti	
Conversation, The	

Lead actors in 1962 movies

10. List the films together with the leading star for all 1962 films.

Respuesta:

```
select title, name from movie join casting on (id=movieid) join actor on  
(actor.id=actorid) where ord=1 and yr=1962;
```

Correct answer

title	name
To Kill a Mockingbird	Gregory Peck
Dr. No	Sean Connery
Music Man, The	Robert Preston (I)
What Ever Happened to Baby Jane?	Bette Davis
Cape Fear	Gregory Peck

Busy years for Rock Hudson**11. Which were the busiest years for 'Rock Hudson', show the year and the number of movies he made each year for any year in which he made more than 2 movies.**

Código:

```
select yr,count(title) from movie join casting on movie.id=movieid join actor on  
actorid=actor.id where name='doris day' group by yr having count(title)>1;
```

Respuesta:

**Lead actor in Julie Andrews movies****12. List the film title and the leading actor for all of the films 'Julie Andrews' played in.**

Código:

```
select movieid from casting where actorid in (select id from actor where  
name='julie andrews');
```

Respuesta:

```
select title, name from movie join casting x on movie.id=movieid join actor on actor.id=actorid where ord=1 and movieid in(select movieid from casting y join actor on actor.id=actorid where name='julie andrews');
```

Correct answer	
title	name
Sound of Music, The	Julie Andrews
Victor/Victoria	Julie Andrews
10	Dudley Moore

Actors with 15 leading roles

13. Obtain a list, in alphabetical order, of actors who've had at least 15 starring roles.

Respuesta:

```
select name from actor join casting on actor.id=casting.actorid where casting.ord=1 group by name having count(*)>=15 order by name asc;
```

Correct answer	
name	
Al Pacino	
Arnold Schwarzenegger	
Clint Eastwood	
Harrison Ford	
Robert De Niro	
Robin Williams	
Sean Connery	

released in the year 1978

14. List the films released in the year 1978 ordered by the number of actors in the cast, then by title.

Respuesta:

```
select title, count(actorid) as cast from movie join casting on id=movieid where  
yr=1978 group by title order by cast desc, title;
```

Correct answer

title	cast
Death on the Nile	12
Capricorn One	11
Foul Play	11
Heaven Can Wait	11
Animal House	9
Boys from Brazil, The	9
Midnight Express	9

with 'Art Garfunkel'

15. List all the people who have worked with 'Art Garfunkel'.

Respuesta:

```
select distinct name from actor join casting on id=actorid where movieid in(select  
movieid from casting join actor on(actorid=id and name='art garfunkel')) and  
name!='art garfunkel' group by name;
```


Correct answer

name
Alan Arkin
Anthony Perkins
Bill Paxton
Bob Balaban
Bob Newhart
Buck Henry
Jack Gilford

More JOIN - quiz

1. Select the statement which lists the unfortunate directors of the movies which have caused financial losses (gross < budget).


Respuesta:



```
SELECT name
FROM actor INNER JOIN movie ON actor.id = director
WHERE gross < budget
```

2. Select the correct example of JOINing three tables.


Respuesta:



```
SELECT *
FROM actor JOIN casting ON actor.id = actorid
JOIN movie ON movie.id = movieid
```

3. Select the statement that shows the list of actors called 'John' by order of number of movies in which they acted.

Respuesta:




```
SELECT name, COUNT(movieid)
FROM casting JOIN actor ON actorid=actor.id
WHERE name LIKE 'John %'
GROUP BY name ORDER BY 2 DESC
```

4. Select the result that would be obtained from the following code:

```
select title from movie join casting on(movieid=movie.id) join actor
on(actorid=actor.id) where name='paul hogan' and ord=1;
```


Respuesta:



"Crocodile" Dundee
Crocodile Dundee in Los Angeles
Flipper
Lightning Jack

5. Select the statement that lists all the actors that starred in movies directed by Ridley Scott who has id 351.


Respuesta:



```
SELECT name
  FROM movie JOIN casting ON movie.id = movieid
  JOIN actor ON actor.id = actorid
 WHERE ord = 1 AND director = 351
```

6. There are two sensible ways to connect movie and actor. They are:


Respuesta:

- 
- link the director column in movies with the primary key in actor
 - connect the primary keys of movie and actor via the casting table

7. Select the result that would be obtained from the following code:

```
select title, yr from movie, casting, actor where name='robert de niro' and
movieid=movie.id and actorid=actor.id and ord=3;
```

Respuesta:



A Bronx Tale	1993
Bang the Drum Slowly	1973
Limitless	2011

Using NULL

NULL, INNER JOIN, LEFT JOIN, RIGHT JOIN

1. List the teachers who have NULL for their department.

Respuesta:

```
select name from teacher where dept is null;
```

Correct answer	
name	
Spiregrain	
Deadyawn	

2. Note the INNER JOIN misses the teachers with no department and the departments with no teacher.

Respuesta:

```
select teacher.name, dept.name from teacher inner join dept
on(teacher.dept=dept.id);
```

Correct answer	
name	name
Shrivell	Computing
Throd	Computing
Splint	Computing
Cutflower	Design

3. Use a different JOIN so that all teachers are listed.

Respuesta:

```
select teacher.name, dept.name from teacher left join dept
on(teacher.dept=dept.id);
```

Correct answer	
name	name
Shrivell	Computing
Throd	Computing
Splint	Computing
Spiregrain	
Cutflower	Design
Deadyawn	

4. Use a different JOIN so that all departments are listed.

Respuesta:

```
select teacher.name, dept.name from teacher right join dept
on(teacher.dept=dept.id);
```

Correct answer

name	name
Shrivell	Computing
Throd	Computing
Splint	Computing
Cutflower	Design
	Engineering

5. Use COALESCE to print the mobile number. Use the number '07986 444 2266' if there is no number given. Show teacher name and mobile number or '07986 444 2266'.

Respuesta:

```
select name, coalesce(mobile, '07986 444 2266') from teacher;
```

Correct answer

name	
Shrivell	07986 555 1234
Throd	07122 555 1920
Splint	07986 444 2266
Spiregrain	07986 444 2266
Cutflower	07996 555 6574
Deadyawn	07986 444 2266

6. Use the COALESCE function and a LEFT JOIN to print the teacher name and department name. Use the string 'None' where there is no department.

Respuesta:

```
select coalesce(teacher.name, 'none'), coalesce(dept.name, 'none') from teacher
left join dept on(teacher.dept=dept.id);
```


Correct answer	
Shrivell	Computing
Throd	Computing
Splint	Computing
Spiregrain	None
Cutflower	Design
Deadyawn	None

7. Use COUNT to show the number of teachers and the number of mobile phones.

Respuesta:

```
select count(name), count(mobile) from teacher;
```

Correct answer	
6	3

8. Use COUNT and GROUP BY dept.name to show each department and the number of staff. Use a RIGHT JOIN to ensure that the Engineering department is listed.

Respuesta:

```
select dept.name, count(teacher.name) from teacher right join dept
on(teacher.dept=dept.id) group by dept.name;
```

Correct answer	
name	
Computing	3
Design	1
Engineering	0

9. Use CASE to show the name of each teacher followed by 'Sci' if the teacher is in dept 1 or 2 and 'Art' otherwise.

Respuesta:

```
select teacher.name, case when dept.id=1 then 'sci' when dept.id=2 then 'sci' else  
'art' end from teacher left join dept on(teacher.dept=dept.id);
```

Correct answer

name	
Shrivell	Sci
Throd	Sci
Splint	Sci
Spiregrain	Art
Cutflower	Sci
Deadyawn	Art

10. Use CASE to show the name of each teacher followed by 'Sci' if the teacher is in dept 1 or 2, show 'Art' if the teacher's dept is 3 and 'None' otherwise.

Respuesta:

```
select teacher.name, case when dept.id=1 then 'sci' when dept.id=2 then 'sci' when  
dept.id=3 then 'art' else 'none' end from teacher left join dept  
on(dept.id=teacher.dept);
```

Correct answer

name	
Shrivell	Sci
Throd	Sci
Splint	Sci
Spiregrain	None
Cutflower	Sci
Deadyawn	None

Using NULL - quiz

1. Select the code which uses an outer join correctly.

Respuesta:

```
SELECT teacher.name, dept.name FROM teacher LEFT OUTER JOIN dept ON (teacher.dept = dept.id)
```

2. Select the correct statement that shows the name of department which employs Cutflower.

Respuesta:

```
SELECT dept.name FROM teacher JOIN dept ON (dept.id = teacher.dept) WHERE teacher.name = 'Cutflower'
```

3. Select out of following the code which uses a JOIN to show a list of all the departments and number of employed teachers.

Respuesta:

```
SELECT dept.name, COUNT(teacher.name) FROM teacher RIGHT JOIN dept ON dept.id = teacher.dept GROUP BY dept.name
```

4. Using `SELECT name, dept, COALESCE(dept, 0) AS result FROM teacher` on `teacher` table will:

Respuesta:

display 0 in result column for all teachers without department

5. Query:

```
select name, case when phone=2752 then 'two' when phone=2753 then 'three' when  
phone=2754 then 'four' end as digit from teacher;
```

Respuesta:

'four' for Throd

6. Select the result that would be obtained from the following code:

```
select name, case when dept in(1) then 'computing' else 'other' end from teacher;
```

Respuesta:

Table-A	
Shrivell	Computing
Throd	Computing
Splint	Computing
Spiregrain	Other
Cutflower	Other
Deadyawn	Other

Self JOIN

1. How many stops are in the database.

Respuesta:

```
select count(*) from stops;
```

Correct answer

246

2. Find the id value for the stop 'Craiglockhart'.

Respuesta:

```
select id from stops where name='craiglockhart';
```

Correct answer

id

53

3. Give the id and the name for the stops on the '4' 'LRT' service.

Respuesta:

```
-- este apartado no me funcionaba correctamente. las consultas no se ejecutaban
```



4. The query shown gives the number of routes that visit either London Road (149) or Craiglockhart (53). Run the query and notice the two services that link these stops have a count of 2. Add a HAVING clause to restrict the output to these two routes.

Código:

```
select company, num, count(*) from route where stop=149 or stop=53 group by
company, num;
```

Corrección:



5. Execute the self join shown and observe that b.stop gives all the places you can get to from Craiglockhart, without changing routes. Change the query so that it shows the services from Craiglockhart to London Road.

Código:

```
select a.company, a.num, a.stop, b.stop from route a join route b
on(a.company=b.company and a.num=b.num) where a.stop=53;
```

Corrección:

```
select a.company, a.num, a.stop, b.stop from route a join route b
on(a.company=b.company and a.num=b.num) where a.stop=53 and b.stop=149;
```

Correct answer

company	num	stop	stop
LRT	4	53	149
LRT	45	53	149

6. The query shown is similar to the previous one, however by joining two copies of the stops table we can refer to stops by name rather than by number. Change the query so that the services between 'Craiglockhart' and 'London Road' are shown. If you are tired of these places try 'Fairmilehead' against 'Tollcross'.

Código:

```
select a.company, a.num, stopa.name, stopb.name from route a join route b
on(a.company=b.company and a.num=b.num) join stops stopa on (a.stop=stopa.id) join
stops stopb on(b.stop=stopb.id) where stopa.name='craiglockhart';
```

Corrección:

```
select a.company, a.num, stopa.name, stopb.name from route a join route b
on(a.company=b.company and a.num=b.num) join stops stopa on(a.stop=stopa.id) join
stops stopb on(b.stop=stopb.id) where stopa.name='craiglockhart'and stopb.name =
'london road';
```

Correct answer			
company	num	name	name
LRT	4	Craiglockhart	London Road
LRT	45	Craiglockhart	London Road

7. Give a list of all the services which connect stops 115 and 137 ('Haymarket' and 'Leith').

Respuesta:

```
select distinct a.company, a.num from route a join route b on(a.company =b.company
and a.num=b.num) join stops stopa on (a.stop=stopa.id) join stops stopb
on(b.stop=stopb.id) where stopa.name='haymarket' and stopb.name='leith';
```

Correct answer	
company	num
LRT	12
LRT	2
LRT	22
LRT	25
LRT	2A
SMT	C5

8. Give a list of the services which connect the stops 'Craiglockhart' and 'Tollcross'.

Respuesta:

```
select distinct a.company, a.num from route a join route b on(a.num=b.num and
a.company=b.company) join stops stopa on(a.stop=stopa.id) join stops stopb
on(b.stop=stopb.id) where stopa.name='craiglockhart' and stopb.name='tollcross';
```

Correct answer	
company	num
LRT	10
LRT	27
LRT	45
LRT	47

9. Give a distinct list of the stops which may be reached from 'Craiglockhart' by taking one bus, including 'Craiglockhart' itself, offered by the LRT company. Include the company and bus no. of the relevant services.

Respuesta:

```
select stopa.name, a.company, a.num from route a join route b on(a.num=b.num and
a.company=b.company) join stops stopa on(a.stop=stopa.id) join stops stopb
on(b.stop=stopb.id) where stopb.name='craiglockhart';
```

Correct answer		
name	company	num
Silverknowes	LRT	10
Muirhouse	LRT	10
Newhaven	LRT	10
Leith	LRT	10
Leith Walk	LRT	10
Princes Street	LRT	10
Tollcross	LRT	10

10. Find the routes involving two buses that can go from Craiglockhart to Lochend. Show the bus no. and company for the first bus, the name of the stop for the transfer, and the bus no. and company for the second bus.

Respuesta:



Self JOIN - quiz

1. Select the code that would show it is possible to get from Craiglockhart to Haymarket.

Respuesta:

```
SELECT DISTINCT a.name, b.name
  FROM stops a JOIN route z ON a.id=z.stop
  JOIN route y ON y.num = z.num
  JOIN stops b ON y.stop=b.id
 WHERE a.name='Craiglockhart' AND b.name ='Haymarket'
```

2. Select the code that shows the stops that are on route.num '2A' which can be reached with one bus from Haymarket?

Respuesta:

```
SELECT S2.id, S2.name, R2.company, R2.num
  FROM stops S1, stops S2, route R1, route R2
 WHERE S1.name='Haymarket' AND S1.id=R1.stop
   AND R1.company=R2.company AND R1.num=R2.num
   AND R2.stop=S2.id AND R2.num='2A'
```

3. Select the code that shows the services available from Tollcross?

Respuesta:

```
SELECT a.company, a.num, stopa.name, stopb.name
  FROM route a JOIN route b ON (a.company=b.company AND a.num=b.num)
  JOIN stops stopa ON (a.stop=stopa.id)
  JOIN stops stopb ON (b.stop=stopb.id)
 WHERE stopa.name='Tollcross'
```