

SI Model Stability

Charlotte Maryjean White

December 6, 2025

1 Model

The SI (Susceptible-Infected) model is a discrete-time, deterministic model.

$$\begin{aligned}\frac{dS}{dt} &= -\frac{\alpha}{N}SI \\ \frac{dI}{dt} &= \frac{\alpha}{N}SI\end{aligned}$$

1.1 Parameters

- α : the contact rate, i.e. the average number of individuals successfully infected

SI is the number of potential contacts with an infected individual. Then $\frac{\alpha}{N}SI$ is the average number of successful infections per population times the number of potentially successful contacts.

1.2 Initial Conditions

$$\begin{aligned}S_0 + I_0 &= N \\ S_0 > 0, I_0 > 0\end{aligned}$$

2 Stability Analysis

Reduce to one equation. Since $S = N - I$:

$$\frac{dI}{dt} = \frac{\alpha}{N}(N - I)I$$

The equilibria / fixed points are when $\frac{dI}{dt} = 0$.

$$I^* = 0, I^* = N$$

Corresponding to $S^* = N$ and $S^* = 0$, respectively.

This gives two (S, I) pairs: the DFE pair $(N, 0)$ and the endemic equilibrium pair $(0, N)$.

The Jacobian for $x = \frac{dS}{dt}$ and $y = \frac{dI}{dt}$ is

$$J = \begin{vmatrix} \frac{\partial x}{\partial S} & \frac{\partial x}{\partial I} \\ \frac{\partial y}{\partial S} & \frac{\partial y}{\partial I} \end{vmatrix} = \begin{vmatrix} -\frac{\alpha}{N}I & -\frac{\alpha}{N}S \\ \frac{\alpha}{N}I & \frac{\alpha}{N}S \end{vmatrix}$$

2.1 Disease-Free Equilibrium (DFE)

DFE: $(S, I) = (N, 0)$

Evaluate the Jacobian.

$$J = \begin{vmatrix} 0 & -\alpha \\ 0 & \alpha \end{vmatrix}$$

2.2 Endemic Equilibrium

Endemic equilibrium: $(S, I) = (0, N)$

Evaluate the Jacobian.

$$J = \begin{vmatrix} -\alpha & 0 \\ \alpha & 0 \end{vmatrix}$$