# Functional Testing

Zelin Cai, Patrick Silvestre

### 1 Input Domain

The input domain of the unit nextDate consists of dates formatted as follows: MM/DD/YYYY. For months, MM, the input condition specifies the range [1,12]. If MM=2 and the year is not a leap year, then the input condition range for dates, DD is [1,28] (a year is a leap year if divisible by 4 and not divisible by 100 (unless divisible by 400)). If MM=2 and the year is a leap year, then the input condition range for DD is [1,29]. If MM=4,6,9, or 11, then the input condition range for DD is [1,30]. If MM=1,3,5,7,8,10, or 12, then the input condition range for DD is [1,31].

## 2 Equivalence Classes

In order to identify equivalence classes (ECs), the following strategy was used: input conditions typically specified a range [a,b], thus one EC valid input was identified for  $a \le X \le b$ , and two others with invalid input were identified for X < a and b < X.

#### 2.1 Months

• EC-01:  $01 \le MM \le 12$ 

• EC-02: MM < 01

• EC-03: 12 < MM

#### 2.2 Dates

#### 2.2.1 MM = 2, YY is not a leap year

• EC-04:  $01 \le DD \le 28$ 

• EC-05: DD < 01

• EC-06: 28 < DD

### 2.2.2 MM = 2, YY is a leap year

- EC-07:  $01 \le DD \le 29$
- EC-08: DD < 01
- EC-09: 29 < DD

#### 2.2.3 MM = 4, 6, 9, or 11

- EC-10:  $01 \le DD \le 30$
- EC-11: DD < 01
- EC-12: 30 < DD

#### 2.2.4 MM = 1, 3, 5, 7, 8, 10, or 12

- EC-13:  $01 \le DD \le 31$
- EC-14: DD < 01
- EC-15: 31 < DD

### 2.3 Years

- EC-16:  $1900 \le YYYY \le 2099$
- EC-17: YYYY < 1900
- EC-18: 2099 < YYYY

# 3 Test Cases

### 3.1 Test Cases from Equivalence Classes

In order to identify test cases (TCs) from ECs, the following strategy is used: For each EC with valid input that has not been covered by a TC, write a TC covering as many uncovered ECs as possible. Then, for each EC with invalid input that has been covered, write a new TC that covers only that EC.

#### 3.1.1 Test Cases for ECs with Valid Input

Valid Input ECs: EC-01, EC-04, EC-07, EC-10, EC-13, EC-16

TC	Test Value	Expected Result	EC-01	EC-04	EC-07	EC-10	EC-13	EC-16
01	02/01/1999	02/02/1999	✓	✓				<b>√</b>
02	02/01/2000	02/02/2000	✓		✓			<b>√</b>
03	04/01/2000	04/02/2000	✓			✓		✓
04	01/01/2000	01/02/2000	✓				✓	<b>√</b>

# 3.1.2 Test Cases for ECs with Invalid Input

Invalid Input ECs: EC-02, EC-03, EC-05, EC-06, EC-08, EC-09, EC-11, EC-12, EC-14 EC-15, EC-17, EC-18

TC	Test Value	Expected Result	EC-02	EC-03	EC-05
05	00/01/2000	ERROR: The month needs to be between 1 to 12	✓		
06	13/01/2000	ERROR: The month needs to be between 1 to 12		<b>√</b>	
07	02/00/1999	ERROR: The day needs to be between 1 to 28			✓

TC	Test Value	Expected Result	EC-06	EC-08	EC-09
08	02/29/1999	ERROR: This year isn't a leap year	✓		
09	02/00/2000	ERROR: The day needs to be between 1 to 29		✓	
10	02/30/2000	ERROR: The day needs to be between 1 to 29			✓

TC	Test Value	Expected Result	EC-11	EC-12	EC-14
11	04/00/2000	ERROR: The day needs to be between 1 to 30	✓		
12	04/31/2000	ERROR: This month only has 30 days		✓	
13	01/00/2000	ERROR: The day needs to be between 1 to 30			✓

TC	Test Value	Expected Result	EC-15	EC-17	EC-18
14	01/32/2000	ERROR: The day needs to be between 1 to 31	✓		
15	01/01/1899	ERROR: The year needs to be between 1900 to 2099		✓	
16	01/01/2100	ERROR: The year needs to be between 1900 to 2099			<b>√</b>

# 3.2 Test Cases for Boundary Value Analysis

In order to identify test cases for boundary value analysis (BVA), the following strategy is used: Since ECs specify ranges, test cases are constructed by considering the boundary points of the range and points just beyond the boundaries of the range.

### **3.2.1 EC-01:** $01 \le MM \le 12$

TC	Test Value	Expected Result
01	00/01/2000	ERROR: The month needs to be between 1 to 12
02	01/01/2000	01/02/2000
03	02/01/2000	02/02/2000
04	11/01/2000	11/02/2000
05	12/01/2000	12/02/2000
06	13/01/2000	ERROR: The month needs to be between 1 to 12

#### **3.2.2 EC-02:** *MM* < 01

TC	Test Value	Expected Result
01	00/01/2000	ERROR: The month needs to be between 1 to 12
02	01/01/2000	01/02/2000
03	02/01/2000	02/02/2000

#### **3.2.3 EC-03:** 12 < MM

TC	Test Value	Expected Result
01	11/01/2000	11/02/2000
02	12/01/2000	12/02/2000
03	13/01/2000	ERROR: The month needs to be between 1 to 12

### 3.2.4 EC-04: $01 \le DD \le 28$ (MM = 2, YY is not a leap year)

TC	Test Value	Expected Result
01	02/00/1999	ERROR: The day needs to be between 1 to 28
02	02/01/1999	02/02/1999
03	02/02/1999	02/03/1999
04	02/27/1999	02/28/1999
05	02/28/1999	03/01/1999
06	02/29/1999	ERROR: This year isn't a leap year

### 3.2.5 EC-05: DD < 01 (MM = 2, YY is not a leap year)

TC	Test Value	Expected Result
01	02/00/1999	ERROR: The day needs to be between 1 to 28
02	02/01/1999	02/02/1999
03	02/02/1999	02/03/1999

### 3.2.6 EC-06: 28 < DD (MM = 2, YY is not a leap year)

	04	02/27/1999	02/28/1999
	05	02/28/1999	03/01/1999
ĺ	06	02/29/1999	ERROR: This year isn't a leap year

#### 3.2.7 EC-07: $01 \le DD \le 29$ (MM = 2, YY is a leap year)

TC	Test Value	Expected Result
01	02/00/2000	ERROR: The day needs to be between 1 to 29
02	02/01/2000	02/02/2000
03	02/02/2000	02/03/2000
04	02/28/2000	02/29/2000
05	02/29/2000	03/01/2000
06	02/30/2000	ERROR: The day needs to be between 1 to 29

#### 3.2.8 EC-08: DD < 01 (MM = 2, YY is a leap year)

TC	Test Value	Expected Result
01	02/00/2000	ERROR: The day needs to be between 1 to 29
02	02/01/2000	02/02/2000
03	02/02/2000	02/03/2000

### 3.2.9 EC-09: 29 < DD (MM = 2, YY is a leap year)

TC	Test Value	Expected Result
01	02/28/2000	02/29/2000
02	02/29/2000	03/01/2000
03	02/30/2000	ERROR: The day needs to be between 1 to 29

# 3.2.10 EC-10: $01 \le DD \le 30$ (MM = 4, 6, 9, or 11)

TC	Test Value	Expected Result
01	04/00/2000	ERROR: The day needs to be between 1 to 30
02	04/01/2000	04/02/2000
03	04/02/2000	04/03/2000
04	04/29/2000	04/30/2000
05	04/30/2000	05/01/2000
06	04/31/2000	ERROR: The day needs to be between 1 to 30

### 3.2.11 EC-11: DD < 01 (MM = 4, 6, 9, or 11)

TC	Test Value	Expected Result
01	04/00/2000	ERROR: The day needs to be between 1 to 30
02	04/01/2000	04/02/2000
03	04/02/2000	04/03/2000

# 3.2.12 EC-12: 30 < DD(MM = 4, 6, 9, or 11)

TC	Test Value	Expected Result
01	04/29/2000	04/30/2000
02	04/30/2000	05/01/2000
03	04/31/2000	ERROR: The day needs to be between 1 to 30

### 3.2.13 EC-13: $01 \le DD \le 31$ (MM = 1, 3, 5, 7, 8, 10, or 12)

TC	Test Value	Expected Result
01	01/00/2000	ERROR: The day needs to be between 1 to 31
02	01/01/2000	01/02/2000
03	01/02/2000	01/03/2000
04	01/30/2000	01/31/2000
05	01/31/2000	02/01/2000
06	01/32/2000	ERROR: The day needs to be between 1 to 31

# 3.2.14 EC-14: DD < 01 (MM = 1, 3, 5, 7, 8, 10, or 12)

TC	Test Value	Expected Result
01	01/00/2000	ERROR: The day needs to be between 1 to 31
02	01/01/2000	01/02/2000
03	01/02/2000	01/03/2000

### 3.2.15 EC-15: 31 < DD (MM = 1, 3, 5, 7, 8, 10, or 12)

TC	Test Value	Expected Result
01	01/30/2000	01/31/2000
02	01/31/2000	02/01/2000
03	01/32/2000	ERROR: The day needs to be between 1 to 31

### **3.2.16 EC-16:** $1900 \le YYYY \le 2099$

TC	Test Value	Expected Result
01	01/01/1899	ERROR: The year needs to be between 1900 to 2099
02	01/01/1900	01/02/1900
03	01/01/1901	01/02/1901
04	01/01/2098	01/02/2098
05	01/01/2099	01/02/2099
06	01/01/2100	ERROR: The year needs to be between 1900 to 2099

#### **3.2.17 EC-17:** *YYYY* < 1900

TC	Test Value	Expected Result
01	01/01/1899	ERROR: The year needs to be between 1900 to 2099
02	01/01/1900	01/02/1900
03	01/01/1901	01/02/1901

#### **3.2.18 EC-18:** 2099 < YYYY

TC	Test Value	Expected Result
01	01/01/2098	01/02/2098
02	01/01/2099	01/02/2099
03	01/01/2100	ERROR: The year needs to be between 1900 to 2099

# 3.3 Test Cases for Random Testing

Typically, in random testing, test inputs are randomly generated according to some operational profile. In this case, we generate 16 test cases using a random number generators via random.org. MM is limited to the range [00, 13], DD [00, 32], and YYYY [1899, 2100].

TC	Test Value	Expected Result
01	13/15/2040	ERROR: The month needs to be between 1 to 12
02	00/31/1909	ERROR: The month needs to be between 1 to 12
03	06/08/2053	06/08/2053
04	01/05/1986	01/06/1986
05	04/23/1977	04/24/1977
06	13/10/2024	ERROR: The month needs to be between 1 to 12
07	11/27/1955	11/28/1955
08	13/03/2084	ERROR: The month needs to be between 1 to 12
09	11/08/2059	11/07/2059
10	12/04/1912	12/05/1912
11	11/14/1902	11/15/1902
12	10/15/1972	10/16/1972
13	13/21/1985	ERROR: The month needs to be between 1 to 12
14	11/27/2039	11/28/2039
15	08/29/2035	08/30/2035
16	00/02/2031	ERROR: The month needs to be between 1 to 12